

AD-A230 079

## Tables of Confidence Limits for Proportions

ROBERT B. FAUST

TECHNICAL REPORT AFDTC-TR-90-48


SEPTEMBER 1990

DTIC  
ELECTE  
DEC 26 1990  
S B D


APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

3246TH TEST WING  
AIR FORCE DEVELOPMENT TEST CENTER  
AIR FORCE SYSTEMS COMMAND • UNITED STATES AIR FORCE

EGLIN AIR FORCE BASE, FLORIDA



This technical report was prepared by




ROBERT B. FAUST  
Analyst

This technical report is approved



H. DOUGLAS NATION, Tech Advisor  
Deputate for Test Engineering

This technical report is approved



EDWIN A. THOMAS, Colonel, USAF  
Vice Commander

<b>REPORT DOCUMENTATION PAGE</b>						Form Approved OMB No. 0704-0188	
Public reporting burden for this report of persons who are required to collect or furnish information should include estimates of burden (including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing and reviewing the collection of data, sending comments regarding this burden estimate or any other aspect of the collection of data, including suggestions for reducing the burden). Send comments regarding this burden estimate or any other aspect of the collection of data, including suggestions for reducing the burden, to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.							
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE: Sept 1990		3. REPORT TYPE AND DATES COVERED NA			
4. TITLE AND SUBTITLE Tables of Confidence Limits for Proportions						5. FUNDING NUMBERS 9993Z012	
6. AUTHOR(S)  Robert B. Faust							
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  3246th Test Wing Electronic Warfare Test Division Air Force Development Test Center (AFSC) Eglin AFB FL 32542-5424						8. PERFORMING ORGANIZATION REPORT NUMBER  AFDTC-TR-90-48	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  NA						10. SPONSORING/MONITORING AGENCY REPORT NUMBER  NA	
11. SUPPLEMENTARY NOTES  Available in DTIC							
12a. DISTRIBUTION AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.						12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  This reference document contains tables of confidence limits for proportions for all sample sizes from 1 through 100. For sample sizes 105 through 200, tables are provided at intervals of five. Tables are also provided for sample sizes of 500 and 1000. When a sample size is not included in one of the tables, a method is provided for interpolating between tabled values to obtain accurate confidence limits for any sample size less than 1000. Confidence limits have been computed for the most frequently used confidence levels; i.e., 90, 95, and 99 percent. Data are compiled into three tables. One consists of two-sided confidence limits, one consists of one-sided lower confidence limits, and the third consists of one-sided upper confidence limits. The confidence limits are given to three decimal places for samples of size 195 and less. Samples of size 200, 500, and 1000 are given to four decimal places to improve the accuracy of interpolations.							
14. SUBJECT TERMS Confidence limits                  Confidence intervals Proportions                      Binomial distribution						15. NUMBER OF PAGES 410	
						16. PRICE CODE NA	
17. SECURITY CLASSIFICATION Unclassified		18. SECURITY CLASSIFICATION Unclassified		19. SECURITY CLASSIFICATION Unclassified		20. LIMITATION OF ABSTRACT None	

(This page intentionally blank)



## PREFACE

This document contains tables of confidence limits for proportions developed to aid in the analysis of test data from dichotomous populations. A dichotomous population is a population that can be divided into two groups such as male and female or success and failure.

Let the two possible outcomes from sampling a dichotomous population be labeled success and failure. If successes are the outcome of interest, then  $p$ , the point estimate of the proportion of successes in the population, is simply  $k/n$ , where  $k$  is the number of successes observed in a sample of  $n$  observations. Often a point estimate is not sufficient knowledge of  $p$  and an interval estimate is desired. An interval estimate is an interval of values such that it can be stated, with a specific degree of confidence, that the true population proportion lies in this interval. The interval may be two-sided or one-sided. The limits of the interval are called confidence limits.

While the point estimate of a proportion is simple to compute, the confidence limits are not. For this reason, approximation methods have been widely used to compute them. None of the approximation methods are accurate for all sample sizes and proportions. Although computer programs exist for computing these confidence limits, not everyone who needs this capability has a computer available. Of those who have a computer available, few have a program for this purpose. It is for this reason these tables have been computed and made available.


This document contains three tables of confidence limits. Table 1 consists of two-sided confidence limits, Table 2 consists of one-sided lower confidence limits, and Table 3 consists of one-sided upper confidence limits. The tables provide confidence limits for all sample sizes from 1 through 100. For sample sizes from 105 through 200, they are provided at intervals of 5. In addition, they are provided for samples of size 500 and 1000. All tables provide confidence levels of 90, 95, and 99 percent. Confidence limits are given to three decimal places for sample sizes through 195 and to four decimal places for samples of size 200, 500, and 1000.

Interpolation worksheets and correction factors are provided for the purpose of computing confidence limits for those sample sizes less than 1000 for which confidence limits are not tabled.



Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

(This page intentionally blank)



## TABLE OF CONTENTS

Section	Page
I. INTRODUCTION.....	1
II. DETERMINATION OF CONFIDENCE LIMITS FOR UNTABLED SAMPLE SIZES.....	3
III. TABULATED CONFIDENCE LIMITS FOR PROPORTIONS.....	11
Two-sided Confidence Limits for Proportions.....	13
One-sided Lower Confidence Limits for Proportions.....	193
One-sided Upper Confidence Limits for Proportions.....	283
IV. REFERENCES.....	371
Appendices	
A. INTERPOLATION CORRECTION FACTORS FOR TWO-SIDED CONFIDENCE LIMITS.....	373
B. INTERPOLATION CORRECTION FACTORS FOR ONE-SIDED LOWER CONFIDENCE LIMITS.....	387
C. INTERPOLATION CORRECTION FACTORS FOR ONE-SIDED UPPER CONFIDENCE LIMITS.....	395

## FIGURES

Figure		Page
1.	Interpolation worksheet for sample sizes between 100 and 200 (Blank).....	5
2.	Interpolation worksheet for sample sizes between 200 and 500 (Blank).....	6
3.	Interpolation worksheet for sample sizes between 500 and 1000.....	7

## TABLES

Table		
1.	Two-sided confidence limits for proportions.....	13
2.	One-sided lower confidence limit for proportions.....	193
3.	One-sided upper confidence limit for proportions.....	283

## SECTION I

### INTRODUCTION

Let the two possible outcomes of sampling from a dichotomous population be labeled success and failure and each individual sample taken from the population be called an observation. Let  $p$  be the proportion of successes in the population and  $1-p$  be the proportion of failures. The proportion  $p$  is unknown. In order to obtain an estimate of  $p$ , a sample of  $n$  observations is taken from the population. Let  $k$  be the number of successes observed. The best estimate of  $p$  is  $k/n$ . This is called a "point estimate." A point estimate is usually insufficient knowledge of  $p$ . To obtain more knowledge of  $p$ , an "interval estimate" of  $p$  may be desired. An interval estimate consists of lower and/or upper limits such that, with a specified degree of confidence, it can be stated that the interval contains  $p$ . These limits are called confidence limits and the intervals are called confidence intervals. A ninety percent confidence interval, for example, will contain  $p$  with a probability of 0.9.

Confidence intervals can be two-sided or one-sided. A two-sided confidence interval has both lower and upper confidence limits. A one-sided confidence interval has only one confidence limit which can be either lower or upper. A one-sided confidence interval having a lower confidence limit would have the other end of the interval open. That is, the interval would extend from the lower limit to one. A one-sided confidence interval having an upper confidence limit would have an interval extending from zero to the upper limit.

Let  $x$  be the number of successes in a random sample of size  $n$  from a population having a proportion of successes  $p$ . If the  $n$  observations are all independent (the probability of a success is the same for each of the  $n$  observations), then  $n$  and  $p$  are parameters and  $x$  the random variable of a binomial distribution, the probability density function of which is

$$f(x; n, p) = C(n, x) p^x (1-p)^{n-x} \quad \begin{matrix} 0 \leq x \leq n \\ 0 \leq p \leq 1 \end{matrix}$$

where  $C(n, x)$  is the combination of  $n$  things taken  $x$  at a time. The probability that  $x$  is greater than or equal to  $k$  ( $k \leq n$ ) is expressed as

$$Pr(x \geq k) = \sum_{x=k}^n f(x; n, p)$$

The lower confidence limit for  $p$  for a one-sided confidence interval is determined by finding the value of  $P$  for which

$$(1) \quad \sum_k^n C(n, x) P^x (1-P)^{n-x} = \alpha$$

where  $\alpha$  is the probability the confidence interval will not contain the true parameter  $p$ . For example, if a 95 percent confidence interval is desired,  $\alpha$  would have the value 0.05.

The upper confidence limit for  $p$  for a one-sided confidence interval is determined by finding the value of  $P$  for which

$$(2) \quad \sum_{k=1}^n C(n, x) P^x (1-P)^{n-x} = 1-\alpha$$

To determine confidence limits for  $p$  for a two sided confidence interval, replace  $\alpha$  with  $\alpha/2$  in equations (1) and (2) above.

#### How Confidence Limits were Computed.

Since  $P$  is implicit to equations (1) and (2), it would be difficult to solve these equations for  $P$  except for very small values of  $k$ . Fortunately, the beta and binomial distributions have a relationship that makes it possible to use the beta distribution to compute the confidence limits. The beta distribution is a continuous distribution, the density function of which is

$$f(x) = [1/B(r, s)] x^{r-1} (1-x)^{s-1} \quad \begin{array}{l} 0 < x \leq 1 \\ r > 0 \\ s > 0 \end{array}$$

where  $B(r, s) = \Gamma(r)\Gamma(s)/\Gamma(r+s)$

$\Gamma(\ )$  - The gamma function

The cumulative beta and binomial distributions have the following relationship:

$$\sum_k^n C(n, x) P^x (1-P)^{n-x} = [1/B(k, n-k+1)] \int_0^P z^{k-1} (1-z)^{n-k} dz$$

Using this relationship, (1) can be written in terms of the beta distribution as

$$(3) \quad [1/B(k, n-k+1)] \int_0^P z^{k-1} (1-z)^{n-k} dz = \alpha$$

and (2) can be written as

$$(4) \quad [1/B(k+1, n-k)] \int_P^1 z^k (1-z)^{n-k-1} dz = \alpha$$

Although  $P$  is implicit to equations (3) and (4),  $P$  can be computed much more easily using these equations rather than (1) and (2). An International Mathematical and Statistical Libraries, Inc. (IMSL) subroutine, using the above relationships, was used on a VAX computer to compute these tables. Confidence limits obtained using the IMSL subroutine are, according to IMSL, approximate only in the sense that the confidence level may exceed  $1-\alpha$  but will never be less than  $1-\alpha$ .

## SECTION II

### DETERMINATION OF CONFIDENCE LIMITS FOR UNTABLED SAMPLE SIZES

Tabled values of confidence limits for proportions are not given for all sample sizes between 100 and 1000. To make it possible to determine confidence limits for some untabled sample size  $n$ , number of successes,  $k$ , and confidence level, three interpolation worksheets are provided. The first one (Figure 1) provides for interpolating in the range of sample sizes between 100 and 200. The second one (Figure 2) is for sample sizes between 200 and 500 and the third (Figure 3) is for sample sizes between 500 and 1000. For the purpose of interpolating, tabled confidence limits are provided for samples of size 200, 500, and 1000. These are given to four decimal places to improve the accuracy of interpolating. In addition, Appendices A, B, and C provide correction factors to be used with the two worksheets (Figures 2 and 3).

Notations used in the worksheets are defined as follows:

- N: The sample size for which a confidence limit is being determined.
- K: The number of successes observed in the sample of size  $N$  for which a confidence limit is being determined.
- INT( $Z$ ): The integer part of a decimal number  $Z$ . For example, if  $Z = 71.9101$ , then  $\text{INT}(Z) = 71$ .
- C( $A, B$ ): The confidence limit that corresponds to a sample of size  $A$  and number of successes  $B$ . The confidence limit is determined using the confidence level, confidence interval and confidence limit information at the top of the worksheet.
- $N_1$ : This notation is found only in Figure 1. It is the closest sample size to  $N$  for which there are tabled confidence limits.

The first step is to choose the correct worksheet. If the sample size for which you desire a confidence limit is between 100 and 200, use Figure 1. If it is between 200 and 500, use Figure 2, and if between 500 and 1000, use Figure 3. Next, fill in the information at the top of the worksheet; i.e.,  $N$ ,  $K$ , confidence level, etc.

The computations are fairly straightforward. Two examples are provided to help facilitate the understanding of how to do the calculations. Example 1 is for a sample size of 158 to demonstrate how to use the Figure 1 worksheet. Example 2 demonstrates how to use the Figure 2 worksheet and correction factors with a sample size of 405. Figure 3 worksheet is the same as Figure 2 worksheet except 200 is replaced with 500 and 500 is replaced with 1000.

In example 1, the sample size  $N$  equals 158, the number of successes  $k$  equals 27, the confidence level is 95 percent and a one-sided upper confidence limit is desired. The tabled sample size closest to 158 is 160; therefore,  $N_1$

equals 160. Using  $N_1$  and the given values of  $N$  and  $K$ ,  $K_1$  is found to be 27.3418.  $A$  is the integer part of  $K_1$  which is 27 and  $P$  is 27.3418 minus 27 which is 0.3418. Using these values of  $N_1$  and  $A$ , the confidence limits  $C(N_1, A)$  and  $C(N_1, A+1)$  are found by looking them up in Table 3 for one-sided upper confidence limits to get 0.225 and 0.232, respectively. Using these confidence limits and  $P$ ,  $C(N, K)$  is calculated and found to be 0.227.

In example 2,  $N$  equals 405,  $K$  equals 127, confidence level is 90 percent and a two-sided upper confidence limit is desired. Using these values of  $N$  and  $K$ ,  $K_1$  and  $K_2$  are calculated and are found to be 62.7160 and 156.7901, respectively.  $A_1$ , being the integer part of  $K_1$ , is 62 and  $A_2$ , being the integer part of  $K_2$ , is 156.  $P_1$  is 62.7160 minus 62 which is 0.7160.  $P_2$  is 156.7901 minus 156 which is 0.7901. Using 62, the value of  $A_1$ , the confidence limits  $C(200, A_1)$  and  $C(200, A_1+1)$  are found in Table 1 to be 0.3682 and 0.3733, respectively. Using 156, the value of  $A_2$ , the confidence limits  $C(500, A_2)$  and  $C(500, A_2+1)$  are found in Table 1 to be 0.3478 and 0.3499, respectively. These four confidence limits and  $P_1$  and  $P_2$  are used to calculate  $CI(200, K_1)$  and  $CI(500, K_2)$ .

To determine the correction factor  $CF$ , use the information at the top of the worksheet for sample size  $N$ , confidence level, confidence interval and confidence limit to determine the correct figure to use. Figure A-3 in Appendix A is found to be the correct one to use for this example. Calculate  $K/N$  to determine the curve to use or the curves to visually interpolate between. In this example,  $K/N = 0.314$ . Visually interpolating between the curves for 0.3 and 0.4 for a sample of size 405, the correction factor  $CF$  is found to be approximately -0.0029.

Using  $CI(200, K_1)$ ,  $CI(500, K_2)$ ,  $N$  and  $CF$ ,  $C(N, K)$  is calculated to be 0.354.



Figure 1. Interpolation Worksheet For Sample  
Sizes Between 100 and 200

N = \_\_\_\_\_ K = \_\_\_\_\_ Confidence Level = \_\_\_\_\_

Confidence Interval: One-sided? \_\_\_\_\_ Two-sided? \_\_\_\_\_

Confidence Limit: Upper Limit? \_\_\_\_\_ Lower Limit? \_\_\_\_\_

Computations:

$$K1 = N1(K/N) = \underline{\hspace{2cm}}$$

$$A = \text{INT}(K1) = \underline{\hspace{2cm}}$$

$$P = K1 - A = \underline{\hspace{2cm}}$$

$$C(N1, A)^* = \underline{\hspace{2cm}}$$

$$C(N1, A+1)^* = \underline{\hspace{2cm}}$$

$$\begin{aligned} C(N, K) &= P[ C(N1, A+1) - C(N1, A) ] + C(N1, A) \\ &= \underline{\hspace{4cm}} \\ &= \underline{\hspace{4cm}} \end{aligned}$$

Note: N1 is the closest sample size to N for which there  
are tabled confidence limits.

\* This confidence limit can be found in the tables. Use  
the confidence level, confidence interval and confidence  
limit information at the top of worksheet.

Figure 2. Interpolation Worksheet For Sample  
Sizes Between 200 and 500

N = \_\_\_\_\_ K = \_\_\_\_\_ Confidence Level = \_\_\_\_\_

Confidence Interval: One-sided? \_\_\_\_\_ Two-sided? \_\_\_\_\_

Confidence Limit: Upper Limit? \_\_\_\_\_ Lower Limit? \_\_\_\_\_

Computations:

$$K1 = 200K/N = \underline{\hspace{2cm}}$$

$$K2 = 500K/N = \underline{\hspace{2cm}}$$

$$A1 = \text{INT}(K1) = \underline{\hspace{2cm}}$$

$$C(200, A1)^* = \underline{\hspace{2cm}}$$

$$A2 = \text{INT}(K2) = \underline{\hspace{2cm}}$$

$$C(200, A1+1)^* = \underline{\hspace{2cm}}$$

$$P1 = K1 - A1 = \underline{\hspace{2cm}}$$

$$C(500, A2)^* = \underline{\hspace{2cm}}$$

$$P2 = K2 - A2 = \underline{\hspace{2cm}}$$

$$C(500, A2+1)^* = \underline{\hspace{2cm}}$$

$$\begin{aligned} CI(200, K1) &= P1[ C(200, A1+1) - C(200, A1) ] + C(200, A1) \\ &= \underline{\hspace{4cm}} \end{aligned}$$

$$\begin{aligned} CI(500, K2) &= P2[ C(500, A2+1) - C(500, A2) ] + C(500, A2) \\ &= \underline{\hspace{4cm}} \end{aligned}$$

$$\begin{aligned} C(N, K) &= \frac{CI(200, K1) + [ CI(500, K2) - CI(200, K1) ](N - 200)/300}{+ CF} \\ &= \underline{\hspace{4cm}} \\ &= \underline{\hspace{4cm}} \end{aligned}$$

\* This confidence limit can be found in the tables. Use the confidence level, confidence interval and confidence limit information at the top of worksheet.

Figure 3. Interpolation Worksheet For Sample  
Sizes Between 500 and 1000

N = \_\_\_\_\_ K = \_\_\_\_\_ Confidence Level = \_\_\_\_\_

Confidence Interval: One-sided? \_\_\_\_\_ Two-sided? \_\_\_\_\_

Confidence Limit: Upper Limit? \_\_\_\_\_ Lower Limit? \_\_\_\_\_

Computations:

$$K1 = 500K/N = \underline{\hspace{2cm}}$$

$$K2 = 1000K/N = \underline{\hspace{2cm}}$$

$$A1 = \text{INT}(K1) = \underline{\hspace{2cm}}$$

$$C(500, A1)^* = \underline{\hspace{2cm}}$$

$$A2 = \text{INT}(K2) = \underline{\hspace{2cm}}$$

$$C(500, A1+1)^* = \underline{\hspace{2cm}}$$

$$P1 = K1 - A1 = \underline{\hspace{2cm}}$$

$$C(1000, A2)^* = \underline{\hspace{2cm}}$$

$$P2 = K2 - A2 = \underline{\hspace{2cm}}$$

$$C(1000, A2+1)^* = \underline{\hspace{2cm}}$$

$$\begin{aligned} CI(500, K1) &= P1[ C(500, A1+1) - C(500, A1) ] + C(500, A1) \\ &= \underline{\hspace{4cm}} \end{aligned}$$

$$\begin{aligned} CI(1000, K2) &= P2[ C(1000, A2+1) - C(1000, A2) ] + C(1000, A2) \\ &= \underline{\hspace{4cm}} \end{aligned}$$

$$\begin{aligned} C(N, K) &= CI(500, K1) + [ CI(1000, K2) - CI(500, K1) ](N - 500)/500 \\ &\quad + CF \\ &= \underline{\hspace{4cm}} \\ &= \underline{\hspace{4cm}} \end{aligned}$$

\* This confidence limit can be found in the tables. Use the confidence level, confidence interval and confidence limit information at the top of this worksheet.

### Example 1

Figure 1. Interpolation Worksheet For Sample Sizes Between 100 and 200

$N = \underline{158}$        $K = \underline{27}$       Confidence Level = 95%  
 Confidence Interval:    One-sided? ☒      Two-sided? ☐  
 Confidence Limit:      Upper Limit? ☒      Lower Limit? ☐

#### Computations:

$$K1 = N1(K/N) = \underline{160(27/158)} = 27.3418$$

$$A = \text{INT}(K1) = \underline{27}$$

$$P = K1 - A = \underline{0.3418}$$

$$C(N1, A)^* = \underline{C(160, 27) = 0.225}$$

$$C(N1, A+1)^* = \underline{C(160, 28) = 0.232}$$

$$\begin{aligned}
 C(N, K) &= P[ C(N1, A+1) - C(N1, A) ] + C(N1, A) \\
 &= \underline{0.3418 [0.232 - 0.225] + 0.225} \\
 &= \underline{0.227}
 \end{aligned}$$

Note: N1 is the closest sample size to N for which there are tabled confidence limits.

- \* This confidence limit can be found in the tables. Use the confidence level, confidence interval and confidence limit information at the top of worksheet.

## Example 2

Figure 2. Interpolation Worksheet For Sample  
Sizes Between 200 and 500

$N = \underline{405}$        $K = \underline{127}$       Confidence Level = 90%  
 Confidence Interval:    One-sided?             Two-sided? ✓  
 Confidence Limit:      Upper Limit? ✓      Lower Limit?       

### Computations:

$$K1 = 200K/N = \underline{200(127/405)} = 62.7160$$

$$K2 = 500K/N = \underline{500(127/405)} = 156.7901$$

$$A1 = \text{INT}(K1) = \underline{62}$$

$$C(200, A1)^* = \underline{0.3682}$$

$$A2 = \text{INT}(K2) = \underline{156}$$

$$C(200, A1+1)^* = \underline{0.3733}$$

$$P1 = K1 - A1 = \underline{0.7160}$$

$$C(500, A2)^* = \underline{0.3478}$$

$$P2 = K2 - A2 = \underline{0.7901}$$

$$C(500, A2+1)^* = \underline{0.3499}$$

$$\begin{aligned}
 CI(200, K1) &= P1[ C(200, A1+1) - C(200, A1) ] + C(200, A1) \\
 &= \underline{0.7160 [0.3733 - 0.3682] + 0.3682} = 0.3719
 \end{aligned}$$

$$\begin{aligned}
 CI(500, K2) &= P2[ C(500, A2+1) - C(500, A2) ] + C(500, A2) \\
 &= \underline{0.7901 [0.3499 - 0.3478] + 0.3478} = 0.3495
 \end{aligned}$$

$$\begin{aligned}
 C(N, K) &= \frac{CI(200, K1) + [ CI(500, K2) - CI(200, K1) ] (N - 200) / 300}{+ CF} \\
 &= \underline{0.3719 + [0.3495 - 0.3719] (405 - 200) / 300} - 0.0029 \\
 &= \underline{0.354}
 \end{aligned}$$

\* This confidence limit can be found in the tables. Use the confidence level, confidence interval and confidence limit information at the top of worksheet.

(This page intentionally blank)

### SECTION III

#### TABULATED CONFIDENCE LIMITS FOR PROPORTIONS

The tabulations contained in this section are assembled into three tables. Table 1 consists of Two-sided Confidence Limits for Proportions; Table 2 consists of One-sided Lower Confidence Limits for Proportions, and Table 3 consists of One-sided Upper Confidence Limits for Proportions. Figures 1, 2, and 3 described in Section II are provided for use with these tables. The following legends apply to all three tables:

CL	-	Confidence level
N	-	Sample size
K	-	Number successes
LOWER	-	Lower confidence limit
UPPER	-	Upper confidence limit

(This page intentionally blank)



TABLE 1.  
(Pages 13 through 190)

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1	0	0.000	0.950	0.000	0.975	0.000	0.995
1	1	0.050	1.000	0.025	1.000	0.005	1.000
2	0	0.000	0.776	0.000	0.842	0.000	0.929
2	1	0.025	0.975	0.013	0.987	0.003	0.997
2	2	0.224	1.000	0.158	1.000	0.071	1.000
3	0	0.000	0.632	0.000	0.708	0.000	0.829
3	1	0.017	0.865	0.008	0.906	0.002	0.959
3	2	0.135	0.983	0.094	0.992	0.041	0.998
3	3	0.368	1.000	0.292	1.000	0.171	1.000
4	0	0.000	0.527	0.000	0.602	0.000	0.734
4	1	0.013	0.751	0.006	0.806	0.001	0.889
4	2	0.098	0.902	0.068	0.932	0.029	0.971
4	3	0.249	0.987	0.194	0.994	0.111	0.999
4	4	0.473	1.000	0.398	1.000	0.266	1.000
5	0	0.000	0.451	0.000	0.522	0.000	0.653
5	1	0.010	0.657	0.005	0.716	0.001	0.815
5	2	0.076	0.811	0.053	0.853	0.023	0.917
5	3	0.189	0.924	0.147	0.947	0.083	0.977
5	4	0.343	0.990	0.284	0.995	0.185	0.999
5	5	0.549	1.000	0.478	1.000	0.347	1.000
6	0	0.000	0.393	0.000	0.459	0.000	0.586
6	1	0.009	0.582	0.004	0.641	0.001	0.746
6	2	0.063	0.729	0.043	0.777	0.019	0.856
6	3	0.153	0.847	0.118	0.882	0.066	0.934
6	4	0.271	0.937	0.223	0.957	0.144	0.981
6	5	0.418	0.991	0.359	0.996	0.254	0.999
6	6	0.607	1.000	0.541	1.000	0.414	1.000
7	0	0.000	0.348	0.000	0.410	0.000	0.531
7	1	0.007	0.521	0.004	0.579	0.001	0.685
7	2	0.053	0.659	0.037	0.710	0.016	0.797
7	3	0.129	0.775	0.099	0.816	0.055	0.882
7	4	0.225	0.871	0.184	0.901	0.118	0.945
7	5	0.341	0.947	0.290	0.963	0.203	0.984
7	6	0.479	0.993	0.421	0.996	0.315	0.999
7	7	0.652	1.000	0.590	1.000	0.469	1.000
8	0	0.000	0.312	0.000	0.369	0.000	0.484
8	1	0.006	0.471	0.003	0.527	0.001	0.632
8	2	0.046	0.600	0.032	0.651	0.014	0.742
8	3	0.111	0.711	0.085	0.755	0.047	0.830
8	4	0.193	0.807	0.157	0.843	0.100	0.900
8	5	0.289	0.889	0.245	0.915	0.170	0.953
8	6	0.400	0.954	0.349	0.968	0.258	0.986
8	7	0.529	0.994	0.473	0.997	0.368	0.999
8	8	0.688	1.000	0.631	1.000	0.516	1.000
9	0	0.000	0.283	0.000	0.336	0.000	0.445
9	1	0.006	0.429	0.003	0.482	0.001	0.585
9	2	0.041	0.550	0.028	0.600	0.012	0.693
9	3	0.098	0.655	0.075	0.701	0.042	0.781
9	4	0.169	0.749	0.137	0.788	0.087	0.854
9	5	0.251	0.831	0.212	0.863	0.146	0.913
9	6	0.345	0.902	0.299	0.925	0.219	0.958
9	7	0.450	0.959	0.400	0.972	0.307	0.988
9	8	0.571	0.994	0.518	0.997	0.415	0.999
9	9	0.717	1.000	0.664	1.000	0.555	1.000

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
10	0	0.000	0.259	0.000	0.308	0.000	0.411
10	1	0.005	0.394	0.003	0.445	0.001	0.544
10	2	0.037	0.507	0.025	0.556	0.011	0.648
10	3	0.087	0.607	0.067	0.652	0.037	0.735
10	4	0.150	0.696	0.122	0.738	0.077	0.809
10	5	0.222	0.778	0.187	0.813	0.128	0.872
10	6	0.304	0.850	0.262	0.878	0.191	0.923
10	7	0.393	0.913	0.348	0.933	0.265	0.963
10	8	0.493	0.963	0.444	0.975	0.352	0.989
10	9	0.606	0.995	0.555	0.997	0.456	0.999
10	10	0.741	1.000	0.692	1.000	0.589	1.000
11	0	0.000	0.238	0.000	0.285	0.000	0.382
11	1	0.005	0.364	0.002	0.413	0.000	0.509
11	2	0.033	0.470	0.023	0.518	0.010	0.608
11	3	0.079	0.564	0.060	0.610	0.033	0.693
11	4	0.135	0.650	0.109	0.692	0.069	0.767
11	5	0.200	0.729	0.167	0.766	0.114	0.831
11	6	0.271	0.800	0.234	0.833	0.169	0.886
11	7	0.350	0.865	0.308	0.891	0.233	0.931
11	8	0.436	0.921	0.390	0.940	0.307	0.967
11	9	0.530	0.967	0.482	0.977	0.392	0.990
11	10	0.636	0.995	0.587	0.998	0.491	1.000
11	11	0.762	1.000	0.715	1.000	0.618	1.000
12	0	0.000	0.221	0.000	0.265	0.000	0.357
12	1	0.004	0.339	0.002	0.385	0.000	0.477
12	2	0.030	0.438	0.021	0.484	0.009	0.573
12	3	0.072	0.527	0.055	0.572	0.030	0.655
12	4	0.123	0.609	0.099	0.651	0.062	0.728
12	5	0.181	0.685	0.152	0.723	0.103	0.791
12	6	0.245	0.755	0.211	0.789	0.152	0.848
12	7	0.315	0.819	0.277	0.848	0.209	0.897
12	8	0.391	0.877	0.349	0.901	0.272	0.938
12	9	0.473	0.928	0.428	0.945	0.345	0.970
12	10	0.562	0.970	0.516	0.979	0.427	0.991
12	11	0.661	0.996	0.615	0.998	0.523	1.000
12	12	0.779	1.000	0.735	1.000	0.643	1.000
13	0	0.000	0.206	0.000	0.247	0.000	0.335
13	1	0.004	0.316	0.002	0.360	0.000	0.449
13	2	0.028	0.410	0.019	0.454	0.008	0.541
13	3	0.066	0.495	0.050	0.538	0.028	0.621
13	4	0.113	0.573	0.091	0.614	0.057	0.691
13	5	0.166	0.645	0.139	0.684	0.094	0.755
13	6	0.224	0.713	0.192	0.749	0.138	0.811
13	7	0.287	0.776	0.251	0.808	0.189	0.862
13	8	0.355	0.834	0.316	0.861	0.245	0.906
13	9	0.427	0.887	0.386	0.909	0.309	0.943
13	10	0.505	0.934	0.462	0.950	0.379	0.972
13	11	0.590	0.972	0.546	0.981	0.459	0.992
13	12	0.684	0.996	0.640	0.998	0.551	1.000
13	13	0.794	1.000	0.753	1.000	0.665	1.000
14	0	0.000	0.193	0.000	0.232	0.000	0.315
14	1	0.004	0.297	0.002	0.339	0.000	0.424
14	2	0.026	0.385	0.018	0.428	0.008	0.512
14	3	0.061	0.466	0.047	0.508	0.026	0.589
14	4	0.104	0.540	0.084	0.581	0.053	0.658

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
14	5	0.153	0.610	0.128	0.649	0.087	0.720
14	6	0.206	0.675	0.177	0.711	0.127	0.777
14	7	0.264	0.736	0.230	0.770	0.172	0.828
14	8	0.325	0.794	0.289	0.823	0.223	0.873
14	9	0.390	0.847	0.351	0.872	0.280	0.913
14	10	0.460	0.896	0.419	0.916	0.342	0.947
14	11	0.534	0.939	0.492	0.953	0.411	0.974
14	12	0.615	0.974	0.572	0.982	0.488	0.992
14	13	0.703	0.996	0.661	0.998	0.576	1.000
14	14	0.807	1.000	0.768	1.000	0.685	1.000
15	0	0.000	0.181	0.000	0.218	0.000	0.298
15	1	0.003	0.279	0.002	0.319	0.000	0.402
15	2	0.024	0.363	0.017	0.405	0.007	0.486
15	3	0.057	0.440	0.043	0.481	0.024	0.561
15	4	0.097	0.511	0.078	0.551	0.049	0.627
15	5	0.142	0.577	0.118	0.616	0.080	0.688
15	6	0.191	0.640	0.163	0.677	0.117	0.744
15	7	0.244	0.700	0.213	0.734	0.159	0.795
15	8	0.300	0.756	0.266	0.787	0.205	0.841
15	9	0.360	0.809	0.323	0.837	0.256	0.883
15	10	0.423	0.858	0.384	0.882	0.312	0.920
15	11	0.489	0.903	0.449	0.922	0.373	0.951
15	12	0.560	0.943	0.519	0.957	0.439	0.976
15	13	0.637	0.976	0.595	0.983	0.514	0.993
15	14	0.721	0.997	0.681	0.998	0.598	1.000
15	15	0.819	1.000	0.782	1.000	0.702	1.000
16	0	0.000	0.171	0.000	0.206	0.000	0.282
16	1	0.003	0.264	0.002	0.302	0.000	0.381
16	2	0.023	0.344	0.016	0.383	0.007	0.463
16	3	0.053	0.417	0.040	0.456	0.022	0.534
16	4	0.090	0.484	0.073	0.524	0.045	0.599
16	5	0.132	0.548	0.110	0.587	0.075	0.658
16	6	0.178	0.609	0.152	0.646	0.109	0.713
16	7	0.227	0.667	0.198	0.701	0.147	0.764
16	8	0.279	0.721	0.247	0.753	0.190	0.810
16	9	0.333	0.773	0.299	0.802	0.236	0.853
16	10	0.391	0.822	0.354	0.848	0.287	0.891
16	11	0.452	0.868	0.413	0.890	0.342	0.925
16	12	0.516	0.910	0.476	0.927	0.401	0.955
16	13	0.583	0.947	0.544	0.960	0.466	0.978
16	14	0.656	0.977	0.617	0.984	0.537	0.993
16	15	0.736	0.997	0.698	0.998	0.619	1.000
16	16	0.829	1.000	0.794	1.000	0.718	1.000
17	0	0.000	0.162	0.000	0.195	0.000	0.268
17	1	0.003	0.250	0.001	0.287	0.000	0.363
17	2	0.021	0.326	0.015	0.364	0.006	0.441
17	3	0.050	0.396	0.038	0.434	0.021	0.510
17	4	0.085	0.461	0.068	0.499	0.043	0.573
17	5	0.124	0.522	0.103	0.560	0.070	0.631
17	6	0.166	0.580	0.142	0.617	0.101	0.685
17	7	0.212	0.636	0.184	0.671	0.137	0.734
17	8	0.260	0.689	0.230	0.722	0.176	0.781
17	9	0.311	0.740	0.278	0.770	0.219	0.824
17	10	0.364	0.788	0.329	0.816	0.266	0.863
17	11	0.420	0.834	0.383	0.858	0.315	0.899

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
17	12	0.478	0.876	0.440	0.897	0.369	0.930
17	13	0.539	0.915	0.501	0.932	0.427	0.957
17	14	0.604	0.950	0.566	0.962	0.490	0.979
17	15	0.674	0.979	0.636	0.985	0.559	0.994
17	16	0.750	0.997	0.713	0.999	0.637	1.000
17	17	0.838	1.000	0.805	1.000	0.732	1.000
18	0	0.000	0.153	0.000	0.185	0.000	0.255
18	1	0.003	0.238	0.001	0.273	0.000	0.346
18	2	0.020	0.310	0.014	0.347	0.006	0.422
18	3	0.047	0.377	0.036	0.414	0.020	0.488
18	4	0.080	0.439	0.064	0.476	0.040	0.549
18	5	0.116	0.498	0.097	0.535	0.065	0.605
18	6	0.156	0.554	0.133	0.590	0.095	0.658
18	7	0.199	0.608	0.173	0.643	0.128	0.707
18	8	0.244	0.659	0.215	0.692	0.165	0.753
18	9	0.291	0.709	0.260	0.740	0.205	0.795
18	10	0.341	0.756	0.308	0.785	0.247	0.835
18	11	0.392	0.801	0.357	0.827	0.293	0.872
18	12	0.446	0.844	0.410	0.867	0.342	0.905
18	13	0.502	0.884	0.465	0.903	0.395	0.935
18	14	0.561	0.920	0.524	0.936	0.451	0.960
18	15	0.623	0.953	0.586	0.964	0.512	0.980
18	16	0.690	0.980	0.653	0.986	0.578	0.994
18	17	0.762	0.997	0.727	0.999	0.654	1.000
18	18	0.847	1.000	0.815	1.000	0.745	1.000
19	0	0.000	0.146	0.000	0.176	0.000	0.243
19	1	0.003	0.226	0.001	0.260	0.000	0.331
19	2	0.019	0.296	0.013	0.331	0.006	0.404
19	3	0.044	0.359	0.034	0.396	0.019	0.468
19	4	0.075	0.419	0.061	0.456	0.038	0.527
19	5	0.110	0.476	0.091	0.512	0.062	0.582
19	6	0.147	0.530	0.126	0.565	0.090	0.633
19	7	0.188	0.582	0.163	0.616	0.121	0.681
19	8	0.230	0.632	0.203	0.665	0.155	0.726
19	9	0.274	0.680	0.244	0.711	0.192	0.768
19	10	0.320	0.726	0.289	0.756	0.232	0.808
19	11	0.368	0.770	0.335	0.797	0.274	0.845
19	12	0.418	0.812	0.384	0.837	0.319	0.879
19	13	0.470	0.853	0.435	0.874	0.367	0.910
19	14	0.524	0.890	0.488	0.909	0.418	0.938
19	15	0.581	0.925	0.544	0.939	0.473	0.962
19	16	0.641	0.956	0.604	0.966	0.532	0.981
19	17	0.704	0.981	0.669	0.987	0.596	0.994
19	18	0.774	0.997	0.740	0.999	0.669	1.000
19	19	0.854	1.000	0.824	1.000	0.757	1.000
20	0	0.000	0.139	0.000	0.168	0.000	0.233
20	1	0.003	0.216	0.001	0.249	0.000	0.317
20	2	0.018	0.283	0.012	0.317	0.005	0.387
20	3	0.042	0.344	0.032	0.379	0.018	0.449
20	4	0.071	0.401	0.057	0.437	0.036	0.507
20	5	0.104	0.456	0.087	0.491	0.058	0.560
20	6	0.140	0.508	0.119	0.543	0.085	0.610
20	7	0.177	0.558	0.154	0.592	0.114	0.657
20	8	0.217	0.606	0.191	0.639	0.146	0.701
20	9	0.259	0.653	0.231	0.685	0.181	0.743

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
20	10	0.302	0.698	0.272	0.728	0.218	0.782
20	11	0.347	0.741	0.315	0.769	0.257	0.819
20	12	0.394	0.783	0.361	0.809	0.299	0.854
20	13	0.442	0.823	0.408	0.846	0.343	0.886
20	14	0.492	0.860	0.457	0.881	0.390	0.915
20	15	0.544	0.896	0.509	0.913	0.440	0.942
20	16	0.599	0.929	0.563	0.943	0.493	0.964
20	17	0.656	0.958	0.621	0.968	0.551	0.982
20	18	0.717	0.982	0.683	0.988	0.613	0.995
20	19	0.784	0.997	0.751	0.999	0.683	1.000
20	20	0.861	1.000	0.832	1.000	0.767	1.000
21	0	0.000	0.133	0.000	0.161	0.000	0.223
21	1	0.002	0.207	0.001	0.238	0.000	0.304
21	2	0.017	0.271	0.012	0.304	0.005	0.372
21	3	0.040	0.329	0.030	0.363	0.017	0.432
21	4	0.068	0.384	0.054	0.419	0.034	0.488
21	5	0.099	0.437	0.082	0.472	0.055	0.539
21	6	0.132	0.487	0.113	0.522	0.080	0.588
21	7	0.168	0.536	0.146	0.570	0.108	0.634
21	8	0.206	0.583	0.181	0.616	0.138	0.677
21	9	0.245	0.628	0.218	0.660	0.171	0.718
21	10	0.286	0.672	0.257	0.702	0.205	0.758
21	11	0.328	0.714	0.298	0.743	0.242	0.795
21	12	0.372	0.755	0.340	0.782	0.282	0.829
21	13	0.417	0.794	0.384	0.819	0.323	0.862
21	14	0.464	0.832	0.430	0.854	0.366	0.892
21	15	0.513	0.868	0.478	0.887	0.412	0.920
21	16	0.563	0.901	0.528	0.918	0.461	0.945
21	17	0.616	0.932	0.581	0.946	0.512	0.966
21	18	0.671	0.960	0.637	0.970	0.568	0.983
21	19	0.729	0.983	0.696	0.988	0.628	0.995
21	20	0.793	0.998	0.762	0.999	0.696	1.000
21	21	0.867	1.000	0.839	1.000	0.777	1.000
22	0	0.000	0.127	0.000	0.154	0.000	0.214
22	1	0.002	0.198	0.001	0.228	0.000	0.292
22	2	0.016	0.259	0.011	0.292	0.005	0.358
22	3	0.038	0.316	0.029	0.349	0.016	0.416
22	4	0.065	0.369	0.052	0.403	0.032	0.470
22	5	0.094	0.420	0.078	0.454	0.053	0.520
22	6	0.126	0.468	0.107	0.502	0.076	0.567
22	7	0.160	0.515	0.139	0.549	0.102	0.612
22	8	0.196	0.561	0.172	0.593	0.131	0.655
22	9	0.233	0.605	0.207	0.636	0.162	0.695
22	10	0.271	0.647	0.244	0.678	0.195	0.734
22	11	0.311	0.689	0.282	0.718	0.229	0.771
22	12	0.353	0.729	0.322	0.756	0.266	0.805
22	13	0.395	0.767	0.364	0.793	0.305	0.838
22	14	0.439	0.804	0.407	0.828	0.345	0.869
22	15	0.485	0.840	0.451	0.861	0.388	0.898
22	16	0.532	0.874	0.498	0.893	0.433	0.924
22	17	0.580	0.906	0.546	0.922	0.480	0.947
22	18	0.631	0.935	0.597	0.948	0.530	0.968
22	19	0.684	0.962	0.651	0.971	0.584	0.984
22	20	0.741	0.984	0.708	0.989	0.642	0.995
22	21	0.802	0.998	0.772	0.999	0.708	1.000

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
22	22	0.873	1.000	0.846	1.000	0.786	1.000
23	0	0.000	0.122	0.000	0.148	0.000	0.206
23	1	0.002	0.190	0.001	0.219	0.000	0.281
23	2	0.016	0.249	0.011	0.280	0.005	0.345
23	3	0.037	0.304	0.028	0.336	0.015	0.401
23	4	0.062	0.355	0.050	0.388	0.031	0.453
23	5	0.090	0.404	0.075	0.437	0.050	0.502
23	6	0.120	0.451	0.102	0.484	0.073	0.548
23	7	0.152	0.496	0.132	0.529	0.097	0.592
23	8	0.186	0.540	0.164	0.573	0.125	0.634
23	9	0.222	0.583	0.197	0.615	0.154	0.674
23	10	0.258	0.625	0.232	0.655	0.185	0.712
23	11	0.296	0.665	0.268	0.694	0.218	0.748
23	12	0.335	0.704	0.306	0.732	0.252	0.782
23	13	0.375	0.742	0.345	0.768	0.288	0.815
23	14	0.417	0.778	0.385	0.803	0.326	0.846
23	15	0.460	0.814	0.427	0.836	0.366	0.875
23	16	0.504	0.848	0.471	0.868	0.408	0.903
23	17	0.549	0.880	0.516	0.898	0.452	0.927
23	18	0.596	0.910	0.563	0.925	0.498	0.950
23	19	0.645	0.938	0.612	0.950	0.547	0.969
23	20	0.696	0.963	0.664	0.972	0.599	0.985
23	21	0.751	0.984	0.720	0.989	0.655	0.995
23	22	0.810	0.998	0.781	0.999	0.719	1.000
23	23	0.878	1.000	0.852	1.000	0.794	1.000
24	0	0.000	0.117	0.000	0.142	0.000	0.198
24	1	0.002	0.183	0.001	0.211	0.000	0.271
24	2	0.015	0.240	0.010	0.270	0.004	0.332
24	3	0.035	0.292	0.027	0.324	0.015	0.387
24	4	0.059	0.342	0.047	0.374	0.029	0.438
24	5	0.086	0.389	0.071	0.422	0.048	0.485
24	6	0.115	0.435	0.098	0.467	0.069	0.530
24	7	0.146	0.479	0.126	0.511	0.093	0.573
24	8	0.178	0.521	0.156	0.553	0.119	0.614
24	9	0.212	0.563	0.188	0.594	0.146	0.653
24	10	0.246	0.603	0.221	0.634	0.176	0.690
24	11	0.282	0.642	0.256	0.672	0.207	0.726
24	12	0.319	0.681	0.291	0.709	0.240	0.760
24	13	0.358	0.718	0.328	0.744	0.274	0.793
24	14	0.397	0.754	0.366	0.779	0.310	0.824
24	15	0.437	0.788	0.406	0.812	0.347	0.854
24	16	0.479	0.822	0.447	0.844	0.386	0.881
24	17	0.521	0.854	0.489	0.874	0.427	0.907
24	18	0.565	0.885	0.533	0.902	0.470	0.931
24	19	0.611	0.914	0.578	0.929	0.515	0.952
24	20	0.658	0.941	0.626	0.953	0.562	0.971
24	21	0.708	0.965	0.676	0.973	0.613	0.985
24	22	0.760	0.985	0.730	0.990	0.668	0.996
24	23	0.817	0.998	0.789	0.999	0.729	1.000
24	24	0.883	1.000	0.858	1.000	0.802	1.000
25	0	0.000	0.113	0.000	0.137	0.000	0.191
25	1	0.002	0.176	0.001	0.204	0.000	0.262
25	2	0.014	0.231	0.010	0.260	0.004	0.321
25	3	0.034	0.282	0.025	0.312	0.014	0.374
25	4	0.057	0.330	0.045	0.361	0.028	0.424

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
25	5	0.082	0.375	0.068	0.407	0.046	0.470
25	6	0.110	0.420	0.094	0.451	0.066	0.514
25	7	0.139	0.462	0.121	0.494	0.089	0.555
25	8	0.170	0.504	0.149	0.535	0.114	0.595
25	9	0.202	0.544	0.180	0.575	0.140	0.633
25	10	0.236	0.583	0.211	0.613	0.168	0.670
25	11	0.270	0.621	0.244	0.651	0.197	0.705
25	12	0.305	0.659	0.278	0.687	0.228	0.739
25	13	0.341	0.695	0.313	0.722	0.261	0.772
25	14	0.379	0.730	0.349	0.756	0.295	0.803
25	15	0.417	0.764	0.387	0.789	0.330	0.832
25	16	0.456	0.798	0.425	0.820	0.367	0.860
25	17	0.496	0.830	0.465	0.851	0.405	0.886
25	18	0.538	0.861	0.506	0.879	0.445	0.911
25	19	0.580	0.890	0.549	0.906	0.486	0.934
25	20	0.625	0.918	0.593	0.932	0.530	0.954
25	21	0.670	0.943	0.639	0.955	0.576	0.972
25	22	0.718	0.966	0.688	0.975	0.626	0.986
25	23	0.769	0.986	0.740	0.990	0.679	0.996
25	24	0.824	0.998	0.796	0.999	0.738	1.000
25	25	0.887	1.000	0.863	1.000	0.809	1.000
26	0	0.000	0.109	0.000	0.132	0.000	0.184
26	1	0.002	0.170	0.001	0.196	0.000	0.253
26	2	0.014	0.223	0.009	0.251	0.004	0.310
26	3	0.032	0.272	0.024	0.302	0.013	0.362
26	4	0.054	0.318	0.044	0.349	0.027	0.410
26	5	0.079	0.363	0.066	0.394	0.044	0.455
26	6	0.106	0.405	0.090	0.436	0.063	0.498
26	7	0.134	0.447	0.116	0.478	0.085	0.538
26	8	0.163	0.487	0.143	0.518	0.109	0.578
26	9	0.194	0.526	0.172	0.557	0.134	0.615
26	10	0.226	0.564	0.202	0.594	0.161	0.651
26	11	0.258	0.602	0.234	0.631	0.189	0.686
26	12	0.292	0.638	0.266	0.666	0.218	0.719
26	13	0.327	0.673	0.299	0.701	0.249	0.751
26	14	0.362	0.708	0.334	0.734	0.281	0.782
26	15	0.398	0.742	0.369	0.766	0.314	0.811
26	16	0.436	0.774	0.406	0.798	0.349	0.839
26	17	0.474	0.806	0.443	0.828	0.385	0.866
26	18	0.513	0.837	0.482	0.857	0.422	0.891
26	19	0.553	0.866	0.522	0.884	0.462	0.915
26	20	0.595	0.894	0.564	0.910	0.502	0.937
26	21	0.637	0.921	0.606	0.934	0.545	0.956
26	22	0.682	0.946	0.651	0.956	0.590	0.973
26	23	0.728	0.968	0.698	0.976	0.638	0.987
26	24	0.777	0.986	0.749	0.991	0.690	0.996
26	25	0.830	0.998	0.804	0.999	0.747	1.000
26	26	0.891	1.000	0.868	1.000	0.816	1.000
27	0	0.000	0.105	0.000	0.128	0.000	0.178
27	1	0.002	0.164	0.001	0.190	0.000	0.245
27	2	0.013	0.215	0.009	0.243	0.004	0.300
27	3	0.031	0.263	0.024	0.292	0.013	0.351
27	4	0.052	0.308	0.042	0.337	0.026	0.397
27	5	0.076	0.351	0.063	0.381	0.042	0.441
27	6	0.101	0.392	0.086	0.423	0.061	0.483

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
27	7	0.129	0.432	0.111	0.463	0.082	0.523
27	8	0.157	0.471	0.138	0.502	0.104	0.561
27	9	0.186	0.509	0.165	0.540	0.128	0.597
27	10	0.217	0.547	0.194	0.576	0.154	0.633
27	11	0.248	0.583	0.224	0.612	0.181	0.667
27	12	0.280	0.618	0.255	0.647	0.209	0.700
27	13	0.313	0.653	0.287	0.681	0.238	0.731
27	14	0.347	0.687	0.319	0.713	0.269	0.762
27	15	0.382	0.720	0.353	0.745	0.300	0.791
27	16	0.417	0.752	0.388	0.776	0.333	0.819
27	17	0.453	0.783	0.424	0.806	0.367	0.846
27	18	0.491	0.814	0.460	0.835	0.403	0.872
27	19	0.529	0.843	0.498	0.862	0.439	0.896
27	20	0.568	0.871	0.537	0.889	0.477	0.918
27	21	0.608	0.899	0.577	0.914	0.517	0.939
27	22	0.649	0.924	0.619	0.937	0.559	0.958
27	23	0.692	0.948	0.663	0.956	0.603	0.974
27	24	0.737	0.969	0.708	0.976	0.649	0.987
27	25	0.785	0.987	0.757	0.991	0.700	0.996
27	26	0.836	0.998	0.810	0.999	0.755	1.000
27	27	0.895	1.000	0.872	1.000	0.822	1.000
28	0	0.000	0.101	0.000	0.123	0.000	0.172
28	1	0.002	0.159	0.001	0.183	0.000	0.237
28	2	0.013	0.208	0.009	0.235	0.004	0.291
28	3	0.030	0.254	0.023	0.282	0.012	0.340
28	4	0.050	0.298	0.040	0.327	0.025	0.385
28	5	0.073	0.339	0.061	0.369	0.041	0.428
28	6	0.098	0.380	0.083	0.410	0.059	0.469
28	7	0.124	0.419	0.107	0.449	0.079	0.508
28	8	0.151	0.457	0.132	0.487	0.100	0.545
28	9	0.179	0.494	0.159	0.524	0.123	0.581
28	10	0.208	0.530	0.186	0.559	0.148	0.616
28	11	0.238	0.565	0.215	0.594	0.173	0.649
28	12	0.269	0.600	0.245	0.628	0.200	0.681
28	13	0.301	0.634	0.275	0.661	0.228	0.713
28	14	0.333	0.667	0.306	0.694	0.257	0.743
28	15	0.366	0.699	0.339	0.725	0.287	0.772
28	16	0.400	0.731	0.372	0.755	0.319	0.800
28	17	0.435	0.762	0.406	0.785	0.351	0.827
28	18	0.470	0.792	0.441	0.814	0.384	0.852
28	19	0.506	0.821	0.476	0.841	0.419	0.877
28	20	0.543	0.849	0.513	0.868	0.455	0.900
28	21	0.581	0.876	0.551	0.893	0.492	0.921
28	22	0.620	0.902	0.590	0.917	0.531	0.941
28	23	0.661	0.927	0.631	0.939	0.572	0.959
28	24	0.702	0.950	0.673	0.960	0.615	0.975
28	25	0.746	0.970	0.718	0.977	0.660	0.988
28	26	0.792	0.987	0.765	0.991	0.709	0.996
28	27	0.841	0.998	0.817	0.999	0.763	1.000
28	28	0.899	1.000	0.877	1.000	0.828	1.000
29	0	0.000	0.098	0.000	0.119	0.000	0.167
29	1	0.002	0.153	0.001	0.178	0.000	0.230
29	2	0.012	0.202	0.008	0.228	0.004	0.282
29	3	0.029	0.246	0.022	0.274	0.012	0.330
29	4	0.049	0.288	0.039	0.317	0.024	0.374



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
29	5	0.070	0.329	0.058	0.358	0.039	0.416
29	6	0.094	0.368	0.080	0.397	0.056	0.455
29	7	0.119	0.406	0.103	0.435	0.076	0.493
29	8	0.145	0.443	0.127	0.472	0.096	0.530
29	9	0.172	0.479	0.153	0.508	0.119	0.565
29	10	0.200	0.514	0.179	0.543	0.142	0.599
29	11	0.229	0.549	0.207	0.577	0.167	0.632
29	12	0.259	0.583	0.235	0.611	0.192	0.664
29	13	0.289	0.616	0.264	0.643	0.219	0.695
29	14	0.320	0.648	0.294	0.675	0.247	0.724
29	15	0.352	0.680	0.325	0.706	0.276	0.753
29	16	0.384	0.711	0.357	0.736	0.305	0.781
29	17	0.417	0.741	0.389	0.765	0.336	0.808
29	18	0.451	0.771	0.423	0.793	0.368	0.833
29	19	0.486	0.800	0.457	0.821	0.401	0.858
29	20	0.521	0.828	0.492	0.847	0.435	0.881
29	21	0.557	0.855	0.528	0.873	0.470	0.904
29	22	0.594	0.881	0.565	0.897	0.507	0.924
29	23	0.632	0.906	0.603	0.920	0.545	0.944
29	24	0.671	0.930	0.642	0.942	0.584	0.961
29	25	0.712	0.951	0.683	0.961	0.626	0.976
29	26	0.754	0.971	0.726	0.978	0.670	0.988
29	27	0.798	0.988	0.772	0.992	0.718	0.996
29	28	0.847	0.998	0.822	0.999	0.770	1.000
29	29	0.902	1.000	0.881	1.000	0.833	1.000
30	0	0.000	0.095	0.000	0.116	0.000	0.162
30	1	0.002	0.140	0.001	0.172	0.000	0.223
30	2	0.012	0.195	0.008	0.221	0.004	0.274
30	3	0.028	0.239	0.021	0.265	0.012	0.320
30	4	0.047	0.280	0.038	0.307	0.023	0.363
30	5	0.068	0.319	0.056	0.347	0.038	0.404
30	6	0.091	0.357	0.077	0.386	0.054	0.443
30	7	0.115	0.394	0.099	0.423	0.073	0.480
30	8	0.140	0.430	0.123	0.459	0.093	0.516
30	9	0.166	0.465	0.147	0.494	0.114	0.550
30	10	0.193	0.499	0.173	0.528	0.137	0.583
30	11	0.221	0.533	0.199	0.561	0.160	0.616
30	12	0.250	0.566	0.227	0.594	0.185	0.647
30	13	0.279	0.598	0.255	0.626	0.211	0.677
30	14	0.308	0.630	0.283	0.657	0.237	0.707
30	15	0.339	0.661	0.313	0.687	0.265	0.735
30	16	0.370	0.692	0.343	0.717	0.293	0.763
30	17	0.402	0.721	0.374	0.745	0.323	0.789
30	18	0.434	0.750	0.406	0.773	0.353	0.815
30	19	0.467	0.779	0.439	0.801	0.384	0.840
30	20	0.501	0.807	0.472	0.827	0.417	0.863
30	21	0.535	0.834	0.506	0.853	0.450	0.886
30	22	0.570	0.860	0.541	0.877	0.484	0.907
30	23	0.606	0.885	0.577	0.901	0.520	0.927
30	24	0.643	0.909	0.614	0.923	0.557	0.946
30	25	0.681	0.932	0.653	0.944	0.596	0.962
30	26	0.720	0.953	0.693	0.962	0.637	0.977
30	27	0.761	0.972	0.735	0.979	0.680	0.988
30	28	0.805	0.988	0.779	0.992	0.726	0.996
30	29	0.851	0.998	0.828	0.999	0.777	1.000
30	30	0.905	1.000	0.884	1.000	0.838	1.000

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
31	0	0.000	0.092	0.000	0.112	0.000	0.157
31	1	0.002	0.144	0.001	0.167	0.000	0.216
31	2	0.012	0.189	0.008	0.214	0.003	0.266
31	3	0.027	0.231	0.020	0.258	0.011	0.311
31	4	0.045	0.271	0.036	0.298	0.023	0.353
31	5	0.066	0.310	0.055	0.337	0.037	0.393
31	6	0.088	0.347	0.075	0.375	0.053	0.431
31	7	0.111	0.383	0.096	0.411	0.070	0.467
31	8	0.135	0.418	0.119	0.446	0.090	0.502
31	9	0.161	0.452	0.142	0.480	0.110	0.536
31	10	0.187	0.485	0.167	0.514	0.132	0.569
31	11	0.213	0.518	0.192	0.546	0.155	0.600
31	12	0.241	0.550	0.218	0.578	0.178	0.631
31	13	0.269	0.582	0.245	0.609	0.203	0.661
31	14	0.297	0.613	0.273	0.640	0.228	0.690
31	15	0.327	0.643	0.302	0.669	0.255	0.718
31	16	0.357	0.673	0.331	0.698	0.282	0.745
31	17	0.387	0.703	0.360	0.727	0.310	0.772
31	18	0.418	0.731	0.391	0.755	0.339	0.797
31	19	0.450	0.759	0.422	0.782	0.369	0.822
31	20	0.482	0.787	0.454	0.808	0.400	0.845
31	21	0.515	0.813	0.486	0.833	0.431	0.868
31	22	0.548	0.839	0.520	0.858	0.464	0.890
31	23	0.582	0.865	0.554	0.881	0.498	0.910
31	24	0.617	0.889	0.589	0.904	0.533	0.930
31	25	0.653	0.912	0.625	0.925	0.569	0.947
31	26	0.690	0.934	0.663	0.945	0.607	0.963
31	27	0.729	0.955	0.702	0.964	0.647	0.977
31	28	0.769	0.973	0.742	0.980	0.689	0.989
31	29	0.811	0.988	0.786	0.992	0.734	0.997
31	30	0.856	0.998	0.833	0.999	0.784	1.000
31	31	0.908	1.000	0.888	1.000	0.843	1.000
32	0	0.000	0.089	0.000	0.109	0.000	0.153
32	1	0.002	0.140	0.001	0.162	0.000	0.210
32	2	0.011	0.184	0.008	0.208	0.003	0.259
32	3	0.026	0.225	0.020	0.250	0.011	0.303
32	4	0.044	0.264	0.035	0.290	0.022	0.344
32	5	0.064	0.301	0.053	0.328	0.035	0.383
32	6	0.085	0.337	0.072	0.364	0.051	0.419
32	7	0.107	0.372	0.093	0.400	0.068	0.455
32	8	0.131	0.406	0.115	0.434	0.087	0.489
32	9	0.155	0.439	0.137	0.467	0.106	0.522
32	10	0.180	0.472	0.161	0.500	0.127	0.554
32	11	0.206	0.504	0.186	0.532	0.149	0.585
32	12	0.233	0.536	0.211	0.563	0.172	0.616
32	13	0.260	0.567	0.237	0.594	0.196	0.645
32	14	0.287	0.597	0.264	0.623	0.220	0.674
32	15	0.315	0.627	0.291	0.653	0.246	0.701
32	16	0.344	0.656	0.319	0.681	0.272	0.728
32	17	0.373	0.685	0.347	0.709	0.299	0.754
32	18	0.403	0.713	0.377	0.736	0.326	0.780
32	19	0.433	0.740	0.406	0.763	0.355	0.804
32	20	0.464	0.767	0.437	0.780	0.384	0.828
32	21	0.496	0.794	0.468	0.814	0.415	0.851
32	22	0.528	0.820	0.500	0.839	0.446	0.873
32	23	0.561	0.845	0.533	0.863	0.478	0.894

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
32	24	0.594	0.869	0.566	0.885	0.511	0.913
32	25	0.628	0.893	0.600	0.907	0.545	0.932
32	26	0.663	0.915	0.636	0.928	0.581	0.949
32	27	0.699	0.936	0.672	0.947	0.617	0.965
32	28	0.736	0.956	0.710	0.965	0.656	0.978
32	29	0.775	0.974	0.750	0.980	0.697	0.989
32	30	0.816	0.989	0.792	0.992	0.741	0.997
32	31	0.860	0.998	0.838	0.999	0.790	1.000
32	32	0.911	1.000	0.891	1.000	0.847	1.000
33	0	0.000	0.087	0.000	0.106	0.000	0.148
33	1	0.002	0.136	0.001	0.158	0.000	0.204
33	2	0.011	0.179	0.007	0.202	0.003	0.252
33	3	0.025	0.218	0.019	0.243	0.011	0.295
33	4	0.042	0.256	0.034	0.282	0.021	0.335
33	5	0.062	0.293	0.051	0.319	0.034	0.373
33	6	0.082	0.328	0.070	0.355	0.049	0.409
33	7	0.104	0.362	0.090	0.389	0.066	0.443
33	8	0.127	0.395	0.111	0.423	0.084	0.477
33	9	0.150	0.428	0.133	0.455	0.103	0.509
33	10	0.175	0.460	0.156	0.487	0.123	0.541
33	11	0.199	0.491	0.180	0.518	0.144	0.571
33	12	0.225	0.522	0.204	0.549	0.166	0.601
33	13	0.251	0.552	0.229	0.579	0.189	0.630
33	14	0.278	0.581	0.255	0.608	0.213	0.658
33	15	0.305	0.611	0.281	0.636	0.237	0.685
33	16	0.333	0.639	0.308	0.665	0.262	0.712
33	17	0.361	0.667	0.335	0.692	0.288	0.738
33	18	0.389	0.695	0.364	0.719	0.315	0.763
33	19	0.419	0.722	0.392	0.745	0.342	0.787
33	20	0.448	0.749	0.421	0.771	0.370	0.811
33	21	0.478	0.775	0.451	0.796	0.399	0.834
33	22	0.509	0.801	0.482	0.820	0.429	0.856
33	23	0.540	0.825	0.513	0.844	0.459	0.877
33	24	0.572	0.850	0.545	0.867	0.491	0.897
33	25	0.605	0.873	0.577	0.889	0.523	0.916
33	26	0.638	0.896	0.611	0.910	0.557	0.934
33	27	0.672	0.918	0.645	0.930	0.591	0.951
33	28	0.707	0.938	0.681	0.949	0.627	0.966
33	29	0.744	0.958	0.718	0.966	0.665	0.979
33	30	0.782	0.975	0.757	0.981	0.705	0.989
33	31	0.821	0.989	0.798	0.993	0.748	0.997
33	32	0.864	0.998	0.842	0.999	0.796	1.000
33	33	0.913	1.000	0.894	1.000	0.852	1.000
34	0	0.000	0.084	0.000	0.103	0.000	0.144
34	1	0.002	0.132	0.001	0.153	0.000	0.199
34	2	0.011	0.174	0.007	0.197	0.003	0.245
34	3	0.024	0.213	0.019	0.237	0.010	0.287
34	4	0.041	0.249	0.033	0.274	0.020	0.326
34	5	0.060	0.285	0.050	0.311	0.033	0.363
34	6	0.080	0.319	0.068	0.345	0.048	0.398
34	7	0.101	0.352	0.087	0.379	0.064	0.432
34	8	0.123	0.385	0.107	0.412	0.081	0.465
34	9	0.146	0.416	0.129	0.444	0.100	0.497
34	10	0.169	0.448	0.151	0.475	0.119	0.528
34	11	0.193	0.478	0.174	0.505	0.140	0.558

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
34	12	0.218	0.508	0.197	0.535	0.161	0.587
34	13	0.243	0.538	0.222	0.564	0.183	0.615
34	14	0.269	0.567	0.246	0.593	0.206	0.643
34	15	0.295	0.595	0.272	0.621	0.229	0.670
34	16	0.322	0.623	0.298	0.649	0.253	0.696
34	17	0.349	0.651	0.324	0.676	0.278	0.722
34	18	0.377	0.678	0.351	0.702	0.304	0.747
34	19	0.405	0.705	0.379	0.728	0.330	0.771
34	20	0.433	0.731	0.407	0.754	0.357	0.794
34	21	0.462	0.757	0.436	0.778	0.385	0.817
34	22	0.492	0.782	0.465	0.803	0.413	0.839
34	23	0.522	0.807	0.495	0.826	0.442	0.860
34	24	0.552	0.831	0.525	0.849	0.472	0.881
34	25	0.584	0.854	0.556	0.871	0.503	0.900
34	26	0.615	0.877	0.588	0.893	0.535	0.919
34	27	0.648	0.899	0.621	0.913	0.568	0.936
34	28	0.681	0.920	0.655	0.932	0.602	0.952
34	29	0.715	0.940	0.689	0.950	0.637	0.967
34	30	0.751	0.959	0.726	0.967	0.674	0.980
34	31	0.787	0.976	0.763	0.981	0.713	0.990
34	32	0.826	0.989	0.803	0.993	0.755	0.997
34	33	0.868	0.998	0.847	0.999	0.801	1.000
34	34	0.916	1.000	0.897	1.000	0.856	1.000
35	0	0.000	0.082	0.000	0.100	0.000	0.140
35	1	0.001	0.129	0.001	0.149	0.000	0.194
35	2	0.010	0.169	0.007	0.192	0.003	0.239
35	3	0.024	0.207	0.018	0.231	0.010	0.280
35	4	0.040	0.243	0.032	0.267	0.020	0.318
35	5	0.058	0.277	0.048	0.303	0.032	0.354
35	6	0.077	0.311	0.066	0.336	0.046	0.389
35	7	0.098	0.343	0.084	0.369	0.062	0.422
35	8	0.119	0.375	0.104	0.401	0.079	0.454
35	9	0.141	0.406	0.125	0.433	0.097	0.485
35	10	0.164	0.436	0.146	0.463	0.115	0.515
35	11	0.187	0.466	0.169	0.493	0.135	0.545
35	12	0.211	0.496	0.191	0.522	0.156	0.574
35	13	0.236	0.524	0.215	0.551	0.177	0.601
35	14	0.260	0.553	0.239	0.579	0.199	0.629
35	15	0.286	0.581	0.263	0.606	0.222	0.655
35	16	0.312	0.608	0.288	0.634	0.245	0.681
35	17	0.338	0.635	0.314	0.660	0.269	0.706
35	18	0.365	0.662	0.340	0.686	0.294	0.731
35	19	0.392	0.688	0.366	0.712	0.319	0.755
35	20	0.419	0.714	0.394	0.737	0.345	0.778
35	21	0.447	0.740	0.421	0.761	0.371	0.801
35	22	0.476	0.764	0.449	0.785	0.399	0.823
35	23	0.504	0.789	0.478	0.809	0.426	0.844
35	24	0.534	0.813	0.507	0.831	0.455	0.865
35	25	0.564	0.836	0.537	0.854	0.485	0.885
35	26	0.594	0.859	0.567	0.875	0.515	0.903
35	27	0.625	0.881	0.599	0.896	0.546	0.921
35	28	0.657	0.902	0.631	0.916	0.578	0.938
35	29	0.689	0.923	0.664	0.934	0.611	0.954
35	30	0.723	0.942	0.697	0.952	0.646	0.968
35	31	0.757	0.960	0.733	0.968	0.682	0.980
35	32	0.793	0.976	0.769	0.982	0.720	0.990

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
35	33	0.831	0.990	0.808	0.993	0.761	0.997
35	34	0.871	0.999	0.851	0.999	0.806	1.000
35	35	0.918	1.000	0.900	1.000	0.860	1.000
36	0	0.000	0.080	0.000	0.097	0.000	0.137
36	1	0.001	0.125	0.001	0.145	0.000	0.189
36	2	0.010	0.165	0.007	0.187	0.003	0.233
36	3	0.023	0.202	0.018	0.225	0.010	0.273
36	4	0.039	0.236	0.031	0.261	0.019	0.310
36	5	0.056	0.270	0.047	0.295	0.031	0.346
36	6	0.075	0.303	0.064	0.328	0.045	0.379
36	7	0.095	0.334	0.082	0.360	0.060	0.412
36	8	0.116	0.365	0.101	0.392	0.076	0.443
36	9	0.137	0.396	0.121	0.422	0.094	0.474
36	10	0.159	0.425	0.142	0.452	0.112	0.504
36	11	0.182	0.455	0.163	0.481	0.131	0.533
36	12	0.205	0.483	0.186	0.510	0.151	0.561
36	13	0.229	0.512	0.208	0.538	0.171	0.588
36	14	0.253	0.540	0.231	0.565	0.193	0.615
36	15	0.277	0.567	0.255	0.592	0.215	0.641
36	16	0.302	0.594	0.279	0.619	0.237	0.667
36	17	0.328	0.620	0.304	0.645	0.260	0.692
36	18	0.353	0.647	0.329	0.671	0.284	0.716
36	19	0.380	0.672	0.355	0.696	0.308	0.740
36	20	0.406	0.698	0.381	0.721	0.333	0.763
36	21	0.433	0.723	0.408	0.745	0.359	0.785
36	22	0.460	0.747	0.435	0.769	0.385	0.807
36	23	0.488	0.771	0.462	0.792	0.412	0.829
36	24	0.517	0.795	0.490	0.814	0.439	0.849
36	25	0.545	0.818	0.519	0.837	0.467	0.869
36	26	0.575	0.841	0.548	0.858	0.496	0.888
36	27	0.604	0.863	0.578	0.879	0.526	0.906
36	28	0.635	0.884	0.608	0.899	0.557	0.924
36	29	0.666	0.905	0.640	0.918	0.588	0.940
36	30	0.697	0.925	0.672	0.936	0.621	0.955
36	31	0.730	0.944	0.705	0.953	0.654	0.969
36	32	0.764	0.961	0.739	0.969	0.690	0.981
36	33	0.798	0.977	0.775	0.982	0.727	0.990
36	34	0.835	0.990	0.813	0.993	0.767	0.997
36	35	0.875	0.999	0.855	0.999	0.811	1.000
36	36	0.920	1.000	0.903	1.000	0.863	1.000
37	0	0.000	0.078	0.000	0.095	0.000	0.133
37	1	0.001	0.122	0.001	0.142	0.000	0.184
37	2	0.010	0.161	0.007	0.182	0.003	0.227
37	3	0.022	0.196	0.017	0.219	0.009	0.266
37	4	0.038	0.231	0.030	0.254	0.019	0.303
37	5	0.055	0.263	0.045	0.288	0.030	0.337
37	6	0.073	0.295	0.062	0.320	0.044	0.371
37	7	0.092	0.326	0.080	0.352	0.058	0.402
37	8	0.112	0.356	0.098	0.382	0.074	0.433
37	9	0.133	0.386	0.118	0.412	0.091	0.463
37	10	0.155	0.415	0.138	0.441	0.109	0.492
37	11	0.177	0.444	0.159	0.470	0.127	0.521
37	12	0.199	0.472	0.180	0.498	0.146	0.548
37	13	0.222	0.500	0.202	0.525	0.166	0.575
37	14	0.245	0.527	0.225	0.552	0.187	0.602

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
37	15	0.269	0.554	0.248	0.579	0.208	0.627
37	16	0.293	0.580	0.271	0.605	0.230	0.653
37	17	0.318	0.606	0.295	0.631	0.252	0.677
37	18	0.343	0.632	0.319	0.656	0.275	0.701
37	19	0.368	0.657	0.344	0.681	0.299	0.725
37	20	0.394	0.682	0.369	0.705	0.323	0.748
37	21	0.420	0.707	0.395	0.729	0.347	0.770
37	22	0.446	0.731	0.421	0.752	0.373	0.792
37	23	0.473	0.755	0.448	0.775	0.398	0.813
37	24	0.500	0.778	0.475	0.798	0.425	0.834
37	25	0.528	0.801	0.502	0.820	0.452	0.854
37	26	0.556	0.823	0.530	0.841	0.479	0.873
37	27	0.585	0.845	0.559	0.862	0.508	0.891
37	28	0.614	0.867	0.588	0.882	0.537	0.909
37	29	0.644	0.888	0.618	0.902	0.567	0.926
37	30	0.674	0.908	0.648	0.920	0.598	0.942
37	31	0.705	0.927	0.680	0.938	0.629	0.956
37	32	0.737	0.945	0.712	0.955	0.663	0.970
37	33	0.769	0.962	0.746	0.970	0.697	0.981
37	34	0.804	0.978	0.781	0.983	0.734	0.991
37	35	0.839	0.990	0.818	0.993	0.773	0.997
37	36	0.878	0.999	0.858	0.999	0.816	1.000
37	37	0.922	1.000	0.905	1.000	0.867	1.000
38	0	0.000	0.076	0.000	0.093	0.000	0.130
38	1	0.001	0.119	0.001	0.138	0.000	0.180
38	2	0.009	0.157	0.006	0.177	0.003	0.222
38	3	0.022	0.192	0.017	0.214	0.009	0.260
38	4	0.037	0.225	0.029	0.248	0.018	0.296
38	5	0.053	0.257	0.044	0.281	0.030	0.330
38	6	0.071	0.288	0.060	0.313	0.042	0.362
38	7	0.090	0.318	0.077	0.343	0.057	0.393
38	8	0.109	0.348	0.096	0.373	0.072	0.424
38	9	0.129	0.377	0.114	0.402	0.088	0.453
38	10	0.150	0.405	0.134	0.431	0.106	0.482
38	11	0.172	0.433	0.154	0.459	0.123	0.509
38	12	0.193	0.461	0.175	0.487	0.142	0.537
38	13	0.216	0.488	0.196	0.514	0.161	0.563
38	14	0.238	0.515	0.218	0.540	0.181	0.589
38	15	0.261	0.541	0.240	0.566	0.202	0.614
38	16	0.285	0.567	0.263	0.592	0.223	0.639
38	17	0.309	0.593	0.286	0.617	0.245	0.663
38	18	0.333	0.618	0.310	0.642	0.267	0.687
38	19	0.357	0.643	0.334	0.666	0.290	0.710
38	20	0.382	0.667	0.358	0.690	0.313	0.733
38	21	0.407	0.691	0.383	0.714	0.337	0.755
38	22	0.433	0.715	0.408	0.737	0.361	0.777
38	23	0.459	0.739	0.434	0.760	0.386	0.798
38	24	0.485	0.762	0.460	0.782	0.411	0.819
38	25	0.512	0.784	0.486	0.804	0.437	0.839
38	26	0.539	0.807	0.513	0.825	0.463	0.858
38	27	0.567	0.828	0.541	0.846	0.491	0.877
38	28	0.595	0.850	0.569	0.866	0.518	0.894
38	29	0.623	0.871	0.598	0.886	0.547	0.912
38	30	0.652	0.891	0.627	0.904	0.576	0.928
38	31	0.682	0.910	0.657	0.923	0.607	0.943
38	32	0.712	0.929	0.687	0.940	0.638	0.958

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
38	33	0.743	0.947	0.719	0.956	0.670	0.970
38	34	0.775	0.963	0.752	0.971	0.704	0.982
38	35	0.808	0.978	0.786	0.983	0.740	0.991
38	36	0.843	0.991	0.823	0.994	0.778	0.997
38	37	0.881	0.999	0.862	0.999	0.820	1.000
38	38	0.924	1.000	0.907	1.000	0.870	1.000
39	0	0.000	0.074	0.000	0.090	0.000	0.127
39	1	0.001	0.116	0.001	0.135	0.000	0.176
39	2	0.009	0.153	0.006	0.173	0.003	0.217
39	3	0.021	0.187	0.016	0.209	0.009	0.254
39	4	0.036	0.220	0.029	0.242	0.018	0.289
39	5	0.052	0.251	0.043	0.274	0.029	0.322
39	6	0.069	0.281	0.059	0.305	0.041	0.354
39	7	0.087	0.311	0.075	0.335	0.055	0.385
39	8	0.106	0.340	0.093	0.365	0.070	0.414
39	9	0.126	0.368	0.111	0.393	0.086	0.443
39	10	0.146	0.396	0.130	0.421	0.103	0.471
39	11	0.167	0.423	0.150	0.449	0.120	0.498
39	12	0.188	0.450	0.170	0.476	0.138	0.525
39	13	0.210	0.477	0.191	0.502	0.157	0.551
39	14	0.232	0.503	0.212	0.528	0.176	0.577
39	15	0.254	0.529	0.234	0.554	0.196	0.602
39	16	0.277	0.554	0.256	0.579	0.217	0.626
39	17	0.300	0.579	0.278	0.604	0.238	0.650
39	18	0.323	0.604	0.301	0.628	0.259	0.674
39	19	0.347	0.629	0.324	0.652	0.281	0.697
39	20	0.371	0.653	0.348	0.676	0.303	0.719
39	21	0.396	0.677	0.372	0.699	0.326	0.741
39	22	0.421	0.700	0.396	0.722	0.350	0.762
39	23	0.446	0.723	0.421	0.744	0.374	0.783
39	24	0.471	0.746	0.446	0.766	0.398	0.804
39	25	0.497	0.768	0.472	0.788	0.423	0.824
39	26	0.523	0.790	0.498	0.809	0.449	0.843
39	27	0.550	0.812	0.524	0.830	0.475	0.862
39	28	0.577	0.833	0.551	0.850	0.502	0.880
39	29	0.604	0.854	0.579	0.870	0.529	0.897
39	30	0.632	0.874	0.607	0.889	0.557	0.914
39	31	0.660	0.894	0.635	0.907	0.586	0.930
39	32	0.689	0.913	0.665	0.925	0.615	0.945
39	33	0.719	0.931	0.695	0.941	0.646	0.959
39	34	0.749	0.948	0.726	0.957	0.678	0.971
39	35	0.780	0.964	0.758	0.971	0.711	0.982
39	36	0.813	0.979	0.791	0.984	0.746	0.991
39	37	0.847	0.991	0.827	0.994	0.783	0.997
39	38	0.884	0.999	0.865	0.999	0.824	1.000
39	39	0.926	1.000	0.910	1.000	0.873	1.000
40	0	0.000	0.072	0.000	0.088	0.000	0.124
40	1	0.001	0.113	0.001	0.132	0.000	0.172
40	2	0.009	0.149	0.006	0.169	0.003	0.212
40	3	0.021	0.183	0.016	0.204	0.009	0.248
40	4	0.035	0.214	0.028	0.237	0.017	0.283
40	5	0.051	0.245	0.042	0.268	0.028	0.315
40	6	0.067	0.275	0.057	0.298	0.040	0.346
40	7	0.085	0.304	0.073	0.328	0.054	0.376
40	8	0.104	0.332	0.091	0.356	0.068	0.405
40	9	0.123	0.360	0.108	0.385	0.084	0.434

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
40	10	0.142	0.387	0.127	0.412	0.100	0.461
40	11	0.163	0.414	0.146	0.439	0.117	0.488
40	12	0.183	0.440	0.166	0.465	0.134	0.514
40	13	0.204	0.466	0.186	0.491	0.153	0.540
40	14	0.226	0.492	0.206	0.517	0.171	0.565
40	15	0.247	0.517	0.227	0.542	0.191	0.590
40	16	0.269	0.542	0.249	0.567	0.210	0.614
40	17	0.292	0.567	0.270	0.591	0.231	0.637
40	18	0.315	0.591	0.293	0.615	0.252	0.661
40	19	0.338	0.615	0.315	0.639	0.273	0.683
40	20	0.361	0.639	0.338	0.662	0.295	0.705
40	21	0.385	0.662	0.361	0.685	0.317	0.727
40	22	0.409	0.685	0.385	0.707	0.339	0.748
40	23	0.433	0.708	0.409	0.730	0.363	0.769
40	24	0.458	0.731	0.433	0.751	0.386	0.790
40	25	0.483	0.753	0.458	0.773	0.410	0.809
40	26	0.508	0.774	0.483	0.794	0.435	0.829
40	27	0.534	0.796	0.509	0.814	0.460	0.847
40	28	0.560	0.817	0.535	0.834	0.486	0.866
40	29	0.586	0.837	0.561	0.854	0.512	0.883
40	30	0.613	0.858	0.588	0.873	0.539	0.900
40	31	0.640	0.877	0.615	0.892	0.566	0.916
40	32	0.668	0.896	0.644	0.909	0.595	0.932
40	33	0.696	0.915	0.672	0.927	0.624	0.946
40	34	0.725	0.933	0.702	0.943	0.654	0.960
40	35	0.755	0.949	0.732	0.958	0.685	0.972
40	36	0.786	0.965	0.763	0.972	0.717	0.983
40	37	0.817	0.979	0.796	0.984	0.752	0.991
40	38	0.851	0.991	0.831	0.994	0.788	0.997
40	39	0.887	0.999	0.868	0.999	0.828	1.000
40	40	0.928	1.000	0.912	1.000	0.876	1.000
41	0	0.000	0.070	0.000	0.086	0.000	0.121
41	1	0.001	0.111	0.001	0.129	0.000	0.168
41	2	0.009	0.146	0.006	0.165	0.003	0.207
41	3	0.020	0.178	0.015	0.199	0.008	0.243
41	4	0.034	0.210	0.027	0.231	0.017	0.276
41	5	0.049	0.239	0.041	0.262	0.027	0.308
41	6	0.066	0.269	0.056	0.292	0.039	0.339
41	7	0.083	0.297	0.072	0.321	0.052	0.368
41	8	0.101	0.325	0.088	0.349	0.066	0.397
41	9	0.120	0.352	0.106	0.376	0.081	0.425
41	10	0.139	0.379	0.124	0.403	0.097	0.452
41	11	0.158	0.405	0.142	0.429	0.114	0.478
41	12	0.178	0.431	0.161	0.455	0.131	0.504
41	13	0.199	0.456	0.181	0.481	0.148	0.529
41	14	0.220	0.481	0.201	0.506	0.167	0.554
41	15	0.241	0.506	0.221	0.531	0.185	0.578
41	16	0.262	0.531	0.242	0.555	0.205	0.602
41	17	0.284	0.555	0.263	0.579	0.224	0.625
41	18	0.306	0.579	0.285	0.603	0.245	0.648
41	19	0.329	0.602	0.307	0.626	0.265	0.670
41	20	0.351	0.626	0.329	0.649	0.286	0.692
41	21	0.374	0.649	0.351	0.671	0.308	0.714
41	22	0.398	0.671	0.374	0.693	0.330	0.735
41	23	0.421	0.694	0.397	0.715	0.352	0.755
41	24	0.445	0.716	0.421	0.737	0.375	0.776



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
41	25	0.469	0.738	0.445	0.758	0.398	0.795
41	26	0.494	0.759	0.469	0.779	0.422	0.815
41	27	0.519	0.780	0.494	0.799	0.446	0.833
41	28	0.544	0.801	0.519	0.819	0.471	0.852
41	29	0.569	0.822	0.545	0.839	0.496	0.869
41	30	0.595	0.842	0.571	0.858	0.522	0.886
41	31	0.621	0.861	0.597	0.876	0.548	0.903
41	32	0.648	0.880	0.624	0.894	0.575	0.919
41	33	0.675	0.899	0.651	0.912	0.603	0.934
41	34	0.703	0.917	0.679	0.928	0.632	0.948
41	35	0.731	0.934	0.708	0.944	0.661	0.961
41	36	0.761	0.951	0.738	0.959	0.692	0.973
41	37	0.790	0.966	0.769	0.973	0.724	0.983
41	38	0.822	0.980	0.801	0.985	0.757	0.992
41	39	0.854	0.991	0.835	0.994	0.793	0.997
41	40	0.889	0.999	0.871	0.999	0.832	1.000
41	41	0.930	1.000	0.914	1.000	0.879	1.000
42	0	0.000	0.069	0.000	0.084	0.000	0.119
42	1	0.001	0.108	0.001	0.126	0.000	0.164
42	2	0.009	0.142	0.006	0.162	0.002	0.203
42	3	0.020	0.174	0.015	0.195	0.008	0.238
42	4	0.03	0.205	0.027	0.226	0.016	0.271
42	5	0.048	0.234	0.040	0.256	0.027	0.302
42	6	0.064	0.263	0.054	0.285	0.038	0.332
42	7	0.081	0.290	0.070	0.314	0.051	0.361
42	8	0.098	0.318	0.086	0.341	0.065	0.389
42	9	0.117	0.344	0.103	0.368	0.079	0.416
42	10	0.135	0.370	0.121	0.395	0.095	0.442
42	11	0.154	0.396	0.139	0.420	0.111	0.468
42	12	0.174	0.421	0.157	0.446	0.127	0.494
42	13	0.194	0.446	0.176	0.471	0.145	0.519
42	14	0.214	0.471	0.196	0.495	0.162	0.543
42	15	0.235	0.495	0.216	0.520	0.181	0.567
42	16	0.256	0.520	0.236	0.544	0.199	0.590
42	17	0.277	0.543	0.256	0.567	0.218	0.613
42	18	0.298	0.567	0.277	0.590	0.238	0.636
42	19	0.320	0.590	0.298	0.613	0.258	0.658
42	20	0.342	0.613	0.320	0.636	0.278	0.679
42	21	0.365	0.635	0.342	0.658	0.299	0.701
42	22	0.387	0.658	0.364	0.680	0.321	0.722
42	23	0.410	0.680	0.387	0.702	0.342	0.742
42	24	0.433	0.702	0.410	0.723	0.364	0.762
42	25	0.457	0.723	0.433	0.744	0.387	0.782
42	26	0.480	0.744	0.456	0.764	0.410	0.801
42	27	0.505	0.765	0.480	0.784	0.433	0.819
42	28	0.529	0.786	0.505	0.804	0.457	0.838
42	29	0.554	0.806	0.529	0.824	0.481	0.855
42	30	0.579	0.826	0.554	0.843	0.506	0.873
42	31	0.604	0.846	0.580	0.861	0.532	0.889
42	32	0.630	0.865	0.605	0.879	0.558	0.905
42	33	0.656	0.883	0.632	0.897	0.584	0.921
42	34	0.682	0.902	0.659	0.914	0.611	0.935
42	35	0.710	0.919	0.686	0.930	0.639	0.949
42	36	0.737	0.936	0.715	0.946	0.668	0.962
42	37	0.766	0.952	0.744	0.960	0.698	0.973
42	38	0.795	0.967	0.774	0.973	0.729	0.984

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
42	39	0.826	0.980	0.805	0.985	0.762	0.992
42	40	0.858	0.991	0.838	0.994	0.797	0.998
42	41	0.892	0.999	0.874	0.999	0.836	1.000
42	42	0.931	1.000	0.916	1.000	0.881	1.000
43	0	0.000	0.067	0.000	0.082	0.000	0.116
43	1	0.001	0.106	0.001	0.123	0.000	0.160
43	2	0.008	0.139	0.006	0.158	0.002	0.198
43	3	0.019	0.171	0.015	0.191	0.008	0.233
43	4	0.032	0.200	0.026	0.221	0.016	0.265
43	5	0.047	0.229	0.039	0.251	0.026	0.296
43	6	0.063	0.257	0.053	0.279	0.037	0.325
43	7	0.079	0.284	0.068	0.307	0.050	0.353
43	8	0.096	0.311	0.084	0.334	0.063	0.381
43	9	0.114	0.337	0.100	0.360	0.077	0.408
43	10	0.132	0.362	0.118	0.386	0.092	0.434
43	11	0.151	0.388	0.135	0.412	0.108	0.459
43	12	0.170	0.413	0.153	0.437	0.124	0.484
43	13	0.189	0.437	0.172	0.461	0.141	0.509
43	14	0.209	0.461	0.191	0.485	0.158	0.532
43	15	0.229	0.485	0.210	0.509	0.176	0.556
43	16	0.249	0.509	0.230	0.533	0.194	0.579
43	17	0.270	0.532	0.250	0.556	0.213	0.602
43	18	0.291	0.555	0.270	0.579	0.232	0.624
43	19	0.312	0.578	0.291	0.601	0.251	0.646
43	20	0.333	0.601	0.312	0.623	0.271	0.667
43	21	0.355	0.623	0.333	0.645	0.291	0.688
43	22	0.377	0.645	0.355	0.667	0.312	0.709
43	23	0.399	0.667	0.377	0.688	0.333	0.729
43	24	0.422	0.688	0.399	0.709	0.354	0.749
43	25	0.445	0.709	0.421	0.730	0.376	0.768
43	26	0.468	0.730	0.444	0.750	0.398	0.787
43	27	0.491	0.751	0.467	0.770	0.421	0.806
43	28	0.515	0.771	0.491	0.790	0.444	0.824
43	29	0.539	0.791	0.515	0.809	0.468	0.842
43	30	0.563	0.811	0.539	0.828	0.491	0.859
43	31	0.587	0.830	0.563	0.847	0.516	0.876
43	32	0.612	0.849	0.588	0.865	0.541	0.892
43	33	0.638	0.868	0.614	0.882	0.566	0.908
43	34	0.663	0.886	0.640	0.900	0.592	0.923
43	35	0.689	0.904	0.666	0.916	0.619	0.937
43	36	0.716	0.921	0.693	0.932	0.647	0.950
43	37	0.743	0.937	0.721	0.947	0.675	0.963
43	38	0.771	0.953	0.749	0.961	0.704	0.974
43	39	0.800	0.968	0.779	0.974	0.735	0.984
43	40	0.829	0.981	0.809	0.985	0.767	0.992
43	41	0.861	0.992	0.842	0.994	0.802	0.998
43	42	0.894	0.999	0.877	0.999	0.840	1.000
43	43	0.933	1.000	0.918	1.000	0.884	1.000
44	0	0.000	0.066	0.000	0.080	0.000	0.113
44	1	0.001	0.103	0.001	0.120	0.000	0.157
44	2	0.008	0.136	0.006	0.155	0.002	0.194
44	3	0.019	0.167	0.014	0.187	0.008	0.228
44	4	0.032	0.196	0.025	0.217	0.016	0.259
44	5	0.046	0.224	0.038	0.246	0.025	0.290
44	6	0.061	0.252	0.052	0.274	0.036	0.318

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
44	7	0.077	0.278	0.066	0.301	0.049	0.346
44	8	0.094	0.304	0.082	0.327	0.062	0.373
44	9	0.111	0.330	0.098	0.353	0.076	0.400
44	10	0.129	0.355	0.115	0.378	0.090	0.425
44	11	0.147	0.380	0.132	0.403	0.105	0.450
44	12	0.166	0.404	0.150	0.428	0.121	0.475
44	13	0.184	0.428	0.168	0.452	0.137	0.499
44	14	0.204	0.452	0.186	0.476	0.154	0.522
44	15	0.223	0.475	0.205	0.499	0.172	0.545
44	16	0.243	0.499	0.224	0.522	0.189	0.568
44	17	0.263	0.521	0.244	0.545	0.207	0.590
44	18	0.284	0.544	0.263	0.567	0.226	0.612
44	19	0.304	0.567	0.284	0.590	0.245	0.634
44	20	0.325	0.589	0.304	0.612	0.264	0.655
44	21	0.346	0.611	0.325	0.633	0.284	0.676
44	22	0.368	0.632	0.346	0.654	0.304	0.696
44	23	0.389	0.654	0.367	0.675	0.324	0.716
44	24	0.411	0.675	0.388	0.696	0.345	0.736
44	25	0.433	0.696	0.410	0.716	0.366	0.755
44	26	0.456	0.716	0.433	0.737	0.388	0.774
44	27	0.479	0.737	0.455	0.756	0.410	0.793
44	28	0.501	0.757	0.478	0.776	0.432	0.811
44	29	0.525	0.777	0.501	0.795	0.455	0.828
44	30	0.548	0.796	0.524	0.814	0.478	0.846
44	31	0.572	0.816	0.548	0.832	0.501	0.863
44	32	0.596	0.834	0.572	0.850	0.525	0.879
44	33	0.620	0.853	0.597	0.868	0.550	0.895
44	34	0.645	0.871	0.622	0.885	0.575	0.910
44	35	0.670	0.889	0.647	0.902	0.600	0.924
44	36	0.696	0.906	0.673	0.918	0.627	0.938
44	37	0.722	0.923	0.699	0.934	0.654	0.951
44	38	0.748	0.939	0.726	0.948	0.682	0.964
44	39	0.776	0.954	0.754	0.962	0.710	0.975
44	40	0.804	0.968	0.783	0.975	0.741	0.984
44	41	0.833	0.981	0.813	0.986	0.772	0.992
44	42	0.864	0.992	0.845	0.994	0.806	0.998
44	43	0.897	0.999	0.880	0.999	0.843	1.000
44	44	0.934	1.000	0.920	1.000	0.887	1.000
45	0	0.000	0.064	0.000	0.079	0.000	0.111
45	1	0.001	0.101	0.001	0.118	0.000	0.154
45	2	0.008	0.133	0.005	0.151	0.002	0.190
45	3	0.018	0.163	0.014	0.183	0.008	0.223
45	4	0.031	0.192	0.025	0.212	0.015	0.254
45	5	0.045	0.220	0.037	0.241	0.025	0.284
45	6	0.060	0.246	0.051	0.268	0.036	0.312
45	7	0.075	0.272	0.065	0.295	0.047	0.339
45	8	0.092	0.298	0.080	0.321	0.060	0.366
45	9	0.108	0.323	0.096	0.346	0.074	0.392
45	10	0.126	0.348	0.112	0.371	0.088	0.417
45	11	0.144	0.372	0.129	0.395	0.103	0.442
45	12	0.162	0.396	0.146	0.419	0.118	0.466
45	13	0.180	0.420	0.164	0.443	0.134	0.489
45	14	0.199	0.443	0.182	0.466	0.151	0.513
45	15	0.218	0.466	0.200	0.490	0.167	0.535
45	16	0.237	0.489	0.219	0.512	0.185	0.558
45	17	0.257	0.511	0.238	0.535	0.202	0.580

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
45	18	0.277	0.533	0.257	0.557	0.220	0.601
45	19	0.297	0.555	0.277	0.578	0.239	0.623
45	20	0.317	0.577	0.296	0.600	0.257	0.643
45	21	0.338	0.599	0.317	0.621	0.277	0.664
45	22	0.359	0.620	0.337	0.642	0.296	0.684
45	23	0.380	0.641	0.358	0.663	0.316	0.704
45	24	0.401	0.662	0.379	0.683	0.336	0.723
45	25	0.423	0.683	0.400	0.704	0.357	0.743
45	26	0.445	0.703	0.422	0.723	0.377	0.761
45	27	0.467	0.723	0.443	0.743	0.399	0.780
45	28	0.489	0.743	0.465	0.762	0.420	0.798
45	29	0.511	0.763	0.488	0.781	0.442	0.815
45	30	0.534	0.782	0.510	0.800	0.465	0.833
45	31	0.557	0.801	0.534	0.818	0.487	0.849
45	32	0.580	0.820	0.557	0.836	0.511	0.866
45	33	0.604	0.838	0.581	0.854	0.534	0.882
45	34	0.628	0.856	0.605	0.871	0.556	0.897
45	35	0.652	0.874	0.629	0.888	0.583	0.912
45	36	0.677	0.892	0.654	0.904	0.608	0.926
45	37	0.702	0.908	0.679	0.920	0.634	0.940
45	38	0.728	0.925	0.705	0.935	0.661	0.953
45	39	0.754	0.940	0.732	0.949	0.688	0.964
45	40	0.780	0.955	0.759	0.963	0.716	0.975
45	41	0.808	0.969	0.788	0.975	0.746	0.985
45	42	0.837	0.982	0.817	0.986	0.777	0.992
45	43	0.867	0.992	0.849	0.995	0.810	0.998
45	44	0.899	0.999	0.882	0.999	0.846	1.000
45	45	0.936	1.000	0.921	1.000	0.889	1.000
46	0	0.000	0.063	0.000	0.077	0.000	0.109
46	1	0.001	0.099	0.001	0.115	0.000	0.151
46	2	0.008	0.131	0.005	0.148	0.002	0.186
46	3	0.018	0.160	0.014	0.179	0.007	0.219
46	4	0.030	0.188	0.024	0.208	0.015	0.249
46	5	0.044	0.215	0.036	0.236	0.024	0.278
46	6	0.058	0.241	0.049	0.263	0.035	0.306
46	7	0.074	0.267	0.063	0.289	0.046	0.333
46	8	0.090	0.292	0.078	0.314	0.059	0.359
46	9	0.106	0.317	0.094	0.339	0.072	0.384
46	10	0.123	0.341	0.109	0.364	0.086	0.409
46	11	0.140	0.365	0.126	0.388	0.100	0.433
46	12	0.158	0.388	0.143	0.411	0.115	0.457
46	13	0.176	0.411	0.160	0.435	0.131	0.480
46	14	0.194	0.434	0.177	0.458	0.147	0.503
46	15	0.213	0.457	0.195	0.480	0.163	0.526
46	16	0.232	0.479	0.214	0.502	0.180	0.548
46	17	0.251	0.501	0.232	0.525	0.197	0.569
46	18	0.270	0.523	0.251	0.546	0.215	0.591
46	19	0.290	0.545	0.270	0.568	0.233	0.612
46	20	0.310	0.566	0.289	0.589	0.251	0.632
46	21	0.330	0.587	0.309	0.610	0.270	0.653
46	22	0.350	0.608	0.329	0.631	0.289	0.672
46	23	0.371	0.629	0.349	0.651	0.308	0.692
46	24	0.392	0.650	0.369	0.671	0.328	0.711
46	25	0.413	0.670	0.390	0.691	0.347	0.730
46	26	0.434	0.690	0.411	0.711	0.368	0.749

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
46	27	0.455	0.710	0.432	0.730	0.388	0.767
46	28	0.477	0.730	0.454	0.749	0.409	0.785
46	29	0.499	0.749	0.475	0.768	0.431	0.803
46	30	0.521	0.768	0.498	0.786	0.452	0.820
46	31	0.543	0.787	0.520	0.805	0.474	0.837
46	32	0.566	0.806	0.542	0.823	0.497	0.853
46	33	0.589	0.824	0.565	0.840	0.520	0.869
46	34	0.612	0.842	0.589	0.857	0.543	0.885
46	35	0.635	0.860	0.612	0.874	0.567	0.900
46	36	0.659	0.877	0.636	0.891	0.591	0.914
46	37	0.683	0.894	0.661	0.906	0.616	0.928
46	38	0.708	0.910	0.686	0.922	0.641	0.941
46	39	0.733	0.926	0.711	0.937	0.667	0.954
46	40	0.759	0.942	0.737	0.951	0.694	0.965
46	41	0.785	0.956	0.764	0.964	0.722	0.976
46	42	0.812	0.970	0.792	0.976	0.751	0.985
46	43	0.840	0.982	0.821	0.986	0.781	0.993
46	44	0.869	0.992	0.852	0.995	0.814	0.998
46	45	0.901	0.999	0.885	0.999	0.849	1.000
46	46	0.937	1.000	0.923	1.000	0.891	1.000
47	0	0.000	0.062	0.000	0.075	0.000	0.107
47	1	0.001	0.097	0.001	0.113	0.000	0.148
47	2	0.008	0.128	0.005	0.145	0.002	0.183
47	3	0.018	0.157	0.013	0.175	0.007	0.215
47	4	0.030	0.184	0.024	0.204	0.015	0.244
47	5	0.043	0.211	0.035	0.231	0.024	0.273
47	6	0.057	0.237	0.048	0.257	0.034	0.300
47	7	0.072	0.262	0.062	0.283	0.045	0.327
47	8	0.088	0.286	0.076	0.308	0.057	0.352
47	9	0.104	0.310	0.091	0.333	0.070	0.377
47	10	0.120	0.334	0.107	0.357	0.084	0.402
47	11	0.137	0.358	0.123	0.380	0.098	0.425
47	12	0.154	0.381	0.139	0.403	0.113	0.449
47	13	0.172	0.403	0.156	0.426	0.128	0.472
47	14	0.190	0.426	0.173	0.449	0.144	0.494
47	15	0.208	0.448	0.191	0.471	0.160	0.516
47	16	0.227	0.470	0.209	0.493	0.176	0.538
47	17	0.245	0.492	0.227	0.515	0.193	0.559
47	18	0.264	0.513	0.245	0.536	0.210	0.580
47	19	0.283	0.535	0.264	0.557	0.227	0.601
47	20	0.303	0.556	0.283	0.578	0.245	0.621
47	21	0.322	0.577	0.302	0.599	0.263	0.641
47	22	0.342	0.597	0.321	0.619	0.282	0.661
47	23	0.362	0.618	0.341	0.639	0.300	0.681
47	24	0.382	0.638	0.361	0.659	0.319	0.700
47	25	0.403	0.658	0.381	0.679	0.339	0.718
47	26	0.423	0.678	0.401	0.698	0.359	0.737
47	27	0.444	0.697	0.422	0.717	0.379	0.755
47	28	0.465	0.717	0.443	0.736	0.399	0.773
47	29	0.487	0.736	0.464	0.755	0.420	0.790
47	30	0.508	0.755	0.485	0.773	0.441	0.807
47	31	0.530	0.773	0.507	0.791	0.462	0.824
47	32	0.552	0.792	0.529	0.809	0.484	0.840
47	33	0.574	0.810	0.551	0.827	0.506	0.856
47	34	0.597	0.828	0.574	0.844	0.528	0.872

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
47	35	0.619	0.846	0.597	0.861	0.551	0.887
47	36	0.642	0.863	0.620	0.877	0.575	0.902
47	37	0.666	0.880	0.643	0.893	0.598	0.916
47	38	0.690	0.896	0.667	0.909	0.623	0.930
47	39	0.714	0.912	0.692	0.924	0.648	0.943
47	40	0.738	0.928	0.717	0.938	0.673	0.955
47	41	0.763	0.943	0.743	0.952	0.700	0.966
47	42	0.789	0.957	0.769	0.965	0.727	0.976
47	43	0.816	0.970	0.796	0.976	0.756	0.985
47	44	0.843	0.982	0.825	0.987	0.785	0.993
47	45	0.872	0.992	0.855	0.995	0.817	0.998
47	46	0.903	0.999	0.887	0.999	0.852	1.000
47	47	0.938	1.000	0.925	1.000	0.893	1.000
48	0	0.000	0.061	0.000	0.074	0.000	0.105
48	1	0.001	0.095	0.001	0.111	0.000	0.145
48	2	0.007	0.125	0.005	0.143	0.002	0.179
48	3	0.017	0.154	0.013	0.172	0.007	0.210
48	4	0.029	0.181	0.023	0.200	0.014	0.240
48	5	0.042	0.207	0.035	0.227	0.023	0.268
48	6	0.056	0.232	0.047	0.252	0.033	0.295
48	7	0.071	0.257	0.061	0.278	0.044	0.321
48	8	0.086	0.281	0.075	0.302	0.056	0.346
48	9	0.101	0.304	0.090	0.326	0.069	0.370
48	10	0.118	0.328	0.105	0.350	0.082	0.394
48	11	0.134	0.351	0.120	0.373	0.096	0.418
48	12	0.151	0.373	0.136	0.396	0.110	0.441
48	13	0.168	0.396	0.153	0.418	0.125	0.463
48	14	0.186	0.418	0.170	0.441	0.140	0.485
48	15	0.203	0.440	0.187	0.463	0.156	0.507
48	16	0.222	0.461	0.204	0.484	0.172	0.529
48	17	0.240	0.483	0.222	0.505	0.188	0.550
48	18	0.258	0.504	0.240	0.526	0.205	0.570
48	19	0.277	0.525	0.258	0.547	0.222	0.591
48	20	0.296	0.545	0.276	0.568	0.239	0.611
48	21	0.315	0.566	0.295	0.588	0.257	0.631
48	22	0.334	0.586	0.314	0.608	0.275	0.650
48	23	0.354	0.606	0.333	0.628	0.293	0.669
48	24	0.374	0.626	0.352	0.648	0.312	0.688
48	25	0.394	0.646	0.372	0.667	0.331	0.707
48	26	0.414	0.666	0.392	0.686	0.350	0.725
48	27	0.434	0.685	0.412	0.705	0.369	0.743
48	28	0.455	0.704	0.432	0.724	0.389	0.761
48	29	0.475	0.723	0.453	0.742	0.409	0.778
48	30	0.496	0.742	0.474	0.760	0.430	0.795
48	31	0.517	0.760	0.495	0.778	0.450	0.812
48	32	0.539	0.778	0.516	0.796	0.471	0.828
48	33	0.560	0.797	0.537	0.813	0.493	0.844
48	34	0.582	0.814	0.559	0.830	0.515	0.860
48	35	0.604	0.832	0.582	0.847	0.537	0.875
48	36	0.627	0.849	0.604	0.864	0.559	0.890
48	37	0.649	0.866	0.627	0.880	0.582	0.904
48	38	0.672	0.882	0.650	0.895	0.606	0.918
48	39	0.696	0.899	0.674	0.910	0.630	0.931
48	40	0.719	0.914	0.698	0.925	0.654	0.944
48	41	0.743	0.929	0.722	0.939	0.679	0.956
48	42	0.768	0.944	0.748	0.953	0.705	0.967

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
48	43	0.793	0.958	0.773	0.965	0.732	0.977
48	44	0.819	0.971	0.800	0.977	0.760	0.986
48	45	0.846	0.983	0.828	0.987	0.790	0.993
48	46	0.875	0.993	0.857	0.995	0.821	0.998
48	47	0.905	0.999	0.889	0.999	0.855	1.000
48	48	0.939	1.000	0.926	1.000	0.895	1.000
49	0	0.000	0.059	0.000	0.073	0.000	0.102
49	1	0.001	0.093	0.001	0.109	0.000	0.142
49	2	0.007	0.123	0.005	0.140	0.002	0.176
49	3	0.017	0.151	0.013	0.169	0.007	0.207
49	4	0.028	0.177	0.023	0.196	0.014	0.235
49	5	0.041	0.203	0.034	0.222	0.023	0.263
49	6	0.055	0.227	0.046	0.248	0.033	0.289
49	7	0.069	0.252	0.059	0.272	0.043	0.315
49	8	0.084	0.275	0.073	0.297	0.055	0.340
49	9	0.099	0.299	0.088	0.320	0.067	0.364
49	10	0.115	0.322	0.102	0.343	0.080	0.387
49	11	0.131	0.344	0.118	0.366	0.094	0.410
49	12	0.148	0.366	0.133	0.389	0.108	0.433
49	13	0.165	0.388	0.149	0.411	0.122	0.455
49	14	0.182	0.410	0.166	0.433	0.137	0.477
49	15	0.199	0.432	0.183	0.454	0.152	0.498
49	16	0.217	0.453	0.199	0.475	0.168	0.520
49	17	0.235	0.474	0.217	0.496	0.184	0.540
49	18	0.253	0.495	0.234	0.517	0.200	0.561
49	19	0.271	0.515	0.252	0.538	0.217	0.581
49	20	0.289	0.536	0.270	0.558	0.234	0.601
49	21	0.308	0.556	0.288	0.578	0.251	0.620
49	22	0.327	0.576	0.307	0.598	0.269	0.639
49	23	0.346	0.596	0.325	0.617	0.286	0.658
49	24	0.365	0.615	0.344	0.637	0.305	0.677
49	25	0.385	0.635	0.363	0.656	0.323	0.695
49	26	0.404	0.654	0.383	0.675	0.342	0.714
49	27	0.424	0.673	0.402	0.693	0.361	0.731
49	28	0.444	0.692	0.422	0.712	0.380	0.749
49	29	0.464	0.711	0.442	0.730	0.399	0.766
49	30	0.485	0.729	0.462	0.748	0.419	0.783
49	31	0.505	0.747	0.483	0.766	0.439	0.800
49	32	0.526	0.765	0.504	0.783	0.460	0.816
49	33	0.547	0.783	0.525	0.801	0.480	0.832
49	34	0.568	0.801	0.546	0.817	0.502	0.848
49	35	0.590	0.818	0.567	0.834	0.523	0.863
49	36	0.612	0.835	0.589	0.851	0.545	0.878
49	37	0.634	0.852	0.611	0.867	0.567	0.892
49	38	0.656	0.869	0.634	0.882	0.590	0.906
49	39	0.678	0.885	0.657	0.898	0.613	0.920
49	40	0.701	0.901	0.680	0.912	0.636	0.933
49	41	0.725	0.916	0.703	0.927	0.660	0.945
49	42	0.748	0.931	0.728	0.941	0.685	0.957
49	43	0.773	0.945	0.752	0.954	0.711	0.967
49	44	0.797	0.959	0.778	0.966	0.737	0.977
49	45	0.823	0.972	0.804	0.977	0.765	0.986
49	46	0.849	0.983	0.831	0.987	0.793	0.993
49	47	0.877	0.993	0.860	0.995	0.824	0.998
49	48	0.907	0.999	0.891	0.999	0.858	1.000
49	49	0.941	1.000	0.927	1.000	0.898	1.000

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
50	0	0.000	0.058	0.000	0.071	0.000	0.101
50	1	0.001	0.091	0.001	0.106	0.000	0.139
50	2	0.007	0.121	0.005	0.137	0.002	0.173
50	3	0.017	0.148	0.013	0.165	0.007	0.203
50	4	0.028	0.174	0.022	0.192	0.014	0.231
50	5	0.040	0.199	0.033	0.218	0.022	0.258
50	6	0.054	0.223	0.045	0.243	0.032	0.284
50	7	0.068	0.247	0.058	0.267	0.042	0.309
50	8	0.082	0.270	0.072	0.291	0.054	0.333
50	9	0.097	0.293	0.086	0.314	0.066	0.357
50	10	0.113	0.316	0.100	0.337	0.079	0.380
50	11	0.129	0.338	0.115	0.360	0.092	0.403
50	12	0.145	0.360	0.131	0.382	0.106	0.425
50	13	0.161	0.381	0.146	0.403	0.120	0.447
50	14	0.178	0.403	0.162	0.425	0.134	0.469
50	15	0.195	0.424	0.179	0.446	0.149	0.490
50	16	0.212	0.445	0.195	0.467	0.164	0.511
50	17	0.230	0.465	0.212	0.488	0.180	0.531
50	18	0.247	0.486	0.229	0.508	0.196	0.551
50	19	0.265	0.506	0.246	0.528	0.212	0.571
50	20	0.283	0.526	0.264	0.548	0.229	0.591
50	21	0.301	0.546	0.282	0.568	0.245	0.610
50	22	0.320	0.566	0.300	0.587	0.263	0.629
50	23	0.338	0.585	0.318	0.607	0.280	0.648
50	24	0.357	0.605	0.337	0.626	0.298	0.666
50	25	0.376	0.624	0.355	0.645	0.316	0.684
50	26	0.395	0.643	0.374	0.663	0.334	0.702
50	27	0.415	0.662	0.393	0.682	0.352	0.720
50	28	0.434	0.680	0.413	0.700	0.371	0.737
50	29	0.454	0.699	0.432	0.718	0.390	0.755
50	30	0.474	0.717	0.452	0.736	0.409	0.771
50	31	0.494	0.735	0.472	0.754	0.429	0.788
50	32	0.514	0.753	0.492	0.771	0.449	0.804
50	33	0.535	0.770	0.512	0.788	0.469	0.820
50	34	0.555	0.788	0.533	0.805	0.489	0.836
50	35	0.576	0.805	0.554	0.821	0.510	0.851
50	36	0.597	0.822	0.575	0.838	0.531	0.866
50	37	0.619	0.839	0.597	0.854	0.553	0.880
50	38	0.640	0.855	0.618	0.869	0.575	0.894
50	39	0.662	0.871	0.640	0.885	0.597	0.908
50	40	0.684	0.887	0.663	0.900	0.620	0.921
50	41	0.707	0.903	0.686	0.914	0.643	0.934
50	42	0.730	0.918	0.709	0.928	0.667	0.946
50	43	0.753	0.932	0.733	0.942	0.691	0.958
50	44	0.777	0.946	0.757	0.955	0.716	0.968
50	45	0.801	0.960	0.782	0.967	0.742	0.978
50	46	0.826	0.972	0.808	0.978	0.769	0.986
50	47	0.852	0.983	0.835	0.987	0.797	0.993
50	48	0.879	0.993	0.863	0.995	0.827	0.998
50	49	0.909	0.999	0.894	0.999	0.861	1.000
50	50	0.942	1.000	0.929	1.000	0.899	1.000
51	0	0.000	0.057	0.000	0.070	0.000	0.099
51	1	0.001	0.090	0.000	0.104	0.000	0.137
51	2	0.007	0.118	0.005	0.135	0.002	0.169
51	3	0.016	0.145	0.012	0.162	0.007	0.199
51	4	0.027	0.171	0.022	0.189	0.013	0.227



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
51	5	0.039	0.195	0.033	0.214	0.022	0.253
51	6	0.052	0.219	0.044	0.239	0.031	0.279
51	7	0.066	0.242	0.057	0.263	0.042	0.304
51	8	0.081	0.265	0.070	0.286	0.053	0.328
51	9	0.095	0.288	0.084	0.309	0.065	0.351
51	10	0.110	0.310	0.098	0.331	0.077	0.374
51	11	0.126	0.332	0.113	0.353	0.090	0.396
51	12	0.142	0.353	0.128	0.375	0.103	0.418
51	13	0.158	0.374	0.143	0.396	0.117	0.440
51	14	0.174	0.395	0.159	0.417	0.131	0.461
51	15	0.191	0.416	0.175	0.438	0.146	0.482
51	16	0.208	0.437	0.191	0.459	0.161	0.502
51	17	0.225	0.457	0.208	0.479	0.176	0.522
51	18	0.242	0.477	0.224	0.499	0.192	0.542
51	19	0.259	0.497	0.241	0.519	0.208	0.562
51	20	0.277	0.517	0.258	0.539	0.224	0.581
51	21	0.295	0.537	0.276	0.558	0.240	0.600
51	22	0.313	0.556	0.293	0.578	0.257	0.619
51	23	0.331	0.575	0.311	0.597	0.274	0.638
51	24	0.350	0.594	0.329	0.615	0.291	0.656
51	25	0.368	0.613	0.348	0.634	0.308	0.674
51	26	0.387	0.632	0.366	0.652	0.326	0.692
51	27	0.406	0.650	0.385	0.671	0.344	0.709
51	28	0.425	0.669	0.403	0.689	0.362	0.726
51	29	0.444	0.687	0.422	0.707	0.381	0.743
51	30	0.463	0.705	0.442	0.724	0.400	0.760
51	31	0.483	0.723	0.461	0.742	0.419	0.776
51	32	0.503	0.741	0.481	0.759	0.438	0.792
51	33	0.523	0.758	0.501	0.776	0.458	0.808
51	34	0.543	0.775	0.521	0.792	0.478	0.824
51	35	0.563	0.792	0.541	0.809	0.498	0.839
51	36	0.584	0.809	0.562	0.825	0.518	0.854
51	37	0.605	0.826	0.583	0.841	0.539	0.869
51	38	0.626	0.842	0.604	0.857	0.560	0.883
51	39	0.647	0.858	0.625	0.872	0.582	0.897
51	40	0.668	0.874	0.647	0.887	0.604	0.910
51	41	0.690	0.890	0.669	0.902	0.626	0.923
51	42	0.712	0.905	0.691	0.916	0.649	0.935
51	43	0.735	0.919	0.714	0.930	0.672	0.947
51	44	0.758	0.934	0.737	0.943	0.696	0.958
51	45	0.781	0.948	0.761	0.956	0.721	0.969
51	46	0.805	0.961	0.786	0.967	0.747	0.978
51	47	0.829	0.973	0.811	0.978	0.773	0.987
51	48	0.855	0.984	0.838	0.988	0.801	0.993
51	49	0.882	0.993	0.865	0.995	0.831	0.998
51	50	0.910	0.999	0.896	1.000	0.863	1.000
51	51	0.943	1.000	0.930	1.000	0.901	1.000
52	0	0.000	0.056	0.000	0.068	0.000	0.097
52	1	0.001	0.088	0.000	0.103	0.000	0.134
52	2	0.007	0.116	0.005	0.132	0.002	0.166
52	3	0.016	0.142	0.012	0.159	0.007	0.196
52	4	0.027	0.167	0.021	0.185	0.013	0.223
52	5	0.039	0.192	0.032	0.210	0.021	0.249
52	6	0.051	0.215	0.044	0.234	0.031	0.274
52	7	0.065	0.238	0.056	0.258	0.041	0.298
52	8	0.079	0.261	0.069	0.281	0.052	0.322

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
52	9	0.093	0.283	0.082	0.303	0.063	0.345
52	10	0.108	0.304	0.096	0.325	0.075	0.368
52	11	0.123	0.326	0.111	0.347	0.088	0.390
52	12	0.139	0.347	0.125	0.368	0.101	0.411
52	13	0.155	0.368	0.140	0.389	0.115	0.432
52	14	0.171	0.388	0.156	0.410	0.129	0.453
52	15	0.187	0.409	0.171	0.431	0.143	0.474
52	16	0.203	0.429	0.187	0.451	0.158	0.494
52	17	0.220	0.449	0.203	0.471	0.172	0.514
52	18	0.237	0.469	0.220	0.491	0.188	0.534
52	19	0.254	0.489	0.236	0.510	0.203	0.553
52	20	0.271	0.508	0.253	0.530	0.219	0.572
52	21	0.289	0.527	0.270	0.549	0.235	0.591
52	22	0.307	0.546	0.287	0.568	0.251	0.609
52	23	0.324	0.565	0.305	0.587	0.268	0.628
52	24	0.342	0.584	0.322	0.605	0.285	0.646
52	25	0.360	0.603	0.340	0.624	0.302	0.663
52	26	0.379	0.621	0.358	0.642	0.319	0.681
52	27	0.397	0.640	0.376	0.660	0.337	0.698
52	28	0.416	0.658	0.395	0.678	0.354	0.715
52	29	0.435	0.676	0.413	0.695	0.372	0.732
52	30	0.454	0.693	0.432	0.713	0.391	0.749
52	31	0.473	0.711	0.451	0.730	0.409	0.765
52	32	0.492	0.729	0.470	0.747	0.428	0.781
52	33	0.511	0.746	0.490	0.764	0.447	0.797
52	34	0.531	0.763	0.509	0.780	0.466	0.812
52	35	0.551	0.780	0.529	0.797	0.486	0.828
52	36	0.571	0.797	0.549	0.813	0.506	0.842
52	37	0.591	0.813	0.569	0.829	0.526	0.857
52	38	0.612	0.829	0.590	0.844	0.547	0.871
52	39	0.632	0.845	0.611	0.860	0.568	0.885
52	40	0.653	0.861	0.632	0.875	0.589	0.899
52	41	0.674	0.877	0.653	0.889	0.610	0.912
52	42	0.696	0.892	0.675	0.904	0.632	0.925
52	43	0.717	0.907	0.697	0.918	0.655	0.937
52	44	0.739	0.921	0.719	0.931	0.678	0.948
52	45	0.762	0.935	0.742	0.944	0.702	0.959
52	46	0.785	0.949	0.766	0.956	0.726	0.969
52	47	0.808	0.961	0.790	0.968	0.751	0.979
52	48	0.833	0.973	0.815	0.979	0.777	0.987
52	49	0.858	0.984	0.841	0.988	0.804	0.993
52	50	0.884	0.993	0.868	0.995	0.834	0.998
52	51	0.912	0.999	0.897	1.000	0.866	1.000
52	52	0.944	1.000	0.932	1.000	0.903	1.000
53	0	0.000	0.055	0.000	0.067	0.000	0.095
53	1	0.001	0.086	0.000	0.101	0.000	0.132
53	2	0.007	0.114	0.005	0.130	0.002	0.163
53	3	0.016	0.140	0.012	0.157	0.006	0.192
53	4	0.026	0.164	0.021	0.182	0.013	0.219
53	5	0.038	0.188	0.031	0.207	0.021	0.245
53	6	0.050	0.211	0.043	0.230	0.030	0.269
53	7	0.064	0.234	0.055	0.253	0.040	0.293
53	8	0.077	0.256	0.067	0.276	0.051	0.317
53	9	0.092	0.278	0.081	0.298	0.062	0.339
53	10	0.106	0.299	0.094	0.320	0.074	0.361

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
53	11	0.121	0.320	0.108	0.341	0.086	0.383
53	12	0.136	0.341	0.123	0.362	0.099	0.404
53	13	0.152	0.361	0.138	0.383	0.112	0.425
53	14	0.167	0.382	0.153	0.403	0.126	0.446
53	15	0.183	0.402	0.168	0.423	0.140	0.466
53	16	0.199	0.422	0.183	0.443	0.154	0.486
53	17	0.216	0.441	0.199	0.463	0.169	0.506
53	18	0.232	0.461	0.215	0.483	0.184	0.525
53	19	0.249	0.480	0.231	0.502	0.199	0.544
53	20	0.266	0.499	0.248	0.521	0.214	0.563
53	21	0.283	0.518	0.265	0.540	0.230	0.582
53	22	0.300	0.537	0.281	0.559	0.246	0.600
53	23	0.318	0.556	0.298	0.577	0.262	0.618
53	24	0.335	0.574	0.316	0.595	0.279	0.636
53	25	0.353	0.593	0.333	0.614	0.295	0.653
53	26	0.371	0.611	0.351	0.632	0.312	0.671
53	27	0.389	0.629	0.368	0.649	0.329	0.688
53	28	0.407	0.647	0.386	0.667	0.347	0.705
53	29	0.426	0.665	0.405	0.684	0.364	0.721
53	30	0.444	0.682	0.423	0.702	0.382	0.738
53	31	0.463	0.700	0.441	0.719	0.400	0.754
53	32	0.482	0.717	0.460	0.735	0.418	0.770
53	33	0.501	0.734	0.479	0.752	0.437	0.786
53	34	0.520	0.751	0.498	0.769	0.456	0.801
53	35	0.539	0.768	0.517	0.785	0.475	0.816
53	36	0.559	0.784	0.537	0.801	0.494	0.831
53	37	0.578	0.801	0.557	0.817	0.514	0.846
53	38	0.598	0.817	0.577	0.832	0.534	0.860
53	39	0.618	0.833	0.597	0.847	0.554	0.874
53	40	0.639	0.848	0.617	0.862	0.575	0.888
53	41	0.659	0.864	0.638	0.877	0.596	0.901
53	42	0.680	0.879	0.659	0.892	0.617	0.914
53	43	0.701	0.894	0.680	0.906	0.639	0.926
53	44	0.722	0.908	0.702	0.919	0.661	0.938
53	45	0.744	0.923	0.724	0.933	0.683	0.949
53	46	0.766	0.936	0.747	0.945	0.707	0.960
53	47	0.789	0.950	0.770	0.957	0.731	0.970
53	48	0.812	0.962	0.793	0.969	0.755	0.979
53	49	0.836	0.974	0.818	0.979	0.781	0.987
53	50	0.860	0.984	0.843	0.988	0.808	0.994
53	51	0.886	0.993	0.870	0.995	0.837	0.998
53	52	0.914	0.999	0.899	1.000	0.868	1.000
53	53	0.945	1.000	0.933	1.000	0.905	1.000
54	0	0.000	0.054	0.000	0.066	0.000	0.093
54	1	0.001	0.085	0.000	0.099	0.000	0.130
54	2	0.007	0.112	0.005	0.127	0.002	0.161
54	3	0.015	0.137	0.012	0.154	0.006	0.189
54	4	0.026	0.162	0.021	0.179	0.013	0.215
54	5	0.037	0.185	0.031	0.203	0.021	0.241
54	6	0.050	0.208	0.042	0.226	0.029	0.265
54	7	0.062	0.230	0.054	0.249	0.039	0.288
54	8	0.076	0.251	0.066	0.271	0.050	0.311
54	9	0.090	0.273	0.079	0.293	0.061	0.334
54	10	0.104	0.294	0.093	0.314	0.073	0.355
54	11	0.119	0.315	0.106	0.335	0.085	0.377
54	12	0.134	0.335	0.120	0.356	0.097	0.398

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
54	13	0.149	0.355	0.135	0.376	0.110	0.418
54	14	0.164	0.375	0.150	0.397	0.124	0.439
54	15	0.180	0.395	0.165	0.416	0.137	0.459
54	16	0.196	0.415	0.180	0.436	0.151	0.478
54	17	0.212	0.434	0.195	0.456	0.165	0.498
54	18	0.228	0.453	0.211	0.475	0.180	0.517
54	19	0.244	0.472	0.227	0.494	0.195	0.536
54	20	0.261	0.491	0.243	0.513	0.210	0.554
54	21	0.277	0.510	0.259	0.531	0.225	0.573
54	22	0.294	0.528	0.276	0.550	0.241	0.591
54	23	0.311	0.547	0.292	0.568	0.257	0.609
54	24	0.329	0.565	0.309	0.586	0.273	0.626
54	25	0.346	0.583	0.326	0.604	0.289	0.644
54	26	0.363	0.601	0.343	0.622	0.306	0.661
54	27	0.381	0.619	0.361	0.639	0.322	0.678
54	28	0.399	0.637	0.378	0.657	0.339	0.694
54	29	0.417	0.654	0.396	0.674	0.356	0.711
54	30	0.435	0.671	0.414	0.691	0.374	0.727
54	31	0.453	0.689	0.432	0.708	0.391	0.743
54	32	0.472	0.706	0.450	0.724	0.409	0.759
54	33	0.490	0.723	0.469	0.741	0.427	0.775
54	34	0.509	0.739	0.487	0.757	0.446	0.790
54	35	0.528	0.756	0.506	0.773	0.464	0.805
54	36	0.547	0.772	0.525	0.789	0.483	0.820
54	37	0.566	0.788	0.544	0.805	0.502	0.835
54	38	0.585	0.804	0.564	0.820	0.522	0.849
54	39	0.605	0.820	0.584	0.835	0.541	0.863
54	40	0.625	0.836	0.603	0.850	0.561	0.876
54	41	0.645	0.851	0.624	0.865	0.582	0.890
54	42	0.665	0.866	0.644	0.880	0.602	0.903
54	43	0.685	0.881	0.665	0.894	0.623	0.915
54	44	0.706	0.896	0.686	0.907	0.645	0.927
54	45	0.727	0.910	0.707	0.921	0.666	0.939
54	46	0.749	0.924	0.729	0.934	0.689	0.950
54	47	0.770	0.938	0.751	0.946	0.712	0.961
54	48	0.792	0.950	0.774	0.958	0.735	0.971
54	49	0.815	0.963	0.797	0.969	0.759	0.979
54	50	0.838	0.974	0.821	0.979	0.785	0.987
54	51	0.863	0.985	0.846	0.988	0.811	0.994
54	52	0.888	0.993	0.873	0.995	0.839	0.998
54	53	0.915	0.999	0.901	1.000	0.870	1.000
54	54	0.946	1.000	0.934	1.000	0.907	1.000
55	0	0.000	0.053	0.000	0.065	0.000	0.092
55	1	0.001	0.083	0.000	0.097	0.000	0.127
55	2	0.006	0.110	0.004	0.125	0.002	0.158
55	3	0.015	0.135	0.011	0.151	0.006	0.186
55	4	0.025	0.159	0.020	0.176	0.012	0.212
55	5	0.037	0.182	0.030	0.200	0.020	0.237
55	6	0.049	0.204	0.041	0.222	0.029	0.261
55	7	0.061	0.226	0.053	0.245	0.038	0.284
55	8	0.074	0.247	0.065	0.267	0.049	0.306
55	9	0.088	0.268	0.078	0.288	0.060	0.328
55	10	0.102	0.289	0.091	0.309	0.071	0.350
55	11	0.116	0.309	0.104	0.330	0.083	0.371
55	12	0.131	0.329	0.118	0.350	0.095	0.391
55	13	0.146	0.349	0.132	0.370	0.108	0.412

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
55	14	0.161	0.369	0.147	0.390	0.121	0.432
55	15	0.176	0.388	0.161	0.410	0.134	0.451
55	16	0.192	0.408	0.176	0.429	0.148	0.471
55	17	0.207	0.427	0.191	0.448	0.162	0.490
55	18	0.223	0.446	0.207	0.467	0.176	0.509
55	19	0.239	0.465	0.222	0.486	0.191	0.527
55	20	0.256	0.483	0.238	0.504	0.206	0.546
55	21	0.272	0.502	0.254	0.523	0.221	0.564
55	22	0.289	0.520	0.270	0.541	0.236	0.582
55	23	0.305	0.538	0.287	0.559	0.251	0.599
55	24	0.322	0.556	0.303	0.577	0.267	0.617
55	25	0.339	0.574	0.320	0.594	0.283	0.634
55	26	0.356	0.591	0.337	0.612	0.299	0.651
55	27	0.374	0.609	0.354	0.629	0.316	0.668
55	28	0.391	0.626	0.371	0.646	0.332	0.684
55	29	0.409	0.644	0.388	0.663	0.349	0.701
55	30	0.426	0.661	0.406	0.680	0.366	0.717
55	31	0.444	0.678	0.423	0.697	0.383	0.733
55	32	0.462	0.695	0.441	0.713	0.401	0.749
55	33	0.480	0.711	0.459	0.730	0.418	0.764
55	34	0.498	0.728	0.477	0.746	0.436	0.779
55	35	0.517	0.744	0.496	0.762	0.454	0.794
55	36	0.535	0.761	0.514	0.778	0.473	0.809
55	37	0.554	0.777	0.533	0.793	0.491	0.824
55	38	0.573	0.793	0.552	0.809	0.510	0.838
55	39	0.592	0.808	0.571	0.824	0.529	0.852
55	40	0.612	0.824	0.590	0.839	0.549	0.866
55	41	0.631	0.839	0.610	0.853	0.568	0.879
55	42	0.651	0.854	0.630	0.868	0.588	0.892
55	43	0.671	0.869	0.650	0.882	0.609	0.905
55	44	0.691	0.884	0.670	0.896	0.629	0.917
55	45	0.711	0.898	0.691	0.909	0.650	0.929
55	46	0.732	0.912	0.712	0.922	0.672	0.940
55	47	0.753	0.926	0.733	0.935	0.694	0.951
55	48	0.774	0.939	0.755	0.947	0.716	0.962
55	49	0.796	0.951	0.778	0.959	0.739	0.971
55	50	0.818	0.963	0.800	0.970	0.763	0.980
55	51	0.841	0.975	0.824	0.980	0.788	0.988
55	52	0.865	0.985	0.849	0.989	0.814	0.994
55	53	0.890	0.994	0.875	0.996	0.842	0.998
55	54	0.917	0.999	0.903	1.000	0.873	1.000
55	55	0.947	1.000	0.935	1.000	0.908	1.000
56	0	0.000	0.052	0.000	0.064	0.000	0.090
56	1	0.001	0.082	0.000	0.096	0.000	0.125
56	2	0.006	0.108	0.004	0.123	0.002	0.155
56	3	0.015	0.133	0.011	0.149	0.006	0.183
56	4	0.025	0.156	0.020	0.173	0.012	0.208
56	5	0.036	0.179	0.030	0.196	0.020	0.233
56	6	0.048	0.201	0.040	0.219	0.028	0.256
56	7	0.060	0.222	0.052	0.241	0.038	0.279
56	8	0.073	0.243	0.064	0.262	0.048	0.301
56	9	0.086	0.264	0.076	0.283	0.059	0.323
56	10	0.100	0.284	0.089	0.304	0.070	0.344
56	11	0.114	0.304	0.102	0.324	0.081	0.365
56	12	0.129	0.324	0.116	0.344	0.094	0.385

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
56	13	0.143	0.344	0.130	0.364	0.106	0.405
56	14	0.158	0.363	0.144	0.384	0.119	0.425
56	15	0.173	0.382	0.158	0.403	0.132	0.444
56	16	0.188	0.401	0.173	0.422	0.145	0.464
56	17	0.204	0.420	0.188	0.441	0.159	0.482
56	18	0.219	0.439	0.203	0.460	0.173	0.501
56	19	0.235	0.457	0.218	0.478	0.187	0.519
56	20	0.251	0.475	0.234	0.496	0.202	0.537
56	21	0.267	0.493	0.249	0.515	0.216	0.555
56	22	0.283	0.511	0.265	0.532	0.231	0.573
56	23	0.299	0.529	0.281	0.550	0.246	0.591
56	24	0.316	0.547	0.297	0.568	0.262	0.608
56	25	0.333	0.565	0.313	0.585	0.277	0.625
56	26	0.349	0.582	0.330	0.603	0.293	0.642
56	27	0.366	0.599	0.347	0.620	0.309	0.658
56	28	0.383	0.617	0.363	0.637	0.325	0.675
56	29	0.401	0.634	0.380	0.653	0.342	0.691
56	30	0.418	0.651	0.397	0.670	0.358	0.707
56	31	0.435	0.667	0.415	0.687	0.375	0.723
56	32	0.453	0.684	0.432	0.703	0.392	0.738
56	33	0.471	0.701	0.450	0.719	0.409	0.754
56	34	0.489	0.717	0.468	0.735	0.427	0.769
56	35	0.507	0.733	0.485	0.751	0.445	0.784
56	36	0.525	0.749	0.504	0.766	0.463	0.798
56	37	0.543	0.765	0.522	0.782	0.481	0.813
56	38	0.561	0.781	0.540	0.797	0.499	0.827
56	39	0.580	0.796	0.559	0.812	0.518	0.841
56	40	0.599	0.812	0.578	0.827	0.536	0.855
56	41	0.618	0.827	0.597	0.842	0.556	0.868
56	42	0.637	0.842	0.616	0.856	0.575	0.881
56	43	0.656	0.857	0.636	0.870	0.595	0.894
56	44	0.676	0.871	0.656	0.884	0.615	0.906
56	45	0.696	0.886	0.676	0.898	0.635	0.919
56	46	0.716	0.900	0.696	0.911	0.656	0.930
56	47	0.736	0.914	0.717	0.924	0.677	0.941
56	48	0.757	0.927	0.738	0.936	0.699	0.952
56	49	0.778	0.940	0.759	0.948	0.721	0.962
56	50	0.799	0.952	0.781	0.960	0.744	0.972
56	51	0.821	0.964	0.804	0.970	0.767	0.980
56	52	0.844	0.975	0.827	0.980	0.792	0.988
56	53	0.867	0.985	0.851	0.989	0.817	0.994
56	54	0.892	0.994	0.877	0.996	0.845	0.998
56	55	0.918	0.999	0.904	1.000	0.875	1.000
56	56	0.948	1.000	0.936	1.000	0.910	1.000
57	0	0.000	0.051	0.000	0.063	0.000	0.089
57	1	0.001	0.081	0.000	0.094	0.000	0.123
57	2	0.006	0.106	0.004	0.121	0.002	0.153
57	3	0.014	0.130	0.011	0.146	0.006	0.180
57	4	0.024	0.153	0.019	0.170	0.012	0.205
57	5	0.035	0.176	0.029	0.193	0.019	0.229
57	6	0.047	0.197	0.040	0.215	0.028	0.252
57	7	0.059	0.218	0.051	0.237	0.037	0.275
57	8	0.072	0.239	0.063	0.258	0.047	0.297
57	9	0.085	0.259	0.075	0.279	0.057	0.318
57	10	0.098	0.279	0.087	0.299	0.068	0.339

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
57	11	0.112	0.299	0.100	0.319	0.080	0.359
57	12	0.126	0.319	0.114	0.339	0.092	0.379
57	13	0.141	0.338	0.127	0.358	0.104	0.399
57	14	0.155	0.357	0.141	0.378	0.117	0.419
57	15	0.170	0.376	0.155	0.397	0.129	0.438
57	16	0.185	0.395	0.170	0.415	0.143	0.457
57	17	0.200	0.413	0.184	0.434	0.156	0.475
57	18	0.215	0.431	0.199	0.452	0.170	0.493
57	19	0.230	0.450	0.214	0.471	0.184	0.512
57	20	0.246	0.468	0.229	0.489	0.198	0.530
57	21	0.262	0.486	0.244	0.507	0.212	0.547
57	22	0.278	0.503	0.260	0.524	0.227	0.565
57	23	0.294	0.521	0.276	0.542	0.242	0.582
57	24	0.310	0.539	0.291	0.559	0.257	0.599
57	25	0.326	0.556	0.307	0.576	0.272	0.616
57	26	0.343	0.573	0.324	0.593	0.287	0.632
57	27	0.359	0.590	0.340	0.610	0.303	0.649
57	28	0.376	0.607	0.356	0.627	0.319	0.665
57	29	0.393	0.624	0.373	0.644	0.335	0.681
57	30	0.410	0.641	0.390	0.660	0.351	0.697
57	31	0.427	0.657	0.407	0.676	0.368	0.713
57	32	0.444	0.674	0.424	0.693	0.384	0.728
57	33	0.461	0.690	0.441	0.709	0.401	0.743
57	34	0.479	0.706	0.458	0.724	0.418	0.758
57	35	0.497	0.722	0.476	0.740	0.435	0.773
57	36	0.514	0.738	0.493	0.756	0.453	0.788
57	37	0.532	0.754	0.511	0.771	0.470	0.802
57	38	0.550	0.770	0.529	0.786	0.488	0.816
57	39	0.569	0.785	0.548	0.801	0.507	0.830
57	40	0.587	0.800	0.566	0.816	0.525	0.844
57	41	0.605	0.815	0.585	0.830	0.543	0.857
57	42	0.624	0.830	0.603	0.845	0.562	0.871
57	43	0.643	0.845	0.622	0.859	0.581	0.883
57	44	0.662	0.859	0.642	0.873	0.601	0.896
57	45	0.681	0.874	0.661	0.886	0.621	0.908
57	46	0.701	0.888	0.681	0.900	0.641	0.920
57	47	0.721	0.902	0.701	0.913	0.661	0.932
57	48	0.741	0.915	0.721	0.925	0.682	0.943
57	49	0.761	0.928	0.742	0.937	0.703	0.953
57	50	0.782	0.941	0.763	0.949	0.725	0.963
57	51	0.803	0.953	0.785	0.960	0.748	0.972
57	52	0.824	0.965	0.807	0.971	0.771	0.981
57	53	0.847	0.976	0.830	0.981	0.795	0.988
57	54	0.870	0.986	0.854	0.989	0.820	0.994
57	55	0.894	0.994	0.879	0.996	0.847	0.998
57	56	0.919	0.999	0.906	1.000	0.877	1.000
57	57	0.949	1.000	0.937	1.000	0.911	1.000
58	0	0.000	0.050	0.000	0.062	0.000	0.087
58	1	0.001	0.079	0.000	0.092	0.000	0.121
58	2	0.006	0.105	0.004	0.119	0.002	0.150
58	3	0.014	0.128	0.011	0.144	0.006	0.177
58	4	0.024	0.151	0.019	0.167	0.012	0.202
58	5	0.035	0.173	0.029	0.190	0.019	0.225
58	6	0.046	0.194	0.039	0.212	0.027	0.248
58	7	0.058	0.215	0.050	0.233	0.036	0.270
58	8	0.071	0.235	0.061	0.254	0.046	0.292

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
58	9	0.083	0.255	0.073	0.274	0.056	0.313
58	10	0.097	0.275	0.086	0.294	0.067	0.334
58	11	0.110	0.294	0.099	0.314	0.078	0.354
58	12	0.124	0.314	0.112	0.334	0.090	0.374
58	13	0.138	0.333	0.125	0.353	0.102	0.393
58	14	0.152	0.351	0.139	0.372	0.114	0.412
58	15	0.167	0.370	0.153	0.390	0.127	0.431
58	16	0.181	0.388	0.167	0.409	0.140	0.450
58	17	0.196	0.407	0.181	0.427	0.153	0.468
58	18	0.211	0.425	0.195	0.445	0.167	0.486
58	19	0.226	0.443	0.210	0.463	0.180	0.504
58	20	0.242	0.460	0.225	0.481	0.194	0.522
58	21	0.257	0.478	0.240	0.499	0.208	0.533
58	22	0.273	0.496	0.255	0.516	0.223	0.556
58	23	0.288	0.513	0.270	0.534	0.237	0.573
58	24	0.304	0.530	0.286	0.551	0.252	0.590
58	25	0.320	0.547	0.302	0.568	0.267	0.607
58	26	0.336	0.564	0.317	0.585	0.282	0.623
58	27	0.353	0.581	0.333	0.601	0.297	0.640
58	28	0.369	0.598	0.350	0.618	0.313	0.656
58	29	0.385	0.615	0.366	0.634	0.328	0.672
58	30	0.402	0.631	0.382	0.650	0.344	0.687
58	31	0.419	0.647	0.399	0.667	0.360	0.703
58	32	0.436	0.664	0.415	0.683	0.377	0.718
58	33	0.453	0.680	0.432	0.698	0.393	0.733
58	34	0.470	0.696	0.449	0.714	0.410	0.748
58	35	0.487	0.712	0.466	0.730	0.427	0.763
58	36	0.504	0.727	0.484	0.745	0.444	0.777
58	37	0.522	0.743	0.501	0.760	0.461	0.792
58	38	0.540	0.758	0.519	0.775	0.478	0.806
58	39	0.557	0.774	0.537	0.790	0.496	0.820
58	40	0.575	0.789	0.555	0.805	0.514	0.833
58	41	0.593	0.804	0.573	0.819	0.532	0.847
58	42	0.612	0.819	0.591	0.833	0.550	0.860
58	43	0.630	0.833	0.610	0.847	0.569	0.873
58	44	0.649	0.848	0.628	0.861	0.588	0.886
58	45	0.667	0.862	0.647	0.875	0.607	0.898
58	46	0.686	0.876	0.666	0.888	0.626	0.910
58	47	0.706	0.890	0.686	0.901	0.646	0.922
58	48	0.725	0.903	0.706	0.914	0.666	0.933
58	49	0.745	0.917	0.726	0.927	0.687	0.944
58	50	0.765	0.929	0.746	0.939	0.708	0.954
58	51	0.785	0.942	0.767	0.950	0.730	0.964
58	52	0.806	0.954	0.788	0.961	0.752	0.973
58	53	0.827	0.965	0.810	0.971	0.775	0.981
58	54	0.849	0.976	0.833	0.981	0.798	0.988
58	55	0.872	0.986	0.856	0.989	0.823	0.994
58	56	0.895	0.994	0.881	0.996	0.850	0.998
58	57	0.921	0.999	0.908	1.000	0.879	1.000
58	58	0.950	1.000	0.938	1.000	0.913	1.000
59	0	0.000	0.050	0.000	0.061	0.000	0.086
59	1	0.001	0.078	0.000	0.091	0.000	0.119
59	2	0.006	0.103	0.004	0.117	0.002	0.148
59	3	0.014	0.126	0.011	0.141	0.006	0.174
59	4	0.023	0.148	0.019	0.165	0.012	0.198



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
59	5	0.034	0.170	0.028	0.187	0.019	0.222
59	6	0.045	0.191	0.038	0.208	0.027	0.244
59	7	0.057	0.211	0.049	0.229	0.036	0.266
59	8	0.069	0.231	0.060	0.250	0.045	0.287
59	9	0.082	0.251	0.072	0.270	0.055	0.308
59	10	0.095	0.271	0.084	0.290	0.066	0.328
59	11	0.108	0.290	0.097	0.309	0.077	0.348
59	12	0.122	0.309	0.110	0.328	0.088	0.368
59	13	0.136	0.327	0.123	0.347	0.100	0.387
59	14	0.150	0.346	0.136	0.366	0.112	0.406
59	15	0.164	0.364	0.150	0.384	0.125	0.425
59	16	0.178	0.382	0.164	0.403	0.137	0.443
59	17	0.193	0.400	0.178	0.421	0.150	0.461
59	18	0.207	0.418	0.192	0.439	0.163	0.479
59	19	0.222	0.436	0.206	0.456	0.177	0.497
59	20	0.237	0.453	0.221	0.474	0.190	0.514
59	21	0.252	0.471	0.236	0.491	0.204	0.531
59	22	0.268	0.488	0.250	0.509	0.218	0.548
59	23	0.283	0.505	0.265	0.526	0.233	0.565
59	24	0.299	0.522	0.281	0.543	0.247	0.582
59	25	0.314	0.539	0.296	0.559	0.262	0.598
59	26	0.330	0.556	0.312	0.576	0.276	0.615
59	27	0.346	0.572	0.327	0.592	0.291	0.631
59	28	0.362	0.589	0.343	0.609	0.307	0.647
59	29	0.378	0.605	0.359	0.625	0.322	0.662
59	30	0.395	0.622	0.375	0.641	0.338	0.678
59	31	0.411	0.638	0.391	0.657	0.353	0.693
59	32	0.428	0.654	0.408	0.673	0.369	0.709
59	33	0.444	0.670	0.424	0.688	0.385	0.724
59	34	0.461	0.686	0.441	0.704	0.402	0.738
59	35	0.478	0.701	0.457	0.719	0.418	0.753
59	36	0.495	0.717	0.474	0.735	0.435	0.767
59	37	0.512	0.732	0.491	0.750	0.452	0.782
59	38	0.529	0.748	0.509	0.764	0.469	0.796
59	39	0.547	0.763	0.526	0.779	0.486	0.810
59	40	0.564	0.778	0.544	0.794	0.503	0.823
59	41	0.582	0.793	0.561	0.808	0.521	0.837
59	42	0.600	0.807	0.579	0.822	0.539	0.850
59	43	0.618	0.822	0.597	0.836	0.557	0.863
59	44	0.636	0.836	0.616	0.850	0.575	0.875
59	45	0.654	0.850	0.634	0.864	0.594	0.888
59	46	0.673	0.864	0.653	0.877	0.613	0.900
59	47	0.691	0.878	0.672	0.890	0.632	0.912
59	48	0.710	0.892	0.691	0.903	0.652	0.923
59	49	0.729	0.905	0.710	0.916	0.672	0.934
59	50	0.749	0.918	0.730	0.928	0.692	0.945
59	51	0.769	0.931	0.750	0.940	0.713	0.955
59	52	0.789	0.943	0.771	0.951	0.734	0.964
59	53	0.809	0.955	0.792	0.962	0.756	0.973
59	54	0.830	0.966	0.813	0.972	0.778	0.981
59	55	0.852	0.977	0.835	0.981	0.802	0.988
59	56	0.874	0.986	0.859	0.989	0.826	0.994
59	57	0.897	0.994	0.883	0.996	0.852	0.998
59	58	0.922	0.999	0.909	1.000	0.881	1.000
59	59	0.950	1.000	0.939	1.000	0.914	1.000
60	0	0.000	0.049	0.000	0.060	0.000	0.085

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
60	1	0.001	0.077	0.000	0.089	0.000	0.117
60	2	0.006	0.101	0.004	0.115	0.002	0.145
60	3	0.014	0.124	0.010	0.139	0.006	0.171
60	4	0.023	0.146	0.018	0.162	0.011	0.195
60	5	0.033	0.167	0.028	0.184	0.018	0.218
60	6	0.044	0.188	0.038	0.205	0.026	0.241
60	7	0.056	0.208	0.048	0.226	0.035	0.262
60	8	0.068	0.228	0.059	0.246	0.045	0.283
60	9	0.081	0.247	0.071	0.266	0.054	0.304
60	10	0.093	0.266	0.083	0.285	0.065	0.324
60	11	0.106	0.285	0.095	0.304	0.076	0.343
60	12	0.120	0.304	0.108	0.323	0.087	0.362
60	13	0.133	0.322	0.121	0.342	0.098	0.381
60	14	0.147	0.340	0.134	0.360	0.110	0.400
60	15	0.161	0.359	0.147	0.379	0.123	0.418
60	16	0.175	0.376	0.161	0.397	0.135	0.437
60	17	0.189	0.394	0.175	0.414	0.148	0.454
60	18	0.204	0.412	0.188	0.432	0.161	0.472
60	19	0.218	0.429	0.203	0.450	0.174	0.490
60	20	0.233	0.446	0.217	0.467	0.187	0.507
60	21	0.248	0.464	0.231	0.484	0.201	0.524
60	22	0.263	0.481	0.246	0.501	0.214	0.541
60	23	0.278	0.498	0.261	0.518	0.228	0.557
60	24	0.293	0.514	0.276	0.535	0.242	0.574
60	25	0.309	0.531	0.291	0.551	0.257	0.590
60	26	0.324	0.548	0.306	0.568	0.271	0.606
60	27	0.340	0.564	0.321	0.584	0.286	0.622
60	28	0.356	0.580	0.337	0.600	0.301	0.638
60	29	0.371	0.597	0.352	0.616	0.316	0.653
60	30	0.387	0.613	0.368	0.632	0.331	0.669
60	31	0.403	0.629	0.384	0.648	0.347	0.684
60	32	0.420	0.644	0.400	0.663	0.362	0.699
60	33	0.436	0.660	0.416	0.679	0.378	0.714
60	34	0.452	0.676	0.432	0.694	0.394	0.729
60	35	0.469	0.691	0.449	0.709	0.410	0.743
60	36	0.486	0.707	0.465	0.724	0.426	0.758
60	37	0.502	0.722	0.482	0.739	0.443	0.772
60	38	0.519	0.737	0.499	0.754	0.459	0.786
60	39	0.536	0.752	0.516	0.769	0.476	0.799
60	40	0.554	0.767	0.533	0.783	0.493	0.813
60	41	0.571	0.782	0.550	0.797	0.510	0.826
60	42	0.588	0.796	0.568	0.812	0.528	0.839
60	43	0.606	0.811	0.586	0.825	0.546	0.852
60	44	0.624	0.825	0.603	0.839	0.563	0.865
60	45	0.641	0.839	0.621	0.853	0.582	0.877
60	46	0.660	0.853	0.640	0.866	0.600	0.890
60	47	0.678	0.867	0.658	0.879	0.619	0.902
60	48	0.696	0.880	0.677	0.892	0.638	0.913
60	49	0.715	0.894	0.696	0.905	0.657	0.924
60	50	0.734	0.907	0.715	0.917	0.676	0.935
60	51	0.753	0.919	0.734	0.929	0.696	0.946
60	52	0.772	0.932	0.754	0.941	0.717	0.955
60	53	0.792	0.944	0.774	0.952	0.738	0.965
60	54	0.812	0.956	0.795	0.962	0.759	0.974
60	55	0.833	0.967	0.816	0.972	0.782	0.982
60	56	0.854	0.977	0.838	0.982	0.805	0.989

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
60	57	0.876	0.986	0.861	0.990	0.829	0.994
60	58	0.899	0.994	0.885	0.996	0.855	0.998
60	59	0.923	0.999	0.911	1.000	0.883	1.000
60	60	0.951	1.000	0.940	1.000	0.915	1.000
61	0	0.000	0.048	0.000	0.059	0.000	0.083
61	1	0.001	0.075	0.000	0.088	0.000	0.116
61	2	0.006	0.100	0.004	0.113	0.002	0.143
61	3	0.014	0.122	0.010	0.137	0.006	0.169
61	4	0.023	0.144	0.018	0.159	0.011	0.192
61	5	0.033	0.165	0.027	0.181	0.018	0.215
61	6	0.044	0.185	0.037	0.202	0.026	0.237
61	7	0.055	0.205	0.047	0.222	0.035	0.258
61	8	0.067	0.224	0.058	0.242	0.044	0.279
61	9	0.079	0.243	0.070	0.262	0.054	0.299
61	10	0.092	0.262	0.082	0.281	0.064	0.319
61	11	0.105	0.281	0.094	0.300	0.074	0.338
61	12	0.118	0.299	0.106	0.318	0.085	0.357
61	13	0.131	0.317	0.119	0.337	0.097	0.376
61	14	0.144	0.335	0.132	0.355	0.108	0.394
61	15	0.158	0.353	0.145	0.373	0.120	0.412
61	16	0.172	0.371	0.158	0.391	0.133	0.430
61	17	0.186	0.388	0.171	0.408	0.145	0.448
61	18	0.200	0.406	0.185	0.426	0.158	0.465
61	19	0.215	0.423	0.199	0.443	0.171	0.483
61	20	0.229	0.440	0.213	0.460	0.184	0.500
61	21	0.244	0.457	0.227	0.477	0.197	0.517
61	22	0.258	0.474	0.242	0.494	0.211	0.533
61	23	0.273	0.490	0.256	0.510	0.224	0.550
61	24	0.288	0.507	0.271	0.527	0.238	0.566
61	25	0.303	0.523	0.285	0.543	0.252	0.582
61	26	0.319	0.540	0.300	0.559	0.266	0.598
61	27	0.334	0.556	0.315	0.576	0.281	0.614
61	28	0.349	0.572	0.331	0.591	0.295	0.629
61	29	0.365	0.588	0.346	0.607	0.310	0.645
61	30	0.381	0.604	0.361	0.623	0.325	0.660
61	31	0.396	0.619	0.377	0.639	0.340	0.675
61	32	0.412	0.635	0.393	0.654	0.355	0.690
61	33	0.428	0.651	0.409	0.669	0.371	0.705
61	34	0.444	0.666	0.424	0.685	0.386	0.719
61	35	0.460	0.681	0.441	0.700	0.402	0.734
61	36	0.477	0.697	0.457	0.715	0.418	0.748
61	37	0.493	0.712	0.473	0.729	0.434	0.762
61	38	0.510	0.727	0.490	0.744	0.450	0.776
61	39	0.526	0.742	0.506	0.758	0.467	0.789
61	40	0.543	0.756	0.523	0.773	0.483	0.803
61	41	0.560	0.771	0.540	0.787	0.500	0.816
61	42	0.577	0.785	0.557	0.801	0.517	0.829
61	43	0.594	0.800	0.574	0.815	0.535	0.842
61	44	0.612	0.814	0.592	0.829	0.552	0.855
61	45	0.629	0.828	0.609	0.842	0.570	0.867
61	46	0.647	0.842	0.627	0.855	0.588	0.880
61	47	0.665	0.856	0.645	0.868	0.606	0.892
61	48	0.683	0.869	0.663	0.881	0.624	0.903
61	49	0.701	0.882	0.682	0.894	0.643	0.915
61	50	0.719	0.895	0.700	0.906	0.662	0.926

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
61	51	0.738	0.908	0.719	0.918	0.681	0.936
61	52	0.757	0.921	0.738	0.930	0.701	0.946
61	53	0.776	0.933	0.758	0.942	0.721	0.956
61	54	0.795	0.945	0.778	0.953	0.742	0.965
61	55	0.815	0.956	0.798	0.963	0.763	0.974
61	56	0.835	0.967	0.819	0.973	0.785	0.982
61	57	0.856	0.977	0.841	0.982	0.808	0.989
61	58	0.878	0.986	0.863	0.990	0.831	0.994
61	59	0.900	0.994	0.887	0.996	0.857	0.998
61	60	0.925	0.999	0.912	1.000	0.884	1.000
61	61	0.952	1.000	0.941	1.000	0.917	1.000
62	0	0.000	0.047	0.000	0.058	0.000	0.082
62	1	0.001	0.074	0.000	0.087	0.000	0.114
62	2	0.006	0.098	0.004	0.112	0.002	0.141
62	3	0.013	0.120	0.010	0.135	0.006	0.166
62	4	0.022	0.142	0.018	0.157	0.011	0.189
62	5	0.032	0.162	0.027	0.178	0.016	0.212
62	6	0.043	0.182	0.036	0.199	0.026	0.233
62	7	0.054	0.202	0.047	0.219	0.034	0.254
62	8	0.066	0.221	0.057	0.239	0.043	0.275
62	9	0.078	0.240	0.069	0.258	0.053	0.295
62	10	0.090	0.258	0.080	0.277	0.063	0.314
62	11	0.103	0.277	0.092	0.295	0.073	0.333
62	12	0.116	0.295	0.104	0.314	0.084	0.352
62	13	0.129	0.313	0.117	0.332	0.095	0.370
62	14	0.142	0.330	0.129	0.350	0.107	0.389
62	15	0.155	0.348	0.142	0.367	0.118	0.407
62	16	0.169	0.365	0.155	0.385	0.130	0.424
62	17	0.183	0.382	0.169	0.402	0.142	0.442
62	18	0.197	0.400	0.182	0.419	0.155	0.459
62	19	0.211	0.416	0.196	0.437	0.168	0.476
62	20	0.225	0.433	0.209	0.453	0.180	0.493
62	21	0.239	0.450	0.223	0.470	0.194	0.509
62	22	0.254	0.467	0.237	0.487	0.207	0.526
62	23	0.269	0.483	0.252	0.503	0.220	0.542
62	24	0.283	0.499	0.266	0.519	0.234	0.558
62	25	0.298	0.516	0.281	0.535	0.248	0.574
62	26	0.313	0.532	0.295	0.552	0.262	0.590
62	27	0.328	0.548	0.310	0.567	0.276	0.605
62	28	0.343	0.564	0.325	0.583	0.290	0.621
62	29	0.358	0.579	0.340	0.599	0.304	0.636
62	30	0.374	0.595	0.355	0.614	0.319	0.651
62	31	0.389	0.611	0.370	0.630	0.334	0.666
62	32	0.405	0.626	0.386	0.645	0.349	0.681
62	33	0.421	0.642	0.401	0.660	0.364	0.696
62	34	0.436	0.657	0.417	0.675	0.379	0.710
62	35	0.452	0.672	0.433	0.690	0.395	0.724
62	36	0.468	0.687	0.448	0.705	0.410	0.738
62	37	0.484	0.702	0.465	0.719	0.426	0.752
62	38	0.501	0.717	0.481	0.734	0.442	0.766
62	39	0.517	0.731	0.497	0.748	0.458	0.780
62	40	0.533	0.746	0.513	0.763	0.474	0.793
62	41	0.550	0.761	0.530	0.777	0.491	0.806
62	42	0.567	0.775	0.547	0.791	0.507	0.820
62	43	0.584	0.789	0.563	0.804	0.524	0.832
62	44	0.600	0.803	0.581	0.818	0.541	0.845

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
62	45	0.618	0.817	0.598	0.831	0.558	0.858
62	46	0.635	0.831	0.615	0.845	0.576	0.870
62	47	0.652	0.845	0.633	0.858	0.593	0.882
62	48	0.670	0.858	0.650	0.871	0.611	0.893
62	49	0.687	0.871	0.668	0.883	0.630	0.905
62	50	0.705	0.884	0.686	0.896	0.648	0.916
62	51	0.723	0.897	0.705	0.908	0.667	0.927
62	52	0.742	0.910	0.723	0.920	0.686	0.937
62	53	0.760	0.922	0.742	0.931	0.705	0.947
62	54	0.779	0.934	0.761	0.943	0.725	0.957
62	55	0.798	0.946	0.781	0.953	0.746	0.966
62	56	0.818	0.957	0.801	0.964	0.767	0.974
62	57	0.838	0.968	0.822	0.973	0.788	0.982
62	58	0.856	0.978	0.843	0.982	0.811	0.989
62	59	0.880	0.987	0.865	0.990	0.834	0.994
62	60	0.902	0.994	0.888	0.996	0.859	0.998
62	61	0.926	0.999	0.913	1.000	0.886	1.000
62	62	0.953	1.000	0.942	1.000	0.918	1.000
63	0	0.000	0.046	0.000	0.057	0.000	0.081
63	1	0.001	0.073	0.000	0.085	0.000	0.112
63	2	0.006	0.097	0.004	0.110	0.002	0.139
63	3	0.013	0.118	0.010	0.133	0.005	0.164
63	4	0.022	0.139	0.018	0.155	0.011	0.187
63	5	0.032	0.160	0.026	0.176	0.018	0.209
63	6	0.042	0.179	0.036	0.196	0.025	0.230
63	7	0.053	0.199	0.046	0.216	0.033	0.251
63	8	0.065	0.217	0.056	0.235	0.042	0.271
63	9	0.077	0.236	0.067	0.254	0.052	0.290
63	10	0.089	0.254	0.079	0.273	0.062	0.310
63	11	0.101	0.272	0.091	0.291	0.072	0.328
63	12	0.114	0.290	0.102	0.309	0.083	0.347
63	13	0.127	0.308	0.115	0.327	0.094	0.365
63	14	0.140	0.325	0.127	0.345	0.105	0.383
63	15	0.153	0.343	0.140	0.362	0.116	0.401
63	16	0.166	0.360	0.153	0.379	0.128	0.418
63	17	0.180	0.377	0.166	0.397	0.140	0.435
63	18	0.194	0.394	0.179	0.413	0.152	0.453
63	19	0.207	0.410	0.192	0.430	0.165	0.469
63	20	0.221	0.427	0.206	0.447	0.177	0.486
63	21	0.235	0.443	0.220	0.463	0.190	0.502
63	22	0.250	0.460	0.233	0.480	0.203	0.519
63	23	0.264	0.476	0.247	0.496	0.216	0.535
63	24	0.278	0.492	0.261	0.512	0.230	0.551
63	25	0.293	0.508	0.276	0.528	0.243	0.566
63	26	0.308	0.524	0.290	0.544	0.257	0.582
63	27	0.322	0.540	0.305	0.560	0.271	0.597
63	28	0.337	0.556	0.319	0.575	0.285	0.613
63	29	0.352	0.571	0.334	0.591	0.299	0.628
63	30	0.367	0.587	0.349	0.606	0.313	0.643
63	31	0.383	0.602	0.364	0.621	0.328	0.657
63	32	0.398	0.617	0.379	0.636	0.343	0.672
63	33	0.413	0.633	0.394	0.651	0.357	0.687
63	34	0.429	0.648	0.409	0.666	0.372	0.701
63	35	0.444	0.663	0.425	0.681	0.387	0.715
63	36	0.460	0.678	0.440	0.695	0.403	0.729
63	37	0.476	0.692	0.456	0.710	0.418	0.743

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
63	38	0.492	0.707	0.472	0.724	0.434	0.757
63	39	0.508	0.722	0.488	0.739	0.449	0.770
63	40	0.524	0.736	0.504	0.753	0.465	0.784
63	41	0.540	0.750	0.520	0.767	0.481	0.797
63	42	0.557	0.765	0.537	0.780	0.498	0.810
63	43	0.573	0.779	0.553	0.794	0.514	0.823
63	44	0.590	0.793	0.570	0.808	0.531	0.835
63	45	0.606	0.806	0.587	0.821	0.547	0.848
63	46	0.623	0.820	0.603	0.834	0.565	0.860
63	47	0.640	0.834	0.621	0.847	0.582	0.872
63	48	0.657	0.847	0.638	0.860	0.599	0.884
63	49	0.675	0.860	0.655	0.873	0.617	0.895
63	50	0.692	0.873	0.673	0.885	0.635	0.906
63	51	0.710	0.886	0.691	0.898	0.653	0.917
63	52	0.728	0.899	0.709	0.909	0.672	0.928
63	53	0.746	0.911	0.727	0.921	0.690	0.938
63	54	0.764	0.923	0.746	0.933	0.710	0.948
63	55	0.783	0.935	0.765	0.944	0.729	0.958
63	56	0.801	0.947	0.784	0.954	0.749	0.967
63	57	0.821	0.958	0.804	0.964	0.770	0.975
63	58	0.840	0.968	0.824	0.974	0.791	0.982
63	59	0.861	0.978	0.845	0.982	0.813	0.989
63	60	0.882	0.987	0.867	0.990	0.836	0.995
63	61	0.903	0.994	0.890	0.996	0.861	0.998
63	62	0.927	0.999	0.915	1.000	0.888	1.000
63	63	0.954	1.000	0.943	1.000	0.919	1.000
64	0	0.000	0.046	0.000	0.056	0.000	0.079
64	1	0.001	0.072	0.000	0.084	0.000	0.110
64	2	0.006	0.095	0.004	0.108	0.002	0.137
64	3	0.013	0.117	0.010	0.131	0.005	0.161
64	4	0.022	0.137	0.017	0.152	0.011	0.184
64	5	0.031	0.157	0.026	0.173	0.017	0.206
64	6	0.042	0.177	0.035	0.193	0.025	0.227
64	7	0.052	0.196	0.045	0.212	0.033	0.247
64	8	0.064	0.214	0.056	0.232	0.042	0.267
64	9	0.075	0.233	0.066	0.250	0.051	0.286
64	10	0.087	0.251	0.078	0.269	0.061	0.305
64	11	0.099	0.268	0.089	0.287	0.071	0.324
64	12	0.112	0.286	0.101	0.305	0.081	0.342
64	13	0.125	0.303	0.113	0.322	0.092	0.360
64	14	0.137	0.321	0.125	0.340	0.103	0.378
64	15	0.150	0.338	0.138	0.357	0.114	0.395
64	16	0.164	0.355	0.150	0.374	0.126	0.412
64	17	0.177	0.371	0.163	0.391	0.138	0.430
64	18	0.190	0.388	0.176	0.408	0.150	0.446
64	19	0.204	0.405	0.189	0.424	0.162	0.463
64	20	0.218	0.421	0.202	0.441	0.174	0.479
64	21	0.232	0.437	0.216	0.457	0.187	0.496
64	22	0.245	0.453	0.229	0.473	0.200	0.512
64	23	0.260	0.469	0.243	0.489	0.213	0.528
64	24	0.274	0.485	0.257	0.505	0.226	0.543
64	25	0.288	0.501	0.271	0.521	0.239	0.559
64	26	0.302	0.517	0.285	0.536	0.253	0.574
64	27	0.317	0.532	0.299	0.552	0.266	0.590
64	28	0.332	0.548	0.314	0.567	0.280	0.605
64	29	0.346	0.563	0.328	0.583	0.294	0.620

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
64	30	0.361	0.579	0.343	0.598	0.308	0.634
64	31	0.376	0.594	0.358	0.613	0.322	0.649
64	32	0.391	0.609	0.372	0.628	0.336	0.664
64	33	0.406	0.624	0.387	0.642	0.351	0.678
64	34	0.421	0.639	0.402	0.657	0.366	0.692
64	35	0.437	0.654	0.417	0.672	0.380	0.706
64	36	0.452	0.668	0.433	0.686	0.395	0.720
64	37	0.468	0.683	0.448	0.701	0.410	0.734
64	38	0.483	0.698	0.464	0.715	0.426	0.747
64	39	0.499	0.712	0.479	0.729	0.441	0.761
64	40	0.515	0.726	0.495	0.743	0.457	0.774
64	41	0.531	0.740	0.511	0.757	0.472	0.787
64	42	0.547	0.755	0.527	0.771	0.488	0.800
64	43	0.563	0.768	0.543	0.784	0.504	0.813
64	44	0.579	0.782	0.559	0.798	0.521	0.826
64	45	0.595	0.796	0.576	0.811	0.537	0.838
64	46	0.612	0.810	0.592	0.824	0.554	0.850
64	47	0.629	0.823	0.609	0.837	0.570	0.862
64	48	0.645	0.836	0.626	0.850	0.588	0.874
64	49	0.662	0.850	0.643	0.862	0.605	0.886
64	50	0.679	0.863	0.660	0.875	0.622	0.897
64	51	0.697	0.875	0.678	0.887	0.640	0.908
64	52	0.714	0.888	0.695	0.899	0.658	0.919
64	53	0.732	0.901	0.713	0.911	0.676	0.929
64	54	0.749	0.913	0.731	0.922	0.695	0.939
64	55	0.767	0.925	0.750	0.934	0.714	0.949
64	56	0.786	0.936	0.768	0.944	0.733	0.958
64	57	0.804	0.948	0.788	0.955	0.753	0.967
64	58	0.823	0.958	0.807	0.965	0.773	0.975
64	59	0.843	0.969	0.827	0.974	0.794	0.983
64	60	0.863	0.978	0.848	0.983	0.816	0.989
64	61	0.883	0.987	0.869	0.990	0.839	0.995
64	62	0.905	0.994	0.892	0.996	0.863	0.998
64	63	0.928	0.999	0.916	1.000	0.890	1.000
64	64	0.954	1.000	0.944	1.000	0.921	1.000
65	0	0.000	0.045	0.000	0.055	0.000	0.078
65	1	0.001	0.071	0.000	0.083	0.000	0.109
65	2	0.005	0.094	0.004	0.107	0.002	0.135
65	3	0.013	0.115	0.010	0.129	0.005	0.159
65	4	0.021	0.135	0.017	0.150	0.011	0.181
65	5	0.031	0.155	0.025	0.170	0.017	0.203
65	6	0.041	0.174	0.035	0.190	0.024	0.224
65	7	0.052	0.193	0.044	0.209	0.032	0.244
65	8	0.063	0.211	0.055	0.228	0.041	0.263
65	9	0.074	0.229	0.065	0.247	0.050	0.282
65	10	0.086	0.247	0.076	0.265	0.060	0.301
65	11	0.098	0.265	0.088	0.283	0.070	0.319
65	12	0.110	0.282	0.099	0.300	0.080	0.337
65	13	0.123	0.299	0.111	0.318	0.090	0.355
65	14	0.135	0.316	0.123	0.335	0.101	0.373
65	15	0.148	0.333	0.135	0.352	0.112	0.390
65	16	0.161	0.350	0.148	0.369	0.124	0.407
65	17	0.174	0.366	0.160	0.385	0.135	0.424
65	18	0.187	0.382	0.173	0.402	0.147	0.440
65	19	0.201	0.399	0.186	0.418	0.159	0.457
65	20	0.214	0.415	0.199	0.434	0.171	0.473

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
65	21	0.228	0.431	0.212	0.451	0.184	0.489
65	22	0.241	0.447	0.226	0.466	0.196	0.505
65	23	0.255	0.463	0.239	0.482	0.209	0.521
65	24	0.269	0.478	0.253	0.498	0.222	0.536
65	25	0.283	0.494	0.267	0.514	0.235	0.552
65	26	0.298	0.510	0.280	0.529	0.248	0.567
65	27	0.312	0.525	0.294	0.544	0.262	0.582
65	28	0.326	0.540	0.308	0.560	0.275	0.597
65	29	0.341	0.555	0.323	0.575	0.289	0.612
65	30	0.355	0.571	0.337	0.590	0.303	0.626
65	31	0.370	0.586	0.351	0.605	0.317	0.641
65	32	0.385	0.601	0.366	0.619	0.331	0.655
65	33	0.399	0.615	0.381	0.634	0.345	0.669
65	34	0.414	0.630	0.395	0.649	0.359	0.683
65	35	0.429	0.645	0.410	0.663	0.374	0.697
65	36	0.445	0.659	0.425	0.677	0.388	0.711
65	37	0.460	0.674	0.440	0.692	0.403	0.725
65	38	0.475	0.688	0.456	0.706	0.418	0.738
65	39	0.490	0.702	0.471	0.720	0.433	0.752
65	40	0.506	0.717	0.486	0.733	0.448	0.765
65	41	0.522	0.731	0.502	0.747	0.464	0.778
65	42	0.537	0.745	0.518	0.761	0.479	0.791
65	43	0.553	0.759	0.534	0.774	0.495	0.804
65	44	0.569	0.772	0.549	0.788	0.511	0.816
65	45	0.585	0.786	0.566	0.801	0.527	0.829
65	46	0.601	0.799	0.582	0.814	0.543	0.841
65	47	0.618	0.813	0.598	0.827	0.560	0.853
65	48	0.634	0.826	0.615	0.840	0.576	0.865
65	49	0.650	0.839	0.631	0.852	0.593	0.876
65	50	0.667	0.852	0.648	0.865	0.610	0.888
65	51	0.684	0.865	0.665	0.877	0.627	0.899
65	52	0.701	0.877	0.682	0.889	0.645	0.910
65	53	0.718	0.890	0.700	0.901	0.663	0.920
65	54	0.735	0.902	0.717	0.912	0.681	0.930
65	55	0.753	0.914	0.735	0.924	0.699	0.940
65	56	0.771	0.926	0.753	0.935	0.718	0.950
65	57	0.789	0.937	0.772	0.945	0.737	0.959
65	58	0.807	0.948	0.791	0.956	0.756	0.968
65	59	0.826	0.959	0.810	0.965	0.776	0.976
65	60	0.845	0.969	0.830	0.975	0.797	0.983
65	61	0.865	0.979	0.850	0.983	0.819	0.989
65	62	0.885	0.987	0.871	0.990	0.841	0.995
65	63	0.906	0.995	0.893	0.996	0.865	0.998
65	64	0.929	0.999	0.917	1.000	0.891	1.000
65	65	0.955	1.000	0.945	1.000	0.922	1.000
66	0	0.000	0.044	0.000	0.054	0.000	0.077
66	1	0.001	0.070	0.000	0.082	0.000	0.107
66	2	0.005	0.092	0.004	0.105	0.002	0.133
66	3	0.013	0.113	0.009	0.127	0.005	0.157
66	4	0.021	0.133	0.017	0.148	0.010	0.179
66	5	0.030	0.153	0.025	0.168	0.017	0.200
66	6	0.040	0.172	0.034	0.187	0.024	0.220
66	7	0.051	0.190	0.044	0.206	0.032	0.240
66	8	0.062	0.208	0.054	0.225	0.040	0.259
66	9	0.073	0.226	0.064	0.243	0.049	0.278



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
66	10	0.085	0.243	0.075	0.261	0.059	0.297
66	11	0.096	0.261	0.086	0.279	0.069	0.315
66	12	0.106	0.278	0.098	0.296	0.079	0.333
66	13	0.121	0.295	0.109	0.313	0.089	0.350
66	14	0.133	0.312	0.121	0.330	0.100	0.368
66	15	0.146	0.328	0.133	0.347	0.111	0.385
66	16	0.158	0.345	0.145	0.364	0.122	0.401
66	17	0.171	0.361	0.158	0.380	0.133	0.418
66	18	0.184	0.377	0.170	0.396	0.145	0.434
66	19	0.197	0.393	0.183	0.413	0.157	0.451
66	20	0.211	0.409	0.196	0.429	0.169	0.467
66	21	0.224	0.425	0.209	0.444	0.181	0.483
66	22	0.238	0.441	0.222	0.460	0.193	0.498
66	23	0.251	0.456	0.235	0.476	0.206	0.514
66	24	0.265	0.472	0.249	0.491	0.218	0.529
66	25	0.279	0.487	0.262	0.507	0.231	0.544
66	26	0.293	0.503	0.276	0.522	0.244	0.559
66	27	0.307	0.518	0.290	0.537	0.257	0.574
66	28	0.321	0.533	0.303	0.552	0.270	0.589
66	29	0.335	0.548	0.317	0.567	0.284	0.604
66	30	0.349	0.563	0.331	0.582	0.297	0.618
66	31	0.364	0.578	0.346	0.597	0.311	0.633
66	32	0.378	0.592	0.360	0.611	0.325	0.647
66	33	0.393	0.607	0.374	0.626	0.339	0.661
66	34	0.408	0.622	0.389	0.640	0.353	0.675
66	35	0.422	0.636	0.403	0.654	0.367	0.689
66	36	0.437	0.651	0.418	0.669	0.382	0.703
66	37	0.452	0.665	0.433	0.683	0.396	0.716
66	38	0.467	0.679	0.448	0.697	0.411	0.730
66	39	0.482	0.693	0.463	0.710	0.426	0.743
66	40	0.497	0.707	0.478	0.724	0.441	0.756
66	41	0.513	0.721	0.493	0.738	0.456	0.769
66	42	0.528	0.735	0.509	0.751	0.471	0.782
66	43	0.544	0.749	0.524	0.765	0.486	0.794
66	44	0.559	0.762	0.540	0.778	0.502	0.807
66	45	0.575	0.776	0.556	0.791	0.517	0.819
66	46	0.591	0.789	0.571	0.804	0.533	0.831
66	47	0.607	0.803	0.587	0.817	0.549	0.843
66	48	0.623	0.816	0.604	0.830	0.566	0.855
66	49	0.639	0.829	0.620	0.842	0.582	0.867
66	50	0.655	0.842	0.636	0.855	0.599	0.878
66	51	0.672	0.854	0.653	0.867	0.615	0.889
66	52	0.688	0.867	0.670	0.879	0.632	0.900
66	53	0.705	0.879	0.687	0.891	0.650	0.911
66	54	0.722	0.892	0.704	0.902	0.667	0.921
66	55	0.739	0.904	0.721	0.914	0.685	0.931
66	56	0.757	0.915	0.739	0.925	0.703	0.941
66	57	0.774	0.927	0.757	0.936	0.722	0.951
66	58	0.792	0.938	0.775	0.946	0.741	0.960
66	59	0.810	0.949	0.794	0.956	0.760	0.968
66	60	0.828	0.960	0.813	0.966	0.780	0.976
66	61	0.847	0.970	0.832	0.975	0.800	0.983
66	62	0.867	0.979	0.852	0.983	0.821	0.990
66	63	0.887	0.987	0.873	0.991	0.843	0.995
66	64	0.908	0.995	0.895	0.996	0.867	0.998
66	65	0.930	0.999	0.918	1.000	0.893	1.000

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
66	66	0.956	1.000	0.946	1.000	0.923	1.000
67	0	0.000	0.044	0.000	0.054	0.000	0.076
67	1	0.001	0.069	0.000	0.080	0.000	0.106
67	2	0.005	0.091	0.004	0.104	0.002	0.131
67	3	0.012	0.112	0.009	0.125	0.005	0.154
67	4	0.021	0.131	0.017	0.146	0.010	0.176
67	5	0.030	0.151	0.025	0.166	0.016	0.197
67	6	0.040	0.169	0.034	0.185	0.024	0.217
67	7	0.050	0.187	0.043	0.203	0.031	0.237
67	8	0.061	0.205	0.053	0.222	0.040	0.256
67	9	0.072	0.223	0.063	0.240	0.049	0.275
67	10	0.083	0.240	0.074	0.257	0.058	0.293
67	11	0.095	0.257	0.085	0.275	0.067	0.311
67	12	0.107	0.274	0.096	0.292	0.077	0.328
67	13	0.119	0.291	0.108	0.309	0.088	0.346
67	14	0.131	0.307	0.119	0.326	0.098	0.363
67	15	0.143	0.324	0.131	0.342	0.109	0.379
67	16	0.156	0.340	0.143	0.359	0.120	0.396
67	17	0.169	0.356	0.155	0.375	0.131	0.412
67	18	0.181	0.372	0.168	0.391	0.143	0.429
67	19	0.194	0.388	0.180	0.407	0.154	0.445
67	20	0.207	0.404	0.193	0.423	0.166	0.461
67	21	0.221	0.419	0.206	0.438	0.178	0.476
67	22	0.234	0.435	0.218	0.454	0.190	0.492
67	23	0.247	0.450	0.232	0.469	0.202	0.507
67	24	0.261	0.465	0.245	0.485	0.215	0.522
67	25	0.274	0.481	0.258	0.500	0.227	0.537
67	26	0.288	0.496	0.271	0.515	0.240	0.552
67	27	0.302	0.511	0.285	0.530	0.253	0.567
67	28	0.316	0.526	0.298	0.545	0.266	0.582
67	29	0.330	0.541	0.312	0.560	0.279	0.596
67	30	0.344	0.555	0.326	0.574	0.292	0.611
67	31	0.358	0.570	0.340	0.589	0.306	0.625
67	32	0.372	0.585	0.354	0.603	0.319	0.639
67	33	0.386	0.599	0.368	0.618	0.333	0.653
67	34	0.401	0.614	0.382	0.632	0.347	0.667
67	35	0.415	0.628	0.397	0.646	0.361	0.681
67	36	0.430	0.642	0.411	0.660	0.375	0.694
67	37	0.445	0.656	0.426	0.674	0.389	0.708
67	38	0.459	0.670	0.440	0.688	0.404	0.721
67	39	0.474	0.684	0.455	0.702	0.418	0.734
67	40	0.489	0.698	0.470	0.715	0.433	0.747
67	41	0.504	0.712	0.485	0.729	0.448	0.760
67	42	0.519	0.726	0.500	0.742	0.463	0.773
67	43	0.535	0.739	0.515	0.755	0.478	0.785
67	44	0.550	0.753	0.531	0.768	0.493	0.798
67	45	0.565	0.766	0.546	0.782	0.508	0.810
67	46	0.581	0.779	0.562	0.794	0.524	0.822
67	47	0.596	0.793	0.577	0.807	0.539	0.834
67	48	0.612	0.806	0.593	0.820	0.555	0.846
67	49	0.628	0.819	0.609	0.832	0.571	0.857
67	50	0.644	0.831	0.625	0.845	0.588	0.869
67	51	0.660	0.844	0.641	0.857	0.604	0.880
67	52	0.676	0.857	0.658	0.869	0.621	0.891
67	53	0.693	0.869	0.674	0.881	0.637	0.902
67	54	0.709	0.881	0.691	0.892	0.654	0.912

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
67	55	0.726	0.893	0.708	0.904	0.672	0.923
67	56	0.743	0.905	0.725	0.915	0.689	0.933
67	57	0.760	0.917	0.743	0.926	0.707	0.942
67	58	0.777	0.928	0.760	0.937	0.725	0.951
67	59	0.795	0.939	0.778	0.947	0.744	0.960
67	60	0.813	0.950	0.797	0.957	0.763	0.969
67	61	0.831	0.960	0.815	0.966	0.783	0.976
67	62	0.849	0.970	0.834	0.975	0.803	0.984
67	63	0.869	0.979	0.854	0.983	0.824	0.990
67	64	0.888	0.988	0.875	0.991	0.846	0.995
67	65	0.909	0.995	0.896	0.996	0.869	0.998
67	66	0.931	0.999	0.920	1.000	0.894	1.000
67	67	0.956	1.000	0.946	1.000	0.924	1.000
68	0	0.000	0.043	0.000	0.053	0.000	0.075
68	1	0.001	0.068	0.000	0.079	0.000	0.104
68	2	0.005	0.090	0.004	0.102	0.002	0.129
68	3	0.012	0.110	0.009	0.124	0.005	0.152
68	4	0.020	0.130	0.016	0.144	0.010	0.174
68	5	0.029	0.148	0.024	0.163	0.016	0.194
68	6	0.039	0.167	0.033	0.182	0.023	0.214
68	7	0.049	0.185	0.042	0.201	0.031	0.234
68	8	0.060	0.202	0.052	0.219	0.039	0.252
68	9	0.071	0.220	0.062	0.236	0.048	0.271
68	10	0.082	0.237	0.073	0.254	0.057	0.289
68	11	0.093	0.254	0.084	0.271	0.066	0.306
68	12	0.105	0.270	0.095	0.288	0.076	0.324
68	13	0.117	0.287	0.106	0.305	0.086	0.341
68	14	0.129	0.303	0.117	0.321	0.097	0.358
68	15	0.141	0.319	0.129	0.338	0.107	0.374
68	16	0.154	0.335	0.141	0.354	0.118	0.391
68	17	0.166	0.351	0.153	0.370	0.129	0.407
68	18	0.179	0.367	0.165	0.386	0.140	0.423
68	19	0.191	0.382	0.177	0.401	0.152	0.439
68	20	0.204	0.398	0.190	0.417	0.163	0.455
68	21	0.217	0.413	0.202	0.433	0.175	0.470
68	22	0.230	0.429	0.215	0.448	0.187	0.485
68	23	0.243	0.444	0.228	0.463	0.199	0.501
68	24	0.257	0.459	0.241	0.478	0.211	0.516
68	25	0.270	0.474	0.254	0.493	0.224	0.531
68	26	0.284	0.489	0.267	0.508	0.236	0.545
68	27	0.297	0.504	0.280	0.523	0.249	0.560
68	28	0.311	0.519	0.294	0.538	0.262	0.575
68	29	0.324	0.533	0.307	0.552	0.275	0.589
68	30	0.338	0.548	0.321	0.567	0.288	0.603
68	31	0.352	0.563	0.335	0.581	0.301	0.617
68	32	0.366	0.577	0.348	0.596	0.314	0.631
68	33	0.380	0.591	0.362	0.610	0.328	0.645
68	34	0.394	0.606	0.376	0.624	0.341	0.659
68	35	0.409	0.620	0.390	0.638	0.355	0.672
68	36	0.423	0.634	0.404	0.652	0.369	0.686
68	37	0.437	0.648	0.419	0.665	0.383	0.699
68	38	0.452	0.662	0.433	0.679	0.397	0.712
68	39	0.467	0.676	0.448	0.693	0.411	0.725
68	40	0.481	0.689	0.462	0.706	0.425	0.738
68	41	0.496	0.703	0.477	0.720	0.440	0.751
68	42	0.511	0.716	0.492	0.733	0.455	0.764

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
68	43	0.526	0.730	0.507	0.746	0.469	0.776
68	44	0.541	0.743	0.522	0.759	0.484	0.789
68	45	0.556	0.757	0.537	0.772	0.499	0.801
68	46	0.571	0.770	0.552	0.785	0.515	0.813
68	47	0.587	0.783	0.567	0.798	0.530	0.825
68	48	0.602	0.796	0.583	0.810	0.545	0.837
68	49	0.618	0.809	0.599	0.823	0.561	0.848
68	50	0.633	0.821	0.614	0.835	0.577	0.860
68	51	0.649	0.834	0.630	0.847	0.593	0.871
68	52	0.665	0.846	0.646	0.859	0.609	0.882
68	53	0.681	0.859	0.662	0.871	0.626	0.893
68	54	0.697	0.871	0.679	0.883	0.642	0.903
68	55	0.713	0.883	0.695	0.894	0.659	0.914
68	56	0.730	0.895	0.712	0.905	0.676	0.924
68	57	0.746	0.907	0.729	0.916	0.694	0.934
68	58	0.763	0.918	0.746	0.927	0.711	0.943
68	59	0.780	0.929	0.764	0.938	0.729	0.952
68	60	0.798	0.940	0.781	0.948	0.748	0.961
68	61	0.815	0.951	0.799	0.958	0.766	0.969
68	62	0.833	0.961	0.818	0.967	0.786	0.977
68	63	0.852	0.971	0.837	0.976	0.806	0.984
68	64	0.870	0.980	0.856	0.984	0.826	0.990
68	65	0.890	0.988	0.876	0.991	0.848	0.995
68	66	0.910	0.995	0.898	0.996	0.871	0.998
68	67	0.932	0.999	0.921	1.000	0.896	1.000
68	68	0.957	1.000	0.947	1.000	0.925	1.000
69	0	0.000	0.042	0.000	0.052	0.000	0.074
69	1	0.001	0.067	0.000	0.078	0.000	0.103
69	2	0.005	0.088	0.004	0.101	0.002	0.128
69	3	0.012	0.109	0.009	0.122	0.005	0.150
69	4	0.020	0.128	0.016	0.142	0.010	0.171
69	5	0.029	0.146	0.024	0.161	0.016	0.192
69	6	0.039	0.164	0.033	0.180	0.023	0.211
69	7	0.049	0.182	0.042	0.198	0.030	0.231
69	8	0.059	0.199	0.051	0.216	0.039	0.249
69	9	0.070	0.217	0.061	0.233	0.047	0.267
69	10	0.081	0.233	0.072	0.250	0.056	0.285
69	11	0.092	0.250	0.082	0.267	0.065	0.302
69	12	0.104	0.267	0.093	0.284	0.075	0.320
69	13	0.115	0.283	0.104	0.301	0.085	0.337
69	14	0.127	0.299	0.116	0.317	0.095	0.353
69	15	0.139	0.315	0.127	0.333	0.106	0.370
69	16	0.151	0.331	0.139	0.349	0.116	0.386
69	17	0.163	0.346	0.151	0.365	0.127	0.402
69	18	0.176	0.362	0.163	0.381	0.138	0.418
69	19	0.188	0.377	0.175	0.396	0.149	0.433
69	20	0.201	0.393	0.187	0.412	0.161	0.449
69	21	0.214	0.408	0.199	0.427	0.172	0.464
69	22	0.227	0.423	0.212	0.442	0.184	0.479
69	23	0.240	0.438	0.224	0.457	0.196	0.494
69	24	0.253	0.453	0.237	0.472	0.208	0.509
69	25	0.266	0.468	0.250	0.487	0.220	0.524
69	26	0.279	0.483	0.263	0.502	0.232	0.539
69	27	0.293	0.497	0.276	0.516	0.245	0.553
69	28	0.306	0.512	0.289	0.531	0.257	0.567
69	29	0.319	0.526	0.302	0.545	0.270	0.582

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
69	30	0.333	0.541	0.316	0.560	0.283	0.596
69	31	0.347	0.555	0.329	0.574	0.296	0.610
69	32	0.361	0.569	0.343	0.588	0.309	0.624
69	33	0.374	0.584	0.356	0.602	0.322	0.637
69	34	0.388	0.598	0.370	0.616	0.336	0.651
69	35	0.402	0.612	0.384	0.630	0.349	0.664
69	36	0.416	0.626	0.398	0.644	0.363	0.678
69	37	0.431	0.639	0.412	0.657	0.376	0.691
69	38	0.445	0.653	0.426	0.671	0.390	0.704
69	39	0.459	0.667	0.440	0.684	0.404	0.717
69	40	0.474	0.681	0.455	0.698	0.418	0.730
69	41	0.488	0.694	0.469	0.711	0.433	0.743
69	42	0.503	0.707	0.484	0.724	0.447	0.755
69	43	0.517	0.721	0.498	0.737	0.461	0.768
69	44	0.532	0.734	0.513	0.750	0.476	0.780
69	45	0.547	0.747	0.528	0.763	0.491	0.792
69	46	0.562	0.760	0.543	0.776	0.506	0.804
69	47	0.577	0.773	0.558	0.788	0.521	0.816
69	48	0.592	0.786	0.573	0.801	0.536	0.828
69	49	0.607	0.799	0.588	0.813	0.551	0.839
69	50	0.623	0.812	0.604	0.825	0.567	0.851
69	51	0.638	0.824	0.619	0.837	0.582	0.862
69	52	0.654	0.837	0.635	0.849	0.598	0.873
69	53	0.669	0.849	0.651	0.861	0.614	0.884
69	54	0.685	0.861	0.667	0.873	0.630	0.894
69	55	0.701	0.873	0.683	0.884	0.647	0.905
69	56	0.717	0.885	0.699	0.896	0.663	0.915
69	57	0.733	0.896	0.716	0.907	0.680	0.925
69	58	0.750	0.908	0.733	0.918	0.698	0.935
69	59	0.767	0.919	0.750	0.928	0.715	0.944
69	60	0.783	0.930	0.767	0.939	0.733	0.953
69	61	0.801	0.941	0.784	0.949	0.751	0.961
69	62	0.818	0.951	0.802	0.958	0.769	0.970
69	63	0.836	0.961	0.820	0.967	0.789	0.977
69	64	0.854	0.971	0.839	0.976	0.808	0.984
69	65	0.872	0.980	0.858	0.984	0.829	0.990
69	66	0.891	0.988	0.878	0.991	0.850	0.995
69	67	0.912	0.995	0.899	0.996	0.872	0.998
69	68	0.933	0.999	0.922	1.000	0.897	1.000
69	69	0.958	1.000	0.948	1.000	0.926	1.000
70	0	0.000	0.042	0.000	0.051	0.000	0.073
70	1	0.001	0.066	0.000	0.077	0.000	0.101
70	2	0.005	0.087	0.003	0.099	0.001	0.126
70	3	0.012	0.107	0.009	0.120	0.005	0.148
70	4	0.020	0.126	0.016	0.140	0.010	0.169
70	5	0.029	0.144	0.024	0.159	0.016	0.189
70	6	0.038	0.162	0.032	0.177	0.023	0.209
70	7	0.048	0.180	0.041	0.195	0.030	0.227
70	8	0.058	0.197	0.051	0.213	0.038	0.246
70	9	0.069	0.214	0.061	0.230	0.046	0.264
70	10	0.080	0.230	0.071	0.247	0.055	0.281
70	11	0.091	0.247	0.081	0.264	0.064	0.299
70	12	0.102	0.263	0.092	0.280	0.074	0.315
70	13	0.114	0.279	0.103	0.297	0.084	0.332
70	14	0.125	0.295	0.114	0.313	0.094	0.349
70	15	0.137	0.311	0.125	0.329	0.104	0.365

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
70	16	0.149	0.326	0.137	0.344	0.114	0.381
70	17	0.161	0.342	0.148	0.360	0.125	0.397
70	18	0.173	0.357	0.160	0.376	0.136	0.412
70	19	0.186	0.372	0.172	0.391	0.147	0.428
70	20	0.198	0.388	0.184	0.406	0.158	0.443
70	21	0.211	0.403	0.196	0.421	0.170	0.458
70	22	0.223	0.418	0.209	0.436	0.181	0.473
70	23	0.236	0.432	0.221	0.451	0.193	0.488
70	24	0.249	0.447	0.233	0.466	0.205	0.503
70	25	0.262	0.462	0.246	0.481	0.217	0.518
70	26	0.275	0.476	0.259	0.495	0.229	0.532
70	27	0.288	0.491	0.272	0.510	0.241	0.546
70	28	0.301	0.505	0.285	0.524	0.253	0.561
70	29	0.315	0.520	0.298	0.538	0.266	0.575
70	30	0.328	0.534	0.311	0.553	0.279	0.589
70	31	0.341	0.548	0.324	0.567	0.291	0.602
70	32	0.355	0.562	0.337	0.581	0.304	0.616
70	33	0.369	0.576	0.351	0.594	0.317	0.630
70	34	0.382	0.590	0.364	0.608	0.330	0.643
70	35	0.396	0.604	0.378	0.622	0.343	0.657
70	36	0.410	0.618	0.392	0.636	0.357	0.670
70	37	0.424	0.631	0.406	0.649	0.370	0.683
70	38	0.438	0.645	0.419	0.663	0.384	0.696
70	39	0.452	0.659	0.433	0.676	0.398	0.709
70	40	0.466	0.672	0.447	0.689	0.411	0.721
70	41	0.480	0.685	0.462	0.702	0.425	0.734
70	42	0.495	0.699	0.476	0.715	0.439	0.747
70	43	0.509	0.712	0.490	0.728	0.454	0.759
70	44	0.524	0.725	0.505	0.741	0.468	0.771
70	45	0.538	0.738	0.519	0.754	0.482	0.783
70	46	0.553	0.751	0.534	0.767	0.497	0.795
70	47	0.568	0.764	0.549	0.779	0.512	0.807
70	48	0.582	0.777	0.564	0.791	0.527	0.819
70	49	0.597	0.789	0.579	0.804	0.542	0.830
70	50	0.612	0.802	0.594	0.816	0.557	0.842
70	51	0.628	0.814	0.609	0.828	0.572	0.853
70	52	0.643	0.827	0.624	0.840	0.588	0.864
70	53	0.658	0.839	0.640	0.852	0.603	0.875
70	54	0.674	0.851	0.656	0.863	0.619	0.886
70	55	0.689	0.863	0.671	0.875	0.635	0.896
70	56	0.705	0.875	0.687	0.886	0.651	0.906
70	57	0.721	0.886	0.703	0.897	0.668	0.916
70	58	0.737	0.898	0.720	0.908	0.685	0.926
70	59	0.753	0.909	0.736	0.919	0.701	0.936
70	60	0.770	0.920	0.753	0.929	0.719	0.945
70	61	0.786	0.931	0.770	0.939	0.736	0.954
70	62	0.803	0.942	0.787	0.949	0.754	0.962
70	63	0.820	0.952	0.805	0.959	0.773	0.970
70	64	0.838	0.962	0.823	0.968	0.791	0.977
70	65	0.856	0.971	0.841	0.976	0.811	0.984
70	66	0.874	0.980	0.860	0.984	0.831	0.990
70	67	0.893	0.988	0.880	0.991	0.852	0.995
70	68	0.913	0.995	0.901	0.997	0.874	0.999
70	69	0.934	0.999	0.923	1.000	0.899	1.000
70	70	0.958	1.000	0.949	1.000	0.927	1.000
71	0	0.000	0.041	0.000	0.051	0.000	0.072

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
71	1	0.001	0.065	0.000	0.076	0.000	0.100
71	2	0.005	0.086	0.003	0.098	0.001	0.124
71	3	0.012	0.106	0.009	0.119	0.005	0.146
71	4	0.019	0.124	0.016	0.138	0.010	0.167
71	5	0.028	0.142	0.023	0.157	0.016	0.187
71	6	0.037	0.160	0.032	0.175	0.022	0.206
71	7	0.047	0.177	0.041	0.193	0.030	0.225
71	8	0.057	0.194	0.050	0.210	0.037	0.243
71	9	0.068	0.211	0.060	0.227	0.046	0.260
71	10	0.078	0.227	0.070	0.244	0.054	0.278
71	11	0.089	0.243	0.080	0.260	0.063	0.295
71	12	0.101	0.259	0.091	0.277	0.073	0.311
71	13	0.112	0.275	0.101	0.293	0.082	0.328
71	14	0.123	0.291	0.112	0.309	0.092	0.344
71	15	0.135	0.307	0.123	0.324	0.102	0.360
71	16	0.147	0.322	0.135	0.340	0.113	0.376
71	17	0.159	0.337	0.146	0.355	0.123	0.392
71	18	0.171	0.352	0.158	0.371	0.134	0.407
71	19	0.183	0.367	0.169	0.386	0.145	0.423
71	20	0.195	0.382	0.181	0.401	0.156	0.438
71	21	0.208	0.397	0.193	0.416	0.167	0.453
71	22	0.220	0.412	0.205	0.431	0.178	0.468
71	23	0.233	0.427	0.216	0.445	0.190	0.482
71	24	0.245	0.441	0.230	0.460	0.202	0.497
71	25	0.258	0.456	0.242	0.475	0.213	0.511
71	26	0.271	0.470	0.255	0.489	0.225	0.526
71	27	0.284	0.485	0.268	0.503	0.237	0.540
71	28	0.297	0.499	0.280	0.517	0.250	0.554
71	29	0.310	0.513	0.293	0.532	0.262	0.568
71	30	0.323	0.527	0.306	0.546	0.274	0.582
71	31	0.336	0.541	0.319	0.560	0.287	0.595
71	32	0.350	0.555	0.332	0.573	0.299	0.609
71	33	0.363	0.569	0.345	0.587	0.312	0.622
71	34	0.376	0.583	0.359	0.601	0.325	0.636
71	35	0.390	0.596	0.372	0.614	0.338	0.649
71	36	0.404	0.610	0.386	0.628	0.351	0.662
71	37	0.417	0.624	0.399	0.641	0.364	0.675
71	38	0.431	0.637	0.413	0.655	0.378	0.688
71	39	0.445	0.650	0.427	0.668	0.391	0.701
71	40	0.459	0.664	0.440	0.681	0.405	0.713
71	41	0.473	0.677	0.454	0.694	0.418	0.726
71	42	0.487	0.690	0.468	0.707	0.432	0.738
71	43	0.501	0.703	0.483	0.720	0.446	0.750
71	44	0.515	0.716	0.497	0.732	0.460	0.763
71	45	0.530	0.729	0.511	0.745	0.474	0.775
71	46	0.544	0.742	0.525	0.758	0.489	0.787
71	47	0.559	0.755	0.540	0.770	0.503	0.798
71	48	0.573	0.767	0.555	0.782	0.518	0.810
71	49	0.588	0.780	0.569	0.795	0.532	0.822
71	50	0.603	0.792	0.584	0.807	0.547	0.833
71	51	0.618	0.805	0.599	0.819	0.562	0.844
71	52	0.633	0.817	0.614	0.831	0.577	0.855
71	53	0.648	0.829	0.629	0.842	0.593	0.866
71	54	0.663	0.841	0.645	0.854	0.608	0.877
71	55	0.678	0.853	0.660	0.865	0.624	0.887
71	56	0.693	0.865	0.676	0.877	0.640	0.898

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
71	57	0.709	0.877	0.691	0.888	0.656	0.908
71	58	0.725	0.888	0.707	0.899	0.672	0.918
71	59	0.741	0.899	0.723	0.909	0.689	0.927
71	60	0.757	0.911	0.740	0.920	0.705	0.937
71	61	0.773	0.922	0.756	0.930	0.722	0.946
71	62	0.789	0.932	0.773	0.940	0.740	0.954
71	63	0.806	0.943	0.790	0.950	0.757	0.963
71	64	0.823	0.953	0.807	0.959	0.775	0.970
71	65	0.840	0.963	0.825	0.968	0.794	0.978
71	66	0.858	0.972	0.843	0.977	0.813	0.984
71	67	0.876	0.981	0.862	0.984	0.833	0.990
71	68	0.894	0.988	0.881	0.991	0.854	0.995
71	69	0.914	0.995	0.902	0.997	0.876	0.999
71	70	0.935	0.999	0.924	1.000	0.900	1.000
71	71	0.959	1.000	0.949	1.000	0.928	1.000
72	0	0.000	0.041	0.000	0.050	0.000	0.071
72	1	0.001	0.064	0.000	0.075	0.000	0.099
72	2	0.005	0.085	0.003	0.097	0.001	0.122
72	3	0.011	0.104	0.009	0.117	0.005	0.144
72	4	0.019	0.123	0.015	0.136	0.009	0.165
72	5	0.028	0.140	0.023	0.155	0.015	0.184
72	6	0.037	0.158	0.031	0.173	0.022	0.203
72	7	0.047	0.175	0.040	0.190	0.029	0.222
72	8	0.056	0.192	0.049	0.207	0.037	0.239
72	9	0.067	0.208	0.059	0.224	0.045	0.257
72	10	0.077	0.224	0.069	0.241	0.054	0.274
72	11	0.088	0.240	0.079	0.257	0.063	0.291
72	12	0.099	0.256	0.089	0.273	0.072	0.308
72	13	0.110	0.272	0.100	0.289	0.081	0.324
72	14	0.122	0.287	0.111	0.305	0.091	0.340
72	15	0.133	0.303	0.122	0.320	0.101	0.356
72	16	0.145	0.318	0.133	0.336	0.111	0.371
72	17	0.156	0.333	0.144	0.351	0.121	0.387
72	18	0.168	0.348	0.155	0.366	0.132	0.402
72	19	0.180	0.363	0.167	0.381	0.143	0.417
72	20	0.192	0.378	0.179	0.396	0.154	0.432
72	21	0.204	0.392	0.190	0.411	0.165	0.447
72	22	0.217	0.407	0.202	0.425	0.176	0.462
72	23	0.229	0.421	0.214	0.440	0.187	0.476
72	24	0.242	0.436	0.227	0.454	0.199	0.491
72	25	0.254	0.450	0.239	0.469	0.210	0.505
72	26	0.267	0.464	0.251	0.483	0.222	0.519
72	27	0.280	0.478	0.264	0.497	0.234	0.533
72	28	0.292	0.493	0.276	0.511	0.246	0.547
72	29	0.305	0.506	0.289	0.525	0.258	0.561
72	30	0.318	0.520	0.302	0.539	0.270	0.575
72	31	0.331	0.534	0.314	0.553	0.282	0.588
72	32	0.344	0.548	0.327	0.566	0.295	0.602
72	33	0.358	0.562	0.340	0.580	0.307	0.615
72	34	0.371	0.575	0.353	0.593	0.320	0.628
72	35	0.384	0.589	0.366	0.607	0.333	0.641
72	36	0.398	0.602	0.380	0.620	0.346	0.654
72	37	0.411	0.616	0.393	0.634	0.359	0.667
72	38	0.425	0.629	0.407	0.647	0.372	0.680
72	39	0.438	0.642	0.420	0.660	0.385	0.693



TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
72	40	0.452	0.656	0.434	0.673	0.398	0.705
72	41	0.466	0.669	0.447	0.686	0.412	0.718
72	42	0.480	0.682	0.461	0.698	0.425	0.730
72	43	0.494	0.695	0.475	0.711	0.439	0.742
72	44	0.507	0.708	0.489	0.724	0.453	0.754
72	45	0.522	0.720	0.503	0.736	0.467	0.766
72	46	0.536	0.733	0.517	0.749	0.481	0.778
72	47	0.550	0.746	0.531	0.761	0.495	0.790
72	48	0.564	0.758	0.546	0.773	0.509	0.801
72	49	0.579	0.771	0.560	0.786	0.524	0.813
72	50	0.593	0.783	0.575	0.798	0.538	0.824
72	51	0.608	0.796	0.589	0.810	0.553	0.835
72	52	0.622	0.808	0.604	0.821	0.568	0.846
72	53	0.637	0.820	0.619	0.833	0.583	0.857
72	54	0.652	0.832	0.634	0.845	0.598	0.868
72	55	0.667	0.844	0.649	0.856	0.613	0.879
72	56	0.682	0.855	0.664	0.867	0.629	0.889
72	57	0.697	0.867	0.680	0.878	0.644	0.899
72	58	0.713	0.878	0.695	0.889	0.660	0.909
72	59	0.728	0.890	0.711	0.900	0.676	0.919
72	60	0.744	0.901	0.727	0.911	0.692	0.928
72	61	0.760	0.912	0.743	0.921	0.709	0.937
72	62	0.776	0.923	0.759	0.931	0.726	0.946
72	63	0.792	0.933	0.776	0.941	0.743	0.955
72	64	0.808	0.944	0.793	0.951	0.761	0.963
72	65	0.825	0.953	0.810	0.960	0.778	0.971
72	66	0.842	0.963	0.827	0.969	0.797	0.978
72	67	0.860	0.972	0.845	0.977	0.816	0.985
72	68	0.877	0.981	0.864	0.985	0.835	0.991
72	69	0.896	0.989	0.883	0.991	0.856	0.995
72	70	0.915	0.995	0.903	0.997	0.878	0.999
72	71	0.936	0.999	0.925	1.000	0.901	1.000
72	72	0.959	1.000	0.950	1.000	0.929	1.000
73	0	0.000	0.040	0.000	0.049	0.000	0.070
73	1	0.001	0.063	0.000	0.074	0.000	0.097
73	2	0.005	0.084	0.003	0.095	0.001	0.121
73	3	0.011	0.103	0.009	0.115	0.005	0.142
73	5	0.027	0.139	0.023	0.153	0.015	0.182
73	6	0.036	0.156	0.031	0.170	0.022	0.201
73	7	0.046	0.173	0.039	0.188	0.029	0.219
73	8	0.056	0.189	0.049	0.205	0.036	0.236
73	9	0.066	0.205	0.058	0.221	0.044	0.254
73	10	0.076	0.221	0.068	0.238	0.053	0.271
73	11	0.087	0.237	0.078	0.254	0.062	0.287
73	12	0.098	0.253	0.088	0.270	0.071	0.304
73	13	0.109	0.268	0.098	0.285	0.080	0.320
73	14	0.120	0.283	0.109	0.301	0.090	0.336
73	15	0.131	0.299	0.120	0.316	0.099	0.351
73	16	0.143	0.314	0.131	0.331	0.109	0.367
73	17	0.154	0.329	0.142	0.346	0.120	0.382
73	18	0.166	0.343	0.153	0.361	0.130	0.397
73	19	0.178	0.358	0.165	0.376	0.141	0.412
73	20	0.190	0.373	0.176	0.391	0.151	0.427
73	21	0.202	0.387	0.188	0.406	0.162	0.442
73	22	0.214	0.402	0.199	0.420	0.173	0.456

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
73	23	0.226	0.416	0.211	0.434	0.184	0.471
73	24	0.238	0.430	0.223	0.449	0.196	0.485
73	25	0.250	0.444	0.235	0.463	0.207	0.499
73	26	0.263	0.458	0.247	0.477	0.219	0.513
73	27	0.275	0.472	0.260	0.491	0.230	0.527
73	28	0.288	0.486	0.272	0.505	0.242	0.541
73	29	0.301	0.500	0.285	0.519	0.254	0.554
73	30	0.314	0.514	0.297	0.532	0.266	0.568
73	31	0.326	0.528	0.310	0.546	0.278	0.581
73	32	0.339	0.541	0.322	0.559	0.290	0.595
73	33	0.352	0.555	0.335	0.573	0.303	0.608
73	34	0.365	0.568	0.348	0.586	0.315	0.621
73	35	0.378	0.582	0.361	0.600	0.328	0.634
73	36	0.392	0.595	0.374	0.613	0.340	0.647
73	37	0.405	0.608	0.387	0.626	0.353	0.660
73	38	0.418	0.622	0.400	0.639	0.366	0.672
73	39	0.432	0.635	0.414	0.652	0.379	0.685
73	40	0.445	0.648	0.427	0.665	0.392	0.697
73	41	0.459	0.661	0.441	0.678	0.405	0.710
73	42	0.472	0.674	0.454	0.690	0.419	0.722
73	43	0.486	0.686	0.468	0.703	0.432	0.734
73	44	0.500	0.699	0.481	0.715	0.446	0.746
73	45	0.514	0.712	0.495	0.728	0.459	0.758
73	46	0.528	0.725	0.509	0.740	0.473	0.770
73	47	0.542	0.737	0.523	0.753	0.487	0.781
73	48	0.556	0.750	0.537	0.765	0.501	0.793
73	49	0.570	0.762	0.551	0.777	0.515	0.804
73	50	0.584	0.774	0.566	0.789	0.529	0.816
73	51	0.598	0.786	0.580	0.801	0.544	0.827
73	52	0.613	0.798	0.594	0.812	0.558	0.838
73	53	0.627	0.810	0.609	0.824	0.573	0.849
73	54	0.642	0.822	0.624	0.835	0.588	0.859
73	55	0.657	0.834	0.639	0.847	0.603	0.870
73	56	0.671	0.846	0.654	0.858	0.618	0.880
73	57	0.686	0.857	0.669	0.869	0.633	0.891
73	58	0.701	0.869	0.684	0.880	0.649	0.901
73	59	0.717	0.880	0.699	0.891	0.664	0.910
73	60	0.732	0.891	0.715	0.902	0.680	0.920
73	61	0.747	0.902	0.730	0.912	0.696	0.929
73	62	0.763	0.913	0.746	0.922	0.713	0.938
73	63	0.779	0.924	0.762	0.932	0.729	0.947
73	64	0.795	0.934	0.779	0.942	0.746	0.956
73	65	0.811	0.944	0.795	0.951	0.764	0.964
73	66	0.827	0.954	0.812	0.961	0.781	0.971
73	67	0.844	0.964	0.830	0.969	0.799	0.978
73	68	0.861	0.973	0.847	0.977	0.818	0.985
73	69	0.879	0.981	0.866	0.985	0.837	0.991
73	70	0.897	0.989	0.885	0.991	0.858	0.995
73	71	0.916	0.995	0.905	0.997	0.879	0.999
73	72	0.937	0.999	0.926	1.000	0.903	1.000
73	73	0.960	1.000	0.951	1.000	0.930	1.000
74	0	0.000	0.040	0.000	0.049	0.000	0.069
74	1	0.001	0.063	0.000	0.073	0.000	0.096
74	2	0.005	0.083	0.003	0.094	0.001	0.119
74	3	0.011	0.101	0.008	0.114	0.005	0.141
74	4	0.019	0.119	0.015	0.133	0.009	0.161

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
74	5	0.027	0.137	0.022	0.151	0.015	0.180
74	6	0.036	0.154	0.030	0.168	0.021	0.198
74	7	0.045	0.170	0.039	0.185	0.028	0.216
74	8	0.055	0.187	0.048	0.202	0.036	0.233
74	9	0.065	0.203	0.057	0.218	0.044	0.251
74	10	0.075	0.218	0.067	0.235	0.052	0.267
74	11	0.086	0.234	0.077	0.250	0.061	0.284
74	12	0.096	0.249	0.087	0.266	0.070	0.300
74	13	0.107	0.265	0.097	0.282	0.079	0.316
74	14	0.118	0.280	0.107	0.297	0.088	0.332
74	15	0.129	0.295	0.118	0.312	0.098	0.347
74	16	0.141	0.310	0.129	0.327	0.108	0.362
74	17	0.152	0.324	0.140	0.342	0.118	0.377
74	18	0.164	0.339	0.151	0.357	0.128	0.392
74	19	0.175	0.354	0.162	0.372	0.139	0.407
74	20	0.187	0.368	0.174	0.386	0.149	0.422
74	21	0.199	0.382	0.185	0.401	0.160	0.436
74	22	0.211	0.397	0.197	0.415	0.171	0.451
74	23	0.223	0.411	0.208	0.429	0.182	0.465
74	24	0.235	0.425	0.220	0.443	0.193	0.479
74	25	0.247	0.439	0.232	0.457	0.204	0.493
74	26	0.259	0.453	0.244	0.471	0.215	0.507
74	27	0.272	0.467	0.256	0.485	0.227	0.521
74	28	0.284	0.480	0.268	0.499	0.238	0.534
74	29	0.296	0.494	0.280	0.512	0.250	0.548
74	30	0.309	0.508	0.293	0.526	0.262	0.561
74	31	0.322	0.521	0.305	0.539	0.274	0.575
74	32	0.334	0.535	0.318	0.553	0.286	0.588
74	33	0.347	0.548	0.330	0.566	0.298	0.601
74	34	0.360	0.561	0.343	0.579	0.310	0.614
74	35	0.373	0.575	0.356	0.593	0.323	0.627
74	36	0.386	0.588	0.369	0.606	0.335	0.640
74	37	0.399	0.601	0.381	0.619	0.348	0.652
74	38	0.412	0.614	0.394	0.631	0.360	0.665
74	39	0.425	0.627	0.407	0.644	0.373	0.677
74	40	0.439	0.640	0.421	0.657	0.386	0.690
74	41	0.452	0.653	0.434	0.670	0.399	0.702
74	42	0.465	0.666	0.447	0.682	0.412	0.714
74	43	0.478	0.678	0.461	0.695	0.425	0.726
74	44	0.492	0.691	0.474	0.707	0.439	0.738
74	45	0.506	0.704	0.488	0.720	0.452	0.750
74	46	0.520	0.716	0.501	0.732	0.466	0.762
74	47	0.533	0.728	0.515	0.744	0.479	0.773
74	48	0.547	0.741	0.529	0.756	0.493	0.785
74	49	0.561	0.753	0.543	0.768	0.507	0.796
74	50	0.575	0.765	0.557	0.780	0.521	0.807
74	51	0.589	0.777	0.571	0.792	0.535	0.818
74	52	0.603	0.789	0.585	0.803	0.549	0.829
74	53	0.618	0.801	0.599	0.815	0.564	0.840
74	54	0.632	0.813	0.614	0.826	0.578	0.851
74	55	0.646	0.825	0.628	0.838	0.593	0.861
74	56	0.661	0.836	0.643	0.849	0.608	0.872
74	57	0.676	0.848	0.658	0.860	0.623	0.882
74	58	0.690	0.859	0.673	0.871	0.638	0.892
74	59	0.705	0.871	0.688	0.882	0.653	0.902
74	60	0.720	0.882	0.703	0.893	0.668	0.912

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
74	61	0.735	0.893	0.718	0.903	0.684	0.921
74	62	0.751	0.904	0.734	0.913	0.700	0.930
74	63	0.766	0.914	0.750	0.923	0.716	0.939
74	64	0.782	0.925	0.765	0.933	0.733	0.946
74	65	0.797	0.935	0.782	0.943	0.749	0.956
74	66	0.813	0.945	0.798	0.952	0.767	0.964
74	67	0.830	0.955	0.815	0.961	0.784	0.972
74	68	0.846	0.964	0.832	0.970	0.802	0.979
74	69	0.863	0.973	0.849	0.978	0.820	0.985
74	70	0.881	0.981	0.867	0.985	0.839	0.991
74	71	0.899	0.989	0.886	0.992	0.859	0.995
74	72	0.917	0.995	0.906	0.997	0.881	0.999
74	73	0.937	0.999	0.927	1.000	0.904	1.000
74	74	0.960	1.000	0.951	1.000	0.931	1.000
75	0	0.000	0.039	0.000	0.048	0.000	0.068
75	1	0.001	0.062	0.000	0.072	0.000	0.095
75	2	0.005	0.082	0.003	0.093	0.001	0.118
75	3	0.011	0.100	0.008	0.112	0.005	0.139
75	4	0.018	0.118	0.015	0.131	0.009	0.159
75	5	0.027	0.135	0.022	0.149	0.015	0.177
75	6	0.035	0.152	0.030	0.166	0.021	0.196
75	7	0.045	0.168	0.038	0.183	0.028	0.213
75	8	0.054	0.184	0.047	0.199	0.035	0.231
75	9	0.064	0.200	0.056	0.216	0.043	0.247
75	10	0.074	0.216	0.066	0.232	0.051	0.264
75	11	0.084	0.231	0.076	0.247	0.060	0.280
75	12	0.095	0.246	0.086	0.263	0.069	0.296
75	13	0.106	0.261	0.096	0.278	0.078	0.312
75	14	0.117	0.276	0.106	0.293	0.087	0.328
75	15	0.128	0.291	0.116	0.308	0.097	0.343
75	16	0.139	0.306	0.127	0.323	0.106	0.358
75	17	0.150	0.320	0.138	0.338	0.116	0.373
75	18	0.161	0.335	0.149	0.353	0.126	0.388
75	19	0.173	0.349	0.160	0.367	0.137	0.402
75	20	0.184	0.363	0.171	0.381	0.147	0.417
75	21	0.196	0.378	0.182	0.396	0.158	0.431
75	22	0.208	0.392	0.194	0.410	0.168	0.446
75	23	0.220	0.406	0.205	0.424	0.179	0.460
75	24	0.231	0.420	0.217	0.438	0.190	0.474
75	25	0.243	0.433	0.229	0.452	0.201	0.487
75	26	0.256	0.447	0.240	0.465	0.212	0.501
75	27	0.268	0.461	0.252	0.479	0.224	0.515
75	28	0.280	0.474	0.264	0.493	0.235	0.528
75	29	0.292	0.488	0.276	0.506	0.246	0.542
75	30	0.305	0.501	0.289	0.520	0.258	0.555
75	31	0.317	0.515	0.301	0.533	0.270	0.568
75	32	0.330	0.528	0.313	0.546	0.282	0.581
75	33	0.342	0.541	0.325	0.559	0.294	0.594
75	34	0.355	0.555	0.338	0.573	0.306	0.607
75	35	0.368	0.568	0.351	0.586	0.318	0.620
75	36	0.380	0.581	0.363	0.598	0.330	0.632
75	37	0.393	0.594	0.376	0.611	0.343	0.645
75	38	0.406	0.607	0.389	0.624	0.355	0.657
75	39	0.419	0.620	0.402	0.637	0.368	0.670
75	40	0.432	0.632	0.414	0.649	0.380	0.682
75	41	0.445	0.645	0.427	0.662	0.393	0.694

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
75	42	0.459	0.658	0.441	0.675	0.406	0.706
75	43	0.472	0.670	0.454	0.687	0.419	0.718
75	44	0.485	0.683	0.467	0.699	0.432	0.730
75	45	0.499	0.695	0.480	0.711	0.445	0.742
75	46	0.512	0.708	0.494	0.724	0.458	0.754
75	47	0.526	0.720	0.507	0.736	0.472	0.765
75	48	0.539	0.732	0.521	0.748	0.485	0.776
75	49	0.553	0.744	0.535	0.760	0.499	0.788
75	50	0.567	0.757	0.548	0.771	0.513	0.799
75	51	0.580	0.769	0.562	0.783	0.526	0.810
75	52	0.594	0.780	0.576	0.795	0.540	0.821
75	53	0.608	0.792	0.590	0.806	0.554	0.832
75	54	0.622	0.804	0.604	0.818	0.569	0.842
75	55	0.637	0.816	0.619	0.829	0.583	0.853
75	56	0.651	0.827	0.633	0.840	0.598	0.863
75	57	0.665	0.839	0.647	0.851	0.612	0.874
75	58	0.680	0.850	0.662	0.862	0.627	0.884
75	59	0.694	0.861	0.677	0.873	0.642	0.894
75	60	0.709	0.872	0.692	0.884	0.657	0.903
75	61	0.724	0.883	0.707	0.894	0.672	0.913
75	62	0.739	0.894	0.722	0.904	0.688	0.922
75	63	0.754	0.905	0.737	0.914	0.704	0.931
75	64	0.769	0.916	0.753	0.924	0.720	0.940
75	65	0.784	0.926	0.768	0.934	0.736	0.949
75	66	0.800	0.936	0.784	0.944	0.753	0.957
75	67	0.816	0.946	0.801	0.953	0.769	0.965
75	68	0.832	0.955	0.817	0.962	0.787	0.972
75	69	0.848	0.965	0.834	0.970	0.804	0.979
75	70	0.865	0.973	0.851	0.978	0.823	0.985
75	71	0.882	0.982	0.869	0.985	0.841	0.991
75	72	0.900	0.989	0.888	0.992	0.861	0.995
75	73	0.918	0.995	0.907	0.997	0.882	0.999
75	74	0.938	0.999	0.928	1.000	0.905	1.000
75	75	0.961	1.000	0.952	1.000	0.932	1.000
76	0	0.000	0.039	0.000	0.047	0.000	0.067
76	1	0.001	0.061	0.000	0.071	0.000	0.094
76	2	0.005	0.081	0.003	0.092	0.001	0.116
76	3	0.011	0.099	0.008	0.111	0.004	0.137
76	4	0.016	0.116	0.015	0.129	0.009	0.157
76	5	0.026	0.133	0.022	0.147	0.014	0.175
76	6	0.035	0.150	0.030	0.164	0.021	0.193
76	7	0.044	0.166	0.038	0.181	0.028	0.211
76	8	0.053	0.182	0.047	0.197	0.035	0.228
76	9	0.063	0.198	0.056	0.213	0.043	0.244
76	10	0.073	0.213	0.065	0.229	0.051	0.261
76	11	0.083	0.228	0.075	0.244	0.059	0.277
76	12	0.094	0.243	0.084	0.260	0.068	0.293
76	13	0.104	0.258	0.094	0.275	0.077	0.308
76	14	0.115	0.273	0.105	0.290	0.086	0.324
76	15	0.126	0.288	0.115	0.305	0.095	0.339
76	16	0.137	0.302	0.125	0.319	0.105	0.354
76	17	0.148	0.316	0.136	0.334	0.115	0.369
76	18	0.159	0.331	0.147	0.348	0.125	0.383
76	19	0.170	0.345	0.158	0.363	0.135	0.398
76	20	0.182	0.359	0.169	0.377	0.145	0.412

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
76	21	0.193	0.373	0.180	0.391	0.155	0.426
76	22	0.205	0.387	0.191	0.405	0.166	0.440
76	23	0.216	0.401	0.202	0.419	0.176	0.454
76	24	0.228	0.414	0.214	0.433	0.187	0.468
76	25	0.240	0.428	0.225	0.446	0.198	0.482
76	26	0.252	0.442	0.237	0.460	0.209	0.495
76	27	0.264	0.455	0.249	0.473	0.220	0.509
76	28	0.276	0.469	0.261	0.487	0.232	0.522
76	29	0.288	0.482	0.272	0.500	0.243	0.535
76	30	0.300	0.495	0.284	0.514	0.254	0.549
76	31	0.313	0.509	0.296	0.527	0.266	0.562
76	32	0.325	0.522	0.309	0.540	0.278	0.575
76	33	0.337	0.535	0.321	0.553	0.289	0.588
76	34	0.350	0.548	0.333	0.566	0.301	0.600
76	35	0.362	0.561	0.345	0.579	0.313	0.613
76	36	0.375	0.574	0.358	0.592	0.325	0.625
76	37	0.388	0.587	0.370	0.604	0.337	0.638
76	38	0.400	0.600	0.383	0.617	0.350	0.650
76	39	0.413	0.612	0.396	0.630	0.362	0.663
76	40	0.426	0.625	0.408	0.642	0.375	0.675
76	41	0.439	0.638	0.421	0.655	0.387	0.687
76	42	0.452	0.650	0.434	0.667	0.400	0.699
76	43	0.465	0.663	0.447	0.679	0.412	0.711
76	44	0.478	0.675	0.460	0.691	0.425	0.722
76	45	0.491	0.687	0.473	0.704	0.438	0.734
76	46	0.505	0.700	0.486	0.716	0.451	0.746
76	47	0.518	0.712	0.500	0.728	0.465	0.757
76	48	0.531	0.724	0.513	0.739	0.478	0.768
76	49	0.545	0.736	0.527	0.751	0.491	0.780
76	50	0.558	0.748	0.540	0.763	0.505	0.791
76	51	0.572	0.760	0.554	0.775	0.518	0.802
76	52	0.586	0.772	0.567	0.786	0.532	0.813
76	53	0.599	0.784	0.581	0.798	0.546	0.824
76	54	0.613	0.795	0.595	0.809	0.560	0.834
76	55	0.627	0.807	0.609	0.820	0.574	0.845
76	56	0.641	0.818	0.623	0.831	0.588	0.855
76	57	0.655	0.830	0.637	0.842	0.602	0.865
76	58	0.669	0.841	0.652	0.853	0.617	0.875
76	59	0.684	0.852	0.666	0.864	0.631	0.885
76	60	0.698	0.863	0.681	0.875	0.646	0.895
76	61	0.712	0.874	0.695	0.885	0.661	0.905
76	62	0.727	0.885	0.710	0.895	0.676	0.914
76	63	0.742	0.896	0.725	0.906	0.692	0.923
76	64	0.757	0.906	0.740	0.916	0.707	0.932
76	65	0.772	0.917	0.756	0.925	0.723	0.941
76	66	0.787	0.927	0.771	0.935	0.739	0.949
76	67	0.802	0.937	0.787	0.944	0.756	0.957
76	68	0.818	0.947	0.803	0.953	0.772	0.965
76	69	0.834	0.956	0.819	0.962	0.789	0.972
76	70	0.850	0.965	0.836	0.970	0.807	0.979
76	71	0.867	0.974	0.853	0.978	0.825	0.986
76	72	0.884	0.982	0.871	0.985	0.843	0.991
76	73	0.901	0.989	0.889	0.992	0.863	0.996
76	74	0.919	0.995	0.908	0.997	0.884	0.999
76	75	0.939	0.999	0.929	1.000	0.906	1.000
76	76	0.961	1.000	0.953	1.000	0.933	1.000

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
77	0	0.000	0.038	0.000	0.047	0.000	0.066
77	1	0.001	0.060	0.000	0.070	0.000	0.093
77	2	0.005	0.080	0.003	0.091	0.001	0.115
77	3	0.011	0.098	0.008	0.110	0.004	0.135
77	4	0.018	0.115	0.014	0.128	0.009	0.155
77	5	0.026	0.132	0.021	0.145	0.014	0.173
77	6	0.034	0.148	0.029	0.162	0.020	0.191
77	7	0.043	0.164	0.037	0.178	0.027	0.208
77	8	0.053	0.180	0.046	0.194	0.034	0.225
77	9	0.062	0.195	0.055	0.210	0.042	0.242
77	10	0.072	0.210	0.064	0.226	0.050	0.258
77	11	0.082	0.225	0.074	0.241	0.058	0.274
77	12	0.092	0.240	0.083	0.256	0.067	0.289
77	13	0.103	0.255	0.093	0.271	0.076	0.305
77	14	0.113	0.270	0.103	0.286	0.085	0.320
77	15	0.124	0.284	0.113	0.301	0.094	0.335
77	16	0.135	0.298	0.124	0.315	0.103	0.350
77	17	0.146	0.313	0.134	0.330	0.113	0.364
77	18	0.157	0.327	0.145	0.344	0.123	0.379
77	19	0.168	0.341	0.156	0.358	0.133	0.393
77	20	0.179	0.355	0.166	0.372	0.143	0.407
77	21	0.191	0.368	0.177	0.386	0.153	0.421
77	22	0.202	0.382	0.188	0.400	0.164	0.435
77	23	0.214	0.396	0.200	0.414	0.174	0.449
77	24	0.225	0.410	0.211	0.427	0.185	0.463
77	25	0.237	0.423	0.222	0.441	0.195	0.476
77	26	0.249	0.436	0.234	0.454	0.206	0.490
77	27	0.260	0.450	0.245	0.468	0.217	0.503
77	28	0.272	0.463	0.257	0.481	0.228	0.516
77	29	0.284	0.476	0.269	0.494	0.239	0.529
77	30	0.296	0.490	0.280	0.508	0.251	0.542
77	31	0.308	0.503	0.292	0.521	0.262	0.555
77	32	0.320	0.516	0.304	0.534	0.274	0.568
77	33	0.333	0.529	0.316	0.546	0.285	0.581
77	34	0.345	0.542	0.328	0.559	0.297	0.594
77	35	0.357	0.554	0.341	0.572	0.309	0.606
77	36	0.370	0.567	0.353	0.585	0.321	0.619
77	37	0.382	0.580	0.365	0.597	0.333	0.631
77	38	0.395	0.593	0.378	0.610	0.345	0.643
77	39	0.407	0.605	0.390	0.622	0.357	0.655
77	40	0.420	0.618	0.403	0.635	0.369	0.667
77	41	0.433	0.630	0.415	0.647	0.381	0.679
77	42	0.446	0.643	0.428	0.659	0.394	0.691
77	43	0.458	0.655	0.441	0.672	0.406	0.703
77	44	0.471	0.667	0.454	0.684	0.419	0.715
77	45	0.484	0.680	0.466	0.696	0.432	0.726
77	46	0.497	0.692	0.479	0.708	0.445	0.738
77	47	0.510	0.704	0.492	0.720	0.458	0.749
77	48	0.524	0.716	0.506	0.731	0.471	0.761
77	49	0.537	0.728	0.519	0.743	0.484	0.772
77	50	0.550	0.740	0.532	0.755	0.497	0.783
77	51	0.564	0.751	0.546	0.766	0.510	0.794
77	52	0.577	0.763	0.559	0.778	0.524	0.805
77	53	0.590	0.775	0.573	0.789	0.537	0.815
77	54	0.604	0.786	0.586	0.800	0.551	0.826

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
77	55	0.618	0.798	0.600	0.812	0.565	0.836
77	56	0.632	0.809	0.614	0.823	0.579	0.847
77	57	0.645	0.821	0.628	0.834	0.593	0.857
77	58	0.659	0.832	0.642	0.844	0.607	0.867
77	59	0.673	0.843	0.656	0.855	0.621	0.877
77	60	0.687	0.854	0.670	0.866	0.636	0.887
77	61	0.702	0.865	0.685	0.876	0.650	0.897
77	62	0.716	0.876	0.699	0.887	0.665	0.906
77	63	0.730	0.887	0.714	0.897	0.680	0.915
77	64	0.745	0.897	0.729	0.907	0.695	0.924
77	65	0.760	0.908	0.744	0.917	0.711	0.933
77	66	0.775	0.918	0.759	0.926	0.726	0.942
77	67	0.790	0.928	0.774	0.936	0.742	0.950
77	68	0.805	0.938	0.790	0.945	0.758	0.958
77	69	0.820	0.947	0.806	0.954	0.775	0.966
77	70	0.836	0.957	0.822	0.963	0.792	0.973
77	71	0.852	0.966	0.838	0.971	0.809	0.980
77	72	0.868	0.974	0.855	0.979	0.827	0.986
77	73	0.885	0.982	0.872	0.986	0.845	0.991
77	74	0.902	0.989	0.890	0.992	0.865	0.996
77	75	0.920	0.995	0.909	0.997	0.885	0.999
77	76	0.940	0.999	0.930	1.000	0.907	1.000
77	77	0.962	1.000	0.953	1.000	0.934	1.000
78	0	0.000	0.038	0.000	0.046	0.000	0.066
78	1	0.001	0.059	0.000	0.069	0.000	0.091
78	2	0.005	0.079	0.003	0.090	0.001	0.113
78	3	0.011	0.096	0.008	0.108	0.004	0.134
78	4	0.018	0.114	0.014	0.126	0.009	0.153
78	5	0.026	0.130	0.021	0.143	0.014	0.171
78	6	0.034	0.146	0.029	0.160	0.020	0.189
78	7	0.043	0.162	0.037	0.176	0.027	0.206
78	8	0.052	0.177	0.045	0.192	0.034	0.222
78	9	0.062	0.193	0.054	0.208	0.041	0.239
78	10	0.071	0.208	0.063	0.223	0.049	0.255
78	11	0.081	0.223	0.073	0.238	0.058	0.270
78	12	0.091	0.237	0.082	0.253	0.066	0.286
78	13	0.101	0.252	0.092	0.268	0.075	0.301
78	14	0.112	0.266	0.102	0.283	0.084	0.316
78	15	0.122	0.281	0.112	0.297	0.093	0.331
78	16	0.133	0.295	0.122	0.312	0.102	0.346
78	17	0.144	0.309	0.132	0.326	0.112	0.360
78	18	0.155	0.323	0.143	0.340	0.121	0.374
78	19	0.166	0.337	0.153	0.354	0.131	0.389
78	20	0.177	0.350	0.164	0.368	0.141	0.403
78	21	0.188	0.364	0.175	0.382	0.151	0.416
78	22	0.199	0.378	0.186	0.395	0.161	0.430
78	23	0.211	0.391	0.197	0.409	0.172	0.444
78	24	0.222	0.405	0.208	0.422	0.182	0.457
78	25	0.234	0.418	0.219	0.436	0.193	0.471
78	26	0.245	0.431	0.231	0.449	0.203	0.484
78	27	0.257	0.445	0.242	0.462	0.214	0.497
78	28	0.269	0.458	0.253	0.476	0.225	0.511
78	29	0.280	0.471	0.265	0.489	0.236	0.524
78	30	0.292	0.484	0.277	0.502	0.247	0.536
78	31	0.304	0.497	0.288	0.515	0.258	0.549
78	32	0.316	0.510	0.300	0.527	0.270	0.562



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
78	33	0.328	0.523	0.312	0.540	0.281	0.575
78	34	0.340	0.535	0.324	0.553	0.293	0.587
78	35	0.352	0.548	0.336	0.566	0.304	0.600
78	36	0.365	0.561	0.348	0.578	0.316	0.612
78	37	0.377	0.573	0.360	0.591	0.328	0.624
78	38	0.389	0.586	0.372	0.603	0.340	0.636
78	39	0.402	0.598	0.385	0.615	0.352	0.648
78	40	0.414	0.611	0.397	0.628	0.364	0.660
78	41	0.427	0.623	0.409	0.640	0.376	0.672
78	42	0.439	0.635	0.422	0.652	0.388	0.684
78	43	0.452	0.648	0.434	0.664	0.400	0.696
78	44	0.465	0.660	0.447	0.676	0.413	0.707
78	45	0.477	0.672	0.460	0.688	0.425	0.719
78	46	0.490	0.684	0.473	0.700	0.438	0.730
78	47	0.503	0.696	0.485	0.712	0.451	0.742
78	48	0.516	0.708	0.498	0.723	0.464	0.753
78	49	0.529	0.720	0.511	0.735	0.476	0.764
78	50	0.542	0.731	0.524	0.747	0.489	0.775
78	51	0.555	0.743	0.538	0.758	0.503	0.786
78	52	0.569	0.755	0.551	0.769	0.516	0.797
78	53	0.582	0.766	0.564	0.781	0.529	0.807
78	54	0.595	0.778	0.578	0.792	0.543	0.818
78	55	0.609	0.789	0.591	0.803	0.556	0.828
78	56	0.622	0.801	0.605	0.814	0.570	0.839
78	57	0.636	0.812	0.618	0.825	0.584	0.849
78	58	0.650	0.823	0.632	0.836	0.597	0.859
78	59	0.663	0.834	0.646	0.847	0.611	0.869
78	60	0.677	0.845	0.660	0.857	0.626	0.879
78	61	0.691	0.856	0.674	0.868	0.640	0.888
78	62	0.705	0.867	0.688	0.878	0.654	0.898
78	63	0.719	0.878	0.703	0.888	0.669	0.907
78	64	0.734	0.888	0.717	0.898	0.684	0.916
78	65	0.748	0.899	0.732	0.908	0.699	0.925
78	66	0.763	0.909	0.747	0.918	0.714	0.934
78	67	0.777	0.919	0.762	0.927	0.730	0.942
78	68	0.792	0.929	0.777	0.937	0.745	0.951
78	69	0.807	0.938	0.792	0.946	0.761	0.959
78	70	0.823	0.948	0.808	0.955	0.778	0.966
78	71	0.838	0.957	0.824	0.963	0.794	0.973
78	72	0.854	0.966	0.840	0.971	0.811	0.980
78	73	0.870	0.974	0.857	0.979	0.829	0.986
78	74	0.886	0.982	0.874	0.986	0.847	0.991
78	75	0.904	0.989	0.892	0.992	0.866	0.996
78	76	0.921	0.995	0.910	0.997	0.887	0.999
78	77	0.941	0.999	0.931	1.000	0.909	1.000
78	78	0.962	1.000	0.954	1.000	0.934	1.000
79	0	0.000	0.037	0.000	0.046	0.000	0.065
79	1	0.001	0.059	0.000	0.069	0.000	0.090
79	2	0.005	0.078	0.003	0.088	0.001	0.112
79	3	0.010	0.095	0.008	0.107	0.004	0.132
79	4	0.017	0.112	0.014	0.125	0.009	0.151
79	5	0.025	0.128	0.021	0.142	0.014	0.169
79	6	0.034	0.144	0.028	0.158	0.020	0.186
79	7	0.042	0.160	0.036	0.174	0.026	0.203
79	8	0.051	0.175	0.045	0.190	0.034	0.220
79	9	0.061	0.190	0.053	0.205	0.041	0.236

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
79	10	0.070	0.205	0.062	0.220	0.049	0.252
79	11	0.080	0.220	0.072	0.235	0.057	0.267
79	12	0.090	0.234	0.081	0.250	0.065	0.282
79	13	0.100	0.249	0.091	0.265	0.074	0.298
79	14	0.110	0.263	0.100	0.279	0.083	0.312
79	15	0.121	0.277	0.110	0.294	0.092	0.327
79	16	0.131	0.291	0.120	0.308	0.101	0.342
79	17	0.142	0.305	0.131	0.322	0.110	0.356
79	18	0.153	0.319	0.141	0.336	0.120	0.370
79	19	0.164	0.333	0.151	0.350	0.129	0.384
79	20	0.175	0.346	0.162	0.364	0.139	0.398
79	21	0.186	0.360	0.173	0.377	0.149	0.412
79	22	0.197	0.373	0.183	0.391	0.159	0.425
79	23	0.208	0.387	0.194	0.404	0.169	0.439
79	24	0.219	0.400	0.205	0.418	0.180	0.452
79	25	0.230	0.413	0.216	0.431	0.190	0.466
79	26	0.242	0.426	0.227	0.444	0.201	0.479
79	27	0.253	0.439	0.239	0.457	0.211	0.492
79	28	0.265	0.452	0.250	0.470	0.222	0.505
79	29	0.277	0.465	0.261	0.483	0.233	0.518
79	30	0.288	0.478	0.273	0.496	0.244	0.531
79	31	0.300	0.491	0.284	0.509	0.255	0.543
79	32	0.312	0.504	0.296	0.521	0.266	0.556
79	33	0.324	0.516	0.308	0.534	0.277	0.568
79	34	0.336	0.529	0.319	0.547	0.289	0.581
79	35	0.348	0.542	0.331	0.559	0.300	0.593
79	36	0.360	0.554	0.343	0.572	0.312	0.605
79	37	0.372	0.567	0.355	0.584	0.323	0.617
79	38	0.384	0.579	0.367	0.596	0.335	0.630
79	39	0.396	0.591	0.379	0.609	0.347	0.641
79	40	0.409	0.604	0.391	0.621	0.359	0.653
79	41	0.421	0.616	0.404	0.633	0.370	0.665
79	42	0.433	0.628	0.416	0.645	0.383	0.677
79	43	0.446	0.640	0.428	0.657	0.395	0.688
79	44	0.458	0.652	0.441	0.669	0.407	0.700
79	45	0.471	0.664	0.453	0.681	0.419	0.711
79	46	0.484	0.676	0.466	0.692	0.432	0.723
79	47	0.496	0.688	0.479	0.704	0.444	0.734
79	48	0.509	0.700	0.491	0.716	0.457	0.745
79	49	0.522	0.712	0.504	0.727	0.469	0.756
79	50	0.535	0.723	0.517	0.739	0.482	0.767
79	51	0.548	0.735	0.530	0.750	0.495	0.778
79	52	0.561	0.747	0.543	0.761	0.508	0.789
79	53	0.574	0.758	0.556	0.773	0.521	0.799
79	54	0.587	0.770	0.569	0.784	0.534	0.810
79	55	0.600	0.781	0.582	0.795	0.548	0.820
79	56	0.613	0.792	0.596	0.806	0.561	0.831
79	57	0.627	0.803	0.609	0.817	0.575	0.841
79	58	0.640	0.814	0.623	0.827	0.588	0.851
79	59	0.654	0.825	0.636	0.838	0.602	0.861
79	60	0.667	0.836	0.650	0.849	0.616	0.871
79	61	0.681	0.847	0.664	0.859	0.630	0.880
79	62	0.695	0.858	0.678	0.869	0.644	0.890
79	63	0.709	0.869	0.692	0.880	0.658	0.899
79	64	0.723	0.879	0.706	0.890	0.673	0.908
79	65	0.737	0.890	0.721	0.900	0.688	0.917

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
79	66	0.751	0.900	0.735	0.909	0.702	0.926
79	67	0.766	0.910	0.750	0.919	0.718	0.935
79	68	0.780	0.920	0.765	0.928	0.733	0.943
79	69	0.795	0.930	0.780	0.938	0.748	0.951
79	70	0.810	0.939	0.795	0.947	0.764	0.959
79	71	0.825	0.949	0.810	0.955	0.780	0.966
79	72	0.840	0.958	0.826	0.964	0.797	0.974
79	73	0.856	0.966	0.842	0.972	0.814	0.980
79	74	0.872	0.975	0.858	0.979	0.831	0.986
79	75	0.888	0.983	0.875	0.986	0.849	0.991
79	76	0.905	0.990	0.893	0.992	0.868	0.996
79	77	0.922	0.995	0.912	0.997	0.888	0.999
79	78	0.941	0.999	0.931	1.000	0.910	1.000
79	79	0.963	1.000	0.954	1.000	0.935	1.000
80	0	0.000	0.037	0.000	0.045	0.000	0.064
80	1	0.001	0.058	0.000	0.068	0.000	0.089
80	2	0.004	0.077	0.003	0.087	0.001	0.111
80	3	0.010	0.094	0.008	0.106	0.004	0.131
80	4	0.017	0.111	0.014	0.123	0.009	0.149
80	5	0.025	0.127	0.021	0.140	0.014	0.167
80	6	0.033	0.143	0.028	0.156	0.020	0.184
80	7	0.042	0.158	0.036	0.172	0.026	0.201
80	8	0.051	0.173	0.044	0.188	0.033	0.217
80	9	0.060	0.188	0.053	0.203	0.040	0.233
80	10	0.069	0.203	0.062	0.218	0.048	0.249
80	11	0.079	0.217	0.071	0.233	0.056	0.264
80	12	0.089	0.232	0.080	0.247	0.064	0.279
80	13	0.099	0.246	0.089	0.262	0.073	0.294
80	14	0.109	0.260	0.099	0.276	0.081	0.309
80	15	0.119	0.274	0.109	0.290	0.090	0.323
80	16	0.130	0.288	0.119	0.304	0.099	0.338
80	17	0.140	0.302	0.129	0.318	0.109	0.352
80	18	0.151	0.315	0.139	0.332	0.118	0.366
80	19	0.161	0.329	0.149	0.346	0.128	0.380
80	20	0.172	0.342	0.160	0.359	0.137	0.394
80	21	0.183	0.356	0.170	0.373	0.147	0.407
80	22	0.194	0.369	0.181	0.386	0.157	0.421
80	23	0.205	0.382	0.192	0.400	0.167	0.434
80	24	0.216	0.395	0.203	0.413	0.177	0.447
80	25	0.227	0.408	0.213	0.426	0.187	0.461
80	26	0.239	0.421	0.224	0.439	0.198	0.474
80	27	0.250	0.434	0.236	0.452	0.208	0.487
80	28	0.261	0.447	0.247	0.465	0.219	0.499
80	29	0.273	0.460	0.258	0.478	0.230	0.512
80	30	0.284	0.473	0.269	0.490	0.240	0.525
80	31	0.296	0.485	0.281	0.503	0.251	0.537
80	32	0.308	0.498	0.292	0.516	0.262	0.550
80	33	0.319	0.511	0.304	0.528	0.273	0.562
80	34	0.331	0.523	0.315	0.541	0.285	0.575
80	35	0.343	0.536	0.327	0.553	0.296	0.587
80	36	0.355	0.548	0.338	0.565	0.307	0.599
80	37	0.367	0.560	0.350	0.578	0.319	0.611
80	38	0.379	0.573	0.362	0.590	0.330	0.623
80	39	0.391	0.585	0.374	0.602	0.342	0.635
80	40	0.403	0.597	0.386	0.614	0.353	0.647
80	41	0.415	0.609	0.398	0.626	0.365	0.658

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
80	42	0.427	0.621	0.410	0.638	0.377	0.670
80	43	0.440	0.633	0.422	0.650	0.389	0.681
80	44	0.452	0.645	0.435	0.662	0.401	0.693
80	45	0.464	0.657	0.447	0.673	0.413	0.704
80	46	0.477	0.669	0.459	0.685	0.425	0.715
80	47	0.489	0.681	0.472	0.696	0.438	0.727
80	48	0.502	0.692	0.484	0.708	0.450	0.738
80	49	0.515	0.704	0.497	0.719	0.463	0.749
80	50	0.527	0.716	0.510	0.731	0.475	0.760
80	51	0.540	0.727	0.522	0.742	0.488	0.770
80	52	0.553	0.739	0.535	0.753	0.501	0.781
80	53	0.566	0.750	0.548	0.764	0.513	0.792
80	54	0.579	0.761	0.561	0.776	0.526	0.802
80	55	0.592	0.773	0.574	0.787	0.539	0.813
80	56	0.605	0.784	0.587	0.797	0.553	0.823
80	57	0.618	0.795	0.600	0.808	0.566	0.833
80	58	0.631	0.806	0.614	0.819	0.579	0.843
80	59	0.644	0.817	0.627	0.830	0.593	0.853
80	60	0.658	0.828	0.641	0.840	0.606	0.863
80	61	0.671	0.839	0.654	0.851	0.620	0.872
80	62	0.685	0.849	0.668	0.861	0.634	0.882
80	63	0.698	0.860	0.682	0.871	0.648	0.891
80	64	0.712	0.870	0.696	0.881	0.662	0.901
80	65	0.726	0.881	0.710	0.891	0.677	0.910
80	66	0.740	0.891	0.724	0.901	0.691	0.919
80	67	0.754	0.901	0.738	0.911	0.706	0.927
80	68	0.768	0.911	0.753	0.920	0.721	0.936
80	69	0.783	0.921	0.767	0.929	0.736	0.944
80	70	0.797	0.931	0.782	0.938	0.751	0.952
80	71	0.812	0.940	0.797	0.947	0.767	0.960
80	72	0.827	0.949	0.812	0.956	0.783	0.967
80	73	0.842	0.958	0.828	0.964	0.799	0.974
80	74	0.857	0.967	0.844	0.972	0.816	0.980
80	75	0.873	0.975	0.860	0.979	0.833	0.986
80	76	0.889	0.983	0.877	0.986	0.851	0.991
80	77	0.906	0.990	0.894	0.992	0.869	0.996
80	78	0.923	0.996	0.913	0.997	0.889	0.999
80	79	0.942	0.999	0.932	1.000	0.911	1.000
80	80	0.963	1.000	0.955	1.000	0.936	1.000
81	0	0.000	0.036	0.000	0.045	0.000	0.063
81	1	0.001	0.057	0.000	0.067	0.000	0.088
81	2	0.004	0.076	0.003	0.086	0.001	0.109
81	3	0.010	0.093	0.008	0.104	0.004	0.129
81	4	0.017	0.109	0.014	0.122	0.008	0.147
81	5	0.025	0.125	0.020	0.138	0.014	0.165
81	6	0.033	0.141	0.028	0.154	0.019	0.182
81	7	0.041	0.156	0.035	0.170	0.026	0.199
81	8	0.050	0.171	0.044	0.185	0.033	0.215
81	9	0.059	0.186	0.052	0.200	0.040	0.230
81	10	0.069	0.200	0.061	0.215	0.047	0.246
81	11	0.078	0.215	0.070	0.230	0.055	0.261
81	12	0.088	0.229	0.079	0.244	0.063	0.276
81	13	0.098	0.243	0.088	0.259	0.072	0.291
81	14	0.108	0.257	0.098	0.273	0.080	0.305
81	15	0.118	0.271	0.108	0.287	0.089	0.320

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
81	16	0.128	0.284	0.117	0.301	0.098	0.334
81	17	0.138	0.298	0.127	0.315	0.107	0.348
81	18	0.149	0.312	0.137	0.328	0.116	0.362
81	19	0.159	0.325	0.148	0.342	0.126	0.376
81	20	0.170	0.338	0.158	0.355	0.135	0.389
81	21	0.181	0.351	0.168	0.369	0.145	0.403
81	22	0.192	0.365	0.179	0.382	0.155	0.416
81	23	0.202	0.378	0.189	0.395	0.165	0.429
81	24	0.213	0.391	0.200	0.408	0.175	0.442
81	25	0.225	0.404	0.211	0.421	0.185	0.455
81	26	0.236	0.416	0.222	0.434	0.195	0.468
81	27	0.247	0.429	0.232	0.447	0.206	0.481
81	28	0.258	0.442	0.243	0.460	0.216	0.494
81	29	0.269	0.455	0.254	0.472	0.227	0.507
81	30	0.281	0.467	0.266	0.485	0.237	0.519
81	31	0.292	0.480	0.277	0.497	0.248	0.532
81	32	0.304	0.492	0.288	0.510	0.259	0.544
81	33	0.315	0.505	0.299	0.522	0.270	0.556
81	34	0.327	0.517	0.311	0.535	0.281	0.568
81	35	0.338	0.530	0.322	0.547	0.292	0.581
81	36	0.350	0.542	0.334	0.559	0.303	0.593
81	37	0.362	0.554	0.346	0.571	0.314	0.604
81	38	0.374	0.566	0.357	0.583	0.326	0.616
81	39	0.386	0.578	0.369	0.595	0.337	0.628
81	40	0.398	0.590	0.381	0.607	0.349	0.640
81	41	0.410	0.602	0.393	0.619	0.360	0.651
81	42	0.422	0.614	0.405	0.631	0.372	0.663
81	43	0.434	0.626	0.417	0.643	0.384	0.674
81	44	0.446	0.638	0.429	0.654	0.396	0.686
81	45	0.458	0.650	0.441	0.666	0.407	0.697
81	46	0.470	0.662	0.453	0.678	0.419	0.708
81	47	0.483	0.673	0.465	0.689	0.432	0.719
81	48	0.495	0.685	0.478	0.701	0.444	0.730
81	49	0.508	0.696	0.490	0.712	0.456	0.741
81	50	0.520	0.708	0.503	0.723	0.468	0.752
81	51	0.533	0.719	0.515	0.734	0.481	0.763
81	52	0.545	0.731	0.528	0.746	0.493	0.773
81	53	0.558	0.742	0.540	0.757	0.506	0.784
81	54	0.571	0.753	0.553	0.768	0.519	0.794
81	55	0.584	0.764	0.566	0.778	0.532	0.805
81	56	0.596	0.775	0.579	0.789	0.545	0.815
81	57	0.609	0.787	0.592	0.800	0.558	0.825
81	58	0.622	0.798	0.605	0.811	0.571	0.835
81	59	0.635	0.808	0.618	0.821	0.584	0.845
81	60	0.649	0.819	0.631	0.832	0.597	0.855
81	61	0.662	0.830	0.645	0.842	0.611	0.865
81	62	0.675	0.841	0.658	0.852	0.624	0.874
81	63	0.688	0.851	0.672	0.863	0.638	0.884
81	64	0.702	0.862	0.685	0.873	0.652	0.893
81	65	0.716	0.872	0.699	0.883	0.666	0.902
81	66	0.729	0.882	0.713	0.892	0.680	0.911
81	67	0.743	0.892	0.727	0.902	0.695	0.920
81	68	0.757	0.902	0.741	0.912	0.709	0.928
81	69	0.771	0.912	0.756	0.921	0.724	0.937
81	70	0.785	0.922	0.770	0.930	0.739	0.945
81	71	0.800	0.931	0.785	0.939	0.754	0.953

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
81	72	0.814	0.941	0.800	0.948	0.770	0.960
81	73	0.829	0.950	0.815	0.956	0.785	0.967
81	74	0.844	0.959	0.830	0.965	0.801	0.974
81	75	0.859	0.967	0.846	0.972	0.818	0.981
81	76	0.875	0.975	0.862	0.980	0.835	0.986
81	77	0.891	0.983	0.878	0.986	0.853	0.992
81	78	0.907	0.990	0.896	0.992	0.871	0.996
81	79	0.924	0.996	0.914	0.997	0.891	0.999
81	80	0.943	0.999	0.933	1.000	0.912	1.000
81	81	0.964	1.000	0.955	1.000	0.937	1.000
82	0	0.000	0.036	0.000	0.044	0.000	0.063
82	1	0.001	0.057	0.000	0.066	0.000	0.087
82	2	0.004	0.075	0.003	0.085	0.001	0.108
82	3	0.010	0.092	0.008	0.103	0.004	0.128
82	4	0.017	0.108	0.013	0.120	0.008	0.146
82	5	0.024	0.124	0.020	0.137	0.013	0.163
82	6	0.032	0.139	0.027	0.152	0.019	0.180
82	7	0.041	0.154	0.035	0.168	0.025	0.196
82	8	0.049	0.169	0.043	0.183	0.032	0.212
82	9	0.058	0.184	0.051	0.198	0.039	0.228
82	10	0.068	0.198	0.060	0.213	0.047	0.243
82	11	0.077	0.212	0.069	0.227	0.055	0.258
82	12	0.087	0.226	0.078	0.242	0.063	0.273
82	13	0.096	0.240	0.087	0.256	0.071	0.288
82	14	0.106	0.254	0.097	0.270	0.079	0.302
82	15	0.116	0.268	0.106	0.284	0.088	0.316
82	16	0.126	0.281	0.116	0.297	0.097	0.330
82	17	0.137	0.295	0.126	0.311	0.106	0.344
82	18	0.147	0.308	0.136	0.325	0.115	0.358
82	19	0.157	0.321	0.146	0.338	0.124	0.371
82	20	0.168	0.334	0.156	0.351	0.134	0.385
82	21	0.178	0.347	0.166	0.364	0.143	0.398
82	22	0.189	0.360	0.176	0.378	0.153	0.411
82	23	0.200	0.373	0.187	0.391	0.163	0.425
82	24	0.211	0.386	0.197	0.404	0.173	0.438
82	25	0.222	0.399	0.208	0.416	0.183	0.451
82	26	0.233	0.412	0.219	0.429	0.193	0.463
82	27	0.244	0.424	0.229	0.442	0.203	0.476
82	28	0.255	0.437	0.240	0.454	0.213	0.489
82	29	0.266	0.450	0.251	0.467	0.224	0.501
82	30	0.277	0.462	0.262	0.480	0.234	0.514
82	31	0.288	0.475	0.273	0.492	0.245	0.526
82	32	0.300	0.487	0.284	0.504	0.255	0.538
82	33	0.311	0.499	0.296	0.517	0.266	0.550
82	34	0.323	0.511	0.307	0.529	0.277	0.562
82	35	0.334	0.524	0.318	0.541	0.288	0.574
82	36	0.346	0.536	0.330	0.553	0.299	0.586
82	37	0.357	0.548	0.341	0.565	0.310	0.598
82	38	0.369	0.560	0.353	0.577	0.321	0.610
82	39	0.381	0.572	0.364	0.589	0.332	0.622
82	40	0.392	0.584	0.376	0.601	0.344	0.633
82	41	0.404	0.596	0.387	0.613	0.355	0.645
82	42	0.416	0.608	0.399	0.624	0.367	0.656
82	43	0.428	0.619	0.411	0.636	0.378	0.668
82	44	0.440	0.631	0.423	0.647	0.390	0.679

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	P	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
82	45	0.452	0.643	0.435	0.659	0.402	0.690
82	46	0.464	0.654	0.447	0.670	0.414	0.701
82	47	0.476	0.666	0.459	0.682	0.426	0.712
82	48	0.489	0.677	0.471	0.693	0.438	0.723
82	49	0.501	0.689	0.483	0.704	0.450	0.734
82	50	0.513	0.700	0.496	0.716	0.462	0.745
82	51	0.525	0.712	0.508	0.727	0.474	0.755
82	52	0.538	0.723	0.520	0.738	0.486	0.766
82	53	0.550	0.734	0.533	0.749	0.499	0.776
92	54	0.563	0.745	0.546	0.760	0.511	0.787
82	55	0.576	0.756	0.558	0.771	0.524	0.797
82	56	0.588	0.767	0.571	0.781	0.537	0.807
82	57	0.601	0.778	0.584	0.792	0.549	0.817
82	58	0.614	0.789	0.596	0.803	0.562	0.827
82	59	0.627	0.800	0.609	0.813	0.575	0.837
82	60	0.640	0.811	0.622	0.824	0.589	0.847
82	61	0.653	0.822	0.636	0.834	0.602	0.857
82	62	0.666	0.832	0.649	0.844	0.615	0.866
82	63	0.679	0.843	0.662	0.854	0.629	0.876
82	64	0.692	0.853	0.675	0.864	0.642	0.885
82	65	0.705	0.863	0.689	0.874	0.656	0.894
82	66	0.719	0.874	0.703	0.884	0.670	0.903
82	67	0.732	0.884	0.716	0.894	0.684	0.912
82	68	0.746	0.894	0.730	0.903	0.698	0.921
82	69	0.760	0.904	0.744	0.913	0.712	0.929
82	70	0.774	0.913	0.758	0.922	0.727	0.937
82	71	0.788	0.923	0.773	0.931	0.742	0.945
82	72	0.802	0.932	0.787	0.940	0.757	0.953
82	73	0.816	0.942	0.802	0.949	0.772	0.961
82	74	0.831	0.951	0.817	0.957	0.788	0.968
82	75	0.846	0.959	0.832	0.965	0.804	0.975
82	76	0.861	0.968	0.848	0.973	0.820	0.981
82	77	0.876	0.976	0.863	0.980	0.837	0.987
82	78	0.892	0.983	0.880	0.987	0.854	0.992
82	79	0.908	0.990	0.897	0.992	0.872	0.996
82	80	0.925	0.996	0.915	0.997	0.892	0.999
82	81	0.943	0.999	0.934	1.000	0.913	1.000
82	82	0.964	1.000	0.956	1.000	0.937	1.000
83	0	0.000	0.035	0.000	0.043	0.000	0.062
83	1	0.001	0.056	0.000	0.065	0.000	0.086
83	2	0.004	0.074	0.003	0.084	0.001	0.107
83	3	0.010	0.091	0.008	0.102	0.004	0.126
83	4	0.017	0.107	0.013	0.119	0.008	0.144
83	5	0.024	0.122	0.020	0.135	0.013	0.161
83	6	0.032	0.138	0.027	0.151	0.019	0.178
83	7	0.040	0.153	0.035	0.166	0.025	0.194
83	8	0.049	0.167	0.043	0.181	0.032	0.210
83	9	0.058	0.182	0.051	0.196	0.039	0.225
83	10	0.067	0.196	0.059	0.210	0.046	0.240
83	11	0.076	0.210	0.068	0.225	0.054	0.255
83	12	0.086	0.224	0.077	0.239	0.062	0.270
83	13	0.095	0.237	0.086	0.253	0.070	0.284
83	14	0.105	0.251	0.095	0.267	0.078	0.299
83	15	0.115	0.265	0.105	0.280	0.087	0.313
83	16	0.125	0.278	0.114	0.294	0.096	0.327
83	17	0.135	0.291	0.124	0.308	0.104	0.340

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
83	18	0.145	0.304	0.134	0.321	0.114	0.354
83	19	0.155	0.318	0.144	0.334	0.123	0.367
83	20	0.166	0.331	0.154	0.347	0.132	0.381
83	21	0.176	0.344	0.164	0.360	0.141	0.394
83	22	0.187	0.356	0.174	0.373	0.151	0.407
83	23	0.197	0.369	0.184	0.386	0.161	0.420
83	24	0.208	0.382	0.195	0.399	0.170	0.433
83	25	0.219	0.395	0.205	0.412	0.180	0.446
83	26	0.230	0.407	0.216	0.424	0.190	0.458
83	27	0.241	0.420	0.226	0.437	0.200	0.471
83	28	0.251	0.432	0.237	0.450	0.210	0.483
83	29	0.263	0.445	0.248	0.462	0.221	0.496
83	30	0.274	0.457	0.259	0.474	0.231	0.508
83	31	0.285	0.469	0.270	0.487	0.241	0.520
83	32	0.296	0.481	0.281	0.499	0.252	0.533
83	33	0.307	0.494	0.292	0.511	0.263	0.545
83	34	0.318	0.506	0.303	0.523	0.273	0.557
83	35	0.330	0.518	0.314	0.535	0.284	0.569
83	36	0.341	0.530	0.325	0.547	0.295	0.580
83	37	0.353	0.542	0.337	0.559	0.306	0.592
83	38	0.364	0.554	0.348	0.571	0.317	0.604
83	39	0.376	0.566	0.359	0.583	0.328	0.615
83	40	0.387	0.578	0.371	0.594	0.339	0.627
83	41	0.399	0.589	0.382	0.606	0.350	0.638
83	42	0.411	0.601	0.394	0.618	0.362	0.650
83	43	0.422	0.613	0.406	0.629	0.373	0.661
83	44	0.434	0.624	0.417	0.641	0.385	0.672
83	45	0.446	0.636	0.429	0.652	0.396	0.683
83	46	0.458	0.647	0.441	0.663	0.408	0.694
83	47	0.470	0.659	0.453	0.675	0.420	0.705
83	48	0.482	0.670	0.465	0.686	0.431	0.716
83	49	0.494	0.682	0.477	0.697	0.443	0.727
83	50	0.506	0.693	0.489	0.708	0.455	0.737
83	51	0.519	0.704	0.501	0.719	0.467	0.748
83	52	0.531	0.715	0.513	0.730	0.480	0.759
83	53	0.543	0.726	0.526	0.741	0.492	0.769
83	54	0.555	0.737	0.538	0.752	0.504	0.779
83	55	0.568	0.749	0.550	0.763	0.517	0.790
83	56	0.580	0.759	0.563	0.774	0.529	0.800
83	57	0.593	0.770	0.576	0.784	0.542	0.810
83	58	0.605	0.781	0.588	0.795	0.554	0.820
83	59	0.618	0.792	0.601	0.805	0.567	0.830
83	60	0.631	0.803	0.614	0.816	0.580	0.839
83	61	0.644	0.813	0.627	0.826	0.593	0.849
83	62	0.656	0.824	0.640	0.836	0.606	0.859
83	63	0.669	0.834	0.653	0.846	0.619	0.868
83	64	0.682	0.845	0.666	0.856	0.633	0.877
83	65	0.696	0.855	0.679	0.866	0.646	0.886
83	66	0.709	0.865	0.692	0.876	0.660	0.896
83	67	0.722	0.875	0.706	0.886	0.673	0.904
83	68	0.735	0.885	0.720	0.895	0.687	0.913
83	69	0.749	0.895	0.733	0.905	0.701	0.922
83	70	0.763	0.905	0.747	0.914	0.716	0.930
83	71	0.776	0.914	0.761	0.923	0.730	0.938
83	72	0.790	0.924	0.775	0.932	0.745	0.946
83	73	0.804	0.933	0.790	0.941	0.760	0.954



TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
83	74	0.818	0.942	0.804	0.949	0.775	0.961
83	75	0.833	0.951	0.819	0.957	0.790	0.968
83	76	0.847	0.960	0.834	0.965	0.806	0.975
83	77	0.862	0.968	0.849	0.973	0.822	0.981
83	78	0.878	0.976	0.865	0.980	0.839	0.987
83	79	0.893	0.983	0.881	0.987	0.856	0.992
83	80	0.909	0.990	0.898	0.992	0.874	0.996
83	81	0.926	0.996	0.916	0.997	0.893	0.999
83	82	0.944	0.999	0.935	1.000	0.914	1.000
83	83	0.965	1.000	0.957	1.000	0.938	1.000
84	0	0.000	0.035	0.000	0.043	0.000	0.061
84	1	0.001	0.055	0.000	0.065	0.000	0.085
84	2	0.004	0.073	0.003	0.083	0.001	0.106
84	3	0.010	0.090	0.007	0.101	0.004	0.125
84	4	0.016	0.106	0.013	0.117	0.008	0.142
84	5	0.024	0.121	0.020	0.133	0.013	0.159
84	6	0.032	0.136	0.027	0.149	0.019	0.176
84	7	0.040	0.151	0.034	0.164	0.025	0.192
84	8	0.048	0.165	0.042	0.179	0.031	0.208
84	9	0.057	0.180	0.050	0.194	0.038	0.223
84	10	0.066	0.194	0.059	0.208	0.046	0.238
84	11	0.075	0.207	0.067	0.222	0.053	0.252
84	12	0.085	0.221	0.076	0.236	0.061	0.267
84	13	0.094	0.235	0.085	0.250	0.069	0.281
84	14	0.104	0.248	0.094	0.264	0.077	0.295
84	15	0.113	0.262	0.104	0.277	0.086	0.309
84	16	0.123	0.275	0.113	0.291	0.094	0.323
84	17	0.133	0.288	0.123	0.304	0.103	0.337
84	18	0.143	0.301	0.132	0.317	0.112	0.350
84	19	0.153	0.314	0.142	0.330	0.121	0.363
84	20	0.164	0.327	0.152	0.343	0.130	0.377
84	21	0.174	0.340	0.162	0.356	0.140	0.390
84	22	0.184	0.352	0.172	0.369	0.149	0.403
84	23	0.195	0.365	0.182	0.382	0.159	0.416
84	24	0.205	0.378	0.192	0.395	0.168	0.428
84	25	0.216	0.390	0.203	0.407	0.178	0.441
84	26	0.227	0.403	0.213	0.420	0.188	0.454
84	27	0.238	0.415	0.224	0.432	0.198	0.466
84	28	0.248	0.427	0.234	0.445	0.208	0.478
84	29	0.259	0.440	0.245	0.457	0.218	0.491
84	30	0.270	0.452	0.256	0.469	0.228	0.503
84	31	0.281	0.464	0.266	0.481	0.238	0.515
84	32	0.292	0.476	0.277	0.493	0.249	0.527
84	33	0.303	0.488	0.288	0.505	0.259	0.539
84	34	0.314	0.500	0.299	0.517	0.270	0.551
84	35	0.326	0.512	0.310	0.529	0.280	0.563
84	36	0.337	0.524	0.321	0.541	0.291	0.574
84	37	0.348	0.536	0.332	0.553	0.302	0.586
84	38	0.360	0.548	0.343	0.565	0.313	0.598
84	39	0.371	0.560	0.355	0.576	0.324	0.609
84	40	0.382	0.571	0.366	0.588	0.335	0.620
84	41	0.394	0.583	0.377	0.600	0.346	0.632
84	42	0.405	0.595	0.389	0.611	0.357	0.643
84	43	0.417	0.606	0.400	0.623	0.368	0.654
84	44	0.429	0.618	0.412	0.634	0.380	0.665

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
84	45	0.440	0.629	0.424	0.645	0.391	0.676
84	46	0.452	0.640	0.435	0.657	0.402	0.687
84	47	0.464	0.652	0.447	0.668	0.414	0.698
84	48	0.476	0.663	0.459	0.679	0.426	0.709
84	49	0.488	0.674	0.471	0.690	0.437	0.720
84	50	0.500	0.686	0.483	0.701	0.449	0.730
84	51	0.512	0.697	0.495	0.712	0.461	0.741
84	52	0.524	0.708	0.507	0.723	0.473	0.751
84	53	0.536	0.719	0.519	0.734	0.485	0.762
84	54	0.548	0.730	0.531	0.744	0.497	0.772
84	55	0.560	0.741	0.543	0.755	0.509	0.782
84	56	0.573	0.752	0.555	0.766	0.522	0.792
84	57	0.585	0.762	0.568	0.776	0.534	0.802
84	58	0.597	0.773	0.580	0.787	0.546	0.812
84	59	0.610	0.784	0.593	0.797	0.559	0.822
84	60	0.622	0.795	0.605	0.808	0.572	0.832
84	61	0.635	0.805	0.618	0.818	0.584	0.841
84	62	0.648	0.816	0.631	0.828	0.597	0.851
84	63	0.660	0.826	0.644	0.838	0.610	0.860
84	64	0.673	0.836	0.657	0.848	0.623	0.870
84	65	0.686	0.847	0.670	0.858	0.637	0.879
84	66	0.699	0.857	0.683	0.868	0.650	0.888
84	67	0.712	0.867	0.696	0.877	0.663	0.897
84	68	0.725	0.877	0.709	0.887	0.677	0.906
84	69	0.738	0.887	0.723	0.896	0.691	0.914
84	70	0.752	0.896	0.736	0.906	0.705	0.923
84	71	0.765	0.906	0.750	0.915	0.719	0.931
84	72	0.779	0.915	0.764	0.924	0.733	0.939
84	73	0.793	0.925	0.778	0.933	0.748	0.947
84	74	0.806	0.934	0.792	0.941	0.762	0.954
84	75	0.820	0.943	0.806	0.950	0.777	0.962
84	76	0.835	0.952	0.821	0.958	0.792	0.969
84	77	0.849	0.960	0.836	0.966	0.808	0.975
84	78	0.864	0.968	0.851	0.973	0.824	0.981
84	79	0.879	0.976	0.867	0.980	0.841	0.987
84	80	0.894	0.984	0.883	0.987	0.858	0.992
84	81	0.910	0.990	0.899	0.993	0.875	0.996
84	82	0.927	0.996	0.917	0.997	0.894	0.999
84	83	0.945	0.999	0.935	1.000	0.915	1.000
84	84	0.965	1.000	0.957	1.000	0.939	1.000
85	0	0.000	0.035	0.000	0.042	0.000	0.060
85	1	0.001	0.055	0.000	0.064	0.000	0.084
85	2	0.004	0.072	0.003	0.082	0.001	0.105
85	3	0.010	0.089	0.007	0.100	0.004	0.123
85	4	0.016	0.104	0.013	0.116	0.008	0.141
85	5	0.023	0.120	0.019	0.132	0.013	0.158
85	6	0.031	0.135	0.026	0.147	0.018	0.174
85	7	0.039	0.149	0.034	0.162	0.025	0.190
85	8	0.048	0.163	0.042	0.177	0.031	0.205
85	9	0.056	0.177	0.050	0.192	0.038	0.220
85	10	0.065	0.191	0.058	0.206	0.045	0.235
85	11	0.074	0.205	0.066	0.220	0.053	0.250
85	12	0.084	0.219	0.075	0.234	0.060	0.264
85	13	0.093	0.232	0.084	0.247	0.068	0.278
85	14	0.102	0.245	0.093	0.261	0.076	0.292
85	15	0.112	0.259	0.102	0.274	0.085	0.306

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
85	16	0.122	0.272	0.112	0.288	0.093	0.320
85	17	0.132	0.285	0.121	0.301	0.102	0.333
85	18	0.142	0.298	0.131	0.314	0.111	0.346
85	19	0.152	0.311	0.140	0.327	0.120	0.360
85	20	0.162	0.323	0.150	0.340	0.129	0.373
85	21	0.172	0.336	0.160	0.353	0.138	0.386
85	22	0.182	0.349	0.170	0.365	0.147	0.398
85	23	0.193	0.361	0.180	0.378	0.157	0.411
85	24	0.203	0.374	0.190	0.390	0.166	0.424
85	25	0.213	0.386	0.200	0.403	0.176	0.436
85	26	0.224	0.398	0.210	0.415	0.185	0.449
85	27	0.235	0.411	0.221	0.428	0.195	0.461
85	28	0.245	0.423	0.231	0.440	0.205	0.473
85	29	0.256	0.435	0.242	0.452	0.215	0.486
85	30	0.267	0.447	0.252	0.464	0.225	0.498
85	31	0.278	0.459	0.263	0.476	0.235	0.510
85	32	0.289	0.471	0.274	0.488	0.246	0.522
85	33	0.299	0.483	0.284	0.500	0.256	0.533
85	34	0.310	0.495	0.295	0.512	0.266	0.545
85	35	0.322	0.507	0.306	0.524	0.277	0.557
85	36	0.333	0.519	0.317	0.536	0.287	0.569
85	37	0.344	0.530	0.328	0.547	0.298	0.580
85	38	0.355	0.542	0.339	0.559	0.309	0.592
85	39	0.366	0.554	0.350	0.570	0.319	0.603
85	40	0.378	0.565	0.361	0.582	0.330	0.614
85	41	0.389	0.577	0.373	0.593	0.341	0.625
85	42	0.400	0.588	0.384	0.605	0.352	0.637
85	43	0.412	0.600	0.395	0.616	0.363	0.648
85	44	0.423	0.611	0.407	0.627	0.375	0.659
85	45	0.435	0.622	0.418	0.639	0.386	0.670
85	46	0.446	0.634	0.430	0.650	0.397	0.681
85	47	0.458	0.645	0.441	0.661	0.408	0.691
85	48	0.470	0.656	0.453	0.672	0.420	0.702
85	49	0.481	0.667	0.464	0.683	0.431	0.713
85	50	0.493	0.678	0.476	0.694	0.443	0.723
85	51	0.505	0.690	0.488	0.705	0.455	0.734
85	52	0.517	0.701	0.500	0.716	0.467	0.744
85	53	0.529	0.711	0.512	0.726	0.478	0.754
85	54	0.541	0.722	0.524	0.737	0.490	0.765
85	55	0.553	0.733	0.536	0.748	0.502	0.775
85	56	0.565	0.744	0.548	0.758	0.514	0.785
85	57	0.577	0.755	0.560	0.769	0.527	0.795
85	58	0.589	0.765	0.572	0.779	0.539	0.805
85	59	0.602	0.776	0.585	0.790	0.551	0.815
85	60	0.614	0.787	0.597	0.800	0.564	0.824
85	61	0.626	0.797	0.610	0.810	0.576	0.834
85	62	0.639	0.807	0.622	0.820	0.589	0.843
85	63	0.651	0.818	0.635	0.830	0.602	0.853
85	64	0.664	0.828	0.647	0.840	0.614	0.862
85	65	0.677	0.838	0.660	0.850	0.627	0.871
85	66	0.689	0.848	0.673	0.860	0.640	0.880
85	67	0.702	0.858	0.686	0.869	0.654	0.889
85	68	0.715	0.868	0.699	0.879	0.667	0.898
85	69	0.728	0.878	0.712	0.888	0.680	0.907
85	70	0.741	0.888	0.726	0.898	0.694	0.915
85	71	0.755	0.898	0.739	0.907	0.708	0.924

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
85	72	0.768	0.907	0.753	0.916	0.722	0.932
85	73	0.781	0.916	0.766	0.925	0.736	0.940
85	74	0.795	0.926	0.780	0.934	0.750	0.947
85	75	0.809	0.935	0.794	0.942	0.765	0.955
85	76	0.823	0.944	0.808	0.950	0.780	0.962
85	77	0.837	0.952	0.823	0.958	0.795	0.969
85	78	0.851	0.961	0.838	0.966	0.810	0.975
85	79	0.865	0.969	0.853	0.974	0.826	0.982
85	80	0.880	0.977	0.868	0.981	0.842	0.987
85	81	0.896	0.984	0.884	0.987	0.859	0.992
85	82	0.911	0.990	0.900	0.993	0.877	0.996
85	83	0.928	0.996	0.918	0.997	0.895	0.999
85	84	0.945	0.999	0.936	1.000	0.916	1.000
85	85	0.965	1.000	0.958	1.000	0.940	1.000
86	0	0.000	0.034	0.000	0.042	0.000	0.060
86	1	0.001	0.054	0.000	0.063	0.000	0.083
86	2	0.004	0.071	0.003	0.081	0.001	0.103
86	3	0.010	0.088	0.007	0.099	0.004	0.122
86	4	0.016	0.103	0.013	0.115	0.008	0.139
86	5	0.023	0.118	0.019	0.130	0.013	0.156
86	6	0.031	0.133	0.026	0.146	0.018	0.172
86	7	0.039	0.147	0.033	0.161	0.024	0.188
86	8	0.047	0.162	0.041	0.175	0.031	0.203
86	9	0.056	0.176	0.049	0.189	0.037	0.218
86	10	0.064	0.189	0.057	0.203	0.045	0.233
86	11	0.073	0.203	0.066	0.217	0.052	0.247
86	12	0.083	0.216	0.074	0.231	0.060	0.261
86	13	0.092	0.230	0.083	0.245	0.067	0.275
86	14	0.101	0.243	0.092	0.258	0.076	0.289
86	15	0.111	0.256	0.101	0.271	0.084	0.303
86	16	0.120	0.269	0.110	0.284	0.092	0.316
86	17	0.130	0.282	0.120	0.298	0.101	0.329
86	18	0.140	0.294	0.129	0.310	0.109	0.343
86	19	0.150	0.307	0.139	0.323	0.118	0.356
86	20	0.160	0.320	0.148	0.336	0.127	0.369
86	21	0.170	0.332	0.158	0.349	0.136	0.382
86	22	0.180	0.345	0.168	0.361	0.145	0.394
86	23	0.190	0.357	0.178	0.374	0.155	0.407
86	24	0.200	0.369	0.188	0.386	0.164	0.419
86	25	0.211	0.382	0.198	0.399	0.173	0.432
86	26	0.221	0.394	0.208	0.411	0.183	0.444
86	27	0.232	0.406	0.218	0.423	0.193	0.456
86	28	0.242	0.418	0.228	0.435	0.203	0.469
86	29	0.253	0.430	0.239	0.447	0.212	0.481
86	30	0.264	0.442	0.249	0.459	0.222	0.493
86	31	0.274	0.454	0.260	0.471	0.232	0.504
86	32	0.285	0.466	0.270	0.483	0.242	0.516
86	33	0.296	0.478	0.281	0.495	0.253	0.528
86	34	0.307	0.490	0.292	0.507	0.263	0.540
86	35	0.318	0.501	0.302	0.518	0.273	0.551
86	36	0.329	0.513	0.313	0.530	0.284	0.563
86	37	0.340	0.525	0.324	0.542	0.294	0.574
86	38	0.351	0.536	0.335	0.553	0.305	0.586
86	39	0.362	0.548	0.346	0.565	0.315	0.597
86	40	0.373	0.559	0.357	0.576	0.326	0.608

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
86	41	0.384	0.571	0.368	0.587	0.337	0.619
86	42	0.395	0.582	0.379	0.599	0.348	0.630
86	43	0.407	0.593	0.390	0.610	0.359	0.641
86	44	0.418	0.605	0.401	0.621	0.370	0.652
86	45	0.429	0.616	0.413	0.632	0.381	0.663
86	46	0.441	0.627	0.424	0.643	0.392	0.674
86	47	0.452	0.638	0.435	0.654	0.403	0.685
86	48	0.464	0.649	0.447	0.665	0.414	0.695
86	49	0.475	0.660	0.458	0.676	0.426	0.706
86	50	0.487	0.671	0.470	0.687	0.437	0.716
86	51	0.499	0.682	0.482	0.698	0.449	0.727
86	52	0.510	0.693	0.493	0.708	0.460	0.737
86	53	0.522	0.704	0.505	0.719	0.472	0.747
86	54	0.534	0.715	0.517	0.730	0.484	0.758
86	55	0.546	0.726	0.529	0.740	0.496	0.768
86	56	0.558	0.736	0.541	0.751	0.507	0.778
86	57	0.570	0.747	0.553	0.761	0.519	0.788
86	58	0.582	0.758	0.565	0.772	0.531	0.797
86	59	0.594	0.768	0.577	0.782	0.544	0.807
86	60	0.606	0.779	0.589	0.792	0.556	0.817
86	61	0.618	0.789	0.601	0.802	0.568	0.827
86	62	0.631	0.800	0.614	0.812	0.581	0.836
86	63	0.643	0.810	0.626	0.822	0.593	0.845
86	64	0.655	0.820	0.639	0.832	0.606	0.855
86	65	0.668	0.830	0.651	0.842	0.618	0.864
86	66	0.680	0.840	0.664	0.852	0.631	0.873
86	67	0.693	0.850	0.677	0.861	0.644	0.882
86	68	0.706	0.860	0.690	0.871	0.657	0.891
86	69	0.718	0.870	0.702	0.880	0.671	0.899
86	70	0.731	0.880	0.716	0.890	0.684	0.908
86	71	0.744	0.889	0.729	0.899	0.697	0.916
86	72	0.757	0.899	0.742	0.908	0.711	0.924
86	73	0.770	0.908	0.755	0.917	0.725	0.933
86	74	0.784	0.917	0.769	0.926	0.739	0.940
86	75	0.797	0.927	0.783	0.934	0.753	0.948
86	76	0.811	0.936	0.797	0.943	0.767	0.955
86	77	0.824	0.944	0.811	0.951	0.782	0.963
86	78	0.838	0.953	0.825	0.959	0.797	0.969
86	79	0.853	0.961	0.839	0.967	0.812	0.976
86	80	0.867	0.969	0.854	0.974	0.828	0.982
86	81	0.882	0.977	0.870	0.981	0.844	0.987
86	82	0.897	0.984	0.885	0.987	0.861	0.992
86	83	0.912	0.990	0.901	0.993	0.878	0.996
86	84	0.929	0.996	0.919	0.997	0.897	0.999
86	85	0.946	0.999	0.937	1.000	0.917	1.000
86	86	0.966	1.000	0.958	1.000	0.940	1.000
87	0	0.000	0.034	0.000	0.042	0.000	0.059
87	1	0.001	0.053	0.000	0.062	0.000	0.082
87	2	0.004	0.071	0.003	0.081	0.001	0.102
87	3	0.009	0.087	0.007	0.097	0.004	0.121
87	4	0.016	0.102	0.013	0.114	0.008	0.138
87	5	0.023	0.117	0.019	0.129	0.013	0.154
87	6	0.030	0.132	0.026	0.144	0.018	0.170
87	7	0.038	0.146	0.033	0.159	0.024	0.186
87	8	0.047	0.160	0.041	0.173	0.030	0.201
87	9	0.055	0.174	0.048	0.187	0.037	0.216

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
87	10	0.064	0.187	0.057	0.201	0.044	0.230
87	11	0.073	0.201	0.065	0.215	0.051	0.244
87	12	0.082	0.214	0.073	0.229	0.059	0.258
87	13	0.091	0.227	0.082	0.242	0.067	0.272
87	14	0.100	0.240	0.091	0.255	0.075	0.286
87	15	0.109	0.253	0.100	0.268	0.083	0.299
87	16	0.119	0.266	0.109	0.281	0.091	0.313
87	17	0.129	0.279	0.118	0.294	0.099	0.326
87	18	0.138	0.291	0.127	0.307	0.108	0.339
87	19	0.148	0.304	0.137	0.320	0.117	0.352
87	20	0.158	0.316	0.146	0.332	0.126	0.365
87	21	0.168	0.329	0.156	0.345	0.134	0.378
87	22	0.178	0.341	0.166	0.357	0.144	0.390
87	23	0.188	0.353	0.176	0.370	0.153	0.403
87	24	0.198	0.365	0.185	0.382	0.162	0.415
87	25	0.208	0.378	0.195	0.394	0.171	0.427
87	26	0.219	0.390	0.205	0.406	0.181	0.440
87	27	0.229	0.402	0.215	0.419	0.190	0.452
87	28	0.239	0.414	0.226	0.431	0.200	0.464
87	29	0.250	0.426	0.236	0.443	0.210	0.476
87	30	0.260	0.437	0.246	0.454	0.220	0.488
87	31	0.271	0.449	0.256	0.466	0.229	0.499
87	32	0.282	0.461	0.267	0.478	0.239	0.511
87	33	0.292	0.473	0.277	0.490	0.249	0.523
87	34	0.303	0.484	0.288	0.501	0.260	0.534
87	35	0.314	0.496	0.299	0.513	0.270	0.546
87	36	0.325	0.508	0.309	0.524	0.280	0.557
87	37	0.335	0.519	0.320	0.536	0.290	0.569
87	38	0.346	0.531	0.331	0.547	0.301	0.580
87	39	0.357	0.542	0.341	0.559	0.311	0.591
87	40	0.368	0.553	0.352	0.570	0.322	0.602
87	41	0.379	0.565	0.363	0.581	0.333	0.613
87	42	0.390	0.576	0.374	0.592	0.343	0.624
87	43	0.402	0.587	0.385	0.604	0.354	0.635
87	44	0.413	0.598	0.396	0.615	0.365	0.646
87	45	0.424	0.610	0.408	0.626	0.376	0.657
87	46	0.435	0.621	0.419	0.637	0.387	0.667
87	47	0.447	0.632	0.430	0.648	0.398	0.678
87	48	0.458	0.643	0.441	0.659	0.409	0.689
87	49	0.469	0.654	0.453	0.669	0.420	0.699
87	50	0.481	0.665	0.464	0.680	0.431	0.710
87	51	0.492	0.675	0.476	0.691	0.443	0.720
87	52	0.504	0.686	0.487	0.701	0.454	0.730
87	53	0.516	0.697	0.499	0.712	0.466	0.740
87	54	0.527	0.708	0.510	0.723	0.477	0.751
87	55	0.539	0.718	0.522	0.733	0.489	0.761
87	56	0.551	0.729	0.534	0.744	0.501	0.771
87	57	0.563	0.740	0.546	0.754	0.512	0.780
87	58	0.574	0.750	0.557	0.764	0.524	0.790
87	59	0.586	0.761	0.569	0.774	0.536	0.800
87	60	0.598	0.771	0.581	0.785	0.548	0.810
87	61	0.610	0.781	0.594	0.795	0.560	0.819
87	62	0.622	0.792	0.606	0.805	0.573	0.829
87	63	0.635	0.802	0.618	0.815	0.585	0.838
87	64	0.647	0.812	0.630	0.824	0.597	0.847
87	65	0.659	0.822	0.643	0.834	0.610	0.856

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
87	66	0.671	0.832	0.655	0.844	0.622	0.866
87	67	0.684	0.842	0.668	0.854	0.635	0.874
87	68	0.696	0.852	0.680	0.863	0.648	0.883
87	69	0.709	0.862	0.693	0.873	0.661	0.892
87	70	0.721	0.871	0.706	0.882	0.674	0.901
87	71	0.734	0.881	0.719	0.891	0.687	0.909
87	72	0.747	0.891	0.732	0.900	0.701	0.917
87	73	0.760	0.900	0.745	0.909	0.714	0.925
87	74	0.773	0.909	0.758	0.918	0.728	0.933
87	75	0.786	0.918	0.771	0.927	0.742	0.941
87	76	0.799	0.927	0.785	0.935	0.756	0.949
87	77	0.813	0.936	0.799	0.943	0.770	0.956
87	78	0.826	0.945	0.813	0.952	0.784	0.963
87	79	0.840	0.953	0.827	0.959	0.799	0.970
87	80	0.854	0.962	0.841	0.967	0.814	0.976
87	81	0.866	0.970	0.856	0.974	0.830	0.982
87	82	0.883	0.977	0.871	0.981	0.846	0.987
87	83	0.898	0.984	0.886	0.987	0.862	0.992
87	84	0.913	0.991	0.903	0.993	0.879	0.996
87	85	0.929	0.996	0.919	0.997	0.898	0.999
87	86	0.947	0.999	0.936	1.000	0.918	1.000
87	87	0.966	1.000	0.958	1.000	0.941	1.000
88	0	0.000	0.033	0.000	0.041	0.000	0.058
88	1	0.001	0.053	0.000	0.062	0.000	0.081
88	2	0.004	0.070	0.003	0.080	0.001	0.101
88	3	0.009	0.086	0.007	0.096	0.004	0.119
88	4	0.016	0.101	0.013	0.112	0.008	0.136
88	5	0.023	0.116	0.019	0.128	0.012	0.153
88	6	0.030	0.130	0.025	0.143	0.018	0.168
88	7	0.038	0.144	0.033	0.157	0.024	0.184
88	8	0.046	0.158	0.040	0.171	0.030	0.199
88	9	0.054	0.172	0.048	0.185	0.037	0.213
88	10	0.063	0.185	0.056	0.199	0.044	0.228
88	11	0.072	0.198	0.064	0.213	0.051	0.242
88	12	0.081	0.212	0.072	0.226	0.058	0.256
88	13	0.090	0.225	0.081	0.239	0.066	0.269
88	14	0.099	0.237	0.090	0.252	0.074	0.283
88	15	0.108	0.250	0.099	0.265	0.082	0.296
88	16	0.118	0.263	0.108	0.278	0.090	0.310
88	17	0.127	0.276	0.117	0.291	0.098	0.323
88	18	0.137	0.288	0.126	0.304	0.107	0.336
88	19	0.146	0.301	0.135	0.316	0.115	0.348
88	20	0.156	0.313	0.145	0.329	0.124	0.361
88	21	0.166	0.325	0.154	0.341	0.133	0.374
88	22	0.176	0.337	0.164	0.354	0.142	0.386
88	23	0.186	0.350	0.173	0.366	0.151	0.399
88	24	0.196	0.362	0.183	0.378	0.160	0.411
88	25	0.206	0.374	0.193	0.390	0.169	0.423
88	26	0.216	0.386	0.203	0.402	0.179	0.435
88	27	0.226	0.397	0.213	0.414	0.188	0.447
88	28	0.236	0.409	0.223	0.426	0.198	0.459
88	29	0.247	0.421	0.233	0.438	0.207	0.471
88	30	0.257	0.433	0.243	0.450	0.217	0.483
88	31	0.266	0.445	0.253	0.461	0.227	0.494
88	32	0.278	0.456	0.264	0.473	0.236	0.506
88	33	0.289	0.468	0.274	0.485	0.246	0.518

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
88	34	0.299	0.479	0.284	0.496	0.256	0.529
88	35	0.310	0.491	0.295	0.508	0.266	0.540
88	36	0.321	0.502	0.305	0.519	0.277	0.552
88	37	0.331	0.514	0.316	0.530	0.287	0.563
88	38	0.342	0.525	0.327	0.542	0.297	0.574
88	39	0.353	0.536	0.337	0.553	0.307	0.585
88	40	0.364	0.548	0.348	0.564	0.318	0.596
88	41	0.375	0.559	0.359	0.575	0.328	0.607
88	42	0.386	0.570	0.370	0.586	0.339	0.618
88	43	0.397	0.581	0.381	0.598	0.350	0.629
88	44	0.408	0.592	0.391	0.609	0.360	0.640
88	45	0.419	0.603	0.402	0.619	0.371	0.650
88	46	0.430	0.614	0.414	0.630	0.382	0.661
88	47	0.441	0.625	0.425	0.641	0.393	0.672
88	48	0.452	0.636	0.436	0.652	0.404	0.682
88	49	0.464	0.647	0.447	0.663	0.415	0.693
88	50	0.475	0.658	0.458	0.673	0.426	0.703
88	51	0.486	0.669	0.470	0.684	0.437	0.713
88	52	0.498	0.679	0.481	0.695	0.448	0.723
88	53	0.509	0.690	0.492	0.705	0.460	0.734
88	54	0.521	0.701	0.504	0.716	0.471	0.744
88	55	0.532	0.711	0.515	0.726	0.482	0.754
88	56	0.544	0.722	0.527	0.736	0.494	0.764
88	57	0.555	0.732	0.539	0.747	0.506	0.773
88	58	0.567	0.743	0.550	0.757	0.517	0.783
88	59	0.579	0.753	0.562	0.767	0.529	0.793
88	60	0.591	0.764	0.574	0.777	0.541	0.802
88	61	0.603	0.774	0.586	0.787	0.553	0.812
88	62	0.614	0.784	0.598	0.797	0.565	0.821
88	63	0.626	0.794	0.610	0.807	0.577	0.831
88	64	0.638	0.804	0.622	0.817	0.589	0.840
88	65	0.650	0.814	0.634	0.827	0.601	0.849
88	66	0.663	0.824	0.646	0.836	0.614	0.858
88	67	0.675	0.834	0.659	0.846	0.626	0.867
88	68	0.687	0.844	0.671	0.855	0.639	0.876
88	69	0.699	0.854	0.684	0.865	0.652	0.885
88	70	0.712	0.863	0.696	0.874	0.664	0.893
88	71	0.724	0.873	0.709	0.883	0.677	0.902
88	72	0.737	0.882	0.722	0.892	0.690	0.910
88	73	0.750	0.892	0.734	0.901	0.704	0.918
88	74	0.763	0.901	0.748	0.910	0.717	0.926
88	75	0.775	0.910	0.761	0.919	0.731	0.934
88	76	0.788	0.919	0.774	0.928	0.744	0.942
88	77	0.802	0.928	0.787	0.936	0.758	0.949
88	78	0.815	0.937	0.801	0.944	0.772	0.956
88	79	0.828	0.946	0.815	0.952	0.787	0.963
88	80	0.842	0.954	0.829	0.960	0.801	0.970
88	81	0.856	0.962	0.843	0.967	0.816	0.976
88	82	0.870	0.970	0.857	0.975	0.832	0.982
88	83	0.884	0.977	0.872	0.981	0.847	0.988
88	84	0.899	0.984	0.888	0.987	0.864	0.992
88	85	0.914	0.991	0.904	0.993	0.881	0.996
88	86	0.930	0.996	0.920	0.997	0.899	0.999
88	87	0.947	0.999	0.938	1.000	0.919	1.000
88	88	0.967	1.000	0.959	1.000	0.942	1.000
89	0	0.000	0.033	0.000	0.041	0.000	0.058



TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
89	1	0.001	0.052	0.000	0.061	0.000	0.081
89	2	0.004	0.069	0.003	0.079	0.001	0.100
89	3	0.009	0.085	0.007	0.095	0.004	0.118
89	4	0.015	0.100	0.012	0.111	0.008	0.135
89	5	0.022	0.114	0.018	0.126	0.012	0.151
89	6	0.030	0.129	0.025	0.141	0.018	0.167
89	7	0.037	0.143	0.032	0.155	0.023	0.182
89	8	0.046	0.156	0.040	0.169	0.030	0.197
89	9	0.054	0.170	0.047	0.183	0.036	0.211
89	10	0.062	0.183	0.055	0.197	0.043	0.225
89	11	0.071	0.196	0.063	0.210	0.050	0.239
89	12	0.080	0.209	0.072	0.224	0.058	0.253
89	13	0.089	0.222	0.080	0.237	0.065	0.267
89	14	0.098	0.235	0.089	0.250	0.073	0.280
89	15	0.107	0.248	0.098	0.263	0.081	0.293
89	16	0.116	0.260	0.106	0.275	0.089	0.306
89	17	0.126	0.273	0.115	0.288	0.097	0.319
89	18	0.135	0.285	0.124	0.301	0.105	0.332
89	19	0.145	0.297	0.134	0.313	0.114	0.345
89	20	0.154	0.310	0.143	0.326	0.123	0.357
89	21	0.164	0.322	0.152	0.338	0.131	0.370
89	22	0.174	0.334	0.162	0.350	0.140	0.382
89	23	0.184	0.346	0.171	0.362	0.149	0.394
89	24	0.193	0.358	0.181	0.374	0.158	0.407
89	25	0.203	0.370	0.191	0.386	0.167	0.419
89	26	0.213	0.382	0.201	0.398	0.176	0.431
89	27	0.224	0.393	0.210	0.410	0.186	0.443
89	28	0.234	0.405	0.220	0.422	0.195	0.454
89	29	0.244	0.417	0.230	0.433	0.205	0.466
89	30	0.254	0.428	0.240	0.445	0.214	0.478
89	31	0.264	0.440	0.250	0.457	0.224	0.489
89	32	0.275	0.451	0.261	0.468	0.234	0.501
89	33	0.285	0.463	0.271	0.480	0.243	0.512
89	34	0.296	0.474	0.281	0.491	0.253	0.524
89	35	0.306	0.486	0.291	0.503	0.263	0.535
89	36	0.317	0.497	0.302	0.514	0.273	0.546
89	37	0.327	0.508	0.312	0.525	0.283	0.557
89	38	0.338	0.520	0.323	0.536	0.293	0.569
89	39	0.349	0.531	0.333	0.547	0.304	0.580
89	40	0.359	0.542	0.344	0.559	0.314	0.591
89	41	0.370	0.553	0.354	0.570	0.324	0.601
89	42	0.381	0.564	0.365	0.581	0.335	0.612
89	43	0.392	0.575	0.376	0.592	0.345	0.623
89	44	0.403	0.586	0.387	0.602	0.356	0.634
89	45	0.414	0.597	0.398	0.613	0.366	0.644
89	46	0.425	0.608	0.408	0.624	0.377	0.655
89	47	0.436	0.619	0.419	0.635	0.388	0.665
89	48	0.447	0.630	0.430	0.646	0.399	0.676
89	49	0.458	0.641	0.441	0.656	0.409	0.686
89	50	0.469	0.651	0.453	0.667	0.420	0.696
89	51	0.480	0.662	0.464	0.677	0.431	0.707
89	52	0.492	0.673	0.475	0.688	0.443	0.717
89	53	0.503	0.683	0.486	0.698	0.454	0.727
89	54	0.514	0.694	0.497	0.709	0.465	0.737
89	55	0.526	0.704	0.509	0.719	0.476	0.747
89	56	0.537	0.715	0.520	0.729	0.488	0.757

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
89	57	0.549	0.725	0.532	0.739	0.499	0.766
89	58	0.560	0.736	0.543	0.750	0.511	0.776
89	59	0.572	0.746	0.555	0.760	0.522	0.786
89	60	0.583	0.756	0.567	0.770	0.534	0.795
89	61	0.595	0.766	0.578	0.780	0.546	0.805
89	62	0.607	0.776	0.590	0.790	0.557	0.814
89	63	0.618	0.787	0.602	0.799	0.569	0.824
89	64	0.630	0.797	0.614	0.809	0.581	0.833
89	65	0.642	0.807	0.626	0.819	0.593	0.842
89	66	0.654	0.816	0.638	0.829	0.606	0.851
89	67	0.666	0.826	0.650	0.838	0.618	0.860
89	68	0.678	0.836	0.662	0.848	0.630	0.869
89	69	0.690	0.846	0.674	0.857	0.643	0.877
89	70	0.703	0.855	0.687	0.866	0.655	0.886
89	71	0.715	0.865	0.699	0.876	0.668	0.895
89	72	0.727	0.874	0.712	0.885	0.681	0.903
89	73	0.740	0.884	0.725	0.894	0.694	0.911
89	74	0.752	0.893	0.737	0.902	0.707	0.919
89	75	0.765	0.902	0.750	0.911	0.720	0.927
89	76	0.778	0.911	0.763	0.920	0.733	0.935
89	77	0.791	0.920	0.776	0.928	0.747	0.942
89	78	0.804	0.929	0.790	0.937	0.761	0.950
89	79	0.817	0.938	0.803	0.945	0.775	0.957
89	80	0.830	0.946	0.817	0.953	0.789	0.964
89	81	0.844	0.954	0.831	0.960	0.803	0.970
89	82	0.857	0.963	0.845	0.968	0.818	0.977
89	83	0.871	0.970	0.859	0.975	0.833	0.982
89	84	0.886	0.978	0.874	0.982	0.849	0.988
89	85	0.900	0.985	0.889	0.988	0.865	0.992
89	86	0.915	0.991	0.905	0.993	0.882	0.996
89	87	0.931	0.996	0.921	0.997	0.900	0.999
89	88	0.948	0.999	0.939	1.000	0.919	1.000
89	89	0.967	1.000	0.959	1.000	0.942	1.000
90	0	0.000	0.033	0.000	0.040	0.000	0.057
90	1	0.001	0.052	0.000	0.060	0.000	0.080
90	2	0.004	0.068	0.003	0.078	0.001	0.099
90	3	0.009	0.084	0.007	0.094	0.004	0.117
90	4	0.015	0.099	0.012	0.110	0.008	0.133
90	5	0.022	0.113	0.018	0.125	0.012	0.149
90	6	0.029	0.127	0.025	0.139	0.017	0.165
90	7	0.037	0.141	0.032	0.154	0.023	0.180
90	8	0.045	0.155	0.039	0.168	0.029	0.194
90	9	0.053	0.168	0.047	0.181	0.036	0.209
90	10	0.062	0.181	0.055	0.195	0.043	0.223
90	11	0.070	0.194	0.063	0.208	0.050	0.237
90	12	0.079	0.207	0.071	0.221	0.057	0.250
90	13	0.088	0.220	0.079	0.234	0.064	0.264
90	14	0.097	0.232	0.088	0.247	0.072	0.277
90	15	0.106	0.245	0.096	0.260	0.080	0.290
90	16	0.115	0.257	0.105	0.273	0.088	0.303
90	17	0.124	0.270	0.114	0.285	0.096	0.316
90	18	0.133	0.282	0.123	0.298	0.104	0.329
90	19	0.143	0.294	0.132	0.310	0.113	0.341
90	20	0.152	0.306	0.141	0.322	0.121	0.354
90	21	0.162	0.318	0.151	0.334	0.130	0.366
90	22	0.172	0.330	0.160	0.346	0.138	0.378

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
90	23	0.181	0.342	0.169	0.358	0.147	0.391
90	24	0.191	0.354	0.179	0.370	0.156	0.403
90	25	0.201	0.366	0.188	0.382	0.165	0.415
90	26	0.211	0.378	0.198	0.394	0.174	0.426
90	27	0.221	0.389	0.208	0.406	0.184	0.438
90	28	0.231	0.401	0.218	0.417	0.193	0.450
90	29	0.241	0.412	0.228	0.429	0.202	0.462
90	30	0.251	0.424	0.237	0.441	0.212	0.473
90	31	0.261	0.435	0.247	0.452	0.221	0.485
90	32	0.272	0.447	0.257	0.463	0.231	0.496
90	33	0.282	0.458	0.268	0.475	0.240	0.507
90	34	0.292	0.470	0.278	0.486	0.250	0.519
90	35	0.303	0.481	0.288	0.497	0.260	0.530
90	36	0.313	0.492	0.298	0.509	0.270	0.541
90	37	0.323	0.503	0.308	0.520	0.280	0.552
90	38	0.334	0.514	0.319	0.531	0.290	0.563
90	39	0.345	0.525	0.329	0.542	0.300	0.574
90	40	0.355	0.537	0.340	0.553	0.310	0.585
90	41	0.366	0.548	0.350	0.564	0.320	0.596
90	42	0.376	0.559	0.361	0.575	0.331	0.606
90	43	0.387	0.569	0.371	0.586	0.341	0.617
90	44	0.398	0.580	0.382	0.597	0.351	0.628
90	45	0.409	0.591	0.393	0.607	0.362	0.638
90	46	0.420	0.602	0.403	0.618	0.372	0.649
90	47	0.431	0.613	0.414	0.629	0.383	0.659
90	48	0.441	0.624	0.425	0.639	0.394	0.669
90	49	0.452	0.634	0.436	0.650	0.404	0.680
90	50	0.463	0.645	0.447	0.660	0.415	0.690
90	51	0.475	0.655	0.458	0.671	0.426	0.700
90	52	0.486	0.666	0.469	0.681	0.437	0.710
90	53	0.497	0.677	0.480	0.692	0.448	0.720
90	54	0.508	0.687	0.491	0.702	0.459	0.730
90	55	0.519	0.697	0.503	0.712	0.470	0.740
90	56	0.530	0.708	0.514	0.722	0.481	0.750
90	57	0.542	0.718	0.525	0.732	0.493	0.760
90	58	0.553	0.728	0.537	0.743	0.504	0.769
90	59	0.565	0.739	0.548	0.753	0.515	0.779
90	60	0.576	0.749	0.559	0.763	0.527	0.788
90	61	0.588	0.759	0.571	0.772	0.538	0.798
90	62	0.599	0.769	0.583	0.782	0.550	0.807
90	63	0.611	0.779	0.594	0.792	0.562	0.816
90	64	0.622	0.789	0.606	0.802	0.574	0.826
90	65	0.634	0.799	0.618	0.812	0.585	0.835
90	66	0.646	0.809	0.630	0.821	0.597	0.844
90	67	0.658	0.819	0.642	0.831	0.609	0.853
90	68	0.670	0.828	0.654	0.840	0.622	0.862
90	69	0.682	0.838	0.666	0.849	0.634	0.870
90	70	0.694	0.848	0.678	0.859	0.646	0.879
90	71	0.706	0.857	0.690	0.868	0.659	0.887
90	72	0.718	0.867	0.702	0.877	0.671	0.896
90	73	0.730	0.876	0.715	0.886	0.684	0.904
90	74	0.743	0.885	0.727	0.895	0.697	0.912
90	75	0.755	0.894	0.740	0.904	0.710	0.920
90	76	0.768	0.903	0.753	0.912	0.723	0.928
90	77	0.780	0.912	0.766	0.921	0.736	0.936
90	78	0.793	0.921	0.779	0.929	0.750	0.943

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
90	79	0.806	0.930	0.792	0.937	0.763	0.950
90	80	0.819	0.936	0.805	0.945	0.777	0.957
90	81	0.832	0.947	0.819	0.953	0.791	0.964
90	82	0.845	0.955	0.832	0.961	0.806	0.971
90	83	0.859	0.963	0.846	0.968	0.820	0.977
90	84	0.873	0.971	0.861	0.975	0.835	0.983
90	85	0.887	0.978	0.875	0.982	0.851	0.988
90	86	0.901	0.985	0.890	0.988	0.867	0.992
90	87	0.916	0.991	0.906	0.993	0.883	0.996
90	88	0.932	0.996	0.922	0.997	0.901	0.999
90	89	0.948	0.999	0.940	1.000	0.920	1.000
90	90	0.967	1.000	0.960	1.000	0.943	1.000
91	0	0.000	0.032	0.000	0.040	0.000	0.057
91	1	0.001	0.051	0.000	0.060	0.000	0.079
91	2	0.004	0.068	0.003	0.077	0.001	0.098
91	3	0.009	0.083	0.007	0.093	0.004	0.115
91	4	0.015	0.098	0.012	0.109	0.007	0.132
91	5	0.022	0.112	0.018	0.124	0.012	0.148
91	6	0.029	0.126	0.025	0.138	0.017	0.163
91	7	0.037	0.140	0.031	0.152	0.023	0.178
91	8	0.044	0.153	0.039	0.166	0.029	0.192
91	9	0.053	0.166	0.046	0.179	0.035	0.207
91	10	0.061	0.179	0.054	0.193	0.042	0.221
91	11	0.069	0.192	0.062	0.206	0.049	0.234
91	12	0.078	0.205	0.070	0.219	0.056	0.248
91	13	0.087	0.218	0.078	0.232	0.064	0.261
91	14	0.095	0.230	0.087	0.245	0.071	0.274
91	15	0.104	0.242	0.095	0.257	0.079	0.287
91	16	0.114	0.255	0.104	0.270	0.087	0.300
91	17	0.123	0.267	0.113	0.282	0.095	0.313
91	18	0.132	0.279	0.122	0.294	0.103	0.325
91	19	0.141	0.291	0.131	0.307	0.111	0.338
91	20	0.151	0.303	0.140	0.319	0.120	0.350
91	21	0.160	0.315	0.149	0.331	0.128	0.362
91	22	0.170	0.327	0.158	0.343	0.137	0.375
91	23	0.179	0.339	0.167	0.355	0.146	0.387
91	24	0.189	0.350	0.177	0.367	0.154	0.399
91	25	0.199	0.362	0.186	0.378	0.163	0.410
91	26	0.209	0.374	0.196	0.390	0.172	0.422
91	27	0.218	0.385	0.205	0.402	0.181	0.434
91	28	0.228	0.397	0.215	0.413	0.191	0.446
91	29	0.238	0.408	0.225	0.425	0.200	0.457
91	30	0.248	0.420	0.235	0.436	0.209	0.469
91	31	0.258	0.431	0.245	0.448	0.219	0.480
91	32	0.268	0.442	0.254	0.459	0.228	0.491
91	33	0.279	0.454	0.264	0.470	0.238	0.502
91	34	0.289	0.465	0.274	0.481	0.247	0.514
91	35	0.299	0.476	0.284	0.492	0.257	0.525
91	36	0.309	0.487	0.295	0.504	0.267	0.536
91	37	0.320	0.498	0.305	0.515	0.276	0.547
91	38	0.330	0.509	0.315	0.526	0.286	0.558
91	39	0.341	0.520	0.325	0.537	0.296	0.569
91	40	0.351	0.531	0.336	0.548	0.306	0.579
91	41	0.361	0.542	0.346	0.558	0.316	0.590
91	42	0.372	0.553	0.356	0.569	0.327	0.601

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
91	43	0.383	0.564	0.367	0.580	0.337	0.611
91	44	0.393	0.575	0.377	0.591	0.347	0.622
91	45	0.404	0.585	0.388	0.601	0.357	0.632
91	46	0.415	0.596	0.399	0.612	0.368	0.643
91	47	0.425	0.607	0.409	0.623	0.378	0.653
91	48	0.436	0.617	0.420	0.633	0.389	0.663
91	49	0.447	0.628	0.431	0.644	0.399	0.673
91	50	0.458	0.639	0.442	0.654	0.410	0.684
91	51	0.469	0.649	0.452	0.664	0.421	0.694
91	52	0.480	0.659	0.463	0.675	0.431	0.704
91	53	0.491	0.670	0.474	0.685	0.442	0.714
91	54	0.502	0.680	0.485	0.695	0.453	0.724
91	55	0.513	0.691	0.496	0.705	0.464	0.733
91	56	0.524	0.701	0.508	0.716	0.475	0.743
91	57	0.535	0.711	0.519	0.726	0.486	0.753
91	58	0.546	0.721	0.530	0.736	0.498	0.762
91	59	0.558	0.732	0.541	0.746	0.509	0.772
91	60	0.569	0.742	0.552	0.755	0.520	0.781
91	61	0.580	0.752	0.564	0.765	0.531	0.791
91	62	0.592	0.762	0.575	0.775	0.543	0.800
91	63	0.603	0.772	0.587	0.785	0.554	0.809
91	64	0.615	0.782	0.598	0.795	0.566	0.819
91	65	0.626	0.791	0.610	0.804	0.578	0.828
91	66	0.638	0.801	0.622	0.814	0.590	0.837
91	67	0.650	0.811	0.633	0.823	0.601	0.846
91	68	0.661	0.821	0.645	0.833	0.613	0.854
91	69	0.673	0.830	0.657	0.842	0.625	0.863
91	70	0.685	0.840	0.669	0.851	0.638	0.872
91	71	0.697	0.849	0.681	0.860	0.650	0.880
91	72	0.709	0.859	0.693	0.869	0.662	0.889
91	73	0.721	0.868	0.706	0.878	0.675	0.897
91	74	0.733	0.877	0.718	0.887	0.687	0.905
91	75	0.745	0.886	0.730	0.896	0.700	0.913
91	76	0.758	0.896	0.743	0.905	0.713	0.921
91	77	0.770	0.905	0.755	0.913	0.726	0.929
91	78	0.782	0.913	0.768	0.922	0.739	0.936
91	79	0.795	0.922	0.781	0.930	0.752	0.944
91	80	0.808	0.931	0.794	0.938	0.766	0.951
91	81	0.821	0.939	0.807	0.946	0.779	0.958
91	82	0.834	0.947	0.821	0.954	0.793	0.965
91	83	0.847	0.956	0.834	0.961	0.808	0.971
91	84	0.860	0.963	0.848	0.969	0.822	0.977
91	85	0.874	0.971	0.862	0.975	0.837	0.983
91	86	0.888	0.978	0.876	0.982	0.852	0.988
91	87	0.902	0.985	0.891	0.988	0.868	0.993
91	88	0.917	0.991	0.907	0.993	0.885	0.996
91	89	0.932	0.996	0.923	0.997	0.902	0.999
91	90	0.949	0.999	0.940	1.000	0.921	1.000
91	91	0.968	1.000	0.960	1.000	0.943	1.000
92	0	0.000	0.032	0.000	0.039	0.000	0.056
92	1	0.001	0.051	0.000	0.059	0.000	0.078
92	2	0.004	0.067	0.003	0.076	0.001	0.097
92	3	0.009	0.082	0.007	0.092	0.004	0.114
92	4	0.015	0.097	0.012	0.108	0.007	0.131
92	5	0.022	0.111	0.018	0.122	0.012	0.146

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
92	6	0.029	0.125	0.024	0.137	0.017	0.161
92	7	0.036	0.138	0.031	0.151	0.023	0.176
92	8	0.044	0.151	0.038	0.164	0.029	0.191
92	9	0.052	0.164	0.046	0.178	0.035	0.205
92	10	0.060	0.177	0.053	0.191	0.042	0.218
92	11	0.069	0.190	0.061	0.204	0.049	0.232
92	12	0.077	0.203	0.069	0.217	0.056	0.245
92	13	0.086	0.215	0.077	0.229	0.063	0.259
92	14	0.094	0.228	0.086	0.242	0.070	0.272
92	15	0.103	0.240	0.094	0.255	0.078	0.284
92	16	0.112	0.252	0.103	0.267	0.086	0.297
92	17	0.121	0.264	0.111	0.279	0.094	0.310
92	18	0.130	0.276	0.120	0.291	0.102	0.322
92	19	0.140	0.288	0.129	0.304	0.110	0.335
92	20	0.149	0.300	0.138	0.316	0.118	0.347
92	21	0.158	0.312	0.147	0.328	0.127	0.359
92	22	0.168	0.324	0.156	0.339	0.135	0.371
92	23	0.177	0.335	0.166	0.351	0.144	0.383
92	24	0.187	0.347	0.175	0.363	0.153	0.395
92	25	0.196	0.358	0.184	0.374	0.161	0.406
92	26	0.206	0.370	0.194	0.386	0.170	0.418
92	27	0.216	0.381	0.203	0.398	0.179	0.430
92	28	0.226	0.393	0.213	0.409	0.188	0.441
92	29	0.236	0.404	0.222	0.420	0.197	0.453
92	30	0.245	0.415	0.232	0.432	0.207	0.464
92	31	0.255	0.427	0.242	0.443	0.216	0.475
92	32	0.265	0.438	0.251	0.454	0.225	0.487
92	33	0.275	0.449	0.261	0.465	0.235	0.498
92	34	0.286	0.460	0.271	0.477	0.244	0.509
92	35	0.296	0.471	0.281	0.488	0.254	0.520
92	36	0.306	0.482	0.291	0.499	0.263	0.531
92	37	0.316	0.493	0.301	0.510	0.273	0.542
92	38	0.326	0.504	0.311	0.521	0.283	0.552
92	39	0.337	0.515	0.321	0.531	0.293	0.563
92	40	0.347	0.526	0.332	0.542	0.303	0.574
92	41	0.357	0.537	0.342	0.553	0.313	0.584
92	42	0.368	0.547	0.352	0.564	0.323	0.595
92	43	0.378	0.558	0.363	0.574	0.333	0.606
92	44	0.389	0.569	0.373	0.585	0.343	0.616
92	45	0.399	0.580	0.383	0.596	0.353	0.626
92	46	0.410	0.590	0.394	0.606	0.363	0.637
92	47	0.420	0.601	0.404	0.617	0.374	0.647
92	48	0.431	0.611	0.415	0.627	0.384	0.657
92	49	0.442	0.622	0.426	0.637	0.394	0.667
92	50	0.453	0.632	0.436	0.648	0.405	0.677
92	51	0.463	0.643	0.447	0.658	0.416	0.687
92	52	0.474	0.653	0.458	0.668	0.426	0.697
92	53	0.485	0.663	0.469	0.679	0.437	0.707
92	54	0.496	0.674	0.479	0.689	0.448	0.717
92	55	0.507	0.684	0.490	0.699	0.458	0.727
92	56	0.518	0.694	0.501	0.709	0.469	0.737
92	57	0.529	0.704	0.512	0.719	0.480	0.746
92	58	0.540	0.714	0.523	0.729	0.491	0.756
92	59	0.551	0.725	0.535	0.739	0.502	0.765
92	60	0.562	0.735	0.546	0.749	0.513	0.775
92	61	0.573	0.745	0.557	0.758	0.525	0.784

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
92	62	0.585	0.755	0.568	0.768	0.536	0.793
92	63	0.596	0.764	0.580	0.778	0.547	0.803
92	64	0.607	0.774	0.591	0.787	0.559	0.812
92	65	0.619	0.784	0.602	0.797	0.570	0.821
92	66	0.630	0.794	0.614	0.806	0.582	0.830
92	67	0.642	0.804	0.626	0.816	0.594	0.839
92	68	0.653	0.813	0.637	0.825	0.605	0.847
92	69	0.665	0.823	0.649	0.834	0.617	0.856
92	70	0.676	0.832	0.661	0.844	0.629	0.865
92	71	0.686	0.842	0.672	0.853	0.641	0.873
92	72	0.700	0.851	0.684	0.862	0.653	0.882
92	73	0.712	0.860	0.696	0.871	0.665	0.890
92	74	0.724	0.870	0.709	0.880	0.678	0.898
92	75	0.736	0.879	0.721	0.889	0.690	0.906
92	76	0.748	0.888	0.733	0.897	0.703	0.914
92	77	0.760	0.897	0.745	0.906	0.716	0.922
92	78	0.772	0.906	0.758	0.914	0.728	0.930
92	79	0.785	0.914	0.771	0.923	0.741	0.937
92	80	0.797	0.923	0.783	0.931	0.755	0.944
92	81	0.810	0.931	0.796	0.939	0.768	0.951
92	82	0.823	0.940	0.809	0.947	0.782	0.958
92	83	0.836	0.948	0.822	0.954	0.795	0.965
92	84	0.849	0.956	0.836	0.962	0.809	0.971
92	85	0.862	0.964	0.849	0.969	0.824	0.977
92	86	0.875	0.971	0.863	0.976	0.839	0.983
92	87	0.889	0.978	0.878	0.982	0.854	0.988
92	88	0.903	0.985	0.892	0.988	0.869	0.993
92	89	0.918	0.991	0.908	0.993	0.886	0.996
92	90	0.933	0.996	0.924	0.997	0.903	0.999
92	91	0.949	0.999	0.941	1.000	0.922	1.000
92	92	0.968	1.000	0.961	1.000	0.944	1.000
93	0	0.000	0.032	0.000	0.039	0.000	0.055
93	1	0.001	0.050	0.000	0.058	0.000	0.077
93	2	0.004	0.066	0.003	0.076	0.001	0.096
93	3	0.009	0.081	0.007	0.091	0.004	0.113
93	4	0.015	0.096	0.012	0.106	0.007	0.129
93	5	0.021	0.110	0.018	0.121	0.012	0.145
93	6	0.028	0.123	0.024	0.135	0.017	0.160
93	7	0.036	0.137	0.031	0.149	0.022	0.174
93	8	0.044	0.150	0.038	0.162	0.028	0.189
93	9	0.051	0.163	0.045	0.176	0.035	0.203
93	10	0.060	0.176	0.053	0.189	0.041	0.216
93	11	0.068	0.188	0.061	0.202	0.048	0.230
93	12	0.076	0.201	0.068	0.215	0.055	0.243
93	13	0.085	0.213	0.077	0.227	0.062	0.256
93	14	0.093	0.225	0.085	0.240	0.070	0.269
93	15	0.102	0.237	0.093	0.252	0.077	0.282
93	16	0.111	0.250	0.102	0.264	0.085	0.294
93	17	0.120	0.261	0.110	0.276	0.093	0.307
93	18	0.129	0.273	0.119	0.289	0.101	0.319
93	19	0.138	0.285	0.128	0.301	0.109	0.331
93	20	0.147	0.297	0.137	0.312	0.117	0.343
93	21	0.157	0.309	0.146	0.324	0.125	0.355
93	22	0.166	0.320	0.155	0.336	0.134	0.367
93	23	0.175	0.332	0.164	0.348	0.142	0.379
93	24	0.185	0.343	0.173	0.359	0.151	0.391

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
93	25	0.194	0.355	0.182	0.371	0.160	0.402
93	26	0.204	0.366	0.191	0.382	0.168	0.414
93	27	0.213	0.377	0.201	0.394	0.177	0.426
93	28	0.223	0.389	0.210	0.405	0.186	0.437
93	29	0.233	0.400	0.220	0.416	0.195	0.448
93	30	0.243	0.411	0.229	0.427	0.204	0.460
93	31	0.253	0.422	0.239	0.439	0.213	0.471
93	32	0.262	0.433	0.249	0.450	0.223	0.482
93	33	0.272	0.444	0.258	0.461	0.232	0.493
93	34	0.282	0.456	0.268	0.472	0.241	0.504
93	35	0.292	0.466	0.278	0.483	0.251	0.515
93	36	0.302	0.477	0.288	0.494	0.260	0.526
93	37	0.312	0.488	0.298	0.505	0.270	0.536
93	38	0.323	0.499	0.308	0.515	0.280	0.547
93	39	0.333	0.510	0.318	0.526	0.289	0.558
93	40	0.343	0.521	0.328	0.537	0.299	0.568
93	41	0.353	0.531	0.338	0.548	0.309	0.579
93	42	0.364	0.542	0.348	0.558	0.319	0.590
93	43	0.374	0.553	0.358	0.569	0.329	0.600
93	44	0.384	0.563	0.369	0.579	0.339	0.610
93	45	0.395	0.574	0.379	0.590	0.349	0.621
93	46	0.405	0.584	0.389	0.600	0.359	0.631
93	47	0.416	0.595	0.400	0.611	0.369	0.641
93	48	0.426	0.605	0.410	0.621	0.379	0.651
93	49	0.437	0.616	0.421	0.631	0.390	0.661
93	50	0.447	0.626	0.431	0.642	0.400	0.671
93	51	0.458	0.636	0.442	0.652	0.410	0.681
93	52	0.469	0.647	0.452	0.662	0.421	0.691
93	53	0.479	0.657	0.463	0.672	0.432	0.701
93	54	0.490	0.667	0.474	0.682	0.442	0.711
93	55	0.501	0.677	0.485	0.692	0.453	0.720
93	56	0.512	0.688	0.495	0.702	0.464	0.730
93	57	0.523	0.698	0.506	0.712	0.474	0.740
93	58	0.534	0.708	0.517	0.722	0.485	0.749
93	59	0.544	0.718	0.528	0.732	0.496	0.759
93	60	0.556	0.728	0.539	0.742	0.507	0.768
93	61	0.567	0.738	0.550	0.751	0.518	0.777
93	62	0.578	0.747	0.561	0.761	0.529	0.787
93	63	0.589	0.757	0.573	0.771	0.540	0.796
93	64	0.600	0.767	0.584	0.780	0.552	0.805
93	65	0.611	0.777	0.595	0.790	0.563	0.814
93	66	0.623	0.787	0.606	0.799	0.574	0.823
93	67	0.634	0.796	0.618	0.809	0.586	0.832
93	68	0.645	0.806	0.629	0.818	0.598	0.840
93	69	0.657	0.815	0.641	0.827	0.609	0.849
93	70	0.668	0.825	0.652	0.836	0.621	0.858
93	71	0.680	0.834	0.664	0.845	0.633	0.866
93	72	0.691	0.843	0.676	0.854	0.645	0.875
93	73	0.703	0.853	0.688	0.863	0.657	0.883
93	74	0.715	0.862	0.699	0.872	0.669	0.891
93	75	0.727	0.871	0.711	0.881	0.681	0.899
93	76	0.739	0.880	0.724	0.890	0.693	0.907
93	77	0.750	0.889	0.736	0.898	0.706	0.915
93	78	0.763	0.898	0.748	0.907	0.718	0.923
93	79	0.775	0.907	0.760	0.915	0.731	0.930
93	80	0.787	0.915	0.773	0.923	0.744	0.938



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
93	81	0.799	0.924	0.785	0.932	0.757	0.945
93	82	0.812	0.932	0.798	0.939	0.770	0.952
93	83	0.824	0.940	0.811	0.947	0.784	0.959
93	84	0.837	0.949	0.824	0.955	0.797	0.965
93	85	0.850	0.956	0.838	0.962	0.811	0.972
93	86	0.863	0.964	0.851	0.969	0.826	0.978
93	87	0.877	0.972	0.865	0.976	0.840	0.983
93	88	0.890	0.979	0.879	0.982	0.855	0.988
93	89	0.904	0.985	0.894	0.988	0.871	0.993
93	90	0.919	0.991	0.909	0.993	0.887	0.996
93	91	0.934	0.996	0.924	0.997	0.904	0.999
93	92	0.950	0.999	0.942	1.000	0.923	1.000
93	93	0.968	1.000	0.961	1.000	0.945	1.000
94	0	0.000	0.031	0.000	0.038	0.000	0.055
94	1	0.001	0.049	0.000	0.058	0.000	0.076
94	2	0.004	0.065	0.003	0.075	0.001	0.095
94	3	0.009	0.080	0.007	0.090	0.004	0.112
94	4	0.015	0.095	0.012	0.105	0.007	0.126
94	5	0.021	0.109	0.017	0.120	0.012	0.143
94	6	0.028	0.122	0.024	0.134	0.017	0.156
94	7	0.035	0.135	0.030	0.147	0.022	0.173
94	8	0.043	0.148	0.037	0.161	0.028	0.187
94	9	0.051	0.161	0.045	0.174	0.034	0.201
94	10	0.059	0.174	0.052	0.187	0.041	0.214
94	11	0.067	0.186	0.060	0.200	0.047	0.227
94	12	0.075	0.199	0.068	0.212	0.054	0.240
94	13	0.084	0.211	0.076	0.225	0.062	0.253
94	14	0.092	0.223	0.084	0.237	0.069	0.266
94	15	0.101	0.235	0.092	0.250	0.076	0.279
94	16	0.110	0.247	0.101	0.262	0.084	0.291
94	17	0.119	0.259	0.109	0.274	0.092	0.304
94	18	0.128	0.271	0.118	0.286	0.100	0.316
94	19	0.137	0.282	0.126	0.298	0.108	0.328
94	20	0.146	0.294	0.135	0.309	0.116	0.340
94	21	0.155	0.306	0.144	0.321	0.124	0.352
94	22	0.164	0.317	0.153	0.333	0.132	0.364
94	23	0.173	0.328	0.162	0.344	0.141	0.375
94	24	0.183	0.340	0.171	0.356	0.149	0.387
94	25	0.192	0.351	0.180	0.367	0.158	0.399
94	26	0.202	0.362	0.189	0.378	0.166	0.410
94	27	0.211	0.374	0.199	0.390	0.175	0.421
94	28	0.221	0.385	0.208	0.401	0.184	0.433
94	29	0.230	0.396	0.217	0.412	0.193	0.444
94	30	0.240	0.407	0.227	0.423	0.202	0.455
94	31	0.250	0.418	0.236	0.434	0.211	0.466
94	32	0.259	0.429	0.246	0.445	0.220	0.477
94	33	0.269	0.440	0.255	0.456	0.229	0.488
94	34	0.279	0.451	0.265	0.467	0.239	0.499
94	35	0.289	0.462	0.275	0.478	0.248	0.510
94	36	0.299	0.473	0.285	0.489	0.257	0.521
94	37	0.309	0.483	0.294	0.500	0.267	0.531
94	38	0.319	0.494	0.304	0.510	0.276	0.542
94	39	0.329	0.505	0.314	0.521	0.286	0.553
94	40	0.339	0.516	0.324	0.532	0.296	0.563
94	41	0.349	0.526	0.334	0.542	0.305	0.574
94	42	0.359	0.537	0.344	0.553	0.315	0.584

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
94	43	0.370	0.547	0.354	0.563	0.325	0.594
94	44	0.380	0.556	0.364	0.574	0.335	0.605
94	45	0.390	0.568	0.375	0.584	0.345	0.615
94	46	0.400	0.579	0.385	0.595	0.355	0.625
94	47	0.411	0.589	0.395	0.605	0.365	0.635
94	48	0.421	0.600	0.405	0.615	0.375	0.645
94	49	0.432	0.610	0.416	0.625	0.385	0.655
94	50	0.442	0.620	0.426	0.636	0.395	0.665
94	51	0.453	0.630	0.437	0.646	0.406	0.675
94	52	0.463	0.641	0.447	0.656	0.416	0.685
94	53	0.474	0.651	0.458	0.666	0.426	0.695
94	54	0.484	0.661	0.468	0.676	0.437	0.704
94	55	0.495	0.671	0.479	0.686	0.447	0.714
94	56	0.506	0.681	0.490	0.696	0.458	0.724
94	57	0.517	0.691	0.500	0.706	0.469	0.733
94	58	0.527	0.701	0.511	0.715	0.479	0.743
94	59	0.538	0.711	0.522	0.725	0.490	0.752
94	60	0.549	0.721	0.533	0.735	0.501	0.761
94	61	0.560	0.731	0.544	0.745	0.512	0.771
94	62	0.571	0.741	0.555	0.754	0.523	0.780
94	63	0.582	0.750	0.566	0.764	0.534	0.789
94	64	0.593	0.760	0.577	0.773	0.545	0.798
94	65	0.604	0.770	0.588	0.783	0.556	0.807
94	66	0.615	0.779	0.599	0.792	0.567	0.816
94	67	0.626	0.789	0.610	0.801	0.579	0.825
94	68	0.638	0.798	0.622	0.811	0.590	0.834
94	69	0.649	0.808	0.633	0.820	0.601	0.842
94	70	0.660	0.817	0.644	0.829	0.613	0.851
94	71	0.672	0.827	0.656	0.838	0.625	0.859
94	72	0.683	0.836	0.667	0.847	0.636	0.868
94	73	0.694	0.845	0.679	0.856	0.648	0.876
94	74	0.706	0.854	0.691	0.865	0.660	0.884
94	75	0.718	0.863	0.702	0.874	0.672	0.892
94	76	0.729	0.872	0.714	0.882	0.684	0.900
94	77	0.741	0.881	0.726	0.891	0.696	0.908
94	78	0.753	0.890	0.738	0.899	0.709	0.916
94	79	0.765	0.899	0.750	0.908	0.721	0.924
94	80	0.777	0.908	0.763	0.916	0.734	0.931
94	81	0.789	0.916	0.775	0.924	0.747	0.938
94	82	0.801	0.925	0.788	0.932	0.760	0.946
94	83	0.814	0.933	0.800	0.940	0.773	0.953
94	84	0.826	0.941	0.813	0.948	0.786	0.959
94	85	0.839	0.949	0.826	0.955	0.799	0.966
94	86	0.852	0.957	0.839	0.963	0.813	0.972
94	87	0.865	0.965	0.853	0.970	0.827	0.978
94	88	0.878	0.972	0.866	0.976	0.842	0.983
94	89	0.891	0.979	0.880	0.983	0.857	0.988
94	90	0.905	0.985	0.895	0.988	0.872	0.993
94	91	0.920	0.991	0.910	0.993	0.888	0.996
94	92	0.935	0.996	0.925	0.997	0.905	0.999
94	93	0.951	0.999	0.942	1.000	0.924	1.000
94	94	0.969	1.000	0.962	1.000	0.945	1.000
95	0	0.000	0.031	0.000	0.038	0.000	0.054
95	1	0.001	0.049	0.000	0.057	0.000	0.076
95	2	0.004	0.065	0.003	0.074	0.001	0.094
95	3	0.009	0.080	0.007	0.090	0.004	0.111

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
95	4	0.015	0.094	0.012	0.104	0.007	0.127
95	5	0.021	0.107	0.017	0.119	0.012	0.142
95	6	0.028	0.121	0.024	0.132	0.016	0.157
95	7	0.035	0.134	0.030	0.146	0.022	0.171
95	8	0.043	0.147	0.037	0.159	0.028	0.185
95	9	0.050	0.159	0.044	0.172	0.034	0.199
95	10	0.058	0.172	0.052	0.185	0.040	0.212
95	11	0.066	0.184	0.059	0.198	0.047	0.225
95	12	0.075	0.197	0.067	0.210	0.054	0.238
95	13	0.083	0.209	0.075	0.223	0.061	0.251
95	14	0.091	0.221	0.083	0.235	0.068	0.264
95	15	0.100	0.233	0.091	0.247	0.075	0.276
95	16	0.109	0.244	0.099	0.259	0.083	0.288
95	17	0.117	0.256	0.108	0.271	0.091	0.301
95	18	0.126	0.268	0.116	0.283	0.098	0.313
95	19	0.135	0.280	0.125	0.295	0.106	0.325
95	20	0.144	0.291	0.134	0.306	0.114	0.337
95	21	0.153	0.302	0.142	0.318	0.123	0.349
95	22	0.162	0.314	0.151	0.329	0.131	0.360
95	23	0.171	0.325	0.160	0.341	0.139	0.372
95	24	0.181	0.337	0.169	0.352	0.147	0.383
95	25	0.190	0.348	0.178	0.364	0.156	0.395
95	26	0.199	0.359	0.187	0.375	0.165	0.406
95	27	0.209	0.370	0.196	0.386	0.173	0.417
95	28	0.218	0.381	0.206	0.397	0.182	0.429
95	29	0.228	0.392	0.215	0.408	0.191	0.440
95	30	0.237	0.403	0.224	0.419	0.200	0.451
95	31	0.247	0.414	0.234	0.430	0.209	0.462
95	32	0.257	0.425	0.243	0.441	0.218	0.473
95	33	0.266	0.436	0.253	0.452	0.227	0.484
95	34	0.276	0.447	0.262	0.463	0.236	0.495
95	35	0.286	0.457	0.272	0.474	0.245	0.505
95	36	0.296	0.468	0.281	0.484	0.254	0.516
95	37	0.305	0.479	0.291	0.495	0.264	0.527
95	38	0.315	0.489	0.301	0.506	0.273	0.537
95	39	0.325	0.500	0.311	0.516	0.283	0.548
95	40	0.335	0.511	0.320	0.527	0.292	0.558
95	41	0.345	0.521	0.330	0.537	0.302	0.568
95	42	0.355	0.532	0.340	0.548	0.311	0.579
95	43	0.365	0.542	0.350	0.558	0.321	0.589
95	44	0.376	0.553	0.360	0.568	0.331	0.599
95	45	0.386	0.563	0.370	0.579	0.341	0.609
95	46	0.396	0.573	0.380	0.589	0.351	0.619
95	47	0.406	0.584	0.391	0.599	0.360	0.630
95	48	0.416	0.594	0.401	0.609	0.370	0.640
95	49	0.427	0.604	0.411	0.620	0.381	0.649
95	50	0.437	0.614	0.421	0.630	0.391	0.659
95	51	0.447	0.624	0.432	0.640	0.401	0.669
95	52	0.458	0.635	0.442	0.650	0.411	0.679
95	53	0.468	0.645	0.452	0.660	0.421	0.689
95	54	0.479	0.655	0.463	0.670	0.432	0.698
95	55	0.489	0.665	0.473	0.680	0.442	0.708
95	56	0.500	0.675	0.484	0.689	0.452	0.717
95	57	0.511	0.685	0.494	0.699	0.463	0.727
95	58	0.521	0.695	0.505	0.709	0.473	0.736
95	59	0.532	0.704	0.516	0.719	0.484	0.746

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
95	60	0.543	0.714	0.526	0.728	0.495	0.755
95	61	0.553	0.724	0.537	0.738	0.505	0.764
95	62	0.564	0.734	0.548	0.747	0.516	0.773
95	63	0.575	0.743	0.559	0.757	0.527	0.782
95	64	0.586	0.753	0.570	0.766	0.538	0.791
95	65	0.597	0.763	0.581	0.776	0.549	0.800
95	66	0.608	0.772	0.592	0.785	0.560	0.809
95	67	0.619	0.782	0.603	0.794	0.571	0.818
95	68	0.630	0.791	0.614	0.804	0.583	0.827
95	69	0.641	0.801	0.625	0.813	0.594	0.835
95	70	0.652	0.810	0.636	0.822	0.605	0.844
95	71	0.663	0.819	0.648	0.831	0.617	0.853
95	72	0.675	0.829	0.659	0.840	0.628	0.861
95	73	0.686	0.838	0.671	0.849	0.640	0.869
95	74	0.698	0.847	0.682	0.856	0.651	0.877
95	75	0.709	0.856	0.694	0.866	0.663	0.886
95	76	0.720	0.865	0.705	0.875	0.675	0.894
95	77	0.732	0.874	0.717	0.884	0.687	0.902
95	78	0.744	0.883	0.729	0.892	0.699	0.909
95	79	0.756	0.891	0.741	0.901	0.712	0.917
95	80	0.767	0.900	0.753	0.909	0.724	0.925
95	81	0.779	0.909	0.765	0.917	0.736	0.932
95	82	0.791	0.917	0.777	0.925	0.749	0.939
95	83	0.803	0.925	0.790	0.933	0.762	0.946
95	84	0.816	0.934	0.802	0.941	0.775	0.953
95	85	0.828	0.942	0.815	0.948	0.788	0.960
95	86	0.841	0.950	0.828	0.956	0.801	0.966
95	87	0.853	0.957	0.841	0.963	0.815	0.972
95	88	0.866	0.965	0.854	0.970	0.829	0.978
95	89	0.879	0.972	0.868	0.976	0.843	0.984
95	90	0.893	0.979	0.881	0.983	0.858	0.988
95	91	0.906	0.985	0.896	0.988	0.873	0.993
95	92	0.920	0.991	0.910	0.993	0.889	0.996
95	93	0.935	0.996	0.926	0.997	0.906	0.999
95	94	0.951	0.999	0.943	1.000	0.924	1.000
95	95	0.969	1.000	0.962	1.000	0.946	1.000
96	0	0.000	0.031	0.000	0.038	0.000	0.054
96	1	0.001	0.048	0.000	0.057	0.000	0.075
96	2	0.004	0.064	0.003	0.073	0.001	0.093
96	3	0.009	0.079	0.006	0.089	0.004	0.110
96	4	0.014	0.093	0.011	0.103	0.007	0.125
96	5	0.021	0.106	0.017	0.117	0.011	0.141
96	6	0.028	0.120	0.023	0.131	0.016	0.155
96	7	0.035	0.133	0.030	0.144	0.022	0.169
96	8	0.042	0.145	0.037	0.158	0.027	0.183
96	9	0.050	0.158	0.044	0.171	0.033	0.197
96	10	0.058	0.170	0.051	0.183	0.040	0.210
96	11	0.066	0.183	0.059	0.196	0.046	0.223
96	12	0.074	0.195	0.066	0.208	0.053	0.236
96	13	0.082	0.207	0.074	0.220	0.060	0.248
96	14	0.090	0.219	0.082	0.233	0.067	0.261
96	15	0.099	0.230	0.090	0.245	0.075	0.273
96	16	0.107	0.242	0.098	0.256	0.082	0.286
96	17	0.116	0.254	0.107	0.268	0.090	0.298
96	18	0.125	0.265	0.115	0.280	0.097	0.310
96	19	0.134	0.277	0.124	0.292	0.105	0.322

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
96	20	0.143	0.288	0.132	0.303	0.113	0.334
96	21	0.152	0.300	0.141	0.315	0.121	0.345
96	22	0.161	0.311	0.150	0.326	0.129	0.357
96	23	0.170	0.322	0.158	0.337	0.138	0.368
96	24	0.179	0.333	0.167	0.349	0.146	0.380
96	25	0.188	0.344	0.176	0.360	0.154	0.391
96	26	0.197	0.355	0.185	0.371	0.163	0.402
96	27	0.207	0.366	0.194	0.382	0.171	0.414
96	28	0.216	0.377	0.203	0.393	0.180	0.425
96	29	0.225	0.388	0.213	0.404	0.189	0.436
96	30	0.235	0.399	0.222	0.415	0.197	0.447
96	31	0.244	0.410	0.231	0.426	0.206	0.458
96	32	0.254	0.421	0.240	0.437	0.215	0.468
96	33	0.263	0.432	0.250	0.448	0.224	0.479
96	34	0.273	0.442	0.259	0.458	0.233	0.490
96	35	0.283	0.453	0.269	0.469	0.242	0.501
96	36	0.292	0.464	0.278	0.480	0.252	0.511
96	37	0.302	0.474	0.288	0.490	0.261	0.522
96	38	0.312	0.485	0.297	0.501	0.270	0.532
96	39	0.322	0.495	0.307	0.511	0.279	0.543
96	40	0.332	0.506	0.317	0.522	0.289	0.553
96	41	0.341	0.516	0.327	0.532	0.298	0.563
96	42	0.351	0.527	0.336	0.543	0.308	0.574
96	43	0.361	0.537	0.346	0.553	0.317	0.584
96	44	0.371	0.547	0.356	0.563	0.327	0.594
96	45	0.381	0.558	0.366	0.573	0.337	0.604
96	46	0.392	0.568	0.376	0.584	0.346	0.614
96	47	0.402	0.578	0.386	0.594	0.356	0.624
96	48	0.412	0.588	0.396	0.604	0.366	0.634
96	49	0.422	0.598	0.406	0.614	0.376	0.644
96	50	0.432	0.608	0.416	0.624	0.386	0.654
96	51	0.442	0.619	0.427	0.634	0.396	0.663
96	52	0.453	0.629	0.437	0.644	0.406	0.673
96	53	0.463	0.639	0.447	0.654	0.416	0.683
96	54	0.473	0.649	0.457	0.664	0.426	0.692
96	55	0.484	0.659	0.468	0.673	0.437	0.702
96	56	0.494	0.668	0.478	0.683	0.447	0.711
96	57	0.505	0.678	0.489	0.693	0.457	0.721
96	58	0.515	0.688	0.499	0.703	0.468	0.730
96	59	0.526	0.698	0.510	0.712	0.478	0.739
96	60	0.536	0.708	0.520	0.722	0.489	0.748
96	61	0.547	0.717	0.531	0.731	0.499	0.758
96	62	0.558	0.727	0.542	0.741	0.510	0.767
96	63	0.568	0.737	0.552	0.750	0.521	0.776
96	64	0.579	0.746	0.563	0.760	0.532	0.785
96	65	0.590	0.756	0.574	0.769	0.542	0.794
96	66	0.601	0.765	0.585	0.778	0.553	0.803
96	67	0.612	0.775	0.596	0.787	0.564	0.811
96	68	0.623	0.784	0.607	0.797	0.575	0.820
96	69	0.634	0.793	0.618	0.806	0.586	0.829
96	70	0.645	0.803	0.629	0.815	0.598	0.837
96	71	0.656	0.812	0.640	0.824	0.609	0.846
96	72	0.667	0.821	0.651	0.833	0.620	0.854
96	73	0.678	0.830	0.663	0.842	0.632	0.862
96	74	0.689	0.839	0.674	0.850	0.643	0.871
96	75	0.700	0.848	0.685	0.859	0.655	0.879

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
96	76	0.712	0.857	0.697	0.868	0.666	0.887
96	77	0.723	0.866	0.708	0.876	0.678	0.895
96	78	0.735	0.875	0.720	0.885	0.690	0.903
96	79	0.746	0.884	0.732	0.893	0.702	0.910
96	80	0.758	0.893	0.744	0.902	0.714	0.918
96	81	0.770	0.901	0.755	0.910	0.727	0.925
96	82	0.781	0.910	0.767	0.918	0.739	0.933
96	83	0.793	0.918	0.780	0.926	0.752	0.940
96	84	0.805	0.926	0.792	0.934	0.764	0.947
96	85	0.817	0.934	0.804	0.941	0.777	0.954
96	86	0.830	0.942	0.817	0.949	0.790	0.960
96	87	0.842	0.950	0.829	0.956	0.803	0.967
96	88	0.855	0.958	0.842	0.963	0.817	0.973
96	89	0.867	0.965	0.856	0.970	0.831	0.978
96	90	0.880	0.972	0.869	0.977	0.845	0.984
96	91	0.894	0.979	0.883	0.983	0.859	0.989
96	92	0.907	0.986	0.897	0.989	0.875	0.993
96	93	0.921	0.991	0.911	0.994	0.890	0.996
96	94	0.936	0.996	0.927	0.997	0.907	0.999
96	95	0.952	0.999	0.943	1.000	0.925	1.000
96	96	0.969	1.000	0.962	1.000	0.946	1.000
97	0	0.000	0.030	0.000	0.037	0.000	0.053
97	1	0.001	0.048	0.000	0.056	0.000	0.074
97	2	0.004	0.063	0.003	0.073	0.001	0.092
97	3	0.008	0.078	0.006	0.088	0.004	0.109
97	4	0.014	0.092	0.011	0.102	0.007	0.124
97	5	0.021	0.105	0.017	0.116	0.011	0.139
97	6	0.027	0.118	0.023	0.130	0.016	0.154
97	7	0.034	0.131	0.030	0.143	0.021	0.168
97	8	0.042	0.144	0.036	0.156	0.027	0.181
97	9	0.049	0.156	0.043	0.169	0.033	0.195
97	10	0.057	0.169	0.051	0.181	0.039	0.208
97	11	0.065	0.181	0.058	0.194	0.046	0.221
97	12	0.073	0.193	0.066	0.206	0.053	0.234
97	13	0.081	0.205	0.073	0.218	0.060	0.246
97	14	0.089	0.216	0.081	0.230	0.067	0.259
97	15	0.098	0.228	0.089	0.242	0.074	0.271
97	16	0.106	0.240	0.097	0.254	0.081	0.283
97	17	0.115	0.251	0.106	0.266	0.089	0.295
97	18	0.124	0.263	0.114	0.277	0.096	0.307
97	19	0.132	0.274	0.122	0.289	0.104	0.319
97	20	0.141	0.285	0.131	0.300	0.112	0.330
97	21	0.150	0.297	0.139	0.312	0.120	0.342
97	22	0.159	0.308	0.148	0.323	0.128	0.353
97	23	0.168	0.319	0.157	0.334	0.136	0.365
97	24	0.177	0.330	0.165	0.345	0.144	0.376
97	25	0.186	0.341	0.174	0.357	0.153	0.387
97	26	0.195	0.352	0.183	0.368	0.161	0.399
97	27	0.204	0.363	0.192	0.379	0.169	0.410
97	28	0.214	0.374	0.201	0.390	0.178	0.421
97	29	0.223	0.385	0.210	0.400	0.187	0.432
97	30	0.232	0.395	0.219	0.411	0.195	0.443
97	31	0.242	0.406	0.229	0.422	0.204	0.453
97	32	0.251	0.417	0.238	0.433	0.213	0.464
97	33	0.261	0.427	0.247	0.443	0.222	0.475
97	34	0.270	0.438	0.256	0.454	0.231	0.485

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
97	35	0.280	0.449	0.266	0.465	0.240	0.496
97	36	0.289	0.459	0.275	0.475	0.249	0.507
97	37	0.299	0.470	0.285	0.486	0.258	0.517
97	38	0.308	0.480	0.294	0.496	0.267	0.527
97	39	0.318	0.491	0.304	0.507	0.276	0.538
97	40	0.328	0.501	0.313	0.517	0.286	0.548
97	41	0.338	0.511	0.323	0.527	0.295	0.558
97	42	0.348	0.522	0.333	0.537	0.304	0.568
97	43	0.357	0.532	0.342	0.548	0.314	0.578
97	44	0.367	0.542	0.352	0.558	0.323	0.589
97	45	0.377	0.552	0.362	0.568	0.333	0.599
97	46	0.387	0.562	0.372	0.578	0.343	0.608
97	47	0.397	0.573	0.382	0.588	0.352	0.618
97	48	0.407	0.583	0.392	0.598	0.362	0.628
97	49	0.417	0.593	0.402	0.608	0.372	0.638
97	50	0.427	0.603	0.412	0.618	0.382	0.648
97	51	0.438	0.613	0.422	0.628	0.392	0.657
97	52	0.448	0.623	0.432	0.638	0.401	0.667
97	53	0.458	0.633	0.442	0.648	0.411	0.677
97	54	0.468	0.643	0.452	0.658	0.422	0.686
97	55	0.478	0.652	0.463	0.667	0.432	0.696
97	56	0.489	0.662	0.473	0.677	0.442	0.705
97	57	0.499	0.672	0.483	0.687	0.452	0.714
97	58	0.509	0.682	0.493	0.696	0.462	0.724
97	59	0.520	0.692	0.504	0.706	0.473	0.733
97	60	0.530	0.701	0.514	0.715	0.483	0.742
97	61	0.541	0.711	0.525	0.725	0.493	0.751
97	62	0.551	0.720	0.535	0.734	0.504	0.760
97	63	0.562	0.730	0.546	0.744	0.515	0.769
97	64	0.573	0.739	0.557	0.753	0.525	0.778
97	65	0.583	0.749	0.567	0.762	0.536	0.787
97	66	0.594	0.758	0.578	0.771	0.547	0.796
97	67	0.605	0.768	0.589	0.781	0.557	0.805
97	68	0.615	0.777	0.600	0.790	0.568	0.813
97	69	0.626	0.786	0.610	0.799	0.579	0.822
97	70	0.637	0.796	0.621	0.808	0.590	0.831
97	71	0.648	0.805	0.632	0.817	0.601	0.839
97	72	0.659	0.814	0.643	0.826	0.612	0.847
97	73	0.670	0.823	0.655	0.835	0.624	0.856
97	74	0.681	0.832	0.666	0.843	0.635	0.864
97	75	0.692	0.841	0.677	0.852	0.647	0.872
97	76	0.703	0.850	0.688	0.861	0.658	0.880
97	77	0.715	0.859	0.700	0.869	0.670	0.888
97	78	0.726	0.868	0.711	0.878	0.681	0.896
97	79	0.737	0.876	0.723	0.886	0.693	0.904
97	80	0.749	0.885	0.734	0.894	0.705	0.911
97	81	0.760	0.894	0.746	0.903	0.717	0.919
97	82	0.772	0.902	0.758	0.911	0.729	0.926
97	83	0.784	0.911	0.770	0.919	0.741	0.933
97	84	0.795	0.919	0.782	0.927	0.754	0.940
97	85	0.807	0.927	0.794	0.934	0.766	0.947
97	86	0.819	0.935	0.806	0.942	0.779	0.954
97	87	0.831	0.943	0.819	0.949	0.792	0.961
97	88	0.844	0.951	0.831	0.957	0.805	0.967
97	89	0.856	0.958	0.844	0.964	0.819	0.973
97	90	0.869	0.966	0.857	0.970	0.832	0.979

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
97	91	0.882	0.973	0.870	0.977	0.846	0.984
97	92	0.895	0.979	0.884	0.983	0.861	0.989
97	93	0.908	0.986	0.898	0.989	0.876	0.993
97	94	0.922	0.992	0.912	0.994	0.891	0.996
97	95	0.937	0.996	0.927	0.997	0.908	0.999
97	96	0.952	0.999	0.944	1.000	0.926	1.000
97	97	0.970	1.000	0.963	1.000	0.947	1.000
98	0	0.000	0.030	0.000	0.037	0.000	0.053
98	1	0.001	0.047	0.000	0.056	0.000	0.073
98	2	0.004	0.063	0.002	0.072	0.001	0.091
98	3	0.008	0.077	0.006	0.087	0.003	0.108
98	4	0.014	0.091	0.011	0.101	0.007	0.123
98	5	0.020	0.104	0.017	0.115	0.014	0.138
98	6	0.027	0.117	0.023	0.129	0.016	0.152
98	7	0.034	0.130	0.029	0.142	0.021	0.166
98	8	0.041	0.142	0.036	0.155	0.027	0.180
98	9	0.049	0.155	0.043	0.167	0.033	0.193
98	10	0.056	0.167	0.050	0.180	0.039	0.206
98	11	0.064	0.179	0.057	0.192	0.045	0.219
98	12	0.072	0.191	0.065	0.204	0.052	0.231
98	13	0.080	0.203	0.073	0.216	0.059	0.244
98	14	0.088	0.214	0.080	0.228	0.066	0.256
98	15	0.097	0.226	0.088	0.240	0.073	0.268
98	16	0.105	0.237	0.096	0.252	0.080	0.280
98	17	0.114	0.249	0.104	0.263	0.088	0.292
98	18	0.122	0.260	0.113	0.275	0.095	0.304
98	19	0.131	0.271	0.121	0.286	0.103	0.316
98	20	0.140	0.283	0.129	0.297	0.111	0.327
98	21	0.148	0.294	0.138	0.309	0.119	0.339
98	22	0.157	0.305	0.146	0.320	0.127	0.350
98	23	0.166	0.316	0.155	0.331	0.135	0.361
98	24	0.175	0.327	0.164	0.342	0.143	0.373
98	25	0.184	0.338	0.172	0.353	0.151	0.384
98	26	0.193	0.349	0.181	0.364	0.159	0.395
98	27	0.202	0.359	0.190	0.375	0.168	0.406
98	28	0.211	0.370	0.199	0.386	0.176	0.417
98	29	0.220	0.381	0.208	0.397	0.185	0.428
98	30	0.230	0.392	0.217	0.407	0.193	0.439
98	31	0.239	0.402	0.226	0.418	0.202	0.449
98	32	0.248	0.413	0.235	0.429	0.210	0.460
98	33	0.258	0.423	0.244	0.439	0.219	0.471
98	34	0.267	0.434	0.254	0.450	0.228	0.481
98	35	0.277	0.444	0.263	0.460	0.237	0.492
98	36	0.286	0.455	0.272	0.471	0.246	0.502
98	37	0.296	0.465	0.282	0.481	0.255	0.512
98	38	0.305	0.476	0.291	0.492	0.264	0.523
98	39	0.315	0.486	0.300	0.502	0.273	0.533
98	40	0.324	0.496	0.310	0.512	0.282	0.543
98	41	0.334	0.506	0.319	0.522	0.292	0.553
98	42	0.344	0.517	0.329	0.533	0.301	0.563
98	43	0.354	0.527	0.339	0.543	0.310	0.573
98	44	0.363	0.537	0.348	0.553	0.320	0.583
98	45	0.373	0.547	0.358	0.563	0.329	0.593
98	46	0.383	0.557	0.368	0.573	0.339	0.603
98	47	0.393	0.567	0.378	0.583	0.348	0.613
98	48	0.403	0.577	0.387	0.593	0.358	0.623



TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
98	49	0.413	0.587	0.397	0.603	0.368	0.632
98	50	0.423	0.597	0.407	0.613	0.377	0.642
98	51	0.433	0.607	0.417	0.622	0.387	0.652
98	52	0.443	0.617	0.427	0.632	0.397	0.661
98	53	0.453	0.627	0.437	0.642	0.407	0.671
98	54	0.463	0.637	0.447	0.652	0.417	0.680
98	55	0.473	0.646	0.457	0.661	0.427	0.690
98	56	0.483	0.656	0.467	0.671	0.437	0.699
98	57	0.494	0.666	0.478	0.681	0.447	0.708
98	58	0.504	0.676	0.488	0.690	0.457	0.718
98	59	0.514	0.685	0.498	0.700	0.467	0.727
98	60	0.524	0.695	0.508	0.709	0.477	0.736
98	61	0.535	0.704	0.519	0.718	0.488	0.745
98	62	0.545	0.714	0.529	0.728	0.498	0.754
98	63	0.556	0.723	0.540	0.737	0.508	0.763
98	64	0.566	0.733	0.550	0.746	0.519	0.772
98	65	0.577	0.742	0.561	0.756	0.529	0.781
98	66	0.587	0.752	0.571	0.765	0.540	0.790
98	67	0.598	0.761	0.582	0.774	0.551	0.798
98	68	0.608	0.770	0.593	0.783	0.561	0.807
98	69	0.619	0.780	0.603	0.792	0.572	0.815
98	70	0.630	0.789	0.614	0.801	0.583	0.824
98	71	0.641	0.798	0.625	0.810	0.594	0.832
98	72	0.651	0.807	0.636	0.819	0.605	0.841
98	73	0.662	0.816	0.647	0.828	0.616	0.849
98	74	0.673	0.825	0.658	0.836	0.627	0.857
98	75	0.684	0.834	0.669	0.845	0.639	0.865
98	76	0.695	0.843	0.680	0.854	0.650	0.873
98	77	0.706	0.852	0.691	0.862	0.661	0.881
98	78	0.717	0.860	0.703	0.871	0.673	0.889
98	79	0.729	0.869	0.714	0.879	0.684	0.897
98	80	0.740	0.878	0.725	0.887	0.696	0.905
98	81	0.751	0.886	0.737	0.896	0.708	0.912
98	82	0.763	0.895	0.748	0.904	0.720	0.920
98	83	0.774	0.903	0.760	0.912	0.732	0.927
98	84	0.786	0.912	0.772	0.920	0.744	0.934
98	85	0.797	0.920	0.784	0.927	0.756	0.941
98	86	0.809	0.928	0.796	0.935	0.769	0.948
98	87	0.821	0.936	0.808	0.943	0.781	0.955
98	88	0.833	0.944	0.820	0.950	0.794	0.961
98	89	0.845	0.951	0.833	0.957	0.807	0.967
98	90	0.858	0.959	0.845	0.964	0.820	0.973
98	91	0.870	0.966	0.858	0.971	0.834	0.979
98	92	0.883	0.973	0.871	0.977	0.848	0.984
98	93	0.896	0.980	0.885	0.983	0.862	0.989
98	94	0.909	0.986	0.899	0.989	0.877	0.993
98	95	0.923	0.992	0.913	0.994	0.892	0.997
98	96	0.937	0.996	0.928	0.998	0.909	0.999
98	97	0.953	0.999	0.944	1.000	0.927	1.000
98	98	0.970	1.000	0.963	1.000	0.947	1.000
99	0	0.000	0.030	0.000	0.037	0.000	0.052
99	1	0.001	0.047	0.000	0.055	0.000	0.073
99	2	0.004	0.062	0.002	0.071	0.001	0.090
99	3	0.008	0.076	0.006	0.086	0.003	0.107
99	4	0.014	0.090	0.011	0.100	0.007	0.122

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
99	5	0.020	0.103	0.017	0.114	0.011	0.136
99	6	0.027	0.116	0.023	0.127	0.016	0.151
99	7	0.034	0.129	0.029	0.140	0.021	0.164
99	8	0.041	0.141	0.036	0.153	0.027	0.178
99	9	0.048	0.153	0.042	0.166	0.032	0.191
99	10	0.056	0.165	0.050	0.178	0.039	0.204
99	11	0.064	0.177	0.057	0.190	0.045	0.217
99	12	0.071	0.189	0.064	0.202	0.052	0.229
99	13	0.079	0.201	0.072	0.214	0.058	0.241
99	14	0.088	0.212	0.080	0.226	0.065	0.254
99	15	0.096	0.224	0.087	0.238	0.072	0.266
99	16	0.104	0.235	0.095	0.249	0.080	0.278
99	17	0.112	0.246	0.103	0.261	0.087	0.289
99	18	0.121	0.258	0.111	0.272	0.094	0.301
99	19	0.129	0.269	0.120	0.283	0.102	0.313
99	20	0.138	0.280	0.128	0.295	0.110	0.324
99	21	0.147	0.291	0.136	0.306	0.117	0.336
99	22	0.155	0.302	0.145	0.317	0.125	0.347
99	23	0.164	0.313	0.153	0.328	0.133	0.358
99	24	0.173	0.324	0.162	0.339	0.141	0.369
99	25	0.182	0.334	0.171	0.350	0.149	0.380
99	26	0.191	0.345	0.179	0.361	0.158	0.391
99	27	0.200	0.356	0.188	0.371	0.166	0.402
99	28	0.209	0.367	0.197	0.382	0.174	0.413
99	29	0.218	0.377	0.206	0.393	0.183	0.424
99	30	0.227	0.388	0.215	0.404	0.191	0.435
99	31	0.236	0.398	0.224	0.414	0.200	0.445
99	32	0.246	0.409	0.233	0.425	0.208	0.456
99	33	0.255	0.419	0.242	0.435	0.217	0.466
99	34	0.264	0.430	0.251	0.446	0.226	0.477
99	35	0.274	0.440	0.260	0.456	0.234	0.487
99	36	0.283	0.451	0.269	0.466	0.243	0.497
99	37	0.292	0.461	0.279	0.477	0.252	0.508
99	38	0.302	0.471	0.288	0.487	0.261	0.518
99	39	0.311	0.481	0.297	0.497	0.270	0.528
99	40	0.321	0.492	0.307	0.507	0.279	0.538
99	41	0.330	0.502	0.316	0.518	0.288	0.548
99	42	0.340	0.512	0.325	0.528	0.298	0.558
99	43	0.350	0.522	0.335	0.538	0.307	0.568
99	44	0.359	0.532	0.345	0.548	0.316	0.578
99	45	0.369	0.542	0.354	0.558	0.326	0.588
99	46	0.379	0.552	0.364	0.568	0.335	0.598
99	47	0.389	0.562	0.373	0.578	0.344	0.608
99	48	0.398	0.572	0.383	0.587	0.354	0.617
99	49	0.408	0.582	0.393	0.597	0.363	0.627
99	50	0.418	0.592	0.403	0.607	0.373	0.637
99	51	0.428	0.602	0.413	0.617	0.383	0.646
99	52	0.438	0.611	0.422	0.627	0.392	0.656
99	53	0.448	0.621	0.432	0.636	0.402	0.665
99	54	0.458	0.631	0.442	0.646	0.412	0.674
99	55	0.468	0.641	0.452	0.655	0.422	0.684
99	56	0.478	0.650	0.462	0.665	0.432	0.693
99	57	0.488	0.660	0.472	0.675	0.442	0.702
99	58	0.498	0.670	0.482	0.684	0.452	0.712
99	59	0.508	0.679	0.493	0.693	0.462	0.721

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
99	60	0.519	0.689	0.503	0.703	0.472	0.730
99	61	0.529	0.698	0.513	0.712	0.482	0.739
99	62	0.539	0.708	0.523	0.721	0.492	0.748
99	63	0.549	0.717	0.534	0.731	0.503	0.757
99	64	0.560	0.726	0.544	0.740	0.513	0.766
99	65	0.570	0.736	0.554	0.749	0.523	0.774
99	66	0.581	0.745	0.565	0.758	0.534	0.783
99	67	0.591	0.754	0.575	0.767	0.544	0.792
99	68	0.602	0.764	0.586	0.776	0.555	0.800
99	69	0.612	0.773	0.596	0.785	0.565	0.809
99	70	0.623	0.782	0.607	0.794	0.576	0.817
99	71	0.633	0.791	0.618	0.803	0.587	0.826
99	72	0.644	0.800	0.629	0.812	0.598	0.834
99	73	0.655	0.809	0.639	0.821	0.609	0.842
99	74	0.666	0.818	0.650	0.829	0.620	0.851
99	75	0.676	0.827	0.661	0.838	0.631	0.859
99	76	0.687	0.836	0.672	0.847	0.642	0.867
99	77	0.698	0.845	0.683	0.855	0.653	0.875
99	78	0.709	0.853	0.694	0.864	0.664	0.883
99	79	0.720	0.862	0.705	0.872	0.676	0.890
99	80	0.731	0.871	0.717	0.880	0.687	0.898
99	81	0.742	0.879	0.728	0.889	0.699	0.906
99	82	0.754	0.888	0.739	0.897	0.711	0.913
99	83	0.765	0.896	0.751	0.905	0.722	0.920
99	84	0.776	0.904	0.762	0.913	0.734	0.928
99	85	0.788	0.912	0.774	0.920	0.746	0.935
99	86	0.799	0.921	0.786	0.928	0.759	0.942
99	87	0.811	0.929	0.798	0.936	0.771	0.948
99	88	0.823	0.936	0.810	0.943	0.783	0.955
99	89	0.835	0.944	0.822	0.950	0.796	0.961
99	90	0.847	0.952	0.834	0.958	0.809	0.968
99	91	0.859	0.959	0.847	0.964	0.822	0.973
99	92	0.871	0.966	0.860	0.971	0.836	0.979
99	93	0.884	0.973	0.873	0.977	0.849	0.984
99	94	0.897	0.980	0.886	0.983	0.864	0.989
99	95	0.910	0.986	0.900	0.989	0.878	0.993
99	96	0.924	0.992	0.914	0.994	0.893	0.997
99	97	0.938	0.996	0.929	0.998	0.910	0.999
99	98	0.953	0.999	0.945	1.000	0.927	1.000
99	99	0.970	1.000	0.963	1.000	0.948	1.000
100	0	0.000	0.030	0.000	0.036	0.000	0.052
100	1	0.001	0.047	0.000	0.054	0.000	0.072
100	2	0.004	0.062	0.002	0.070	0.001	0.089
100	3	0.008	0.076	0.006	0.085	0.003	0.105
100	4	0.014	0.089	0.011	0.099	0.007	0.121
100	5	0.020	0.102	0.016	0.113	0.011	0.135
100	6	0.026	0.115	0.022	0.126	0.016	0.149
100	7	0.033	0.127	0.029	0.139	0.021	0.163
100	8	0.040	0.140	0.035	0.152	0.026	0.176
100	9	0.048	0.152	0.042	0.164	0.032	0.189
100	10	0.055	0.164	0.049	0.176	0.038	0.202
100	11	0.063	0.175	0.056	0.188	0.045	0.215
100	12	0.071	0.187	0.064	0.200	0.051	0.227
100	13	0.079	0.199	0.071	0.212	0.058	0.239
100	14	0.087	0.210	0.079	0.224	0.065	0.251

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
100	15	0.095	0.222	0.086	0.235	0.072	0.263
100	16	0.103	0.233	0.094	0.247	0.079	0.275
100	17	0.111	0.244	0.102	0.258	0.086	0.287
100	18	0.120	0.255	0.110	0.269	0.093	0.298
100	19	0.128	0.266	0.118	0.281	0.101	0.310
100	20	0.137	0.277	0.127	0.292	0.108	0.321
100	21	0.145	0.288	0.135	0.303	0.116	0.333
100	22	0.154	0.299	0.143	0.314	0.124	0.344
100	23	0.163	0.310	0.152	0.325	0.132	0.355
100	24	0.171	0.321	0.160	0.336	0.140	0.366
100	25	0.180	0.331	0.169	0.347	0.148	0.377
100	26	0.189	0.342	0.177	0.357	0.156	0.388
100	27	0.198	0.353	0.186	0.368	0.164	0.399
100	28	0.207	0.363	0.195	0.379	0.172	0.409
100	29	0.216	0.374	0.204	0.389	0.181	0.420
100	30	0.225	0.384	0.212	0.400	0.189	0.431
100	31	0.234	0.395	0.221	0.410	0.197	0.441
100	32	0.243	0.405	0.230	0.421	0.206	0.452
100	33	0.252	0.415	0.239	0.431	0.215	0.462
100	34	0.262	0.426	0.248	0.442	0.223	0.472
100	35	0.271	0.436	0.257	0.452	0.232	0.483
100	36	0.280	0.446	0.266	0.462	0.241	0.493
100	37	0.289	0.457	0.276	0.472	0.249	0.503
100	38	0.299	0.467	0.285	0.483	0.258	0.513
100	39	0.308	0.477	0.294	0.493	0.267	0.523
100	40	0.318	0.487	0.303	0.503	0.276	0.534
100	41	0.327	0.497	0.313	0.513	0.285	0.544
100	42	0.336	0.507	0.322	0.523	0.294	0.553
100	43	0.346	0.517	0.331	0.533	0.304	0.563
100	44	0.356	0.527	0.341	0.543	0.313	0.573
100	45	0.365	0.537	0.350	0.553	0.322	0.583
100	46	0.375	0.547	0.360	0.563	0.331	0.593
100	47	0.384	0.557	0.369	0.572	0.341	0.602
100	48	0.394	0.567	0.379	0.582	0.350	0.612
100	49	0.404	0.577	0.389	0.592	0.359	0.622
100	50	0.414	0.586	0.398	0.602	0.369	0.631
100	51	0.423	0.596	0.408	0.611	0.378	0.641
100	52	0.433	0.606	0.418	0.621	0.388	0.650
100	53	0.443	0.616	0.428	0.631	0.398	0.659
100	54	0.453	0.625	0.437	0.640	0.407	0.669
100	55	0.463	0.635	0.447	0.650	0.417	0.678
100	56	0.473	0.644	0.457	0.659	0.427	0.687
100	57	0.483	0.654	0.467	0.669	0.437	0.696
100	58	0.493	0.664	0.477	0.678	0.447	0.706
100	59	0.503	0.673	0.487	0.687	0.456	0.715
100	60	0.513	0.682	0.497	0.697	0.466	0.724
100	61	0.523	0.692	0.507	0.706	0.477	0.733
100	62	0.533	0.701	0.517	0.715	0.487	0.742
100	63	0.543	0.711	0.528	0.724	0.497	0.751
100	64	0.554	0.720	0.538	0.734	0.507	0.759
100	65	0.564	0.729	0.548	0.743	0.517	0.768
100	66	0.574	0.738	0.558	0.752	0.528	0.777
100	67	0.585	0.748	0.569	0.761	0.538	0.785
100	68	0.595	0.757	0.579	0.770	0.548	0.794
100	69	0.605	0.766	0.590	0.779	0.559	0.803

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
100	70	0.616	0.775	0.600	0.788	0.569	0.811
100	71	0.626	0.784	0.611	0.796	0.580	0.819
100	72	0.637	0.793	0.621	0.805	0.591	0.828
100	73	0.647	0.802	0.632	0.814	0.601	0.836
100	74	0.658	0.811	0.643	0.823	0.612	0.844
100	75	0.669	0.820	0.653	0.831	0.623	0.852
100	76	0.679	0.829	0.664	0.840	0.634	0.860
100	77	0.690	0.837	0.675	0.848	0.645	0.868
100	78	0.701	0.846	0.686	0.857	0.656	0.876
100	79	0.712	0.855	0.697	0.865	0.667	0.884
100	80	0.723	0.863	0.708	0.873	0.679	0.892
100	81	0.734	0.872	0.719	0.882	0.690	0.899
100	82	0.745	0.880	0.731	0.890	0.702	0.907
100	83	0.756	0.889	0.742	0.898	0.713	0.914
100	84	0.767	0.897	0.753	0.906	0.725	0.921
100	85	0.778	0.905	0.765	0.914	0.737	0.928
100	86	0.790	0.913	0.776	0.921	0.749	0.935
100	87	0.801	0.921	0.788	0.929	0.761	0.942
100	88	0.813	0.929	0.800	0.936	0.773	0.949
100	89	0.825	0.937	0.812	0.944	0.785	0.955
100	90	0.836	0.945	0.824	0.951	0.798	0.962
100	91	0.848	0.952	0.836	0.958	0.811	0.968
100	92	0.860	0.960	0.848	0.965	0.824	0.974
100	93	0.873	0.967	0.861	0.971	0.837	0.979
100	94	0.885	0.974	0.874	0.978	0.851	0.984
100	95	0.896	0.980	0.887	0.984	0.865	0.989
100	96	0.911	0.986	0.901	0.989	0.879	0.993
100	97	0.924	0.992	0.915	0.994	0.895	0.997
100	98	0.938	0.996	0.930	0.998	0.911	0.999
100	99	0.953	0.999	0.946	1.000	0.928	1.000
100	100	0.970	1.000	0.964	1.000	0.948	1.000
105	0	0.000	0.028	0.000	0.035	0.000	0.049
105	1	0.000	0.044	0.000	0.052	0.000	0.069
105	2	0.003	0.059	0.002	0.067	0.001	0.085
105	3	0.008	0.072	0.006	0.081	0.003	0.101
105	4	0.013	0.085	0.010	0.095	0.006	0.115
105	5	0.019	0.098	0.016	0.108	0.010	0.129
105	6	0.025	0.110	0.021	0.120	0.015	0.142
105	7	0.032	0.122	0.027	0.133	0.020	0.155
105	8	0.038	0.133	0.033	0.145	0.025	0.168
105	9	0.045	0.145	0.040	0.156	0.031	0.181
105	10	0.053	0.156	0.047	0.168	0.036	0.193
105	11	0.060	0.167	0.053	0.180	0.042	0.205
105	12	0.067	0.179	0.060	0.191	0.049	0.217
105	13	0.075	0.190	0.068	0.202	0.055	0.229
105	14	0.082	0.201	0.075	0.214	0.061	0.240
105	15	0.090	0.211	0.082	0.225	0.068	0.252
105	16	0.098	0.222	0.090	0.236	0.075	0.263
105	17	0.106	0.233	0.097	0.247	0.082	0.274
105	18	0.114	0.244	0.105	0.257	0.089	0.285
105	19	0.122	0.254	0.113	0.268	0.096	0.296
105	20	0.130	0.265	0.120	0.279	0.103	0.307
105	21	0.138	0.275	0.128	0.289	0.110	0.318
105	22	0.146	0.285	0.136	0.300	0.118	0.329
105	23	0.155	0.296	0.144	0.310	0.125	0.339
105	24	0.163	0.306	0.152	0.321	0.133	0.350

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
105	25	0.171	0.316	0.160	0.331	0.140	0.360
105	26	0.180	0.327	0.169	0.341	0.148	0.371
105	27	0.188	0.337	0.177	0.352	0.156	0.381
105	28	0.197	0.347	0.185	0.362	0.164	0.392
105	29	0.205	0.357	0.193	0.372	0.171	0.402
105	30	0.214	0.367	0.202	0.382	0.179	0.412
105	31	0.222	0.377	0.210	0.392	0.187	0.422
105	32	0.231	0.387	0.219	0.402	0.196	0.432
105	33	0.240	0.397	0.227	0.412	0.204	0.442
105	34	0.248	0.407	0.236	0.422	0.212	0.452
105	35	0.257	0.417	0.244	0.432	0.220	0.462
105	36	0.266	0.426	0.253	0.442	0.228	0.472
105	37	0.275	0.436	0.262	0.452	0.237	0.482
105	38	0.284	0.446	0.270	0.461	0.245	0.492
105	39	0.293	0.456	0.279	0.471	0.254	0.501
105	40	0.302	0.465	0.288	0.481	0.262	0.511
105	41	0.311	0.475	0.297	0.491	0.271	0.521
105	42	0.320	0.485	0.306	0.500	0.279	0.530
105	43	0.329	0.494	0.315	0.510	0.288	0.540
105	44	0.338	0.504	0.323	0.519	0.296	0.549
105	45	0.347	0.514	0.332	0.529	0.305	0.559
105	46	0.356	0.523	0.341	0.538	0.314	0.568
105	47	0.365	0.533	0.350	0.548	0.323	0.577
105	48	0.374	0.542	0.360	0.557	0.332	0.587
105	49	0.383	0.551	0.369	0.567	0.340	0.596
105	50	0.393	0.561	0.378	0.576	0.349	0.605
105	51	0.402	0.570	0.387	0.585	0.358	0.614
105	52	0.411	0.580	0.396	0.595	0.367	0.623
105	53	0.420	0.589	0.405	0.604	0.377	0.633
105	54	0.430	0.598	0.415	0.613	0.386	0.642
105	55	0.439	0.607	0.424	0.622	0.395	0.651
105	56	0.449	0.617	0.433	0.631	0.404	0.660
105	57	0.458	0.626	0.443	0.640	0.413	0.668
105	58	0.467	0.635	0.452	0.650	0.423	0.677
105	59	0.477	0.644	0.462	0.659	0.432	0.686
105	60	0.486	0.653	0.471	0.668	0.441	0.695
105	61	0.496	0.662	0.481	0.677	0.451	0.704
105	62	0.506	0.671	0.490	0.685	0.460	0.712
105	63	0.515	0.680	0.500	0.694	0.470	0.721
105	64	0.525	0.689	0.509	0.703	0.479	0.729
105	65	0.535	0.698	0.519	0.712	0.489	0.738
105	66	0.544	0.707	0.529	0.721	0.499	0.746
105	67	0.554	0.716	0.539	0.730	0.508	0.755
105	68	0.564	0.725	0.548	0.738	0.518	0.763
105	69	0.574	0.734	0.558	0.747	0.528	0.772
105	70	0.583	0.743	0.568	0.756	0.538	0.780
105	71	0.593	0.752	0.578	0.764	0.548	0.788
105	72	0.603	0.760	0.588	0.773	0.558	0.796
105	73	0.613	0.769	0.598	0.781	0.568	0.804
105	74	0.623	0.778	0.608	0.790	0.578	0.813
105	75	0.633	0.786	0.618	0.798	0.588	0.821
105	76	0.643	0.795	0.628	0.807	0.598	0.829
105	77	0.653	0.803	0.638	0.815	0.608	0.836
105	78	0.663	0.812	0.648	0.823	0.619	0.844
105	79	0.673	0.820	0.659	0.831	0.629	0.852
105	80	0.684	0.829	0.669	0.840	0.640	0.860

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
105	81	0.694	0.837	0.679	0.848	0.650	0.867
105	82	0.704	0.845	0.690	0.856	0.661	0.875
105	83	0.715	0.854	0.700	0.864	0.671	0.882
105	84	0.725	0.862	0.711	0.872	0.682	0.890
105	85	0.735	0.870	0.721	0.880	0.693	0.897
105	86	0.746	0.878	0.732	0.887	0.704	0.904
105	87	0.756	0.886	0.743	0.895	0.715	0.911
105	88	0.767	0.894	0.753	0.903	0.726	0.918
105	89	0.778	0.902	0.764	0.910	0.737	0.925
105	90	0.789	0.910	0.775	0.918	0.748	0.932
105	91	0.799	0.918	0.786	0.925	0.760	0.939
105	92	0.810	0.925	0.798	0.932	0.771	0.945
105	93	0.821	0.933	0.809	0.940	0.783	0.951
105	94	0.833	0.940	0.820	0.947	0.795	0.958
105	95	0.844	0.947	0.832	0.953	0.807	0.964
105	96	0.855	0.955	0.844	0.960	0.819	0.969
105	97	0.867	0.962	0.855	0.967	0.832	0.975
105	98	0.878	0.968	0.867	0.973	0.845	0.980
105	99	0.890	0.975	0.880	0.979	0.858	0.985
105	100	0.902	0.981	0.892	0.984	0.871	0.990
105	101	0.915	0.987	0.905	0.990	0.885	0.994
105	102	0.928	0.992	0.919	0.994	0.899	0.997
105	103	0.941	0.997	0.933	0.998	0.915	0.999
105	104	0.956	1.000	0.948	1.000	0.931	1.000
105	105	0.972	1.000	0.965	1.000	0.951	1.000
110	0	0.000	0.027	0.000	0.033	0.000	0.047
110	1	0.000	0.042	0.000	0.050	0.000	0.066
110	2	0.003	0.056	0.002	0.064	0.001	0.082
110	3	0.007	0.069	0.006	0.078	0.003	0.096
110	4	0.013	0.081	0.010	0.090	0.006	0.110
110	5	0.018	0.093	0.015	0.103	0.010	0.123
110	6	0.024	0.105	0.020	0.115	0.014	0.136
110	7	0.030	0.116	0.026	0.127	0.019	0.149
110	8	0.037	0.127	0.032	0.138	0.024	0.161
110	9	0.043	0.138	0.038	0.150	0.029	0.173
110	10	0.050	0.149	0.044	0.161	0.035	0.185
110	11	0.057	0.160	0.051	0.172	0.040	0.196
110	12	0.064	0.171	0.058	0.183	0.046	0.208
110	13	0.071	0.181	0.064	0.194	0.052	0.219
110	14	0.079	0.192	0.071	0.204	0.058	0.230
110	15	0.086	0.202	0.078	0.215	0.065	0.241
110	16	0.093	0.213	0.085	0.225	0.071	0.252
110	17	0.101	0.223	0.093	0.236	0.078	0.262
110	18	0.109	0.233	0.100	0.246	0.084	0.273
110	19	0.116	0.243	0.107	0.257	0.091	0.284
110	20	0.124	0.253	0.115	0.267	0.098	0.294
110	21	0.132	0.263	0.122	0.277	0.105	0.305
110	22	0.139	0.273	0.130	0.287	0.112	0.315
110	23	0.147	0.283	0.137	0.297	0.119	0.325
110	24	0.155	0.293	0.145	0.307	0.126	0.335
110	25	0.163	0.303	0.153	0.317	0.134	0.345
110	26	0.171	0.313	0.161	0.327	0.141	0.355
110	27	0.179	0.322	0.168	0.337	0.148	0.365
110	28	0.187	0.332	0.176	0.346	0.156	0.375
110	29	0.195	0.342	0.184	0.356	0.163	0.385

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
110	30	0.204	0.351	0.192	0.366	0.171	0.395
110	31	0.212	0.361	0.200	0.376	0.178	0.405
110	32	0.220	0.370	0.208	0.385	0.186	0.414
110	33	0.228	0.380	0.216	0.395	0.194	0.424
110	34	0.237	0.389	0.224	0.404	0.202	0.434
110	35	0.245	0.399	0.233	0.414	0.209	0.443
110	36	0.253	0.408	0.241	0.423	0.217	0.453
110	37	0.262	0.418	0.249	0.433	0.225	0.462
110	38	0.270	0.427	0.257	0.442	0.233	0.472
110	39	0.279	0.436	0.266	0.451	0.241	0.481
110	40	0.287	0.446	0.274	0.461	0.249	0.490
110	41	0.296	0.455	0.282	0.470	0.257	0.500
110	42	0.304	0.464	0.291	0.479	0.265	0.509
110	43	0.313	0.474	0.299	0.489	0.274	0.518
110	44	0.321	0.483	0.308	0.498	0.282	0.527
110	45	0.330	0.492	0.316	0.507	0.290	0.536
110	46	0.339	0.501	0.325	0.516	0.298	0.545
110	47	0.347	0.510	0.333	0.525	0.307	0.554
110	48	0.356	0.519	0.342	0.534	0.315	0.563
110	49	0.365	0.528	0.351	0.543	0.324	0.572
110	50	0.374	0.537	0.359	0.552	0.332	0.581
110	51	0.382	0.546	0.368	0.561	0.341	0.590
110	52	0.391	0.555	0.377	0.570	0.349	0.599
110	53	0.400	0.564	0.386	0.579	0.358	0.608
110	54	0.409	0.573	0.394	0.588	0.366	0.616
110	55	0.418	0.582	0.403	0.597	0.375	0.625
110	56	0.427	0.591	0.412	0.606	0.384	0.634
110	57	0.436	0.600	0.421	0.614	0.392	0.642
110	58	0.445	0.609	0.430	0.623	0.401	0.651
110	59	0.454	0.618	0.439	0.632	0.410	0.659
110	60	0.463	0.626	0.448	0.641	0.419	0.668
110	61	0.472	0.635	0.457	0.649	0.428	0.676
110	62	0.481	0.644	0.466	0.658	0.437	0.685
110	63	0.490	0.653	0.475	0.667	0.446	0.693
110	64	0.499	0.661	0.484	0.675	0.455	0.702
110	65	0.508	0.670	0.493	0.684	0.464	0.710
110	66	0.517	0.679	0.502	0.692	0.473	0.718
110	67	0.526	0.687	0.511	0.701	0.482	0.726
110	68	0.536	0.696	0.521	0.709	0.491	0.735
110	69	0.545	0.704	0.530	0.718	0.500	0.743
110	70	0.554	0.713	0.539	0.726	0.510	0.751
110	71	0.564	0.721	0.549	0.734	0.519	0.759
110	72	0.573	0.730	0.558	0.743	0.528	0.767
110	73	0.582	0.738	0.567	0.751	0.538	0.775
110	74	0.592	0.747	0.577	0.759	0.547	0.783
110	75	0.601	0.755	0.586	0.767	0.557	0.791
110	76	0.611	0.763	0.596	0.776	0.566	0.798
110	77	0.620	0.772	0.605	0.784	0.576	0.806
110	78	0.630	0.780	0.615	0.792	0.586	0.814
110	79	0.639	0.788	0.624	0.800	0.595	0.822
110	80	0.649	0.796	0.634	0.808	0.605	0.829
110	81	0.658	0.805	0.644	0.816	0.615	0.837
110	82	0.668	0.813	0.654	0.824	0.625	0.844
110	83	0.678	0.821	0.663	0.832	0.635	0.852
110	84	0.687	0.829	0.673	0.839	0.645	0.859
110	85	0.697	0.837	0.683	0.847	0.655	0.866



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
110	86	0.707	0.845	0.693	0.855	0.665	0.874
110	87	0.717	0.853	0.703	0.863	0.675	0.881
110	88	0.727	0.861	0.713	0.870	0.685	0.888
110	89	0.737	0.868	0.723	0.878	0.695	0.895
110	90	0.747	0.876	0.733	0.885	0.706	0.902
110	91	0.757	0.884	0.743	0.893	0.716	0.909
110	92	0.767	0.891	0.754	0.900	0.727	0.916
110	93	0.777	0.899	0.764	0.907	0.738	0.922
110	94	0.787	0.907	0.775	0.915	0.748	0.929
110	95	0.798	0.914	0.785	0.922	0.759	0.935
110	96	0.808	0.921	0.796	0.929	0.770	0.942
110	97	0.819	0.929	0.806	0.936	0.781	0.948
110	98	0.829	0.936	0.817	0.942	0.792	0.954
110	99	0.840	0.943	0.828	0.949	0.804	0.960
110	100	0.851	0.950	0.839	0.956	0.815	0.965
110	101	0.862	0.957	0.850	0.962	0.827	0.971
110	102	0.873	0.963	0.862	0.968	0.839	0.976
110	103	0.884	0.970	0.873	0.974	0.851	0.981
110	104	0.895	0.976	0.885	0.980	0.864	0.986
110	105	0.907	0.982	0.897	0.985	0.877	0.990
110	106	0.919	0.987	0.910	0.990	0.890	0.994
110	107	0.931	0.993	0.922	0.994	0.904	0.997
110	108	0.944	0.997	0.936	0.998	0.918	0.999
110	109	0.958	1.000	0.950	1.000	0.934	1.000
110	110	0.973	1.000	0.967	1.000	0.953	1.000
115	0	0.000	0.026	0.000	0.032	0.000	0.045
115	1	0.000	0.041	0.000	0.047	0.000	0.063
115	2	0.003	0.054	0.002	0.061	0.001	0.078
115	3	0.007	0.066	0.005	0.074	0.003	0.092
115	4	0.012	0.078	0.010	0.087	0.006	0.105
115	5	0.017	0.089	0.014	0.099	0.009	0.118
115	6	0.023	0.100	0.019	0.110	0.014	0.131
115	7	0.029	0.111	0.025	0.121	0.018	0.143
115	8	0.035	0.122	0.031	0.132	0.023	0.154
115	9	0.041	0.133	0.036	0.143	0.028	0.166
115	10	0.048	0.143	0.042	0.154	0.033	0.177
115	11	0.055	0.153	0.049	0.165	0.039	0.188
115	12	0.061	0.164	0.055	0.175	0.044	0.199
115	13	0.068	0.174	0.062	0.186	0.050	0.210
115	14	0.075	0.184	0.068	0.196	0.056	0.220
115	15	0.082	0.194	0.075	0.206	0.062	0.231
115	16	0.089	0.204	0.082	0.216	0.068	0.241
115	17	0.096	0.213	0.089	0.226	0.074	0.252
115	18	0.104	0.223	0.095	0.236	0.081	0.262
115	19	0.111	0.233	0.103	0.246	0.087	0.272
115	20	0.118	0.243	0.110	0.256	0.094	0.282
115	21	0.126	0.252	0.117	0.265	0.100	0.292
115	22	0.133	0.262	0.124	0.275	0.107	0.302
115	23	0.141	0.271	0.131	0.285	0.114	0.312
115	24	0.148	0.281	0.139	0.294	0.121	0.322
115	25	0.156	0.290	0.146	0.304	0.127	0.332
115	26	0.164	0.300	0.153	0.313	0.134	0.341
115	27	0.171	0.309	0.161	0.323	0.142	0.351
115	28	0.179	0.318	0.168	0.332	0.149	0.360
115	29	0.187	0.328	0.176	0.342	0.156	0.370
115	30	0.194	0.337	0.183	0.351	0.163	0.379

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
115	31	0.202	0.346	0.191	0.360	0.170	0.389
115	32	0.210	0.355	0.199	0.370	0.177	0.398
115	33	0.218	0.364	0.206	0.379	0.185	0.407
115	34	0.226	0.373	0.214	0.388	0.192	0.417
115	35	0.234	0.383	0.222	0.397	0.200	0.426
115	36	0.242	0.392	0.230	0.406	0.207	0.435
115	37	0.250	0.401	0.238	0.415	0.215	0.444
115	38	0.258	0.410	0.246	0.424	0.222	0.453
115	39	0.266	0.419	0.253	0.433	0.230	0.462
115	40	0.274	0.428	0.261	0.442	0.238	0.471
115	41	0.282	0.437	0.269	0.451	0.245	0.480
115	42	0.290	0.445	0.277	0.460	0.253	0.489
115	43	0.299	0.454	0.285	0.469	0.261	0.498
115	44	0.307	0.463	0.294	0.478	0.269	0.507
115	45	0.315	0.472	0.302	0.487	0.276	0.515
115	46	0.323	0.481	0.310	0.496	0.284	0.524
115	47	0.331	0.490	0.318	0.504	0.292	0.533
115	48	0.340	0.498	0.326	0.513	0.300	0.542
115	49	0.348	0.507	0.334	0.522	0.308	0.550
115	50	0.356	0.516	0.343	0.530	0.316	0.559
115	51	0.365	0.524	0.351	0.539	0.324	0.567
115	52	0.373	0.533	0.359	0.548	0.332	0.576
115	53	0.382	0.542	0.368	0.556	0.341	0.584
115	54	0.390	0.550	0.376	0.565	0.349	0.593
115	55	0.398	0.559	0.384	0.573	0.357	0.601
115	56	0.407	0.568	0.393	0.582	0.365	0.610
115	57	0.415	0.576	0.401	0.590	0.374	0.618
115	58	0.424	0.585	0.410	0.599	0.382	0.626
115	59	0.432	0.593	0.418	0.607	0.390	0.635
115	60	0.441	0.602	0.427	0.616	0.399	0.643
115	61	0.450	0.610	0.435	0.624	0.407	0.651
115	62	0.458	0.618	0.444	0.632	0.416	0.659
115	63	0.467	0.627	0.452	0.641	0.424	0.668
115	64	0.476	0.635	0.461	0.649	0.433	0.676
115	65	0.484	0.644	0.470	0.657	0.441	0.684
115	66	0.493	0.652	0.478	0.666	0.450	0.692
115	67	0.502	0.660	0.487	0.674	0.458	0.700
115	68	0.510	0.669	0.496	0.682	0.467	0.708
115	69	0.519	0.677	0.504	0.690	0.476	0.716
115	70	0.528	0.685	0.513	0.698	0.485	0.724
115	71	0.537	0.693	0.522	0.706	0.493	0.731
115	72	0.546	0.701	0.531	0.715	0.502	0.739
115	73	0.555	0.710	0.540	0.723	0.511	0.747
115	74	0.563	0.718	0.549	0.731	0.520	0.755
115	75	0.572	0.726	0.558	0.739	0.529	0.762
115	76	0.581	0.734	0.567	0.747	0.538	0.770
115	77	0.590	0.742	0.576	0.754	0.547	0.778
115	78	0.599	0.750	0.585	0.762	0.556	0.785
115	79	0.608	0.758	0.594	0.770	0.565	0.793
115	80	0.617	0.766	0.603	0.778	0.574	0.800
115	81	0.627	0.774	0.612	0.786	0.583	0.808
115	82	0.636	0.782	0.621	0.794	0.593	0.815
115	83	0.645	0.790	0.630	0.801	0.602	0.823
115	84	0.654	0.798	0.640	0.809	0.611	0.830
115	85	0.663	0.806	0.649	0.817	0.621	0.837
115	86	0.672	0.813	0.658	0.824	0.630	0.844

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
115	87	0.682	0.821	0.668	0.832	0.640	0.851
115	88	0.691	0.829	0.677	0.839	0.649	0.858
115	89	0.700	0.836	0.687	0.847	0.659	0.866
115	90	0.710	0.844	0.696	0.854	0.668	0.873
115	91	0.719	0.852	0.706	0.861	0.678	0.879
115	92	0.729	0.859	0.715	0.869	0.688	0.886
115	93	0.738	0.867	0.725	0.876	0.698	0.893
115	94	0.748	0.874	0.735	0.883	0.708	0.900
115	95	0.757	0.882	0.744	0.890	0.718	0.906
115	96	0.767	0.889	0.754	0.897	0.728	0.913
115	97	0.777	0.896	0.764	0.905	0.738	0.919
115	98	0.787	0.904	0.774	0.911	0.748	0.926
115	99	0.796	0.911	0.784	0.918	0.759	0.932
115	100	0.806	0.918	0.794	0.925	0.769	0.938
115	101	0.816	0.925	0.804	0.932	0.780	0.944
115	102	0.826	0.932	0.814	0.938	0.790	0.950
115	103	0.836	0.939	0.825	0.945	0.801	0.956
115	104	0.847	0.945	0.835	0.951	0.812	0.961
115	105	0.857	0.952	0.846	0.958	0.823	0.967
115	106	0.867	0.959	0.857	0.964	0.834	0.972
115	107	0.878	0.965	0.868	0.969	0.846	0.977
115	108	0.889	0.971	0.879	0.975	0.857	0.982
115	109	0.900	0.977	0.890	0.981	0.869	0.986
115	110	0.911	0.983	0.901	0.986	0.882	0.991
115	111	0.922	0.988	0.913	0.990	0.895	0.994
115	112	0.934	0.993	0.926	0.995	0.908	0.997
115	113	0.946	0.997	0.939	0.998	0.922	0.999
115	114	0.959	1.000	0.953	1.000	0.937	1.000
115	115	0.974	1.000	0.968	1.000	0.955	1.000
120	0	0.000	0.025	0.000	0.030	0.000	0.043
120	1	0.000	0.039	0.000	0.046	0.000	0.060
120	2	0.003	0.052	0.002	0.059	0.001	0.075
120	3	0.007	0.063	0.005	0.071	0.003	0.088
120	4	0.011	0.075	0.009	0.083	0.006	0.101
120	5	0.017	0.086	0.014	0.095	0.009	0.113
120	6	0.022	0.096	0.019	0.106	0.013	0.125
120	7	0.028	0.107	0.024	0.116	0.017	0.137
120	8	0.034	0.117	0.029	0.127	0.022	0.148
120	9	0.040	0.127	0.035	0.138	0.027	0.159
120	10	0.046	0.137	0.041	0.148	0.032	0.170
120	11	0.052	0.147	0.047	0.158	0.037	0.181
120	12	0.059	0.157	0.053	0.168	0.042	0.191
120	13	0.065	0.167	0.059	0.178	0.048	0.201
120	14	0.072	0.176	0.065	0.188	0.053	0.212
120	15	0.079	0.186	0.072	0.198	0.059	0.222
120	16	0.085	0.195	0.078	0.207	0.065	0.232
120	17	0.092	0.205	0.085	0.217	0.071	0.242
120	18	0.099	0.214	0.091	0.227	0.077	0.252
120	19	0.106	0.224	0.098	0.236	0.083	0.262
120	20	0.113	0.233	0.105	0.246	0.090	0.271
120	21	0.120	0.242	0.112	0.255	0.096	0.281
120	22	0.127	0.251	0.119	0.264	0.102	0.290
120	23	0.135	0.260	0.126	0.274	0.109	0.300
120	24	0.142	0.270	0.133	0.283	0.115	0.309
120	25	0.149	0.279	0.140	0.292	0.122	0.319

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
120	26	0.156	0.288	0.147	0.301	0.129	0.328
120	27	0.164	0.297	0.154	0.310	0.135	0.337
120	28	0.171	0.306	0.161	0.319	0.142	0.346
120	29	0.179	0.315	0.168	0.328	0.149	0.356
120	30	0.186	0.323	0.175	0.337	0.156	0.365
120	31	0.194	0.332	0.183	0.346	0.163	0.374
120	32	0.201	0.341	0.190	0.355	0.170	0.383
120	33	0.209	0.350	0.197	0.364	0.177	0.392
120	34	0.216	0.359	0.205	0.373	0.184	0.401
120	35	0.224	0.368	0.212	0.382	0.191	0.410
120	36	0.231	0.376	0.220	0.390	0.198	0.418
120	37	0.239	0.385	0.227	0.399	0.205	0.427
120	38	0.247	0.394	0.235	0.408	0.212	0.436
120	39	0.254	0.402	0.242	0.417	0.220	0.445
120	40	0.262	0.411	0.250	0.425	0.227	0.453
120	41	0.270	0.419	0.258	0.434	0.234	0.462
120	42	0.278	0.428	0.265	0.442	0.242	0.471
120	43	0.285	0.437	0.273	0.451	0.249	0.479
120	44	0.293	0.445	0.281	0.459	0.257	0.488
120	45	0.301	0.454	0.288	0.468	0.264	0.496
120	46	0.309	0.462	0.296	0.476	0.271	0.505
120	47	0.317	0.471	0.304	0.485	0.279	0.513
120	48	0.325	0.479	0.312	0.493	0.287	0.522
120	49	0.333	0.487	0.320	0.502	0.294	0.530
120	50	0.341	0.496	0.327	0.510	0.302	0.538
120	51	0.349	0.504	0.335	0.519	0.310	0.547
120	52	0.357	0.513	0.343	0.527	0.317	0.555
120	53	0.365	0.521	0.351	0.535	0.325	0.563
120	54	0.373	0.529	0.359	0.543	0.333	0.571
120	55	0.381	0.537	0.367	0.552	0.341	0.579
120	56	0.389	0.546	0.375	0.560	0.349	0.588
120	57	0.397	0.554	0.383	0.568	0.356	0.596
120	58	0.405	0.562	0.391	0.576	0.364	0.604
120	59	0.413	0.570	0.399	0.584	0.372	0.612
120	60	0.421	0.579	0.407	0.593	0.380	0.620
120	61	0.430	0.587	0.416	0.601	0.388	0.628
120	62	0.438	0.595	0.424	0.609	0.396	0.636
120	63	0.446	0.603	0.432	0.617	0.404	0.644
120	64	0.454	0.611	0.440	0.625	0.412	0.651
120	65	0.463	0.619	0.448	0.633	0.421	0.659
120	66	0.471	0.627	0.457	0.641	0.429	0.667
120	67	0.479	0.635	0.465	0.649	0.437	0.675
120	68	0.487	0.643	0.473	0.657	0.445	0.683
120	69	0.496	0.651	0.481	0.665	0.453	0.690
120	70	0.504	0.659	0.490	0.673	0.462	0.698
120	71	0.513	0.667	0.498	0.680	0.470	0.706
120	72	0.521	0.675	0.507	0.688	0.478	0.713
120	73	0.529	0.683	0.515	0.696	0.487	0.721
120	74	0.538	0.691	0.524	0.704	0.495	0.729
120	75	0.546	0.699	0.532	0.712	0.504	0.736
120	76	0.555	0.707	0.541	0.719	0.512	0.743
120	77	0.563	0.715	0.549	0.727	0.521	0.751
120	78	0.572	0.722	0.558	0.735	0.529	0.758
120	79	0.581	0.730	0.566	0.742	0.538	0.766
120	80	0.589	0.738	0.575	0.750	0.547	0.773
120	81	0.598	0.746	0.583	0.758	0.555	0.780

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
120	82	0.606	0.753	0.592	0.765	0.564	0.788
120	83	0.615	0.761	0.601	0.773	0.573	0.795
120	84	0.624	0.769	0.610	0.780	0.582	0.802
120	85	0.632	0.776	0.618	0.788	0.590	0.809
120	86	0.641	0.784	0.627	0.795	0.599	0.816
120	87	0.650	0.791	0.636	0.803	0.608	0.823
120	88	0.659	0.799	0.645	0.810	0.617	0.830
120	89	0.668	0.806	0.654	0.817	0.626	0.837
120	90	0.677	0.814	0.663	0.825	0.635	0.844
120	91	0.685	0.821	0.672	0.832	0.644	0.851
120	92	0.694	0.829	0.681	0.839	0.654	0.858
120	93	0.703	0.836	0.690	0.846	0.663	0.865
120	94	0.712	0.844	0.699	0.853	0.672	0.871
120	95	0.721	0.851	0.708	0.860	0.681	0.878
120	96	0.730	0.858	0.717	0.867	0.691	0.885
120	97	0.740	0.865	0.726	0.874	0.700	0.891
120	98	0.749	0.873	0.736	0.881	0.710	0.898
120	99	0.758	0.880	0.745	0.888	0.719	0.904
120	100	0.767	0.887	0.754	0.895	0.729	0.910
120	101	0.776	0.894	0.764	0.902	0.738	0.917
120	102	0.786	0.901	0.773	0.909	0.748	0.923
120	103	0.795	0.908	0.783	0.915	0.758	0.929
120	104	0.805	0.915	0.793	0.922	0.768	0.935
120	105	0.814	0.921	0.802	0.928	0.778	0.941
120	106	0.824	0.928	0.812	0.935	0.788	0.947
120	107	0.833	0.935	0.822	0.941	0.799	0.952
120	108	0.843	0.941	0.832	0.947	0.809	0.958
120	109	0.853	0.948	0.842	0.953	0.819	0.963
120	110	0.863	0.954	0.852	0.959	0.830	0.968
120	111	0.873	0.960	0.862	0.965	0.841	0.973
120	112	0.883	0.966	0.873	0.971	0.852	0.978
120	113	0.893	0.972	0.884	0.976	0.863	0.983
120	114	0.904	0.978	0.894	0.981	0.875	0.987
120	115	0.914	0.983	0.905	0.986	0.887	0.991
120	116	0.925	0.989	0.917	0.991	0.899	0.994
120	117	0.937	0.993	0.929	0.995	0.912	0.997
120	118	0.948	0.997	0.941	0.998	0.925	0.999
120	119	0.961	1.000	0.954	1.000	0.940	1.000
120	120	0.975	1.000	0.970	1.000	0.957	1.000
125	0	0.000	0.024	0.000	0.029	0.000	0.042
125	1	0.000	0.037	0.000	0.044	0.000	0.058
125	2	0.003	0.050	0.002	0.057	0.001	0.072
125	3	0.007	0.061	0.005	0.069	0.003	0.085
125	4	0.011	0.072	0.009	0.080	0.005	0.097
125	5	0.016	0.082	0.013	0.091	0.009	0.109
125	6	0.021	0.093	0.018	0.102	0.012	0.121
125	7	0.027	0.103	0.023	0.112	0.017	0.132
125	8	0.032	0.113	0.028	0.122	0.021	0.142
125	9	0.038	0.122	0.033	0.132	0.026	0.153
125	10	0.044	0.132	0.039	0.142	0.030	0.163
125	11	0.050	0.141	0.045	0.152	0.035	0.174
125	12	0.056	0.151	0.051	0.162	0.041	0.184
125	13	0.063	0.160	0.057	0.171	0.046	0.194
125	14	0.069	0.170	0.063	0.181	0.051	0.204
125	15	0.075	0.179	0.069	0.190	0.057	0.214

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
125	16	0.082	0.188	0.075	0.200	0.062	0.223
125	17	0.089	0.197	0.081	0.209	0.068	0.233
125	18	0.095	0.206	0.088	0.218	0.074	0.242
125	19	0.102	0.215	0.094	0.227	0.080	0.252
125	20	0.109	0.224	0.101	0.236	0.086	0.261
125	21	0.115	0.233	0.107	0.245	0.092	0.270
125	22	0.122	0.242	0.114	0.254	0.098	0.280
125	23	0.129	0.250	0.120	0.263	0.104	0.289
125	24	0.136	0.259	0.127	0.272	0.111	0.298
125	25	0.143	0.268	0.134	0.281	0.117	0.307
125	26	0.150	0.277	0.141	0.290	0.123	0.316
125	27	0.157	0.285	0.147	0.298	0.130	0.325
125	28	0.164	0.294	0.154	0.307	0.136	0.334
125	29	0.171	0.303	0.161	0.316	0.143	0.342
125	30	0.178	0.311	0.168	0.325	0.149	0.351
125	31	0.186	0.320	0.175	0.333	0.156	0.360
125	32	0.193	0.328	0.182	0.342	0.162	0.369
125	33	0.200	0.337	0.189	0.350	0.169	0.377
125	34	0.207	0.345	0.196	0.359	0.176	0.386
125	35	0.214	0.354	0.203	0.367	0.183	0.395
125	36	0.222	0.362	0.211	0.376	0.190	0.403
125	37	0.229	0.370	0.218	0.384	0.196	0.412
125	38	0.236	0.379	0.225	0.393	0.203	0.420
125	39	0.244	0.387	0.232	0.401	0.210	0.428
125	40	0.251	0.395	0.239	0.409	0.217	0.437
125	41	0.259	0.404	0.247	0.418	0.224	0.445
125	42	0.266	0.412	0.254	0.426	0.231	0.454
125	43	0.273	0.420	0.261	0.434	0.238	0.462
125	44	0.281	0.428	0.269	0.442	0.245	0.470
125	45	0.288	0.437	0.276	0.451	0.253	0.478
125	46	0.296	0.445	0.284	0.459	0.260	0.487
125	47	0.304	0.453	0.291	0.467	0.267	0.495
125	48	0.311	0.461	0.298	0.475	0.274	0.503
125	49	0.319	0.469	0.306	0.483	0.282	0.511
125	50	0.326	0.477	0.313	0.491	0.289	0.519
125	51	0.334	0.485	0.321	0.499	0.296	0.527
125	52	0.342	0.493	0.329	0.508	0.304	0.535
125	53	0.349	0.501	0.336	0.516	0.311	0.543
125	54	0.357	0.510	0.344	0.524	0.318	0.551
125	55	0.365	0.518	0.351	0.532	0.326	0.559
125	56	0.372	0.525	0.359	0.540	0.333	0.567
125	57	0.380	0.533	0.367	0.547	0.341	0.575
125	58	0.388	0.541	0.374	0.555	0.348	0.582
125	59	0.396	0.549	0.382	0.563	0.356	0.590
125	60	0.403	0.557	0.390	0.571	0.364	0.598
125	61	0.411	0.565	0.398	0.579	0.371	0.606
125	62	0.419	0.573	0.405	0.587	0.379	0.613
125	63	0.427	0.581	0.413	0.595	0.387	0.621
125	64	0.435	0.589	0.421	0.602	0.394	0.629
125	65	0.443	0.597	0.429	0.610	0.402	0.636
125	66	0.451	0.604	0.437	0.618	0.410	0.644
125	67	0.459	0.612	0.445	0.626	0.418	0.652
125	68	0.467	0.620	0.453	0.633	0.425	0.659
125	69	0.475	0.628	0.460	0.641	0.433	0.667
125	70	0.482	0.635	0.468	0.649	0.441	0.674
125	71	0.490	0.643	0.476	0.656	0.449	0.682

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
125	72	0.499	0.651	0.484	0.664	0.457	0.689
125	73	0.507	0.658	0.492	0.671	0.465	0.696
125	74	0.515	0.666	0.501	0.679	0.473	0.704
125	75	0.523	0.674	0.509	0.687	0.481	0.711
125	76	0.531	0.681	0.517	0.694	0.489	0.718
125	77	0.539	0.689	0.525	0.702	0.497	0.726
125	78	0.547	0.696	0.533	0.709	0.505	0.733
125	79	0.555	0.704	0.541	0.716	0.513	0.740
125	80	0.563	0.712	0.549	0.724	0.522	0.747
125	81	0.572	0.719	0.558	0.731	0.530	0.755
125	82	0.580	0.727	0.566	0.739	0.538	0.762
125	83	0.588	0.734	0.574	0.746	0.546	0.769
125	84	0.596	0.741	0.582	0.753	0.555	0.776
125	85	0.605	0.749	0.591	0.761	0.563	0.783
125	86	0.613	0.756	0.599	0.768	0.572	0.790
125	87	0.621	0.764	0.607	0.775	0.580	0.797
125	88	0.630	0.771	0.616	0.782	0.588	0.804
125	89	0.638	0.778	0.624	0.789	0.597	0.810
125	90	0.646	0.786	0.633	0.797	0.605	0.817
125	91	0.655	0.793	0.641	0.804	0.614	0.824
125	92	0.663	0.800	0.650	0.811	0.623	0.831
125	93	0.672	0.807	0.658	0.818	0.631	0.838
125	94	0.680	0.814	0.667	0.825	0.640	0.844
125	95	0.689	0.822	0.675	0.832	0.649	0.851
125	96	0.697	0.829	0.684	0.839	0.658	0.857
125	97	0.706	0.836	0.693	0.846	0.666	0.864
125	98	0.715	0.843	0.702	0.853	0.675	0.870
125	99	0.723	0.850	0.710	0.859	0.684	0.877
125	100	0.732	0.857	0.719	0.866	0.693	0.883
125	101	0.741	0.864	0.728	0.873	0.702	0.889
125	102	0.750	0.871	0.737	0.880	0.711	0.896
125	103	0.758	0.878	0.746	0.886	0.720	0.902
125	104	0.767	0.885	0.755	0.893	0.730	0.908
125	105	0.776	0.891	0.764	0.899	0.739	0.914
125	106	0.785	0.898	0.773	0.906	0.748	0.920
125	107	0.794	0.905	0.782	0.912	0.758	0.926
125	108	0.803	0.911	0.791	0.919	0.767	0.932
125	109	0.812	0.918	0.800	0.925	0.777	0.938
125	110	0.821	0.925	0.810	0.931	0.786	0.943
125	111	0.830	0.931	0.819	0.937	0.796	0.949
125	112	0.840	0.937	0.829	0.943	0.806	0.954
125	113	0.849	0.944	0.838	0.949	0.816	0.959
125	114	0.859	0.950	0.848	0.955	0.826	0.965
125	115	0.868	0.956	0.858	0.961	0.837	0.970
125	116	0.878	0.962	0.868	0.967	0.847	0.974
125	117	0.887	0.968	0.878	0.972	0.858	0.979
125	118	0.897	0.973	0.888	0.977	0.868	0.983
125	119	0.907	0.979	0.898	0.982	0.879	0.988
125	120	0.918	0.984	0.909	0.987	0.891	0.991
125	121	0.928	0.989	0.920	0.991	0.903	0.995
125	122	0.939	0.993	0.931	0.995	0.915	0.997
125	123	0.950	0.997	0.943	0.998	0.928	0.999
125	124	0.963	1.000	0.956	1.000	0.942	1.000
125	125	0.976	1.000	0.971	1.000	0.958	1.000
130	0	0.000	0.023	0.000	0.028	0.000	0.040

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
130	1	0.000	0.036	0.000	0.042	0.000	0.056
130	2	0.003	0.048	0.002	0.054	0.001	0.069
130	3	0.006	0.059	0.005	0.066	0.003	0.082
130	4	0.011	0.069	0.008	0.077	0.005	0.094
130	5	0.015	0.079	0.013	0.087	0.008	0.105
130	6	0.020	0.089	0.017	0.098	0.012	0.116
130	7	0.026	0.099	0.022	0.108	0.016	0.127
130	8	0.031	0.108	0.027	0.118	0.020	0.137
130	9	0.037	0.118	0.032	0.127	0.025	0.147
130	10	0.042	0.127	0.038	0.137	0.029	0.157
130	11	0.048	0.136	0.043	0.146	0.034	0.167
130	12	0.054	0.145	0.049	0.156	0.039	0.177
130	13	0.060	0.154	0.054	0.165	0.044	0.187
130	14	0.066	0.163	0.060	0.174	0.049	0.196
130	15	0.072	0.172	0.066	0.183	0.055	0.206
130	16	0.079	0.181	0.072	0.192	0.060	0.215
130	17	0.085	0.190	0.078	0.201	0.065	0.224
130	18	0.091	0.198	0.084	0.210	0.071	0.233
130	19	0.098	0.207	0.090	0.219	0.077	0.243
130	20	0.104	0.216	0.097	0.228	0.082	0.252
130	21	0.111	0.224	0.103	0.236	0.088	0.261
130	22	0.117	0.233	0.109	0.245	0.094	0.269
130	23	0.124	0.241	0.116	0.254	0.100	0.278
130	24	0.131	0.250	0.122	0.262	0.106	0.287
130	25	0.137	0.258	0.128	0.271	0.112	0.296
130	26	0.144	0.267	0.135	0.279	0.118	0.305
130	27	0.151	0.275	0.142	0.288	0.124	0.313
130	28	0.158	0.283	0.148	0.296	0.131	0.322
130	29	0.164	0.291	0.155	0.304	0.137	0.330
130	30	0.171	0.300	0.161	0.313	0.143	0.339
130	31	0.178	0.308	0.168	0.321	0.150	0.347
130	32	0.185	0.316	0.175	0.329	0.156	0.356
130	33	0.192	0.324	0.182	0.338	0.162	0.364
130	34	0.199	0.333	0.188	0.346	0.169	0.372
130	35	0.206	0.341	0.195	0.354	0.175	0.381
130	36	0.213	0.349	0.202	0.362	0.182	0.389
130	37	0.220	0.357	0.209	0.370	0.188	0.397
130	38	0.227	0.365	0.216	0.378	0.195	0.405
130	39	0.234	0.373	0.223	0.387	0.202	0.413
130	40	0.241	0.381	0.230	0.395	0.208	0.422
130	41	0.248	0.389	0.237	0.403	0.215	0.430
130	42	0.255	0.397	0.244	0.411	0.222	0.438
130	43	0.263	0.405	0.251	0.419	0.229	0.446
130	44	0.270	0.413	0.258	0.427	0.235	0.454
130	45	0.277	0.421	0.265	0.435	0.242	0.462
130	46	0.284	0.429	0.272	0.442	0.249	0.470
130	47	0.291	0.437	0.279	0.450	0.256	0.477
130	48	0.299	0.444	0.286	0.458	0.263	0.485
130	49	0.306	0.452	0.293	0.466	0.270	0.493
130	50	0.313	0.460	0.301	0.474	0.277	0.501
130	51	0.320	0.468	0.308	0.482	0.284	0.509
130	52	0.328	0.476	0.315	0.490	0.291	0.517
130	53	0.335	0.483	0.322	0.497	0.298	0.524
130	54	0.342	0.491	0.330	0.505	0.305	0.532
130	55	0.350	0.499	0.337	0.513	0.312	0.540
130	56	0.357	0.507	0.344	0.520	0.319	0.547



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
130	57	0.365	0.514	0.352	0.528	0.327	0.555
130	58	0.372	0.522	0.359	0.536	0.334	0.563
130	59	0.380	0.530	0.366	0.543	0.341	0.570
130	60	0.387	0.537	0.374	0.551	0.348	0.578
130	61	0.394	0.545	0.381	0.559	0.356	0.585
130	62	0.402	0.553	0.389	0.566	0.363	0.593
130	63	0.410	0.560	0.396	0.574	0.370	0.600
130	64	0.417	0.568	0.404	0.581	0.378	0.608
130	65	0.425	0.575	0.411	0.589	0.385	0.615
130	66	0.432	0.583	0.419	0.596	0.392	0.622
130	67	0.440	0.590	0.426	0.604	0.400	0.630
130	68	0.447	0.598	0.434	0.611	0.407	0.637
130	69	0.455	0.606	0.441	0.619	0.415	0.644
130	70	0.463	0.613	0.449	0.626	0.422	0.652
130	71	0.470	0.620	0.457	0.634	0.430	0.659
130	72	0.478	0.628	0.464	0.641	0.437	0.666
130	73	0.486	0.635	0.472	0.648	0.445	0.673
130	74	0.493	0.643	0.480	0.656	0.453	0.681
130	75	0.501	0.650	0.487	0.663	0.460	0.688
130	76	0.509	0.658	0.495	0.670	0.468	0.695
130	77	0.517	0.665	0.503	0.678	0.476	0.702
130	78	0.524	0.672	0.510	0.685	0.483	0.709
130	79	0.532	0.680	0.518	0.692	0.491	0.716
130	80	0.540	0.687	0.526	0.699	0.499	0.723
130	81	0.548	0.694	0.534	0.707	0.507	0.730
130	82	0.556	0.701	0.542	0.714	0.515	0.737
130	83	0.563	0.709	0.550	0.721	0.523	0.744
130	84	0.571	0.716	0.558	0.728	0.530	0.751
130	85	0.579	0.723	0.565	0.735	0.538	0.758
130	86	0.587	0.730	0.573	0.742	0.546	0.765
130	87	0.595	0.737	0.581	0.749	0.554	0.771
130	88	0.603	0.745	0.589	0.756	0.562	0.778
130	89	0.611	0.752	0.597	0.763	0.570	0.785
130	90	0.619	0.759	0.605	0.770	0.578	0.792
130	91	0.627	0.766	0.613	0.777	0.587	0.798
130	92	0.635	0.773	0.622	0.784	0.595	0.805
130	93	0.643	0.780	0.630	0.791	0.603	0.812
130	94	0.651	0.787	0.638	0.798	0.611	0.818
130	95	0.659	0.794	0.646	0.805	0.619	0.825
130	96	0.667	0.801	0.654	0.812	0.628	0.831
130	97	0.676	0.808	0.662	0.818	0.636	0.838
130	98	0.684	0.815	0.671	0.825	0.644	0.844
130	99	0.692	0.822	0.679	0.832	0.653	0.850
130	100	0.700	0.829	0.687	0.839	0.661	0.857
130	101	0.709	0.836	0.696	0.845	0.670	0.863
130	102	0.717	0.842	0.704	0.852	0.678	0.869
130	103	0.725	0.849	0.712	0.858	0.687	0.876
130	104	0.733	0.856	0.721	0.865	0.695	0.882
130	105	0.742	0.863	0.729	0.872	0.704	0.888
130	106	0.750	0.869	0.738	0.878	0.713	0.894
130	107	0.759	0.876	0.746	0.884	0.722	0.900
130	108	0.767	0.883	0.755	0.891	0.731	0.906
130	109	0.776	0.889	0.764	0.897	0.739	0.912
130	110	0.784	0.896	0.772	0.903	0.748	0.918
130	111	0.793	0.902	0.781	0.910	0.757	0.923
130	112	0.802	0.909	0.790	0.916	0.767	0.929

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
130	113	0.810	0.915	0.799	0.922	0.776	0.935
130	114	0.819	0.921	0.808	0.928	0.785	0.940
130	115	0.828	0.928	0.817	0.934	0.794	0.945
130	116	0.837	0.934	0.826	0.940	0.804	0.951
130	117	0.846	0.940	0.835	0.946	0.813	0.956
130	118	0.855	0.946	0.844	0.951	0.823	0.961
130	119	0.864	0.952	0.854	0.957	0.833	0.966
130	120	0.873	0.958	0.863	0.962	0.843	0.971
130	121	0.882	0.963	0.873	0.968	0.853	0.975
130	122	0.892	0.969	0.882	0.973	0.863	0.980
130	123	0.901	0.974	0.892	0.978	0.873	0.984
130	124	0.911	0.980	0.902	0.983	0.884	0.988
130	125	0.921	0.985	0.913	0.987	0.895	0.992
130	126	0.931	0.989	0.923	0.992	0.906	0.995
130	127	0.941	0.994	0.934	0.995	0.918	0.997
130	128	0.952	0.997	0.946	0.998	0.931	0.999
130	129	0.964	1.000	0.958	1.000	0.944	1.000
130	130	0.977	1.000	0.972	1.000	0.960	1.000
135	0	0.000	0.022	0.000	0.027	0.000	0.038
135	1	0.000	0.035	0.000	0.041	0.000	0.054
135	2	0.003	0.046	0.002	0.052	0.001	0.067
135	3	0.006	0.056	0.005	0.064	0.003	0.079
135	4	0.010	0.067	0.008	0.074	0.005	0.090
135	5	0.015	0.076	0.012	0.084	0.008	0.101
135	6	0.020	0.086	0.016	0.094	0.012	0.112
135	7	0.025	0.095	0.021	0.104	0.015	0.122
135	8	0.030	0.104	0.026	0.113	0.019	0.132
135	9	0.035	0.113	0.031	0.123	0.024	0.142
135	10	0.041	0.122	0.036	0.132	0.028	0.152
135	11	0.046	0.131	0.041	0.141	0.033	0.161
135	12	0.052	0.140	0.047	0.150	0.037	0.171
135	13	0.058	0.149	0.052	0.159	0.042	0.180
135	14	0.064	0.157	0.058	0.168	0.047	0.189
135	15	0.070	0.166	0.064	0.177	0.052	0.199
135	16	0.076	0.174	0.069	0.185	0.058	0.208
135	17	0.082	0.183	0.075	0.194	0.063	0.216
135	18	0.088	0.191	0.081	0.203	0.068	0.225
135	19	0.094	0.200	0.087	0.211	0.074	0.234
135	20	0.100	0.208	0.093	0.219	0.079	0.243
135	21	0.107	0.216	0.099	0.228	0.085	0.252
135	22	0.113	0.224	0.105	0.236	0.091	0.260
135	23	0.119	0.233	0.111	0.245	0.096	0.269
135	24	0.126	0.241	0.117	0.253	0.102	0.277
135	25	0.132	0.249	0.124	0.261	0.108	0.286
135	26	0.139	0.257	0.130	0.269	0.114	0.294
135	27	0.145	0.265	0.136	0.277	0.120	0.302
135	28	0.152	0.273	0.142	0.286	0.126	0.311
135	29	0.158	0.281	0.149	0.294	0.132	0.319
135	30	0.165	0.289	0.155	0.302	0.138	0.327
135	31	0.171	0.297	0.162	0.310	0.144	0.335
135	32	0.178	0.305	0.168	0.318	0.150	0.343
135	33	0.185	0.313	0.175	0.326	0.156	0.352
135	34	0.191	0.321	0.181	0.334	0.162	0.360
135	35	0.198	0.329	0.188	0.342	0.168	0.368
135	36	0.205	0.336	0.194	0.350	0.175	0.376

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
135	37	0.211	0.344	0.201	0.357	0.181	0.384
135	38	0.218	0.352	0.208	0.365	0.187	0.391
135	39	0.225	0.360	0.214	0.373	0.194	0.399
135	40	0.232	0.368	0.221	0.381	0.200	0.407
135	41	0.239	0.375	0.228	0.389	0.207	0.415
135	42	0.246	0.383	0.234	0.396	0.213	0.423
135	43	0.252	0.391	0.241	0.404	0.220	0.431
135	44	0.259	0.398	0.248	0.412	0.226	0.438
135	45	0.266	0.406	0.255	0.420	0.233	0.446
135	46	0.273	0.414	0.261	0.427	0.239	0.454
135	47	0.280	0.421	0.268	0.435	0.246	0.461
135	48	0.287	0.429	0.275	0.442	0.253	0.469
135	49	0.294	0.437	0.282	0.450	0.259	0.477
135	50	0.301	0.444	0.289	0.458	0.266	0.484
135	51	0.308	0.452	0.296	0.465	0.273	0.492
135	52	0.315	0.459	0.303	0.473	0.279	0.499
135	53	0.322	0.467	0.310	0.480	0.286	0.507
135	54	0.329	0.474	0.317	0.488	0.293	0.514
135	55	0.336	0.482	0.324	0.495	0.300	0.522
135	56	0.343	0.489	0.331	0.503	0.307	0.529
135	57	0.350	0.497	0.338	0.510	0.313	0.537
135	58	0.358	0.504	0.345	0.518	0.320	0.544
135	59	0.365	0.511	0.352	0.525	0.327	0.551
135	60	0.372	0.519	0.359	0.532	0.334	0.559
135	61	0.379	0.526	0.366	0.540	0.341	0.566
135	62	0.386	0.534	0.373	0.547	0.348	0.573
135	63	0.393	0.541	0.380	0.554	0.355	0.580
135	64	0.401	0.548	0.388	0.562	0.362	0.588
135	65	0.408	0.556	0.395	0.569	0.369	0.595
135	66	0.415	0.563	0.402	0.576	0.376	0.602
135	67	0.422	0.570	0.409	0.584	0.384	0.609
135	68	0.430	0.578	0.416	0.591	0.391	0.616
135	69	0.437	0.585	0.424	0.598	0.398	0.624
135	70	0.444	0.592	0.431	0.605	0.405	0.631
135	71	0.452	0.599	0.438	0.612	0.412	0.638
135	72	0.459	0.607	0.446	0.620	0.420	0.645
135	73	0.466	0.614	0.453	0.627	0.427	0.652
135	74	0.474	0.621	0.460	0.634	0.434	0.659
135	75	0.481	0.628	0.468	0.641	0.441	0.666
135	76	0.489	0.635	0.475	0.648	0.449	0.673
135	77	0.496	0.642	0.482	0.655	0.456	0.680
135	78	0.503	0.650	0.490	0.662	0.463	0.687
135	79	0.511	0.657	0.497	0.669	0.471	0.693
135	80	0.518	0.664	0.505	0.676	0.478	0.700
135	81	0.526	0.671	0.512	0.683	0.486	0.707
135	82	0.533	0.678	0.520	0.690	0.493	0.714
135	83	0.541	0.685	0.527	0.697	0.501	0.721
135	84	0.548	0.692	0.535	0.704	0.508	0.727
135	85	0.556	0.699	0.542	0.711	0.516	0.734
135	86	0.563	0.706	0.550	0.718	0.523	0.741
135	87	0.571	0.713	0.558	0.725	0.531	0.747
135	88	0.579	0.720	0.565	0.732	0.539	0.754
135	89	0.586	0.727	0.573	0.739	0.546	0.761
135	90	0.594	0.734	0.580	0.745	0.554	0.767
135	91	0.602	0.741	0.588	0.752	0.562	0.774
135	92	0.609	0.748	0.596	0.759	0.569	0.780

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
135	93	0.617	0.754	0.604	0.766	0.577	0.787
135	94	0.625	0.761	0.611	0.772	0.585	0.793
135	95	0.632	0.768	0.619	0.779	0.593	0.800
135	96	0.640	0.775	0.627	0.786	0.601	0.806
135	97	0.648	0.782	0.635	0.792	0.609	0.813
135	98	0.656	0.789	0.643	0.799	0.616	0.819
135	99	0.664	0.795	0.650	0.806	0.624	0.825
135	100	0.671	0.802	0.658	0.812	0.632	0.832
135	101	0.679	0.809	0.666	0.819	0.640	0.838
135	102	0.687	0.815	0.674	0.825	0.648	0.844
135	103	0.695	0.822	0.682	0.832	0.657	0.850
135	104	0.703	0.829	0.690	0.838	0.665	0.856
135	105	0.711	0.835	0.698	0.845	0.673	0.862
135	106	0.719	0.842	0.706	0.851	0.681	0.868
135	107	0.727	0.848	0.714	0.858	0.689	0.874
135	108	0.735	0.855	0.723	0.864	0.698	0.880
135	109	0.743	0.861	0.731	0.870	0.706	0.886
135	110	0.751	0.868	0.739	0.876	0.714	0.892
135	111	0.759	0.874	0.747	0.883	0.723	0.898
135	112	0.767	0.881	0.755	0.889	0.731	0.904
135	113	0.776	0.887	0.764	0.895	0.740	0.909
135	114	0.784	0.893	0.772	0.901	0.748	0.915
135	115	0.792	0.900	0.781	0.907	0.757	0.921
135	116	0.800	0.906	0.789	0.913	0.766	0.926
135	117	0.809	0.912	0.797	0.919	0.775	0.932
135	118	0.817	0.918	0.806	0.925	0.784	0.937
135	119	0.826	0.924	0.815	0.931	0.792	0.942
135	120	0.834	0.930	0.823	0.936	0.801	0.948
135	121	0.843	0.936	0.832	0.942	0.811	0.953
135	122	0.851	0.942	0.841	0.948	0.820	0.958
135	123	0.860	0.948	0.850	0.953	0.829	0.963
135	124	0.869	0.954	0.859	0.959	0.839	0.967
135	125	0.878	0.959	0.868	0.964	0.848	0.972
135	126	0.887	0.965	0.877	0.969	0.858	0.976
135	127	0.896	0.970	0.887	0.974	0.868	0.981
135	128	0.905	0.975	0.896	0.979	0.878	0.985
135	129	0.914	0.980	0.906	0.984	0.888	0.988
135	130	0.924	0.985	0.916	0.988	0.899	0.992
135	131	0.933	0.990	0.926	0.992	0.910	0.995
135	132	0.944	0.994	0.936	0.995	0.921	0.997
135	133	0.954	0.997	0.948	0.998	0.933	0.999
135	134	0.965	1.000	0.959	1.000	0.946	1.000
135	135	0.978	1.000	0.973	1.000	0.962	1.000
140	0	0.000	0.021	0.000	0.026	0.000	0.037
140	1	0.000	0.033	0.000	0.039	0.000	0.052
140	2	0.003	0.044	0.002	0.051	0.001	0.065
140	3	0.006	0.054	0.004	0.061	0.002	0.076
140	4	0.010	0.064	0.008	0.072	0.005	0.087
140	5	0.014	0.074	0.012	0.081	0.008	0.098
140	6	0.019	0.083	0.016	0.091	0.011	0.108
140	7	0.024	0.092	0.020	0.100	0.015	0.118
140	8	0.029	0.101	0.025	0.109	0.019	0.128
140	9	0.034	0.109	0.030	0.119	0.023	0.137
140	10	0.039	0.118	0.035	0.127	0.027	0.147
140	11	0.045	0.127	0.040	0.136	0.032	0.156

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
140	12	0.050	0.135	0.045	0.145	0.036	0.165
140	13	0.056	0.144	0.050	0.154	0.041	0.174
140	14	0.061	0.152	0.056	0.162	0.046	0.183
140	15	0.067	0.160	0.061	0.171	0.051	0.192
140	16	0.073	0.168	0.067	0.179	0.056	0.200
140	17	0.079	0.177	0.072	0.187	0.061	0.209
140	18	0.085	0.185	0.078	0.196	0.066	0.218
140	19	0.091	0.193	0.084	0.204	0.071	0.226
140	20	0.097	0.201	0.090	0.212	0.076	0.235
140	21	0.103	0.209	0.095	0.220	0.082	0.243
140	22	0.109	0.217	0.101	0.228	0.087	0.251
140	23	0.115	0.225	0.107	0.236	0.093	0.260
140	24	0.121	0.233	0.113	0.244	0.098	0.268
140	25	0.127	0.240	0.119	0.252	0.104	0.276
140	26	0.134	0.248	0.125	0.260	0.109	0.284
140	27	0.140	0.256	0.131	0.268	0.115	0.292
140	28	0.146	0.264	0.137	0.276	0.121	0.300
140	29	0.152	0.272	0.143	0.284	0.127	0.308
140	30	0.159	0.279	0.149	0.292	0.132	0.316
140	31	0.165	0.287	0.156	0.299	0.138	0.324
140	32	0.171	0.295	0.162	0.307	0.144	0.332
140	33	0.178	0.302	0.168	0.315	0.150	0.340
140	34	0.184	0.310	0.174	0.322	0.156	0.348
140	35	0.191	0.317	0.181	0.330	0.162	0.355
140	36	0.197	0.325	0.187	0.338	0.168	0.363
140	37	0.204	0.333	0.193	0.345	0.174	0.371
140	38	0.210	0.340	0.200	0.353	0.180	0.379
140	39	0.217	0.348	0.206	0.361	0.186	0.386
140	40	0.223	0.355	0.213	0.368	0.193	0.394
140	41	0.230	0.363	0.219	0.376	0.199	0.401
140	42	0.236	0.370	0.226	0.383	0.205	0.409
140	43	0.243	0.378	0.232	0.391	0.211	0.417
140	44	0.250	0.385	0.239	0.398	0.218	0.424
140	45	0.256	0.392	0.245	0.406	0.224	0.432
140	46	0.263	0.400	0.252	0.413	0.230	0.439
140	47	0.270	0.407	0.258	0.420	0.237	0.446
140	48	0.276	0.414	0.265	0.428	0.243	0.454
140	49	0.283	0.422	0.271	0.435	0.249	0.461
140	50	0.290	0.429	0.278	0.442	0.256	0.469
140	51	0.296	0.436	0.285	0.450	0.262	0.476
140	52	0.303	0.444	0.291	0.457	0.269	0.483
140	53	0.310	0.451	0.298	0.464	0.275	0.490
140	54	0.317	0.458	0.305	0.472	0.282	0.498
140	55	0.324	0.466	0.311	0.479	0.288	0.505
140	56	0.330	0.473	0.318	0.486	0.295	0.512
140	57	0.337	0.480	0.325	0.493	0.301	0.519
140	58	0.344	0.487	0.332	0.501	0.308	0.527
140	59	0.351	0.494	0.339	0.508	0.315	0.534
140	60	0.358	0.502	0.345	0.515	0.321	0.541
140	61	0.365	0.509	0.352	0.522	0.328	0.548
140	62	0.372	0.516	0.359	0.529	0.335	0.555
140	63	0.379	0.523	0.366	0.536	0.341	0.562
140	64	0.386	0.530	0.373	0.543	0.348	0.569
140	65	0.392	0.537	0.380	0.550	0.355	0.576
140	66	0.399	0.544	0.387	0.558	0.362	0.583
140	67	0.406	0.551	0.394	0.565	0.369	0.590

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
140	68	0.413	0.558	0.400	0.572	0.375	0.597
140	69	0.420	0.566	0.407	0.579	0.382	0.604
140	70	0.427	0.573	0.414	0.586	0.389	0.611
140	71	0.434	0.580	0.421	0.593	0.396	0.618
140	72	0.442	0.587	0.428	0.600	0.403	0.625
140	73	0.449	0.594	0.435	0.606	0.410	0.631
140	74	0.456	0.601	0.442	0.613	0.417	0.638
140	75	0.463	0.608	0.450	0.620	0.424	0.645
140	76	0.470	0.614	0.457	0.627	0.431	0.652
140	77	0.477	0.621	0.464	0.634	0.438	0.659
140	78	0.484	0.628	0.471	0.641	0.445	0.665
140	79	0.491	0.635	0.478	0.648	0.452	0.672
140	80	0.498	0.642	0.485	0.655	0.459	0.679
140	81	0.506	0.649	0.492	0.661	0.466	0.685
140	82	0.513	0.656	0.499	0.668	0.473	0.692
140	83	0.520	0.663	0.507	0.675	0.481	0.699
140	84	0.527	0.670	0.514	0.682	0.488	0.705
140	85	0.534	0.676	0.521	0.689	0.495	0.712
140	86	0.542	0.683	0.528	0.695	0.502	0.718
140	87	0.549	0.690	0.536	0.702	0.510	0.725
140	88	0.556	0.697	0.543	0.709	0.517	0.731
140	89	0.564	0.704	0.550	0.715	0.524	0.738
140	90	0.571	0.710	0.558	0.722	0.531	0.744
140	91	0.578	0.717	0.565	0.729	0.539	0.751
140	92	0.586	0.724	0.572	0.735	0.546	0.757
140	93	0.593	0.730	0.580	0.742	0.554	0.763
140	94	0.600	0.737	0.587	0.748	0.561	0.770
140	95	0.608	0.744	0.594	0.755	0.568	0.776
140	96	0.615	0.750	0.602	0.761	0.576	0.782
140	97	0.622	0.757	0.609	0.768	0.583	0.789
140	98	0.630	0.764	0.617	0.774	0.591	0.795
140	99	0.637	0.770	0.624	0.781	0.599	0.801
140	100	0.645	0.777	0.632	0.787	0.606	0.807
140	101	0.652	0.783	0.639	0.794	0.614	0.814
140	102	0.660	0.790	0.647	0.800	0.621	0.820
140	103	0.667	0.796	0.655	0.807	0.629	0.826
140	104	0.675	0.803	0.662	0.813	0.637	0.832
140	105	0.683	0.809	0.670	0.819	0.645	0.838
140	106	0.690	0.816	0.678	0.826	0.652	0.844
140	107	0.698	0.822	0.685	0.832	0.660	0.850
140	108	0.705	0.829	0.693	0.838	0.668	0.856
140	109	0.713	0.835	0.701	0.844	0.676	0.862
140	110	0.721	0.841	0.708	0.851	0.684	0.868
140	111	0.728	0.848	0.716	0.857	0.692	0.873
140	112	0.736	0.854	0.724	0.863	0.700	0.879
140	113	0.744	0.860	0.732	0.869	0.708	0.885
140	114	0.752	0.866	0.740	0.875	0.716	0.891
140	115	0.760	0.873	0.748	0.881	0.724	0.896
140	116	0.767	0.879	0.756	0.887	0.732	0.902
140	117	0.775	0.885	0.764	0.893	0.740	0.907
140	118	0.783	0.891	0.772	0.899	0.749	0.913
140	119	0.791	0.897	0.780	0.905	0.757	0.918
140	120	0.799	0.903	0.788	0.910	0.765	0.924
140	121	0.807	0.909	0.796	0.916	0.774	0.929
140	122	0.815	0.915	0.804	0.922	0.782	0.934
140	123	0.823	0.921	0.813	0.928	0.791	0.939

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
140	124	0.832	0.927	0.821	0.933	0.800	0.944
140	125	0.840	0.933	0.829	0.939	0.808	0.949
140	126	0.848	0.939	0.838	0.944	0.817	0.954
140	127	0.856	0.944	0.846	0.950	0.826	0.959
140	128	0.865	0.950	0.855	0.955	0.835	0.964
140	129	0.873	0.955	0.864	0.960	0.844	0.968
140	130	0.882	0.961	0.873	0.965	0.853	0.973
140	131	0.891	0.966	0.881	0.970	0.863	0.977
140	132	0.899	0.971	0.891	0.975	0.872	0.981
140	133	0.908	0.976	0.900	0.980	0.882	0.985
140	134	0.917	0.981	0.909	0.984	0.892	0.989
140	135	0.926	0.986	0.919	0.988	0.902	0.992
140	136	0.936	0.990	0.928	0.992	0.913	0.995
140	137	0.946	0.994	0.939	0.996	0.924	0.998
140	138	0.956	0.997	0.949	0.998	0.935	0.999
140	139	0.967	1.000	0.961	1.000	0.948	1.000
140	140	0.979	1.000	0.974	1.000	0.963	1.000
145	0	0.000	0.020	0.000	0.025	0.000	0.036
145	1	0.000	0.032	0.000	0.038	0.000	0.050
145	2	0.002	0.043	0.002	0.049	0.001	0.062
145	3	0.006	0.053	0.004	0.059	0.002	0.074
145	4	0.009	0.062	0.008	0.069	0.005	0.084
145	5	0.014	0.071	0.011	0.079	0.008	0.095
145	6	0.018	0.080	0.015	0.088	0.011	0.104
145	7	0.023	0.089	0.020	0.097	0.014	0.114
145	8	0.028	0.097	0.024	0.106	0.018	0.124
145	9	0.033	0.106	0.029	0.115	0.022	0.133
145	10	0.038	0.114	0.034	0.123	0.026	0.142
145	11	0.043	0.122	0.038	0.132	0.030	0.151
145	12	0.048	0.131	0.043	0.140	0.035	0.160
145	13	0.054	0.139	0.049	0.148	0.039	0.168
145	14	0.059	0.147	0.054	0.157	0.044	0.177
145	15	0.065	0.155	0.059	0.165	0.049	0.185
145	16	0.070	0.163	0.064	0.173	0.054	0.194
145	17	0.076	0.171	0.070	0.181	0.058	0.202
145	18	0.082	0.179	0.075	0.189	0.063	0.211
145	19	0.088	0.186	0.081	0.197	0.069	0.219
145	20	0.093	0.194	0.086	0.205	0.074	0.227
145	21	0.099	0.202	0.092	0.213	0.079	0.235
145	22	0.105	0.210	0.098	0.221	0.084	0.243
145	23	0.111	0.217	0.103	0.228	0.089	0.251
145	24	0.117	0.225	0.109	0.236	0.095	0.259
145	25	0.123	0.232	0.115	0.244	0.100	0.267
145	26	0.129	0.240	0.121	0.252	0.106	0.275
145	27	0.135	0.248	0.126	0.259	0.111	0.283
145	28	0.141	0.255	0.132	0.267	0.117	0.291
145	29	0.147	0.263	0.138	0.274	0.122	0.298
145	30	0.153	0.270	0.144	0.282	0.128	0.306
145	31	0.159	0.277	0.150	0.290	0.133	0.314
145	32	0.165	0.285	0.156	0.297	0.139	0.321
145	33	0.171	0.292	0.162	0.304	0.145	0.329
145	34	0.178	0.300	0.168	0.312	0.150	0.337
145	35	0.184	0.307	0.174	0.319	0.156	0.344
145	36	0.190	0.314	0.180	0.327	0.162	0.352
145	37	0.196	0.322	0.186	0.334	0.168	0.359
145	38	0.203	0.329	0.193	0.342	0.174	0.366

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
145	39	0.209	0.336	0.199	0.349	0.180	0.374
145	40	0.215	0.343	0.205	0.356	0.186	0.381
145	41	0.222	0.351	0.211	0.363	0.192	0.389
145	42	0.228	0.358	0.217	0.371	0.198	0.396
145	43	0.234	0.365	0.224	0.378	0.204	0.403
145	44	0.241	0.372	0.230	0.385	0.210	0.411
145	45	0.247	0.380	0.236	0.392	0.216	0.418
145	46	0.253	0.387	0.243	0.400	0.222	0.425
145	47	0.260	0.394	0.249	0.407	0.228	0.432
145	48	0.266	0.401	0.255	0.414	0.234	0.440
145	49	0.273	0.408	0.262	0.421	0.240	0.447
145	50	0.279	0.415	0.268	0.428	0.246	0.454
145	51	0.286	0.422	0.274	0.435	0.253	0.461
145	52	0.292	0.429	0.281	0.442	0.259	0.468
145	53	0.299	0.436	0.287	0.449	0.265	0.475
145	54	0.305	0.443	0.294	0.457	0.271	0.482
145	55	0.312	0.450	0.300	0.464	0.278	0.489
145	56	0.318	0.457	0.307	0.471	0.284	0.496
145	57	0.325	0.464	0.313	0.478	0.290	0.503
145	58	0.332	0.471	0.320	0.485	0.297	0.510
145	59	0.338	0.478	0.326	0.492	0.303	0.517
145	60	0.345	0.485	0.333	0.498	0.309	0.524
145	61	0.352	0.492	0.339	0.505	0.316	0.531
145	62	0.358	0.499	0.346	0.512	0.322	0.538
145	63	0.365	0.506	0.352	0.519	0.329	0.545
145	64	0.371	0.513	0.359	0.526	0.335	0.552
145	65	0.378	0.520	0.366	0.533	0.342	0.558
145	66	0.385	0.527	0.372	0.540	0.348	0.565
145	67	0.392	0.534	0.379	0.547	0.355	0.572
145	68	0.398	0.541	0.386	0.554	0.361	0.579
145	69	0.405	0.547	0.392	0.560	0.368	0.585
145	70	0.412	0.554	0.399	0.567	0.375	0.592
145	71	0.419	0.561	0.406	0.574	0.381	0.599
145	72	0.425	0.568	0.413	0.581	0.388	0.606
145	73	0.432	0.575	0.419	0.587	0.394	0.612
145	74	0.439	0.581	0.426	0.594	0.401	0.619
145	75	0.446	0.588	0.433	0.601	0.408	0.625
145	76	0.453	0.595	0.440	0.608	0.415	0.632
145	77	0.459	0.602	0.446	0.614	0.421	0.639
145	78	0.466	0.608	0.453	0.621	0.428	0.645
145	79	0.473	0.615	0.460	0.628	0.435	0.652
145	80	0.480	0.622	0.467	0.634	0.442	0.658
145	81	0.487	0.629	0.474	0.641	0.448	0.665
145	82	0.494	0.635	0.481	0.648	0.455	0.671
145	83	0.501	0.642	0.488	0.654	0.462	0.678
145	84	0.508	0.648	0.495	0.661	0.469	0.684
145	85	0.515	0.655	0.502	0.667	0.476	0.691
145	86	0.522	0.662	0.508	0.674	0.483	0.697
145	87	0.529	0.668	0.515	0.680	0.490	0.703
145	88	0.536	0.675	0.522	0.687	0.497	0.710
145	89	0.543	0.682	0.529	0.693	0.504	0.716
145	90	0.550	0.688	0.536	0.700	0.511	0.722
145	91	0.557	0.695	0.543	0.706	0.518	0.729
145	92	0.564	0.701	0.551	0.713	0.525	0.735
145	93	0.571	0.708	0.558	0.719	0.532	0.741
145	94	0.578	0.714	0.565	0.726	0.539	0.747



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
145	95	0.585	0.721	0.572	0.732	0.546	0.754
145	96	0.592	0.727	0.579	0.738	0.553	0.760
145	97	0.599	0.734	0.586	0.745	0.560	0.766
145	98	0.606	0.740	0.593	0.751	0.568	0.772
145	99	0.613	0.747	0.600	0.757	0.575	0.778
145	100	0.620	0.753	0.608	0.764	0.582	0.784
145	101	0.628	0.759	0.615	0.770	0.589	0.790
145	102	0.635	0.766	0.622	0.776	0.597	0.796
145	103	0.642	0.772	0.629	0.783	0.604	0.802
145	104	0.649	0.778	0.637	0.789	0.611	0.808
145	105	0.657	0.785	0.644	0.795	0.619	0.814
145	106	0.664	0.791	0.651	0.801	0.626	0.820
145	107	0.671	0.797	0.658	0.807	0.634	0.826
145	108	0.678	0.804	0.666	0.814	0.641	0.832
145	109	0.686	0.810	0.673	0.820	0.648	0.838
145	110	0.693	0.816	0.681	0.826	0.656	0.844
145	111	0.700	0.822	0.688	0.832	0.663	0.850
145	112	0.708	0.829	0.696	0.838	0.671	0.855
145	113	0.715	0.835	0.703	0.844	0.679	0.861
145	114	0.723	0.841	0.710	0.850	0.686	0.867
145	115	0.730	0.847	0.718	0.856	0.694	0.872
145	116	0.737	0.853	0.726	0.862	0.702	0.878
145	117	0.745	0.859	0.733	0.868	0.709	0.883
145	118	0.752	0.865	0.741	0.874	0.717	0.889
145	119	0.760	0.871	0.748	0.879	0.725	0.894
145	120	0.768	0.877	0.756	0.885	0.733	0.900
145	121	0.775	0.883	0.764	0.891	0.741	0.905
145	122	0.783	0.889	0.772	0.897	0.749	0.911
145	123	0.790	0.895	0.779	0.902	0.757	0.916
145	124	0.798	0.901	0.787	0.908	0.765	0.921
145	125	0.806	0.907	0.795	0.914	0.773	0.926
145	126	0.814	0.912	0.803	0.919	0.781	0.931
145	127	0.821	0.918	0.811	0.925	0.789	0.937
145	128	0.829	0.924	0.819	0.930	0.798	0.942
145	129	0.837	0.930	0.827	0.936	0.806	0.946
145	130	0.845	0.935	0.835	0.941	0.815	0.951
145	131	0.853	0.941	0.843	0.946	0.823	0.956
145	132	0.861	0.946	0.852	0.951	0.832	0.961
145	133	0.869	0.952	0.860	0.957	0.840	0.965
145	134	0.878	0.957	0.868	0.962	0.849	0.970
145	135	0.886	0.962	0.877	0.966	0.858	0.974
145	136	0.894	0.967	0.885	0.971	0.867	0.978
145	137	0.903	0.972	0.894	0.976	0.876	0.982
145	138	0.911	0.977	0.903	0.980	0.886	0.986
145	139	0.920	0.982	0.912	0.985	0.896	0.989
145	140	0.929	0.986	0.921	0.989	0.905	0.992
145	141	0.938	0.991	0.931	0.992	0.916	0.995
145	142	0.947	0.994	0.941	0.996	0.926	0.998
145	143	0.957	0.998	0.951	0.998	0.938	0.999
145	144	0.968	1.000	0.962	1.000	0.950	1.000
145	145	0.980	1.000	0.975	1.000	0.964	1.000
150	0	0.000	0.020	0.000	0.024	0.000	0.035
150	1	0.000	0.031	0.000	0.037	0.000	0.048
150	2	0.002	0.041	0.002	0.047	0.001	0.060
150	3	0.005	0.051	0.004	0.057	0.002	0.071
150	4	0.009	0.060	0.007	0.067	0.005	0.082

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
150	5	0.013	0.069	0.011	0.076	0.007	0.091
150	6	0.018	0.077	0.015	0.085	0.010	0.101
150	7	0.022	0.086	0.019	0.094	0.014	0.110
150	8	0.027	0.094	0.023	0.102	0.017	0.120
150	9	0.032	0.102	0.028	0.111	0.021	0.128
150	10	0.037	0.110	0.032	0.119	0.025	0.137
150	11	0.042	0.118	0.037	0.127	0.029	0.146
150	12	0.047	0.126	0.042	0.136	0.034	0.154
150	13	0.052	0.134	0.047	0.144	0.038	0.163
150	14	0.057	0.142	0.052	0.152	0.043	0.171
150	15	0.063	0.150	0.057	0.160	0.047	0.180
150	16	0.068	0.157	0.062	0.167	0.052	0.188
150	17	0.074	0.165	0.067	0.175	0.056	0.196
150	18	0.079	0.173	0.073	0.183	0.061	0.204
150	19	0.085	0.180	0.078	0.191	0.066	0.212
150	20	0.090	0.188	0.083	0.198	0.071	0.220
150	21	0.096	0.195	0.089	0.206	0.076	0.228
150	22	0.101	0.203	0.094	0.214	0.081	0.236
150	23	0.107	0.210	0.100	0.221	0.086	0.243
150	24	0.113	0.218	0.105	0.229	0.091	0.251
150	25	0.119	0.225	0.111	0.236	0.097	0.259
150	26	0.124	0.232	0.116	0.244	0.102	0.266
150	27	0.130	0.240	0.122	0.251	0.107	0.274
150	28	0.136	0.247	0.128	0.258	0.112	0.281
150	29	0.142	0.254	0.133	0.266	0.118	0.289
150	30	0.148	0.261	0.139	0.273	0.123	0.296
150	31	0.154	0.269	0.145	0.280	0.129	0.304
150	32	0.160	0.276	0.151	0.288	0.134	0.311
150	33	0.166	0.283	0.157	0.295	0.140	0.319
150	34	0.172	0.290	0.162	0.302	0.145	0.326
150	35	0.178	0.297	0.168	0.309	0.151	0.333
150	36	0.184	0.304	0.174	0.316	0.156	0.341
150	37	0.190	0.311	0.180	0.324	0.162	0.348
150	38	0.196	0.318	0.186	0.331	0.168	0.355
150	39	0.202	0.326	0.192	0.338	0.173	0.362
150	40	0.208	0.333	0.198	0.345	0.179	0.370
150	41	0.214	0.340	0.204	0.352	0.185	0.377
150	42	0.220	0.347	0.210	0.359	0.191	0.384
150	43	0.226	0.354	0.216	0.366	0.196	0.391
150	44	0.232	0.361	0.222	0.373	0.202	0.398
150	45	0.239	0.368	0.228	0.380	0.208	0.405
150	46	0.245	0.374	0.234	0.387	0.214	0.412
150	47	0.251	0.381	0.240	0.394	0.220	0.419
150	48	0.257	0.388	0.246	0.401	0.226	0.426
150	49	0.263	0.395	0.252	0.408	0.232	0.433
150	50	0.270	0.402	0.259	0.415	0.238	0.440
150	51	0.276	0.409	0.265	0.422	0.244	0.447
150	52	0.282	0.416	0.271	0.429	0.250	0.454
150	53	0.288	0.423	0.277	0.435	0.256	0.461
150	54	0.295	0.429	0.283	0.442	0.262	0.468
150	55	0.301	0.436	0.290	0.449	0.268	0.474
150	56	0.307	0.443	0.296	0.456	0.274	0.481
150	57	0.314	0.450	0.302	0.463	0.280	0.488
150	58	0.320	0.457	0.308	0.470	0.286	0.495
150	59	0.326	0.463	0.315	0.476	0.292	0.502
150	60	0.333	0.470	0.321	0.483	0.298	0.508

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
150	61	0.339	0.477	0.327	0.490	0.304	0.515
150	62	0.346	0.484	0.334	0.497	0.311	0.522
150	63	0.352	0.490	0.340	0.503	0.317	0.528
150	64	0.358	0.497	0.346	0.510	0.323	0.535
150	65	0.365	0.504	0.353	0.517	0.329	0.542
150	66	0.371	0.510	0.359	0.523	0.336	0.548
150	67	0.378	0.517	0.366	0.530	0.342	0.555
150	68	0.384	0.524	0.372	0.537	0.348	0.561
150	69	0.391	0.530	0.378	0.543	0.355	0.568
150	70	0.397	0.537	0.385	0.550	0.361	0.575
150	71	0.404	0.544	0.391	0.556	0.367	0.581
150	72	0.410	0.550	0.398	0.563	0.374	0.588
150	73	0.417	0.557	0.404	0.570	0.380	0.594
150	74	0.423	0.563	0.411	0.576	0.386	0.601
150	75	0.430	0.570	0.417	0.583	0.393	0.607
150	76	0.437	0.577	0.424	0.589	0.399	0.614
150	77	0.443	0.583	0.430	0.596	0.406	0.620
150	78	0.450	0.590	0.437	0.602	0.412	0.626
150	79	0.456	0.596	0.444	0.609	0.419	0.633
150	80	0.463	0.603	0.450	0.615	0.425	0.639
150	81	0.470	0.609	0.457	0.622	0.432	0.645
150	82	0.476	0.616	0.463	0.628	0.439	0.652
150	83	0.483	0.622	0.470	0.634	0.445	0.658
150	84	0.490	0.629	0.477	0.641	0.452	0.664
150	85	0.496	0.635	0.483	0.647	0.458	0.671
150	86	0.503	0.642	0.490	0.654	0.465	0.677
150	87	0.510	0.648	0.497	0.660	0.472	0.683
150	88	0.516	0.654	0.503	0.666	0.478	0.689
150	89	0.523	0.661	0.510	0.673	0.485	0.696
150	90	0.530	0.667	0.517	0.679	0.492	0.702
150	91	0.537	0.674	0.524	0.685	0.498	0.708
150	92	0.543	0.680	0.530	0.692	0.505	0.714
150	93	0.550	0.686	0.537	0.698	0.512	0.720
150	94	0.557	0.693	0.544	0.704	0.519	0.726
150	95	0.564	0.699	0.551	0.710	0.526	0.732
150	96	0.571	0.705	0.558	0.717	0.532	0.738
150	97	0.577	0.712	0.565	0.723	0.539	0.744
150	98	0.584	0.718	0.571	0.729	0.546	0.750
150	99	0.591	0.724	0.578	0.735	0.553	0.756
150	100	0.598	0.730	0.585	0.741	0.560	0.762
150	101	0.605	0.737	0.592	0.748	0.567	0.768
150	102	0.612	0.743	0.599	0.754	0.574	0.774
150	103	0.619	0.749	0.606	0.760	0.581	0.780
150	104	0.626	0.755	0.613	0.766	0.588	0.786
150	105	0.632	0.761	0.620	0.772	0.595	0.792
150	106	0.639	0.768	0.627	0.778	0.602	0.798
150	107	0.646	0.774	0.634	0.784	0.609	0.804
150	108	0.653	0.780	0.641	0.790	0.616	0.809
150	109	0.660	0.786	0.648	0.796	0.623	0.815
150	110	0.667	0.792	0.655	0.802	0.630	0.821
150	111	0.674	0.798	0.662	0.808	0.638	0.827
150	112	0.682	0.804	0.669	0.814	0.645	0.832
150	113	0.689	0.810	0.676	0.820	0.652	0.838
150	114	0.696	0.816	0.684	0.826	0.659	0.844
150	115	0.703	0.822	0.691	0.832	0.667	0.849
150	116	0.710	0.828	0.698	0.838	0.674	0.855

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
150	117	0.717	0.834	0.705	0.843	0.681	0.860
150	118	0.724	0.840	0.712	0.849	0.689	0.866
150	119	0.731	0.846	0.720	0.855	0.696	0.871
150	120	0.739	0.852	0.727	0.861	0.704	0.877
150	121	0.746	0.858	0.734	0.867	0.711	0.882
150	122	0.753	0.864	0.742	0.872	0.719	0.888
150	123	0.760	0.870	0.749	0.878	0.726	0.893
150	124	0.768	0.876	0.756	0.884	0.734	0.898
150	125	0.775	0.881	0.764	0.889	0.741	0.903
150	126	0.782	0.887	0.771	0.895	0.749	0.909
150	127	0.790	0.893	0.779	0.900	0.757	0.914
150	128	0.797	0.899	0.786	0.906	0.764	0.919
150	129	0.805	0.904	0.794	0.911	0.772	0.924
150	130	0.812	0.910	0.802	0.917	0.780	0.929
150	131	0.820	0.915	0.809	0.922	0.788	0.934
150	132	0.827	0.921	0.817	0.927	0.796	0.939
150	133	0.835	0.926	0.825	0.933	0.804	0.944
150	134	0.843	0.932	0.833	0.938	0.812	0.948
150	135	0.850	0.937	0.840	0.943	0.820	0.953
150	136	0.858	0.943	0.848	0.948	0.829	0.957
150	137	0.866	0.948	0.856	0.953	0.837	0.962
150	138	0.874	0.953	0.864	0.958	0.846	0.966
150	139	0.882	0.958	0.873	0.963	0.854	0.971
150	140	0.890	0.963	0.881	0.968	0.863	0.975
150	141	0.898	0.968	0.889	0.972	0.872	0.979
150	142	0.906	0.973	0.898	0.977	0.880	0.983
150	143	0.914	0.978	0.906	0.981	0.890	0.986
150	144	0.923	0.982	0.915	0.985	0.899	0.990
150	145	0.931	0.987	0.924	0.989	0.909	0.993
150	146	0.940	0.991	0.933	0.993	0.918	0.995
150	147	0.949	0.995	0.943	0.996	0.929	0.998
150	148	0.959	0.998	0.953	0.998	0.940	0.999
150	149	0.969	1.000	0.963	1.000	0.952	1.000
150	150	0.980	1.000	0.976	1.000	0.965	1.000
155	0	0.000	0.019	0.000	0.024	0.000	0.034
155	1	0.000	0.030	0.000	0.035	0.000	0.047
155	2	0.002	0.040	0.002	0.046	0.001	0.058
155	3	0.005	0.049	0.004	0.056	0.002	0.069
155	4	0.009	0.058	0.007	0.065	0.004	0.079
155	5	0.013	0.067	0.011	0.074	0.007	0.089
155	6	0.017	0.075	0.014	0.082	0.010	0.098
155	7	0.021	0.083	0.018	0.091	0.013	0.107
155	8	0.026	0.091	0.023	0.099	0.017	0.116
155	9	0.031	0.099	0.027	0.107	0.021	0.124
155	10	0.035	0.107	0.031	0.115	0.024	0.133
155	11	0.040	0.115	0.036	0.123	0.028	0.141
155	12	0.045	0.122	0.041	0.131	0.033	0.150
155	13	0.050	0.130	0.045	0.139	0.037	0.158
155	14	0.055	0.138	0.050	0.147	0.041	0.166
155	15	0.061	0.145	0.055	0.155	0.046	0.174
155	16	0.066	0.153	0.060	0.162	0.050	0.182
155	17	0.071	0.160	0.065	0.170	0.055	0.190
155	18	0.076	0.167	0.070	0.177	0.059	0.198
155	19	0.082	0.175	0.075	0.185	0.064	0.205
155	20	0.087	0.182	0.081	0.192	0.069	0.213

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
155	21	0.093	0.189	0.086	0.200	0.074	0.221
155	22	0.098	0.196	0.091	0.207	0.078	0.228
155	23	0.104	0.204	0.096	0.214	0.083	0.236
155	24	0.109	0.211	0.102	0.222	0.088	0.243
155	25	0.115	0.218	0.107	0.229	0.093	0.251
155	26	0.120	0.225	0.113	0.236	0.098	0.258
155	27	0.126	0.232	0.118	0.243	0.104	0.266
155	28	0.132	0.239	0.124	0.250	0.109	0.273
155	29	0.137	0.246	0.129	0.258	0.114	0.280
155	30	0.143	0.253	0.135	0.265	0.119	0.287
155	31	0.149	0.260	0.140	0.272	0.124	0.295
155	32	0.154	0.267	0.146	0.279	0.130	0.302
155	33	0.160	0.274	0.151	0.286	0.135	0.309
155	34	0.166	0.281	0.157	0.293	0.140	0.316
155	35	0.172	0.288	0.163	0.300	0.146	0.323
155	36	0.177	0.295	0.168	0.307	0.151	0.330
155	37	0.183	0.302	0.174	0.314	0.157	0.337
155	38	0.189	0.309	0.180	0.321	0.162	0.344
155	39	0.195	0.315	0.185	0.328	0.167	0.351
155	40	0.201	0.322	0.191	0.334	0.173	0.358
155	41	0.207	0.329	0.197	0.341	0.179	0.365
155	42	0.213	0.336	0.203	0.348	0.184	0.372
155	43	0.219	0.343	0.209	0.355	0.190	0.379
155	44	0.225	0.349	0.214	0.362	0.195	0.386
155	45	0.231	0.356	0.220	0.369	0.201	0.393
155	46	0.237	0.363	0.226	0.375	0.207	0.400
155	47	0.243	0.370	0.232	0.382	0.212	0.407
155	48	0.249	0.376	0.238	0.389	0.218	0.413
155	49	0.255	0.383	0.244	0.396	0.224	0.420
155	50	0.261	0.390	0.250	0.402	0.229	0.427
155	51	0.267	0.396	0.256	0.409	0.235	0.434
155	52	0.273	0.403	0.262	0.416	0.241	0.440
155	53	0.279	0.410	0.268	0.422	0.247	0.447
155	54	0.285	0.416	0.274	0.429	0.253	0.454
155	55	0.291	0.423	0.280	0.436	0.258	0.460
155	56	0.297	0.430	0.286	0.442	0.264	0.467
155	57	0.303	0.436	0.292	0.449	0.270	0.474
155	58	0.309	0.443	0.298	0.455	0.276	0.480
155	59	0.315	0.449	0.304	0.462	0.282	0.487
155	60	0.322	0.456	0.310	0.469	0.288	0.493
155	61	0.328	0.462	0.316	0.475	0.294	0.500
155	62	0.334	0.469	0.322	0.482	0.300	0.506
155	63	0.340	0.476	0.328	0.488	0.306	0.513
155	64	0.346	0.482	0.335	0.495	0.312	0.519
155	65	0.353	0.489	0.341	0.501	0.318	0.526
155	66	0.359	0.495	0.347	0.508	0.324	0.532
155	67	0.365	0.501	0.353	0.514	0.330	0.539
155	68	0.371	0.508	0.359	0.521	0.336	0.545
155	69	0.378	0.514	0.365	0.527	0.342	0.552
155	70	0.384	0.521	0.372	0.533	0.348	0.558
155	71	0.390	0.527	0.378	0.540	0.354	0.564
155	72	0.396	0.534	0.384	0.546	0.361	0.571
155	73	0.403	0.540	0.390	0.553	0.367	0.577
155	74	0.409	0.547	0.397	0.559	0.373	0.583
155	75	0.415	0.553	0.403	0.565	0.379	0.590
155	76	0.422	0.559	0.409	0.572	0.385	0.596

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
155	77	0.428	0.566	0.416	0.578	0.392	0.602
155	78	0.434	0.572	0.422	0.584	0.398	0.608
155	79	0.441	0.578	0.428	0.591	0.404	0.615
155	80	0.447	0.585	0.435	0.597	0.410	0.621
155	81	0.453	0.591	0.441	0.603	0.417	0.627
155	82	0.460	0.597	0.447	0.610	0.423	0.633
155	83	0.466	0.604	0.454	0.616	0.429	0.639
155	84	0.473	0.610	0.460	0.622	0.436	0.646
155	85	0.479	0.616	0.467	0.628	0.442	0.652
155	86	0.486	0.622	0.473	0.635	0.448	0.658
155	87	0.492	0.629	0.479	0.641	0.455	0.664
155	88	0.499	0.635	0.486	0.647	0.461	0.670
155	89	0.505	0.641	0.492	0.653	0.468	0.676
155	90	0.511	0.647	0.499	0.659	0.474	0.682
155	91	0.518	0.654	0.505	0.665	0.481	0.688
155	92	0.524	0.660	0.512	0.672	0.487	0.694
155	93	0.531	0.666	0.518	0.678	0.494	0.700
155	94	0.538	0.672	0.525	0.684	0.500	0.706
155	95	0.544	0.678	0.531	0.690	0.507	0.712
155	96	0.551	0.685	0.538	0.696	0.513	0.718
155	97	0.557	0.691	0.545	0.702	0.520	0.724
155	98	0.564	0.697	0.551	0.708	0.526	0.730
155	99	0.570	0.703	0.558	0.714	0.533	0.736
155	100	0.577	0.709	0.564	0.720	0.540	0.742
155	101	0.584	0.715	0.571	0.726	0.546	0.747
155	102	0.590	0.721	0.578	0.732	0.553	0.753
155	103	0.597	0.727	0.584	0.738	0.560	0.759
155	104	0.604	0.733	0.591	0.744	0.566	0.765
155	105	0.610	0.739	0.598	0.750	0.573	0.771
155	106	0.617	0.745	0.604	0.756	0.580	0.776
155	107	0.624	0.751	0.611	0.762	0.587	0.782
155	108	0.630	0.757	0.618	0.768	0.593	0.788
155	109	0.637	0.763	0.625	0.774	0.600	0.793
155	110	0.644	0.769	0.631	0.780	0.607	0.799
155	111	0.651	0.775	0.638	0.786	0.614	0.805
155	112	0.657	0.781	0.645	0.791	0.621	0.810
155	113	0.664	0.787	0.652	0.797	0.628	0.816
155	114	0.671	0.793	0.659	0.803	0.635	0.821
155	115	0.678	0.799	0.666	0.809	0.642	0.827
155	116	0.685	0.805	0.672	0.815	0.649	0.833
155	117	0.691	0.811	0.679	0.820	0.656	0.838
155	118	0.698	0.817	0.686	0.826	0.663	0.843
155	119	0.705	0.823	0.693	0.832	0.670	0.849
155	120	0.712	0.828	0.700	0.837	0.677	0.854
155	121	0.719	0.834	0.707	0.843	0.684	0.860
155	122	0.726	0.840	0.714	0.849	0.691	0.865
155	123	0.733	0.846	0.721	0.854	0.698	0.870
155	124	0.740	0.851	0.728	0.860	0.705	0.876
155	125	0.747	0.857	0.735	0.865	0.713	0.881
155	126	0.754	0.863	0.742	0.871	0.720	0.886
155	127	0.761	0.868	0.750	0.876	0.727	0.891
155	128	0.768	0.874	0.757	0.882	0.734	0.896
155	129	0.775	0.880	0.764	0.887	0.742	0.902
155	130	0.782	0.885	0.771	0.893	0.749	0.907
155	131	0.789	0.891	0.778	0.898	0.757	0.912
155	132	0.796	0.896	0.786	0.904	0.764	0.917

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
155	133	0.804	0.902	0.793	0.909	0.772	0.922
155	134	0.811	0.907	0.800	0.914	0.779	0.926
155	135	0.818	0.913	0.808	0.919	0.787	0.931
155	136	0.825	0.916	0.815	0.925	0.795	0.936
155	137	0.833	0.924	0.823	0.930	0.802	0.941
155	138	0.840	0.929	0.830	0.935	0.810	0.945
155	139	0.847	0.934	0.838	0.940	0.818	0.950
155	140	0.855	0.939	0.845	0.945	0.826	0.954
155	141	0.862	0.945	0.853	0.950	0.834	0.959
155	142	0.870	0.950	0.861	0.955	0.842	0.963
155	143	0.878	0.955	0.869	0.959	0.850	0.967
155	144	0.885	0.960	0.877	0.964	0.859	0.972
155	145	0.893	0.965	0.885	0.969	0.867	0.976
155	146	0.901	0.969	0.893	0.973	0.876	0.979
155	147	0.909	0.974	0.901	0.977	0.884	0.983
155	148	0.917	0.979	0.909	0.982	0.893	0.987
155	149	0.925	0.983	0.918	0.986	0.902	0.990
155	150	0.933	0.987	0.926	0.989	0.911	0.993
155	151	0.942	0.991	0.935	0.993	0.921	0.996
155	152	0.951	0.995	0.944	0.996	0.931	0.998
155	153	0.960	0.998	0.954	0.998	0.942	0.999
155	154	0.970	1.000	0.965	1.000	0.953	1.000
155	155	0.981	1.000	0.976	1.000	0.966	1.000
160	0	0.000	0.019	0.000	0.023	0.000	0.033
160	1	0.000	0.029	0.000	0.034	0.000	0.046
160	2	0.002	0.039	0.002	0.044	0.001	0.057
160	3	0.005	0.048	0.004	0.054	0.002	0.067
160	4	0.009	0.056	0.007	0.063	0.004	0.077
160	5	0.012	0.065	0.010	0.071	0.007	0.086
160	6	0.016	0.073	0.014	0.080	0.010	0.095
160	7	0.021	0.081	0.018	0.088	0.013	0.104
160	8	0.025	0.088	0.022	0.096	0.016	0.112
160	9	0.030	0.096	0.026	0.104	0.020	0.121
160	10	0.034	0.104	0.030	0.112	0.024	0.129
160	11	0.039	0.111	0.035	0.120	0.028	0.137
160	12	0.044	0.119	0.039	0.127	0.031	0.145
160	13	0.049	0.126	0.044	0.135	0.036	0.153
160	14	0.054	0.133	0.049	0.142	0.040	0.161
160	15	0.059	0.141	0.053	0.150	0.044	0.169
160	16	0.064	0.148	0.058	0.157	0.048	0.177
160	17	0.069	0.155	0.063	0.165	0.053	0.184
160	18	0.074	0.162	0.068	0.172	0.057	0.192
160	19	0.079	0.169	0.073	0.179	0.062	0.199
160	20	0.084	0.176	0.078	0.186	0.067	0.207
160	21	0.090	0.183	0.083	0.194	0.071	0.214
160	22	0.095	0.190	0.088	0.201	0.076	0.222
160	23	0.100	0.197	0.093	0.208	0.081	0.229
160	24	0.106	0.204	0.099	0.215	0.086	0.236
160	25	0.111	0.211	0.104	0.222	0.090	0.243
160	26	0.116	0.218	0.109	0.229	0.095	0.251
160	27	0.122	0.225	0.114	0.236	0.100	0.258
160	28	0.127	0.232	0.120	0.243	0.105	0.265
160	29	0.133	0.239	0.125	0.250	0.110	0.272
160	30	0.138	0.246	0.130	0.257	0.115	0.279
160	31	0.144	0.252	0.136	0.264	0.120	0.286

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
160	32	0.149	0.259	0.141	0.270	0.125	0.293
160	33	0.155	0.266	0.146	0.277	0.131	0.300
160	34	0.161	0.273	0.152	0.284	0.136	0.307
160	35	0.166	0.279	0.157	0.291	0.141	0.314
160	36	0.172	0.286	0.163	0.298	0.146	0.321
160	37	0.177	0.293	0.168	0.304	0.151	0.328
160	38	0.183	0.299	0.174	0.311	0.157	0.334
160	39	0.189	0.306	0.179	0.318	0.162	0.341
160	40	0.194	0.313	0.185	0.325	0.167	0.348
160	41	0.200	0.319	0.191	0.331	0.173	0.355
160	42	0.206	0.326	0.196	0.338	0.178	0.362
160	43	0.212	0.332	0.202	0.344	0.183	0.368
160	44	0.217	0.339	0.207	0.351	0.189	0.375
160	45	0.223	0.346	0.213	0.358	0.194	0.382
160	46	0.229	0.352	0.219	0.364	0.200	0.388
160	47	0.235	0.359	0.224	0.371	0.205	0.395
160	48	0.240	0.365	0.230	0.377	0.211	0.401
160	49	0.246	0.372	0.236	0.384	0.216	0.408
160	50	0.252	0.378	0.242	0.390	0.222	0.415
160	51	0.258	0.385	0.247	0.397	0.227	0.421
160	52	0.264	0.391	0.253	0.403	0.233	0.428
160	53	0.270	0.398	0.259	0.410	0.239	0.434
160	54	0.276	0.404	0.265	0.416	0.244	0.441
160	55	0.281	0.410	0.271	0.423	0.250	0.447
160	56	0.287	0.417	0.276	0.429	0.256	0.454
160	57	0.293	0.423	0.282	0.436	0.261	0.460
160	58	0.299	0.430	0.288	0.442	0.267	0.467
160	59	0.305	0.436	0.294	0.449	0.273	0.473
160	60	0.311	0.442	0.300	0.455	0.278	0.479
160	61	0.317	0.449	0.306	0.461	0.284	0.486
160	62	0.323	0.455	0.312	0.468	0.290	0.492
160	63	0.329	0.462	0.318	0.474	0.296	0.498
160	64	0.335	0.468	0.323	0.480	0.301	0.505
160	65	0.341	0.474	0.329	0.487	0.307	0.511
160	66	0.347	0.480	0.335	0.493	0.313	0.517
160	67	0.353	0.487	0.341	0.499	0.319	0.524
160	68	0.359	0.493	0.347	0.506	0.325	0.530
160	69	0.365	0.499	0.353	0.512	0.331	0.536
160	70	0.371	0.506	0.359	0.518	0.337	0.542
160	71	0.377	0.512	0.365	0.524	0.342	0.548
160	72	0.383	0.518	0.371	0.531	0.348	0.555
160	73	0.389	0.524	0.377	0.537	0.354	0.561
160	74	0.395	0.531	0.383	0.543	0.360	0.567
160	75	0.402	0.537	0.390	0.549	0.366	0.573
160	76	0.408	0.543	0.396	0.555	0.372	0.579
160	77	0.414	0.549	0.402	0.562	0.378	0.585
160	78	0.420	0.555	0.408	0.568	0.384	0.591
160	79	0.426	0.562	0.414	0.574	0.390	0.598
160	80	0.432	0.568	0.420	0.580	0.396	0.604
160	81	0.438	0.574	0.426	0.586	0.402	0.610
160	82	0.445	0.580	0.432	0.592	0.409	0.616
160	83	0.451	0.586	0.438	0.598	0.415	0.622
160	84	0.457	0.592	0.445	0.604	0.421	0.628
160	85	0.463	0.598	0.451	0.610	0.427	0.634
160	86	0.469	0.605	0.457	0.617	0.433	0.640
160	87	0.476	0.611	0.463	0.623	0.439	0.646



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
160	88	0.482	0.617	0.469	0.629	0.445	0.652
160	89	0.488	0.623	0.476	0.635	0.452	0.658
160	90	0.494	0.629	0.482	0.641	0.458	0.663
160	91	0.501	0.635	0.488	0.647	0.464	0.669
160	92	0.507	0.641	0.494	0.653	0.470	0.675
160	93	0.513	0.647	0.501	0.659	0.476	0.681
160	94	0.520	0.653	0.507	0.665	0.483	0.687
160	95	0.526	0.659	0.513	0.671	0.489	0.693
160	96	0.532	0.665	0.520	0.677	0.495	0.699
160	97	0.538	0.671	0.526	0.682	0.502	0.704
160	98	0.545	0.677	0.532	0.688	0.508	0.710
160	99	0.551	0.683	0.539	0.694	0.514	0.716
160	100	0.558	0.689	0.545	0.700	0.521	0.722
160	101	0.564	0.695	0.551	0.706	0.527	0.727
160	102	0.570	0.701	0.558	0.712	0.533	0.733
160	103	0.577	0.707	0.564	0.718	0.540	0.739
160	104	0.583	0.713	0.571	0.724	0.546	0.744
160	105	0.590	0.719	0.577	0.729	0.553	0.750
160	106	0.596	0.724	0.584	0.735	0.559	0.756
160	107	0.602	0.730	0.590	0.741	0.566	0.761
160	108	0.609	0.736	0.597	0.747	0.572	0.767
160	109	0.615	0.742	0.603	0.753	0.579	0.773
160	110	0.622	0.748	0.610	0.758	0.585	0.778
160	111	0.628	0.754	0.616	0.764	0.592	0.784
160	112	0.635	0.760	0.623	0.770	0.599	0.789
160	113	0.641	0.765	0.629	0.776	0.605	0.795
160	114	0.648	0.771	0.636	0.781	0.612	0.800
160	115	0.654	0.777	0.642	0.787	0.618	0.806
160	116	0.661	0.783	0.649	0.793	0.625	0.811
160	117	0.668	0.788	0.656	0.798	0.632	0.817
160	118	0.674	0.794	0.662	0.804	0.638	0.822
160	119	0.681	0.800	0.669	0.809	0.645	0.827
160	120	0.687	0.806	0.675	0.815	0.652	0.833
160	121	0.694	0.811	0.682	0.821	0.659	0.838
160	122	0.701	0.817	0.689	0.826	0.666	0.843
160	123	0.707	0.823	0.696	0.832	0.672	0.849
160	124	0.714	0.828	0.702	0.837	0.679	0.854
160	125	0.721	0.834	0.709	0.843	0.686	0.859
160	126	0.727	0.839	0.716	0.848	0.693	0.864
160	127	0.734	0.845	0.723	0.854	0.700	0.869
160	128	0.741	0.851	0.730	0.859	0.707	0.875
160	129	0.748	0.856	0.736	0.864	0.714	0.880
160	130	0.754	0.862	0.743	0.870	0.721	0.885
160	131	0.761	0.867	0.750	0.875	0.728	0.890
160	132	0.768	0.873	0.757	0.880	0.735	0.895
160	133	0.775	0.878	0.764	0.886	0.742	0.900
160	134	0.782	0.884	0.771	0.891	0.749	0.905
160	135	0.789	0.889	0.778	0.896	0.757	0.910
160	136	0.796	0.894	0.785	0.901	0.764	0.914
160	137	0.803	0.900	0.792	0.907	0.771	0.919
160	138	0.810	0.905	0.799	0.912	0.778	0.924
160	139	0.817	0.910	0.806	0.917	0.786	0.929
160	140	0.824	0.916	0.814	0.922	0.793	0.933
160	141	0.831	0.921	0.821	0.927	0.801	0.938
160	142	0.838	0.926	0.828	0.932	0.808	0.943
160	143	0.845	0.931	0.835	0.937	0.816	0.947

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
160	144	0.852	0.936	0.843	0.942	0.823	0.952
160	145	0.859	0.941	0.850	0.947	0.831	0.956
160	146	0.867	0.946	0.858	0.951	0.839	0.960
160	147	0.874	0.951	0.865	0.956	0.847	0.964
160	148	0.881	0.956	0.873	0.961	0.855	0.969
160	149	0.889	0.961	0.880	0.965	0.863	0.972
160	150	0.896	0.966	0.888	0.970	0.871	0.976
160	151	0.904	0.970	0.896	0.974	0.879	0.980
160	152	0.912	0.975	0.904	0.978	0.888	0.984
160	153	0.919	0.979	0.912	0.982	0.896	0.987
160	154	0.927	0.984	0.920	0.986	0.905	0.990
160	155	0.935	0.988	0.929	0.990	0.914	0.993
160	156	0.944	0.991	0.937	0.993	0.923	0.996
160	157	0.952	0.995	0.946	0.996	0.933	0.998
160	158	0.961	0.998	0.956	0.998	0.943	0.999
160	159	0.971	1.000	0.966	1.000	0.954	1.000
160	160	0.981	1.000	0.977	1.000	0.967	1.000
165	0	0.000	0.018	0.000	0.022	0.000	0.032
165	1	0.000	0.028	0.000	0.033	0.000	0.044
165	2	0.002	0.038	0.001	0.043	0.001	0.055
165	3	0.005	0.046	0.004	0.052	0.002	0.065
165	4	0.008	0.055	0.007	0.061	0.004	0.074
165	5	0.012	0.063	0.010	0.069	0.007	0.083
165	6	0.016	0.071	0.013	0.077	0.009	0.092
165	7	0.020	0.078	0.017	0.085	0.012	0.101
165	8	0.024	0.086	0.021	0.093	0.016	0.109
165	9	0.029	0.093	0.025	0.101	0.019	0.117
165	10	0.033	0.101	0.029	0.109	0.023	0.125
165	11	0.038	0.108	0.034	0.116	0.027	0.133
165	12	0.042	0.115	0.038	0.124	0.031	0.141
165	13	0.047	0.122	0.043	0.131	0.034	0.149
165	14	0.052	0.129	0.047	0.138	0.039	0.156
165	15	0.057	0.137	0.052	0.146	0.043	0.164
165	16	0.062	0.144	0.056	0.153	0.047	0.171
165	17	0.067	0.151	0.061	0.160	0.051	0.179
165	18	0.072	0.157	0.066	0.167	0.056	0.186
165	19	0.077	0.164	0.071	0.174	0.060	0.194
165	20	0.082	0.171	0.076	0.181	0.064	0.201
165	21	0.087	0.178	0.081	0.188	0.069	0.208
165	22	0.092	0.185	0.085	0.195	0.074	0.215
165	23	0.097	0.192	0.090	0.202	0.078	0.222
165	24	0.102	0.198	0.095	0.209	0.083	0.229
165	25	0.108	0.205	0.101	0.215	0.088	0.236
165	26	0.113	0.212	0.106	0.222	0.092	0.243
165	27	0.118	0.219	0.111	0.229	0.097	0.250
165	28	0.123	0.225	0.116	0.236	0.102	0.257
165	29	0.129	0.232	0.121	0.243	0.107	0.264
165	30	0.134	0.238	0.126	0.249	0.112	0.271
165	31	0.139	0.245	0.131	0.256	0.117	0.278
165	32	0.145	0.252	0.137	0.263	0.121	0.285
165	33	0.150	0.258	0.142	0.269	0.126	0.291
165	34	0.156	0.265	0.147	0.276	0.131	0.298
165	35	0.161	0.271	0.152	0.282	0.136	0.305
165	36	0.166	0.278	0.158	0.289	0.142	0.312
165	37	0.172	0.284	0.163	0.296	0.147	0.318

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
165	38	0.177	0.291	0.168	0.302	0.152	0.325
165	39	0.183	0.297	0.174	0.309	0.157	0.332
165	40	0.188	0.304	0.179	0.315	0.162	0.338
165	41	0.194	0.310	0.185	0.322	0.167	0.345
165	42	0.199	0.316	0.190	0.328	0.172	0.351
165	43	0.205	0.323	0.195	0.335	0.178	0.358
165	44	0.211	0.329	0.201	0.341	0.183	0.364
165	45	0.216	0.336	0.206	0.347	0.188	0.371
165	46	0.222	0.342	0.212	0.354	0.193	0.377
165	47	0.227	0.348	0.217	0.360	0.199	0.384
165	48	0.233	0.355	0.223	0.367	0.204	0.390
165	49	0.239	0.361	0.228	0.373	0.209	0.397
165	50	0.244	0.367	0.234	0.379	0.215	0.403
165	51	0.250	0.374	0.240	0.386	0.220	0.409
165	52	0.256	0.380	0.245	0.392	0.226	0.416
165	53	0.261	0.386	0.251	0.398	0.231	0.422
165	54	0.267	0.392	0.256	0.405	0.236	0.428
165	55	0.273	0.399	0.262	0.411	0.242	0.435
165	56	0.278	0.405	0.268	0.417	0.247	0.441
165	57	0.284	0.411	0.273	0.423	0.253	0.447
165	58	0.290	0.417	0.279	0.430	0.258	0.454
165	59	0.295	0.424	0.285	0.436	0.264	0.460
165	60	0.301	0.430	0.290	0.442	0.269	0.466
165	61	0.307	0.436	0.296	0.448	0.275	0.472
165	62	0.313	0.442	0.302	0.454	0.280	0.478
165	63	0.319	0.448	0.307	0.461	0.286	0.485
165	64	0.324	0.454	0.313	0.467	0.292	0.491
165	65	0.330	0.461	0.319	0.473	0.297	0.497
165	66	0.336	0.467	0.325	0.479	0.303	0.503
165	67	0.342	0.473	0.330	0.485	0.309	0.509
165	68	0.348	0.479	0.336	0.491	0.314	0.515
165	69	0.353	0.485	0.342	0.497	0.320	0.521
165	70	0.359	0.491	0.348	0.503	0.326	0.527
165	71	0.365	0.497	0.354	0.510	0.331	0.533
165	72	0.371	0.503	0.359	0.516	0.337	0.540
165	73	0.377	0.509	0.365	0.522	0.343	0.546
165	74	0.383	0.516	0.371	0.528	0.348	0.552
165	75	0.389	0.522	0.377	0.534	0.354	0.558
165	76	0.395	0.528	0.383	0.540	0.360	0.564
165	77	0.401	0.534	0.389	0.546	0.366	0.569
165	78	0.407	0.540	0.395	0.552	0.372	0.575
165	79	0.412	0.546	0.401	0.558	0.377	0.581
165	80	0.418	0.552	0.406	0.564	0.383	0.587
165	81	0.424	0.558	0.412	0.570	0.389	0.593
165	82	0.430	0.564	0.418	0.576	0.395	0.599
165	83	0.436	0.570	0.424	0.582	0.401	0.605
165	84	0.442	0.576	0.430	0.588	0.407	0.611
165	85	0.448	0.582	0.436	0.594	0.413	0.617
165	86	0.454	0.588	0.442	0.599	0.419	0.623
165	87	0.460	0.593	0.448	0.605	0.425	0.628
165	88	0.466	0.599	0.454	0.611	0.431	0.634
165	89	0.472	0.605	0.460	0.617	0.436	0.640
165	90	0.478	0.611	0.466	0.623	0.442	0.646
165	91	0.484	0.617	0.472	0.629	0.448	0.652
165	92	0.491	0.623	0.478	0.635	0.454	0.657
165	93	0.497	0.629	0.484	0.641	0.460	0.663

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
165	94	0.503	0.635	0.490	0.646	0.467	0.663
165	95	0.509	0.641	0.497	0.652	0.473	0.674
165	96	0.515	0.647	0.503	0.658	0.479	0.680
165	97	0.521	0.652	0.509	0.664	0.485	0.686
165	98	0.527	0.658	0.515	0.670	0.491	0.691
165	99	0.533	0.664	0.521	0.675	0.497	0.697
165	100	0.539	0.670	0.527	0.681	0.503	0.703
165	101	0.546	0.676	0.533	0.687	0.509	0.708
165	102	0.552	0.681	0.539	0.693	0.515	0.714
165	103	0.558	0.687	0.546	0.698	0.522	0.720
165	104	0.564	0.693	0.552	0.704	0.528	0.725
165	105	0.570	0.699	0.558	0.710	0.534	0.731
165	106	0.576	0.705	0.564	0.715	0.540	0.736
165	107	0.583	0.710	0.570	0.721	0.546	0.742
165	108	0.589	0.716	0.577	0.727	0.553	0.747
165	109	0.595	0.722	0.583	0.732	0.559	0.753
165	110	0.601	0.727	0.589	0.738	0.565	0.758
165	111	0.608	0.733	0.595	0.744	0.572	0.764
165	112	0.614	0.739	0.602	0.749	0.578	0.769
165	113	0.620	0.744	0.608	0.755	0.584	0.774
165	114	0.626	0.750	0.614	0.760	0.591	0.780
165	115	0.633	0.756	0.621	0.766	0.597	0.785
165	116	0.639	0.761	0.627	0.772	0.603	0.791
165	117	0.645	0.767	0.633	0.777	0.610	0.796
165	118	0.652	0.773	0.640	0.783	0.616	0.801
165	119	0.658	0.778	0.646	0.788	0.623	0.807
165	120	0.664	0.784	0.653	0.794	0.629	0.812
165	121	0.671	0.789	0.659	0.799	0.636	0.817
165	122	0.677	0.795	0.665	0.805	0.642	0.822
165	123	0.684	0.801	0.672	0.810	0.649	0.828
165	124	0.690	0.806	0.678	0.815	0.655	0.833
165	125	0.696	0.812	0.685	0.821	0.662	0.838
165	126	0.703	0.817	0.691	0.826	0.668	0.843
165	127	0.709	0.823	0.698	0.832	0.675	0.848
165	128	0.716	0.828	0.704	0.837	0.682	0.853
165	129	0.722	0.834	0.711	0.842	0.688	0.858
165	130	0.729	0.839	0.718	0.848	0.695	0.864
165	131	0.735	0.844	0.724	0.853	0.702	0.869
165	132	0.742	0.850	0.731	0.858	0.709	0.874
165	133	0.748	0.855	0.737	0.863	0.715	0.879
165	134	0.755	0.861	0.744	0.869	0.722	0.883
165	135	0.762	0.866	0.751	0.874	0.729	0.888
165	136	0.768	0.871	0.757	0.879	0.736	0.893
165	137	0.775	0.877	0.764	0.884	0.743	0.898
165	138	0.781	0.882	0.771	0.889	0.750	0.903
165	139	0.788	0.887	0.778	0.894	0.757	0.908
165	140	0.795	0.892	0.785	0.899	0.764	0.912
165	141	0.802	0.898	0.791	0.905	0.771	0.917
165	142	0.808	0.903	0.798	0.910	0.778	0.922
165	143	0.815	0.908	0.805	0.915	0.785	0.926
165	144	0.822	0.913	0.812	0.919	0.792	0.931
165	145	0.829	0.918	0.819	0.924	0.799	0.936
165	146	0.836	0.923	0.826	0.929	0.806	0.940
165	147	0.843	0.928	0.833	0.934	0.814	0.944
165	148	0.849	0.933	0.840	0.939	0.821	0.949
165	149	0.856	0.938	0.847	0.944	0.829	0.953

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
165	150	0.863	0.943	0.854	0.948	0.836	0.957
165	151	0.871	0.948	0.862	0.953	0.844	0.961
165	152	0.878	0.953	0.869	0.957	0.851	0.966
165	153	0.885	0.958	0.876	0.962	0.859	0.969
165	154	0.892	0.962	0.884	0.966	0.867	0.973
165	155	0.899	0.967	0.891	0.971	0.875	0.977
165	156	0.907	0.971	0.899	0.975	0.883	0.981
165	157	0.914	0.976	0.907	0.979	0.891	0.984
165	158	0.922	0.980	0.915	0.983	0.899	0.988
165	159	0.929	0.984	0.923	0.987	0.908	0.991
165	160	0.937	0.988	0.931	0.990	0.917	0.993
165	161	0.945	0.992	0.939	0.993	0.926	0.996
165	162	0.954	0.995	0.948	0.996	0.935	0.998
165	163	0.962	0.998	0.957	0.999	0.945	0.999
165	164	0.972	1.000	0.967	1.000	0.956	1.000
165	165	0.982	1.000	0.978	1.000	0.968	1.000
170	0	0.000	0.017	0.000	0.021	0.000	0.031
170	1	0.000	0.028	0.000	0.032	0.000	0.043
170	2	0.002	0.037	0.001	0.042	0.001	0.053
170	3	0.005	0.045	0.004	0.051	0.002	0.063
170	4	0.008	0.053	0.006	0.059	0.004	0.072
170	5	0.012	0.061	0.010	0.067	0.006	0.081
170	6	0.015	0.068	0.013	0.075	0.009	0.090
170	7	0.019	0.076	0.017	0.083	0.012	0.098
170	8	0.024	0.083	0.021	0.091	0.015	0.106
170	9	0.028	0.091	0.024	0.098	0.019	0.114
170	10	0.032	0.098	0.029	0.106	0.022	0.122
170	11	0.037	0.105	0.033	0.113	0.026	0.129
170	12	0.041	0.112	0.037	0.120	0.030	0.137
170	13	0.046	0.119	0.041	0.127	0.033	0.145
170	14	0.050	0.126	0.046	0.134	0.037	0.152
170	15	0.055	0.133	0.050	0.141	0.041	0.159
170	16	0.060	0.139	0.055	0.148	0.046	0.167
170	17	0.065	0.146	0.059	0.155	0.050	0.174
170	18	0.070	0.153	0.064	0.162	0.054	0.181
170	19	0.074	0.160	0.069	0.169	0.058	0.188
170	20	0.079	0.166	0.073	0.176	0.063	0.195
170	21	0.084	0.173	0.078	0.183	0.067	0.202
170	22	0.089	0.180	0.083	0.189	0.071	0.209
170	23	0.094	0.186	0.088	0.196	0.076	0.216
170	24	0.099	0.193	0.093	0.203	0.080	0.223
170	25	0.104	0.199	0.097	0.209	0.085	0.230
170	26	0.109	0.206	0.102	0.216	0.090	0.237
170	27	0.115	0.212	0.107	0.223	0.094	0.243
170	28	0.120	0.219	0.112	0.229	0.099	0.250
170	29	0.125	0.225	0.117	0.236	0.103	0.257
170	30	0.130	0.232	0.122	0.242	0.108	0.263
170	31	0.135	0.238	0.127	0.249	0.113	0.270
170	32	0.140	0.244	0.132	0.255	0.118	0.277
170	33	0.146	0.251	0.138	0.262	0.123	0.283
170	34	0.151	0.257	0.143	0.268	0.127	0.290
170	35	0.156	0.264	0.148	0.275	0.132	0.296
170	36	0.161	0.270	0.153	0.281	0.137	0.303
170	37	0.167	0.276	0.158	0.287	0.142	0.310
170	38	0.172	0.282	0.163	0.294	0.147	0.316
170	39	0.177	0.289	0.169	0.300	0.152	0.322

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
170	40	0.183	0.295	0.174	0.306	0.157	0.329
170	41	0.188	0.301	0.179	0.313	0.162	0.335
170	42	0.193	0.308	0.184	0.319	0.167	0.342
170	43	0.199	0.314	0.190	0.325	0.172	0.348
170	44	0.204	0.320	0.195	0.331	0.177	0.354
170	45	0.210	0.326	0.200	0.338	0.182	0.361
170	46	0.215	0.332	0.205	0.344	0.187	0.367
170	47	0.220	0.339	0.211	0.350	0.193	0.373
170	48	0.226	0.345	0.216	0.356	0.198	0.380
170	49	0.231	0.351	0.221	0.363	0.203	0.386
170	50	0.237	0.357	0.227	0.369	0.208	0.392
170	51	0.242	0.363	0.232	0.375	0.213	0.398
170	52	0.248	0.369	0.238	0.381	0.219	0.404
170	53	0.253	0.375	0.243	0.387	0.224	0.411
170	54	0.259	0.381	0.248	0.393	0.229	0.417
170	55	0.264	0.387	0.254	0.399	0.234	0.423
170	56	0.270	0.394	0.259	0.406	0.240	0.429
170	57	0.275	0.400	0.265	0.412	0.245	0.435
170	58	0.281	0.406	0.270	0.418	0.250	0.441
170	59	0.286	0.412	0.276	0.424	0.256	0.447
170	60	0.292	0.418	0.281	0.430	0.261	0.453
170	61	0.298	0.424	0.287	0.436	0.266	0.459
170	62	0.303	0.430	0.292	0.442	0.272	0.466
170	63	0.309	0.436	0.298	0.448	0.277	0.472
170	64	0.314	0.442	0.303	0.454	0.282	0.478
170	65	0.320	0.448	0.309	0.460	0.288	0.484
170	66	0.326	0.454	0.315	0.466	0.293	0.490
170	67	0.331	0.460	0.320	0.472	0.299	0.496
170	68	0.337	0.466	0.326	0.478	0.304	0.501
170	69	0.343	0.472	0.331	0.484	0.310	0.507
170	70	0.348	0.478	0.337	0.490	0.315	0.513
170	71	0.354	0.484	0.343	0.496	0.321	0.519
170	72	0.360	0.489	0.348	0.502	0.326	0.525
170	73	0.365	0.495	0.354	0.507	0.332	0.531
170	74	0.371	0.501	0.360	0.513	0.337	0.537
170	75	0.377	0.507	0.365	0.519	0.343	0.543
170	76	0.382	0.513	0.371	0.525	0.349	0.549
170	77	0.388	0.519	0.377	0.531	0.354	0.554
170	78	0.394	0.525	0.382	0.537	0.360	0.560
170	79	0.400	0.531	0.388	0.543	0.365	0.566
170	80	0.405	0.537	0.394	0.549	0.371	0.572
170	81	0.411	0.542	0.399	0.554	0.377	0.578
170	82	0.417	0.548	0.405	0.560	0.382	0.583
170	83	0.423	0.554	0.411	0.566	0.388	0.589
170	84	0.429	0.560	0.417	0.572	0.394	0.595
170	85	0.434	0.566	0.422	0.578	0.399	0.601
170	86	0.440	0.571	0.428	0.583	0.405	0.606
170	87	0.446	0.577	0.434	0.589	0.411	0.612
170	88	0.452	0.583	0.440	0.595	0.417	0.618
170	89	0.458	0.589	0.446	0.601	0.422	0.623
170	90	0.463	0.595	0.451	0.606	0.428	0.629
170	91	0.469	0.600	0.457	0.612	0.434	0.635
170	92	0.475	0.606	0.463	0.618	0.440	0.640
170	93	0.481	0.612	0.469	0.623	0.446	0.646
170	94	0.487	0.618	0.475	0.629	0.451	0.651
170	95	0.493	0.623	0.481	0.635	0.457	0.657

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
170	96	0.499	0.629	0.487	0.640	0.463	0.663
170	97	0.505	0.635	0.493	0.646	0.469	0.668
170	98	0.511	0.640	0.498	0.652	0.475	0.674
170	99	0.516	0.646	0.504	0.657	0.481	0.679
170	100	0.522	0.652	0.510	0.663	0.487	0.685
170	101	0.528	0.657	0.516	0.669	0.493	0.690
170	102	0.534	0.663	0.522	0.674	0.499	0.696
170	103	0.540	0.669	0.528	0.680	0.504	0.701
170	104	0.546	0.674	0.534	0.685	0.510	0.707
170	105	0.552	0.680	0.540	0.691	0.516	0.712
170	106	0.558	0.686	0.546	0.697	0.522	0.718
170	107	0.564	0.691	0.552	0.702	0.528	0.723
170	108	0.570	0.697	0.558	0.708	0.534	0.728
170	109	0.576	0.702	0.564	0.713	0.541	0.734
170	110	0.582	0.708	0.570	0.719	0.547	0.739
170	111	0.588	0.714	0.576	0.724	0.553	0.744
170	112	0.594	0.719	0.582	0.730	0.559	0.750
170	113	0.600	0.725	0.588	0.735	0.565	0.755
170	114	0.606	0.730	0.594	0.741	0.571	0.760
170	115	0.613	0.736	0.601	0.746	0.577	0.766
170	116	0.619	0.741	0.607	0.752	0.583	0.771
170	117	0.625	0.747	0.613	0.757	0.589	0.776
170	118	0.631	0.752	0.619	0.762	0.596	0.781
170	119	0.637	0.758	0.625	0.768	0.602	0.787
170	120	0.643	0.763	0.631	0.773	0.608	0.792
170	121	0.649	0.769	0.637	0.779	0.614	0.797
170	122	0.655	0.774	0.644	0.784	0.620	0.802
170	123	0.661	0.780	0.650	0.789	0.627	0.807
170	124	0.668	0.785	0.656	0.795	0.633	0.813
170	125	0.674	0.790	0.662	0.800	0.639	0.818
170	126	0.680	0.796	0.669	0.805	0.646	0.823
170	127	0.686	0.801	0.675	0.810	0.652	0.828
170	128	0.692	0.807	0.681	0.816	0.658	0.833
170	129	0.699	0.812	0.687	0.821	0.665	0.838
170	130	0.705	0.817	0.694	0.826	0.671	0.843
170	131	0.711	0.823	0.700	0.831	0.678	0.848
170	132	0.718	0.828	0.706	0.837	0.684	0.853
170	133	0.724	0.833	0.713	0.842	0.690	0.858
170	134	0.730	0.839	0.719	0.847	0.697	0.863
170	135	0.736	0.844	0.725	0.852	0.704	0.868
170	136	0.743	0.849	0.732	0.857	0.710	0.873
170	137	0.749	0.854	0.738	0.862	0.717	0.877
170	138	0.756	0.860	0.745	0.868	0.723	0.882
170	139	0.762	0.865	0.751	0.873	0.730	0.887
170	140	0.768	0.870	0.758	0.878	0.737	0.892
170	141	0.775	0.875	0.764	0.883	0.743	0.897
170	142	0.781	0.880	0.771	0.888	0.750	0.901
170	143	0.788	0.885	0.777	0.893	0.757	0.906
170	144	0.794	0.891	0.784	0.898	0.763	0.910
170	145	0.801	0.896	0.791	0.903	0.770	0.915
170	146	0.807	0.901	0.797	0.907	0.777	0.920
170	147	0.814	0.906	0.804	0.912	0.784	0.924
170	148	0.820	0.911	0.811	0.917	0.791	0.929
170	149	0.827	0.916	0.817	0.922	0.798	0.933
170	150	0.834	0.921	0.824	0.927	0.805	0.937
170	151	0.840	0.926	0.831	0.931	0.812	0.942

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
170	152	0.847	0.930	0.838	0.936	0.819	0.946
170	153	0.854	0.935	0.845	0.941	0.826	0.950
170	154	0.861	0.940	0.852	0.945	0.833	0.954
170	155	0.867	0.945	0.859	0.950	0.841	0.959
170	156	0.874	0.950	0.866	0.954	0.848	0.963
170	157	0.881	0.954	0.873	0.959	0.855	0.967
170	158	0.888	0.959	0.880	0.963	0.863	0.970
170	159	0.895	0.963	0.887	0.967	0.871	0.974
170	160	0.902	0.968	0.894	0.971	0.878	0.978
170	161	0.909	0.972	0.902	0.976	0.886	0.981
170	162	0.917	0.976	0.909	0.979	0.894	0.985
170	163	0.924	0.981	0.917	0.983	0.902	0.988
170	164	0.932	0.985	0.925	0.987	0.910	0.991
170	165	0.939	0.988	0.933	0.990	0.919	0.994
170	166	0.947	0.992	0.941	0.994	0.928	0.996
170	167	0.955	0.995	0.949	0.996	0.937	0.998
170	168	0.963	0.998	0.958	0.999	0.947	0.999
170	169	0.972	1.000	0.968	1.000	0.957	1.000
170	170	0.983	1.000	0.979	1.000	0.969	1.000
175	0	0.000	0.017	0.000	0.021	0.000	0.030
175	1	0.000	0.027	0.000	0.031	0.000	0.042
175	2	0.002	0.036	0.001	0.041	0.001	0.052
175	3	0.005	0.044	0.004	0.049	0.002	0.061
175	4	0.008	0.052	0.006	0.057	0.004	0.070
175	5	0.011	0.059	0.009	0.065	0.006	0.079
175	6	0.015	0.067	0.013	0.073	0.009	0.087
175	7	0.019	0.074	0.016	0.081	0.012	0.095
175	8	0.023	0.081	0.020	0.088	0.015	0.103
175	9	0.027	0.088	0.024	0.095	0.018	0.111
175	10	0.031	0.095	0.028	0.103	0.022	0.118
175	11	0.036	0.102	0.032	0.110	0.025	0.126
175	12	0.040	0.109	0.036	0.117	0.029	0.133
175	13	0.044	0.116	0.040	0.124	0.032	0.141
175	14	0.049	0.122	0.044	0.131	0.036	0.148
175	15	0.054	0.129	0.049	0.137	0.040	0.155
175	16	0.058	0.136	0.053	0.144	0.044	0.162
175	17	0.063	0.142	0.058	0.151	0.048	0.169
175	18	0.068	0.149	0.062	0.158	0.052	0.176
175	19	0.072	0.155	0.067	0.164	0.056	0.183
175	20	0.077	0.162	0.071	0.171	0.061	0.190
175	21	0.082	0.168	0.076	0.178	0.065	0.197
175	22	0.087	0.175	0.080	0.184	0.069	0.203
175	23	0.092	0.181	0.085	0.191	0.074	0.210
175	24	0.096	0.187	0.090	0.197	0.078	0.217
175	25	0.101	0.194	0.095	0.204	0.082	0.224
175	26	0.106	0.200	0.099	0.210	0.087	0.230
175	27	0.111	0.206	0.104	0.216	0.091	0.237
175	28	0.116	0.213	0.109	0.223	0.096	0.243
175	29	0.121	0.219	0.114	0.229	0.100	0.250
175	30	0.126	0.225	0.119	0.236	0.105	0.256
175	31	0.131	0.231	0.124	0.242	0.110	0.263
175	32	0.136	0.238	0.129	0.248	0.114	0.269
175	33	0.141	0.244	0.134	0.255	0.119	0.276
175	34	0.146	0.250	0.138	0.261	0.124	0.282
175	35	0.152	0.256	0.143	0.267	0.128	0.289



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
175	36	0.157	0.262	0.148	0.273	0.133	0.295
175	37	0.162	0.269	0.153	0.279	0.138	0.301
175	38	0.167	0.275	0.158	0.286	0.143	0.307
175	39	0.172	0.281	0.164	0.292	0.148	0.314
175	40	0.177	0.287	0.169	0.298	0.152	0.320
175	41	0.182	0.293	0.174	0.304	0.157	0.326
175	42	0.188	0.299	0.179	0.310	0.162	0.332
175	43	0.193	0.305	0.184	0.316	0.167	0.339
175	44	0.198	0.311	0.189	0.322	0.172	0.345
175	45	0.203	0.317	0.194	0.329	0.177	0.351
175	46	0.209	0.323	0.199	0.335	0.182	0.357
175	47	0.214	0.329	0.204	0.341	0.187	0.363
175	48	0.219	0.335	0.210	0.347	0.192	0.369
175	49	0.224	0.341	0.215	0.353	0.197	0.376
175	50	0.230	0.347	0.220	0.359	0.202	0.382
175	51	0.235	0.353	0.225	0.365	0.207	0.388
175	52	0.240	0.359	0.231	0.371	0.212	0.394
175	53	0.246	0.365	0.236	0.377	0.217	0.400
175	54	0.251	0.371	0.241	0.383	0.222	0.406
175	55	0.256	0.377	0.246	0.389	0.227	0.412
175	56	0.262	0.383	0.252	0.395	0.232	0.418
175	57	0.267	0.389	0.257	0.401	0.237	0.424
175	58	0.273	0.395	0.262	0.406	0.243	0.430
175	59	0.278	0.401	0.268	0.412	0.248	0.436
175	60	0.283	0.406	0.273	0.418	0.253	0.442
175	61	0.289	0.412	0.278	0.424	0.258	0.447
175	62	0.294	0.418	0.284	0.430	0.263	0.453
175	63	0.300	0.424	0.289	0.436	0.269	0.459
175	64	0.305	0.430	0.294	0.442	0.274	0.465
175	65	0.310	0.436	0.300	0.448	0.279	0.471
175	66	0.316	0.442	0.305	0.453	0.284	0.477
175	67	0.321	0.447	0.311	0.459	0.290	0.483
175	68	0.327	0.453	0.316	0.465	0.295	0.488
175	69	0.332	0.459	0.321	0.471	0.300	0.494
175	70	0.338	0.465	0.327	0.477	0.306	0.500
175	71	0.343	0.470	0.332	0.482	0.311	0.506
175	72	0.349	0.476	0.338	0.488	0.316	0.511
175	73	0.354	0.482	0.343	0.494	0.322	0.517
175	74	0.360	0.488	0.349	0.500	0.327	0.523
175	75	0.365	0.494	0.354	0.505	0.332	0.529
175	76	0.371	0.499	0.360	0.511	0.338	0.534
175	77	0.377	0.505	0.365	0.517	0.343	0.540
175	78	0.382	0.511	0.371	0.523	0.349	0.546
175	79	0.388	0.516	0.376	0.528	0.354	0.551
175	80	0.393	0.522	0.382	0.534	0.360	0.557
175	81	0.399	0.528	0.387	0.540	0.365	0.563
175	82	0.404	0.534	0.393	0.545	0.371	0.568
175	83	0.410	0.539	0.398	0.551	0.376	0.574
175	84	0.416	0.545	0.404	0.557	0.382	0.580
175	85	0.421	0.551	0.410	0.562	0.387	0.585
175	86	0.427	0.556	0.415	0.568	0.393	0.591
175	87	0.433	0.562	0.421	0.574	0.398	0.596
175	88	0.438	0.567	0.426	0.579	0.404	0.602
175	89	0.444	0.573	0.432	0.585	0.409	0.607
175	90	0.449	0.579	0.438	0.590	0.415	0.613

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
175	91	0.455	0.584	0.443	0.596	0.420	0.618
175	92	0.461	0.590	0.449	0.602	0.426	0.624
175	93	0.466	0.596	0.455	0.607	0.432	0.629
175	94	0.472	0.601	0.460	0.613	0.437	0.635
175	95	0.478	0.607	0.466	0.618	0.443	0.640
175	96	0.484	0.612	0.472	0.624	0.449	0.646
175	97	0.489	0.618	0.477	0.629	0.454	0.651
175	98	0.495	0.623	0.483	0.635	0.460	0.657
175	99	0.501	0.629	0.489	0.640	0.466	0.662
175	100	0.506	0.635	0.495	0.646	0.471	0.668
175	101	0.512	0.640	0.500	0.651	0.477	0.673
175	102	0.518	0.646	0.506	0.657	0.483	0.678
175	103	0.524	0.651	0.512	0.662	0.489	0.684
175	104	0.530	0.657	0.518	0.668	0.494	0.689
175	105	0.535	0.662	0.523	0.673	0.500	0.694
175	106	0.541	0.668	0.529	0.679	0.506	0.700
175	107	0.547	0.673	0.535	0.684	0.512	0.705
175	108	0.553	0.679	0.541	0.689	0.517	0.710
175	109	0.558	0.684	0.547	0.695	0.523	0.716
175	110	0.564	0.690	0.552	0.700	0.529	0.721
175	111	0.570	0.695	0.558	0.706	0.535	0.726
175	112	0.576	0.700	0.564	0.711	0.541	0.731
175	113	0.582	0.706	0.570	0.716	0.547	0.737
175	114	0.588	0.711	0.576	0.722	0.553	0.742
175	115	0.594	0.717	0.582	0.727	0.558	0.747
175	116	0.599	0.722	0.588	0.732	0.564	0.752
175	117	0.605	0.727	0.594	0.738	0.570	0.757
175	118	0.611	0.733	0.599	0.743	0.576	0.763
175	119	0.617	0.738	0.605	0.748	0.582	0.768
175	120	0.623	0.744	0.611	0.754	0.588	0.773
175	121	0.629	0.749	0.617	0.759	0.594	0.778
175	122	0.635	0.754	0.623	0.764	0.600	0.783
175	123	0.641	0.760	0.629	0.769	0.606	0.788
175	124	0.647	0.765	0.635	0.775	0.612	0.793
175	125	0.653	0.770	0.641	0.780	0.618	0.798
175	126	0.659	0.776	0.647	0.785	0.624	0.803
175	127	0.665	0.781	0.653	0.790	0.631	0.808
175	128	0.671	0.786	0.659	0.796	0.637	0.813
175	129	0.677	0.791	0.665	0.801	0.643	0.818
175	130	0.683	0.797	0.671	0.806	0.649	0.823
175	131	0.689	0.802	0.678	0.811	0.655	0.828
175	132	0.695	0.807	0.684	0.816	0.661	0.833
175	133	0.701	0.812	0.690	0.821	0.668	0.838
175	134	0.707	0.818	0.696	0.826	0.674	0.843
175	135	0.713	0.823	0.702	0.831	0.680	0.848
175	136	0.719	0.828	0.708	0.836	0.686	0.852
175	137	0.725	0.833	0.714	0.842	0.693	0.857
175	138	0.731	0.838	0.721	0.847	0.699	0.862
175	139	0.738	0.843	0.727	0.852	0.705	0.867
175	140	0.744	0.848	0.733	0.857	0.711	0.872
175	141	0.750	0.854	0.739	0.862	0.718	0.876
175	142	0.756	0.859	0.745	0.866	0.724	0.881
175	143	0.762	0.864	0.752	0.871	0.731	0.886
175	144	0.769	0.869	0.758	0.876	0.737	0.890
175	145	0.775	0.874	0.764	0.881	0.744	0.895

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
175	146	0.781	0.879	0.771	0.886	0.750	0.900
175	147	0.787	0.884	0.777	0.891	0.757	0.904
175	148	0.794	0.889	0.784	0.896	0.763	0.909
175	149	0.800	0.894	0.790	0.901	0.770	0.913
175	150	0.806	0.899	0.796	0.905	0.776	0.918
175	151	0.813	0.904	0.803	0.910	0.783	0.922
175	152	0.819	0.906	0.809	0.915	0.790	0.926
175	153	0.825	0.913	0.816	0.920	0.797	0.931
175	154	0.832	0.918	0.822	0.924	0.803	0.935
175	155	0.838	0.923	0.829	0.929	0.810	0.939
175	156	0.845	0.928	0.836	0.933	0.817	0.944
175	157	0.851	0.932	0.842	0.938	0.824	0.948
175	158	0.858	0.937	0.849	0.942	0.831	0.952
175	159	0.864	0.942	0.856	0.947	0.838	0.956
175	160	0.871	0.946	0.863	0.951	0.845	0.960
175	161	0.878	0.951	0.869	0.956	0.852	0.964
175	162	0.884	0.956	0.876	0.960	0.859	0.968
175	163	0.891	0.960	0.883	0.964	0.867	0.971
175	164	0.896	0.964	0.890	0.968	0.874	0.975
175	165	0.905	0.969	0.897	0.972	0.882	0.978
175	166	0.912	0.973	0.905	0.976	0.889	0.982
175	167	0.919	0.977	0.912	0.980	0.897	0.985
175	168	0.926	0.981	0.919	0.984	0.905	0.988
175	169	0.933	0.985	0.927	0.987	0.913	0.991
175	170	0.941	0.989	0.935	0.991	0.921	0.994
175	171	0.948	0.992	0.943	0.994	0.930	0.996
175	172	0.956	0.995	0.951	0.996	0.939	0.998
175	173	0.964	0.998	0.959	0.999	0.948	0.999
175	174	0.973	1.000	0.969	1.000	0.958	1.000
175	175	0.983	1.000	0.979	1.000	0.970	1.000
180	0	0.000	0.017	0.000	0.020	0.000	0.029
180	1	0.000	0.026	0.000	0.031	0.000	0.041
180	2	0.002	0.035	0.001	0.040	0.001	0.050
180	3	0.005	0.043	0.003	0.048	0.002	0.060
180	4	0.008	0.050	0.006	0.056	0.004	0.068
180	5	0.011	0.058	0.009	0.064	0.006	0.077
180	6	0.015	0.065	0.012	0.071	0.009	0.085
180	7	0.016	0.072	0.016	0.078	0.011	0.093
180	8	0.022	0.079	0.019	0.086	0.014	0.100
180	9	0.026	0.086	0.023	0.093	0.018	0.108
180	10	0.030	0.092	0.027	0.100	0.021	0.115
180	11	0.035	0.099	0.031	0.107	0.024	0.122
180	12	0.039	0.106	0.035	0.114	0.028	0.130
180	13	0.043	0.112	0.039	0.120	0.032	0.137
180	14	0.048	0.119	0.043	0.127	0.035	0.144
180	15	0.052	0.125	0.047	0.134	0.039	0.151
180	16	0.057	0.132	0.052	0.140	0.043	0.158
180	17	0.061	0.138	0.056	0.147	0.047	0.165
180	18	0.066	0.145	0.060	0.153	0.051	0.171
180	19	0.070	0.151	0.065	0.160	0.055	0.178
180	20	0.075	0.157	0.069	0.166	0.059	0.185
180	21	0.080	0.164	0.074	0.173	0.063	0.191
180	22	0.084	0.170	0.078	0.179	0.067	0.198
180	23	0.089	0.176	0.083	0.186	0.071	0.205
180	24	0.094	0.182	0.087	0.192	0.076	0.211

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
180	25	0.098	0.189	0.092	0.198	0.080	0.218
180	26	0.103	0.195	0.097	0.204	0.084	0.224
180	27	0.108	0.201	0.101	0.211	0.089	0.231
180	28	0.113	0.207	0.106	0.217	0.093	0.237
180	29	0.118	0.213	0.111	0.223	0.098	0.243
180	30	0.123	0.219	0.115	0.229	0.102	0.250
180	31	0.127	0.225	0.120	0.235	0.106	0.256
180	32	0.132	0.231	0.125	0.242	0.111	0.262
180	33	0.137	0.237	0.130	0.248	0.116	0.268
180	34	0.142	0.243	0.134	0.254	0.120	0.275
180	35	0.147	0.249	0.139	0.260	0.125	0.281
180	36	0.152	0.255	0.144	0.266	0.129	0.287
180	37	0.157	0.261	0.149	0.272	0.134	0.293
180	38	0.162	0.267	0.154	0.278	0.139	0.299
180	39	0.167	0.273	0.159	0.284	0.143	0.306
180	40	0.172	0.279	0.164	0.290	0.148	0.312
180	41	0.177	0.285	0.169	0.296	0.153	0.318
180	42	0.182	0.291	0.174	0.302	0.157	0.324
180	43	0.187	0.297	0.179	0.308	0.162	0.330
180	44	0.192	0.303	0.184	0.314	0.167	0.336
180	45	0.198	0.309	0.189	0.320	0.172	0.342
180	46	0.203	0.315	0.194	0.326	0.177	0.348
180	47	0.208	0.320	0.199	0.332	0.181	0.354
180	48	0.213	0.326	0.204	0.338	0.186	0.360
180	49	0.218	0.332	0.209	0.343	0.191	0.366
180	50	0.223	0.338	0.214	0.349	0.196	0.372
180	51	0.228	0.344	0.219	0.355	0.201	0.378
180	52	0.233	0.350	0.224	0.361	0.206	0.384
180	53	0.239	0.355	0.229	0.367	0.211	0.389
180	54	0.244	0.361	0.234	0.373	0.216	0.395
180	55	0.249	0.367	0.239	0.378	0.221	0.401
180	56	0.254	0.373	0.244	0.384	0.226	0.407
180	57	0.259	0.378	0.249	0.390	0.231	0.413
180	58	0.265	0.384	0.255	0.396	0.236	0.419
180	59	0.270	0.390	0.260	0.402	0.241	0.424
180	60	0.275	0.396	0.265	0.407	0.246	0.430
180	61	0.280	0.401	0.270	0.413	0.251	0.436
180	62	0.286	0.407	0.275	0.419	0.256	0.442
180	63	0.291	0.413	0.281	0.424	0.261	0.447
180	64	0.296	0.419	0.286	0.430	0.266	0.453
180	65	0.302	0.424	0.291	0.436	0.271	0.459
180	66	0.307	0.430	0.296	0.442	0.276	0.465
180	67	0.312	0.436	0.301	0.447	0.281	0.470
180	68	0.317	0.441	0.307	0.453	0.286	0.476
180	69	0.323	0.447	0.312	0.459	0.291	0.482
180	70	0.328	0.452	0.317	0.464	0.297	0.487
180	71	0.333	0.458	0.323	0.470	0.302	0.493
180	72	0.339	0.464	0.328	0.476	0.307	0.499
180	73	0.344	0.469	0.333	0.481	0.312	0.504
180	74	0.349	0.475	0.338	0.487	0.317	0.510
180	75	0.355	0.481	0.344	0.492	0.323	0.515
180	76	0.360	0.486	0.349	0.498	0.328	0.521
180	77	0.366	0.492	0.354	0.504	0.333	0.526
180	78	0.371	0.497	0.360	0.509	0.338	0.532
180	79	0.376	0.503	0.365	0.515	0.344	0.538

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
180	80	0.382	0.508	0.371	0.520	0.349	0.543
180	81	0.387	0.514	0.376	0.526	0.354	0.549
180	82	0.393	0.520	0.381	0.531	0.359	0.554
180	83	0.396	0.525	0.387	0.537	0.365	0.560
180	84	0.403	0.531	0.392	0.542	0.370	0.565
180	85	0.409	0.536	0.398	0.548	0.375	0.571
180	86	0.414	0.542	0.403	0.553	0.381	0.576
180	87	0.420	0.547	0.408	0.559	0.386	0.581
180	88	0.425	0.553	0.414	0.564	0.392	0.587
180	89	0.431	0.558	0.419	0.570	0.397	0.592
180	90	0.436	0.564	0.425	0.575	0.402	0.598
180	91	0.442	0.569	0.430	0.581	0.408	0.603
180	92	0.447	0.575	0.436	0.586	0.413	0.608
180	93	0.453	0.580	0.441	0.592	0.419	0.614
180	94	0.458	0.586	0.447	0.597	0.424	0.619
180	95	0.464	0.591	0.452	0.602	0.429	0.625
180	96	0.469	0.597	0.458	0.608	0.435	0.630
180	97	0.475	0.602	0.463	0.613	0.440	0.635
180	98	0.480	0.607	0.469	0.619	0.446	0.641
180	99	0.486	0.613	0.474	0.624	0.451	0.646
180	100	0.492	0.618	0.480	0.629	0.457	0.651
180	101	0.497	0.624	0.485	0.635	0.462	0.656
180	102	0.503	0.629	0.491	0.640	0.468	0.662
180	103	0.508	0.634	0.496	0.646	0.474	0.667
180	104	0.514	0.640	0.502	0.651	0.479	0.672
180	105	0.519	0.645	0.508	0.656	0.485	0.677
180	106	0.525	0.651	0.513	0.662	0.490	0.683
180	107	0.531	0.656	0.519	0.667	0.496	0.688
180	108	0.536	0.661	0.524	0.672	0.501	0.693
180	109	0.542	0.667	0.530	0.677	0.507	0.698
180	110	0.548	0.672	0.536	0.683	0.513	0.703
180	111	0.553	0.677	0.541	0.688	0.518	0.709
180	112	0.559	0.683	0.547	0.693	0.524	0.714
180	113	0.564	0.688	0.553	0.699	0.530	0.719
180	114	0.570	0.693	0.558	0.704	0.535	0.724
180	115	0.576	0.698	0.564	0.709	0.541	0.729
180	116	0.581	0.704	0.570	0.714	0.547	0.734
180	117	0.587	0.709	0.576	0.719	0.553	0.739
180	118	0.593	0.714	0.581	0.725	0.558	0.744
180	119	0.599	0.720	0.587	0.730	0.564	0.749
180	120	0.604	0.725	0.593	0.735	0.570	0.754
180	121	0.610	0.730	0.598	0.740	0.576	0.759
180	122	0.616	0.735	0.604	0.745	0.581	0.764
180	123	0.622	0.741	0.610	0.751	0.587	0.769
180	124	0.627	0.746	0.616	0.756	0.593	0.774
180	125	0.633	0.751	0.622	0.761	0.599	0.779
180	126	0.639	0.756	0.627	0.766	0.605	0.784
180	127	0.645	0.761	0.633	0.771	0.611	0.789
180	128	0.650	0.767	0.639	0.776	0.616	0.794
180	129	0.656	0.772	0.645	0.781	0.622	0.799
180	130	0.662	0.777	0.651	0.786	0.628	0.804
180	131	0.668	0.782	0.657	0.791	0.634	0.809
180	132	0.674	0.787	0.662	0.796	0.640	0.814
180	133	0.680	0.792	0.668	0.801	0.646	0.819
180	134	0.685	0.797	0.674	0.806	0.652	0.823

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
180	135	0.691	0.802	0.680	0.811	0.658	0.828
180	136	0.697	0.808	0.686	0.816	0.664	0.833
180	137	0.703	0.813	0.692	0.821	0.670	0.838
180	138	0.709	0.818	0.698	0.826	0.676	0.843
180	139	0.715	0.823	0.704	0.831	0.682	0.847
180	140	0.721	0.828	0.710	0.836	0.688	0.852
180	141	0.727	0.833	0.716	0.841	0.694	0.857
180	142	0.733	0.838	0.722	0.846	0.701	0.861
180	143	0.739	0.843	0.728	0.851	0.707	0.866
180	144	0.745	0.848	0.734	0.856	0.713	0.871
180	145	0.751	0.853	0.740	0.861	0.719	0.875
180	146	0.757	0.858	0.746	0.866	0.725	0.880
180	147	0.763	0.863	0.752	0.870	0.732	0.884
180	148	0.769	0.868	0.758	0.875	0.738	0.889
180	149	0.775	0.873	0.765	0.880	0.744	0.894
180	150	0.781	0.877	0.771	0.885	0.750	0.898
180	151	0.787	0.882	0.777	0.889	0.757	0.902
180	152	0.793	0.887	0.783	0.894	0.763	0.907
180	153	0.799	0.892	0.789	0.899	0.769	0.911
180	154	0.805	0.897	0.796	0.903	0.776	0.916
180	155	0.811	0.902	0.802	0.908	0.782	0.920
180	156	0.818	0.906	0.808	0.913	0.789	0.924
180	157	0.824	0.911	0.814	0.917	0.795	0.929
180	158	0.830	0.916	0.821	0.922	0.802	0.933
180	159	0.836	0.920	0.827	0.926	0.809	0.937
180	160	0.843	0.925	0.834	0.931	0.815	0.941
180	161	0.849	0.930	0.840	0.935	0.822	0.945
180	162	0.855	0.934	0.847	0.940	0.829	0.949
180	163	0.862	0.939	0.853	0.944	0.835	0.953
180	164	0.868	0.943	0.860	0.948	0.842	0.957
180	165	0.875	0.948	0.866	0.953	0.849	0.961
180	166	0.881	0.952	0.873	0.957	0.856	0.965
180	167	0.888	0.957	0.880	0.961	0.863	0.968
180	168	0.894	0.961	0.886	0.965	0.870	0.972
180	169	0.901	0.965	0.893	0.969	0.878	0.976
180	170	0.908	0.970	0.900	0.973	0.885	0.979
180	171	0.914	0.974	0.907	0.977	0.892	0.982
180	172	0.921	0.978	0.914	0.981	0.900	0.986
180	173	0.928	0.982	0.922	0.984	0.907	0.989
180	174	0.935	0.985	0.929	0.988	0.915	0.991
180	175	0.942	0.989	0.936	0.991	0.923	0.994
180	176	0.950	0.992	0.944	0.994	0.932	0.996
180	177	0.957	0.995	0.952	0.997	0.940	0.998
180	178	0.965	0.998	0.960	0.999	0.950	0.999
180	179	0.974	1.000	0.969	1.000	0.959	1.000
180	180	0.983	1.000	0.980	1.000	0.971	1.000
185	0	0.000	0.016	0.000	0.020	0.000	0.028
185	1	0.000	0.025	0.000	0.030	0.000	0.039
185	2	0.002	0.034	0.001	0.039	0.001	0.049
185	3	0.004	0.041	0.003	0.047	0.002	0.058
185	4	0.007	0.049	0.006	0.054	0.004	0.067
185	5	0.011	0.056	0.009	0.062	0.006	0.075
185	6	0.014	0.063	0.012	0.069	0.008	0.082
185	7	0.018	0.070	0.015	0.076	0.011	0.090
185	8	0.022	0.077	0.019	0.083	0.014	0.098

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
185	9	0.026	0.083	0.022	0.090	0.017	0.105
185	10	0.030	0.090	0.026	0.097	0.020	0.112
185	11	0.034	0.096	0.030	0.104	0.024	0.119
185	12	0.038	0.103	0.034	0.111	0.027	0.126
185	13	0.042	0.109	0.038	0.117	0.031	0.133
185	14	0.046	0.116	0.042	0.124	0.034	0.140
185	15	0.051	0.122	0.046	0.130	0.038	0.147
185	16	0.055	0.128	0.050	0.137	0.042	0.154
185	17	0.059	0.135	0.054	0.143	0.046	0.160
185	18	0.064	0.141	0.059	0.149	0.049	0.167
185	19	0.068	0.147	0.063	0.156	0.053	0.173
185	20	0.073	0.153	0.067	0.162	0.057	0.180
185	21	0.077	0.159	0.072	0.168	0.061	0.186
185	22	0.082	0.165	0.076	0.175	0.065	0.193
185	23	0.086	0.172	0.080	0.181	0.070	0.199
185	24	0.091	0.178	0.085	0.187	0.074	0.206
185	25	0.096	0.184	0.089	0.193	0.078	0.212
185	26	0.100	0.190	0.094	0.199	0.082	0.218
185	27	0.105	0.196	0.098	0.205	0.086	0.225
185	28	0.110	0.202	0.103	0.211	0.091	0.231
185	29	0.114	0.208	0.108	0.217	0.095	0.237
185	30	0.119	0.213	0.112	0.223	0.099	0.243
185	31	0.124	0.219	0.117	0.229	0.104	0.249
185	32	0.129	0.225	0.121	0.235	0.108	0.255
185	33	0.134	0.231	0.126	0.241	0.112	0.262
185	34	0.138	0.237	0.131	0.247	0.117	0.268
185	35	0.143	0.243	0.135	0.253	0.121	0.274
185	36	0.148	0.249	0.140	0.259	0.126	0.280
185	37	0.153	0.255	0.145	0.265	0.130	0.286
185	38	0.158	0.260	0.150	0.271	0.135	0.292
185	39	0.163	0.266	0.154	0.277	0.139	0.298
185	40	0.167	0.272	0.159	0.283	0.144	0.304
185	41	0.172	0.278	0.164	0.288	0.148	0.310
185	42	0.177	0.284	0.169	0.294	0.153	0.316
185	43	0.182	0.289	0.174	0.300	0.158	0.321
185	44	0.187	0.295	0.178	0.306	0.162	0.327
185	45	0.192	0.301	0.183	0.312	0.167	0.333
185	46	0.197	0.306	0.188	0.317	0.172	0.339
185	47	0.202	0.312	0.193	0.323	0.176	0.345
185	48	0.207	0.318	0.198	0.329	0.181	0.351
185	49	0.212	0.324	0.203	0.335	0.186	0.357
185	50	0.217	0.329	0.208	0.340	0.190	0.362
185	51	0.222	0.335	0.213	0.346	0.195	0.368
185	52	0.227	0.341	0.218	0.352	0.200	0.374
185	53	0.232	0.346	0.223	0.357	0.205	0.380
185	54	0.237	0.352	0.228	0.363	0.209	0.385
185	55	0.242	0.357	0.232	0.369	0.214	0.391
185	56	0.247	0.363	0.237	0.374	0.219	0.397
185	57	0.252	0.369	0.242	0.380	0.224	0.402
185	58	0.257	0.374	0.247	0.386	0.229	0.408
185	59	0.262	0.380	0.252	0.391	0.234	0.414
185	60	0.267	0.385	0.257	0.397	0.239	0.419
185	61	0.273	0.391	0.263	0.403	0.243	0.425
185	62	0.278	0.397	0.268	0.408	0.248	0.431
185	63	0.283	0.402	0.273	0.414	0.253	0.436

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
185	64	0.288	0.408	0.278	0.419	0.258	0.442
185	65	0.293	0.413	0.283	0.425	0.263	0.447
185	66	0.298	0.419	0.288	0.430	0.268	0.453
185	67	0.303	0.424	0.293	0.436	0.273	0.459
185	68	0.308	0.430	0.298	0.441	0.278	0.464
185	69	0.314	0.435	0.303	0.447	0.283	0.470
185	70	0.319	0.441	0.308	0.452	0.288	0.475
185	71	0.324	0.446	0.313	0.458	0.293	0.481
185	72	0.329	0.452	0.319	0.463	0.298	0.486
185	73	0.334	0.457	0.324	0.469	0.303	0.492
185	74	0.340	0.463	0.329	0.474	0.308	0.497
185	75	0.345	0.468	0.334	0.480	0.313	0.503
185	76	0.350	0.474	0.339	0.485	0.318	0.508
185	77	0.355	0.479	0.344	0.491	0.323	0.513
185	78	0.360	0.485	0.350	0.496	0.328	0.519
185	79	0.366	0.490	0.355	0.502	0.334	0.524
185	80	0.371	0.496	0.360	0.507	0.339	0.530
185	81	0.376	0.501	0.365	0.513	0.344	0.535
185	82	0.381	0.506	0.370	0.518	0.349	0.540
185	83	0.387	0.512	0.376	0.523	0.354	0.546
185	84	0.392	0.517	0.381	0.529	0.359	0.551
185	85	0.397	0.523	0.386	0.534	0.364	0.557
185	86	0.403	0.528	0.391	0.539	0.370	0.562
185	87	0.408	0.533	0.397	0.545	0.375	0.567
185	88	0.413	0.539	0.402	0.550	0.380	0.573
185	89	0.419	0.544	0.407	0.556	0.385	0.578
185	90	0.424	0.549	0.412	0.561	0.390	0.583
185	91	0.429	0.555	0.418	0.566	0.396	0.588
185	92	0.435	0.560	0.423	0.572	0.401	0.594
185	93	0.440	0.565	0.428	0.577	0.406	0.599
185	94	0.445	0.571	0.434	0.582	0.412	0.604
185	95	0.451	0.576	0.439	0.588	0.417	0.610
185	96	0.456	0.581	0.444	0.593	0.422	0.615
185	97	0.461	0.587	0.450	0.598	0.427	0.620
185	98	0.467	0.592	0.455	0.603	0.433	0.625
185	99	0.472	0.597	0.461	0.609	0.438	0.630
185	100	0.477	0.603	0.466	0.614	0.443	0.636
185	101	0.483	0.608	0.471	0.619	0.449	0.641
185	102	0.488	0.613	0.477	0.624	0.454	0.646
185	103	0.494	0.619	0.482	0.630	0.460	0.651
185	104	0.499	0.624	0.487	0.635	0.465	0.656
185	105	0.504	0.629	0.493	0.640	0.470	0.661
185	106	0.510	0.634	0.498	0.645	0.476	0.666
185	107	0.515	0.640	0.504	0.650	0.481	0.672
185	108	0.521	0.645	0.509	0.656	0.487	0.677
185	109	0.526	0.650	0.515	0.661	0.492	0.682
185	110	0.532	0.655	0.520	0.666	0.497	0.687
185	111	0.537	0.660	0.526	0.671	0.503	0.692
185	112	0.543	0.666	0.531	0.676	0.508	0.697
185	113	0.548	0.671	0.537	0.681	0.514	0.702
185	114	0.554	0.676	0.542	0.687	0.519	0.707
185	115	0.559	0.681	0.548	0.692	0.525	0.712
185	116	0.565	0.686	0.553	0.697	0.530	0.717
185	117	0.570	0.692	0.559	0.702	0.536	0.722
185	118	0.576	0.697	0.564	0.707	0.541	0.727



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
185	119	0.581	0.702	0.570	0.712	0.547	0.732
185	120	0.587	0.707	0.575	0.717	0.553	0.737
185	121	0.592	0.712	0.581	0.722	0.558	0.742
185	122	0.598	0.717	0.586	0.727	0.564	0.747
185	123	0.603	0.722	0.592	0.732	0.569	0.752
185	124	0.609	0.727	0.597	0.737	0.575	0.757
185	125	0.615	0.733	0.603	0.743	0.581	0.761
185	126	0.620	0.738	0.609	0.748	0.586	0.766
185	127	0.626	0.743	0.614	0.753	0.592	0.771
185	128	0.631	0.748	0.620	0.758	0.598	0.776
185	129	0.637	0.753	0.626	0.763	0.603	0.781
185	130	0.643	0.758	0.631	0.768	0.609	0.786
185	131	0.648	0.763	0.637	0.772	0.615	0.791
185	132	0.654	0.768	0.643	0.777	0.620	0.795
185	133	0.659	0.773	0.648	0.782	0.626	0.800
185	134	0.665	0.778	0.654	0.787	0.632	0.805
185	135	0.671	0.783	0.660	0.792	0.638	0.810
185	136	0.676	0.788	0.665	0.797	0.643	0.814
185	137	0.682	0.793	0.671	0.802	0.649	0.819
185	138	0.688	0.798	0.677	0.807	0.655	0.824
185	139	0.694	0.803	0.683	0.812	0.661	0.828
185	140	0.699	0.808	0.688	0.817	0.667	0.833
185	141	0.705	0.813	0.694	0.822	0.673	0.838
185	142	0.711	0.818	0.700	0.826	0.679	0.842
185	143	0.716	0.823	0.706	0.831	0.684	0.847
185	144	0.722	0.828	0.712	0.836	0.690	0.852
185	145	0.728	0.833	0.717	0.841	0.696	0.856
185	146	0.734	0.837	0.723	0.846	0.702	0.861
185	147	0.740	0.842	0.729	0.850	0.708	0.865
185	148	0.745	0.847	0.735	0.855	0.714	0.870
185	149	0.751	0.852	0.741	0.860	0.720	0.874
185	150	0.757	0.857	0.747	0.865	0.726	0.879
185	151	0.763	0.862	0.753	0.869	0.732	0.883
185	152	0.769	0.866	0.759	0.874	0.738	0.888
185	153	0.775	0.871	0.765	0.879	0.745	0.892
185	154	0.781	0.876	0.771	0.883	0.751	0.896
185	155	0.787	0.881	0.777	0.888	0.757	0.901
185	156	0.792	0.886	0.783	0.892	0.763	0.905
185	157	0.798	0.890	0.789	0.897	0.769	0.909
185	158	0.804	0.895	0.795	0.902	0.775	0.914
185	159	0.810	0.900	0.801	0.906	0.782	0.918
185	160	0.816	0.904	0.807	0.911	0.788	0.922
185	161	0.822	0.909	0.813	0.915	0.794	0.926
185	162	0.828	0.914	0.819	0.920	0.801	0.930
185	163	0.835	0.918	0.825	0.924	0.807	0.935
185	164	0.841	0.923	0.832	0.928	0.814	0.939
185	165	0.847	0.927	0.838	0.933	0.820	0.943
185	166	0.853	0.932	0.844	0.937	0.827	0.947
185	167	0.859	0.936	0.851	0.941	0.833	0.951
185	168	0.865	0.941	0.857	0.946	0.840	0.954
185	169	0.872	0.945	0.863	0.950	0.846	0.958
185	170	0.878	0.949	0.870	0.954	0.853	0.962
185	171	0.884	0.954	0.876	0.958	0.860	0.966
185	172	0.891	0.958	0.883	0.962	0.867	0.969
185	173	0.897	0.962	0.889	0.966	0.874	0.973

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
185	174	0.904	0.966	0.896	0.970	0.881	0.976
185	175	0.910	0.970	0.903	0.974	0.888	0.980
185	176	0.917	0.974	0.910	0.978	0.895	0.983
185	177	0.923	0.978	0.917	0.981	0.902	0.986
185	178	0.930	0.982	0.924	0.985	0.910	0.989
185	179	0.937	0.986	0.931	0.988	0.918	0.992
185	180	0.944	0.989	0.938	0.991	0.925	0.994
185	181	0.951	0.993	0.946	0.994	0.933	0.996
185	182	0.959	0.996	0.953	0.997	0.942	0.998
185	183	0.966	0.998	0.961	0.999	0.951	0.999
185	184	0.975	1.000	0.970	1.000	0.961	1.000
185	185	0.984	1.000	0.980	1.000	0.972	1.000
190	0	0.000	0.016	0.000	0.019	0.000	0.028
190	1	0.000	0.025	0.000	0.029	0.000	0.038
190	2	0.002	0.033	0.001	0.038	0.001	0.048
190	3	0.004	0.040	0.003	0.045	0.002	0.057
190	4	0.007	0.048	0.006	0.053	0.004	0.065
190	5	0.010	0.055	0.009	0.060	0.006	0.073
190	6	0.014	0.061	0.012	0.067	0.008	0.080
190	7	0.017	0.068	0.015	0.074	0.011	0.088
190	8	0.021	0.075	0.018	0.081	0.014	0.095
190	9	0.025	0.081	0.022	0.088	0.017	0.102
190	10	0.029	0.088	0.026	0.095	0.020	0.109
190	11	0.033	0.094	0.029	0.101	0.023	0.116
190	12	0.037	0.100	0.033	0.108	0.026	0.123
190	13	0.041	0.107	0.037	0.114	0.030	0.130
190	14	0.045	0.113	0.041	0.121	0.033	0.136
190	15	0.049	0.119	0.045	0.127	0.037	0.143
190	16	0.054	0.125	0.049	0.133	0.041	0.150
190	17	0.058	0.131	0.053	0.139	0.044	0.156
190	18	0.062	0.137	0.057	0.146	0.048	0.163
190	19	0.066	0.143	0.061	0.152	0.052	0.169
190	20	0.071	0.149	0.065	0.158	0.056	0.175
190	21	0.075	0.155	0.070	0.164	0.060	0.182
190	22	0.080	0.161	0.074	0.170	0.064	0.188
190	23	0.084	0.167	0.078	0.176	0.068	0.194
190	24	0.089	0.173	0.083	0.182	0.072	0.200
190	25	0.093	0.179	0.087	0.188	0.076	0.207
190	26	0.098	0.185	0.091	0.194	0.080	0.213
190	27	0.102	0.191	0.096	0.200	0.084	0.219
190	28	0.107	0.196	0.100	0.206	0.088	0.225
190	29	0.111	0.202	0.105	0.212	0.092	0.231
190	30	0.116	0.208	0.109	0.218	0.096	0.237
190	31	0.121	0.214	0.114	0.224	0.101	0.243
190	32	0.125	0.220	0.118	0.229	0.105	0.249
190	33	0.130	0.225	0.123	0.235	0.109	0.255
190	34	0.135	0.231	0.127	0.241	0.114	0.261
190	35	0.139	0.237	0.132	0.247	0.118	0.267
190	36	0.144	0.242	0.136	0.253	0.122	0.273
190	37	0.149	0.248	0.141	0.258	0.127	0.279
190	38	0.153	0.254	0.146	0.264	0.131	0.285
190	39	0.158	0.259	0.150	0.270	0.135	0.290
190	40	0.163	0.265	0.155	0.275	0.140	0.296
190	41	0.168	0.271	0.160	0.281	0.144	0.302

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
190	42	0.172	0.276	0.164	0.287	0.149	0.306
190	43	0.177	0.282	0.169	0.292	0.153	0.314
190	44	0.182	0.288	0.174	0.298	0.158	0.319
190	45	0.187	0.293	0.178	0.304	0.162	0.325
190	46	0.192	0.299	0.183	0.309	0.167	0.331
190	47	0.196	0.304	0.188	0.315	0.171	0.336
190	48	0.201	0.310	0.193	0.321	0.176	0.342
190	49	0.206	0.315	0.197	0.326	0.181	0.348
190	50	0.211	0.321	0.202	0.332	0.185	0.353
190	51	0.216	0.326	0.207	0.337	0.190	0.359
190	52	0.221	0.332	0.212	0.343	0.194	0.365
190	53	0.226	0.337	0.216	0.348	0.199	0.370
190	54	0.231	0.343	0.221	0.354	0.204	0.376
190	55	0.235	0.348	0.226	0.360	0.208	0.381
190	56	0.240	0.354	0.231	0.365	0.213	0.387
190	57	0.245	0.359	0.236	0.371	0.218	0.393
190	58	0.250	0.365	0.241	0.376	0.222	0.398
190	59	0.255	0.370	0.246	0.382	0.227	0.404
190	60	0.260	0.376	0.250	0.387	0.232	0.409
190	61	0.265	0.381	0.255	0.392	0.237	0.415
190	62	0.270	0.387	0.260	0.398	0.241	0.420
190	63	0.275	0.392	0.265	0.403	0.246	0.426
190	64	0.280	0.398	0.270	0.409	0.251	0.431
190	65	0.285	0.403	0.275	0.414	0.256	0.437
190	66	0.290	0.408	0.280	0.420	0.261	0.442
190	67	0.295	0.414	0.285	0.425	0.265	0.447
190	68	0.300	0.419	0.290	0.430	0.270	0.453
190	69	0.305	0.424	0.295	0.436	0.275	0.458
190	70	0.310	0.430	0.300	0.441	0.280	0.464
190	71	0.315	0.435	0.305	0.447	0.285	0.469
190	72	0.320	0.441	0.310	0.452	0.290	0.474
190	73	0.325	0.446	0.315	0.457	0.295	0.480
190	74	0.330	0.451	0.320	0.463	0.299	0.485
190	75	0.335	0.457	0.325	0.468	0.304	0.490
190	76	0.340	0.462	0.330	0.473	0.309	0.496
190	77	0.345	0.467	0.335	0.479	0.314	0.501
190	78	0.351	0.473	0.340	0.484	0.319	0.506
190	79	0.356	0.478	0.345	0.489	0.324	0.512
190	80	0.361	0.483	0.350	0.495	0.329	0.517
190	81	0.366	0.489	0.355	0.500	0.334	0.522
190	82	0.371	0.494	0.360	0.505	0.339	0.528
190	83	0.376	0.499	0.365	0.511	0.344	0.533
190	84	0.381	0.504	0.370	0.516	0.349	0.538
190	85	0.386	0.510	0.375	0.521	0.354	0.543
190	86	0.391	0.515	0.380	0.526	0.359	0.549
190	87	0.397	0.520	0.386	0.532	0.364	0.554
190	88	0.402	0.525	0.391	0.537	0.369	0.559
190	89	0.407	0.531	0.396	0.542	0.374	0.564
190	90	0.412	0.536	0.401	0.547	0.379	0.569
190	91	0.417	0.541	0.406	0.552	0.384	0.574
190	92	0.422	0.546	0.411	0.558	0.390	0.580
190	93	0.428	0.552	0.416	0.563	0.395	0.585
190	94	0.433	0.557	0.422	0.568	0.400	0.590
190	95	0.438	0.562	0.427	0.573	0.405	0.595
190	96	0.443	0.567	0.432	0.578	0.410	0.600

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
190	97	0.448	0.572	0.437	0.584	0.415	0.605
190	98	0.454	0.578	0.442	0.589	0.420	0.610
190	99	0.459	0.583	0.448	0.594	0.426	0.616
190	100	0.464	0.588	0.453	0.599	0.431	0.621
190	101	0.469	0.593	0.458	0.604	0.436	0.626
190	102	0.475	0.598	0.463	0.609	0.441	0.631
190	103	0.480	0.603	0.468	0.614	0.446	0.636
190	104	0.485	0.609	0.474	0.620	0.451	0.641
190	105	0.490	0.614	0.479	0.625	0.457	0.646
190	106	0.496	0.619	0.484	0.630	0.462	0.651
190	107	0.501	0.624	0.489	0.635	0.467	0.656
190	108	0.506	0.629	0.495	0.640	0.472	0.661
190	109	0.511	0.634	0.500	0.645	0.478	0.666
190	110	0.517	0.639	0.505	0.650	0.483	0.671
190	111	0.522	0.644	0.511	0.655	0.488	0.676
190	112	0.527	0.649	0.516	0.660	0.494	0.681
190	113	0.533	0.655	0.521	0.665	0.499	0.686
190	114	0.538	0.660	0.527	0.670	0.504	0.691
190	115	0.543	0.665	0.532	0.675	0.510	0.696
190	116	0.549	0.670	0.537	0.680	0.515	0.701
190	117	0.554	0.675	0.543	0.685	0.520	0.705
190	118	0.559	0.680	0.548	0.690	0.526	0.710
190	119	0.565	0.685	0.553	0.695	0.531	0.715
190	120	0.570	0.690	0.559	0.700	0.536	0.720
190	121	0.576	0.695	0.564	0.705	0.542	0.725
190	122	0.581	0.700	0.570	0.710	0.547	0.730
190	123	0.586	0.705	0.575	0.715	0.553	0.735
190	124	0.592	0.710	0.580	0.720	0.558	0.739
190	125	0.597	0.715	0.586	0.725	0.563	0.744
190	126	0.602	0.720	0.591	0.730	0.569	0.749
190	127	0.608	0.725	0.597	0.735	0.574	0.754
190	128	0.613	0.730	0.602	0.740	0.580	0.759
190	129	0.619	0.735	0.608	0.745	0.585	0.763
190	130	0.624	0.740	0.613	0.750	0.591	0.768
190	131	0.630	0.745	0.618	0.754	0.596	0.773
190	132	0.635	0.750	0.624	0.759	0.602	0.778
190	133	0.641	0.755	0.629	0.764	0.607	0.782
190	134	0.646	0.760	0.635	0.769	0.613	0.787
190	135	0.652	0.765	0.640	0.774	0.619	0.792
190	136	0.657	0.769	0.646	0.779	0.624	0.796
190	137	0.663	0.774	0.652	0.784	0.630	0.801
190	138	0.668	0.779	0.657	0.788	0.635	0.806
190	139	0.674	0.784	0.663	0.793	0.641	0.810
190	140	0.679	0.789	0.668	0.798	0.647	0.815
190	141	0.685	0.794	0.674	0.803	0.652	0.819
190	142	0.690	0.799	0.679	0.807	0.658	0.824
190	143	0.696	0.804	0.685	0.812	0.664	0.829
190	144	0.701	0.808	0.691	0.817	0.669	0.833
190	145	0.707	0.813	0.696	0.822	0.675	0.838
190	146	0.712	0.818	0.702	0.826	0.681	0.842
190	147	0.718	0.823	0.708	0.831	0.686	0.847
190	148	0.724	0.828	0.713	0.836	0.692	0.851
190	149	0.729	0.832	0.719	0.840	0.698	0.856
190	150	0.735	0.837	0.725	0.845	0.704	0.860
190	151	0.741	0.842	0.730	0.850	0.710	0.865

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
190	152	0.746	0.847	0.736	0.854	0.715	0.869
190	153	0.752	0.851	0.742	0.859	0.721	0.873
190	154	0.758	0.856	0.747	0.864	0.727	0.878
190	155	0.763	0.861	0.753	0.868	0.733	0.882
190	156	0.769	0.865	0.759	0.873	0.739	0.886
190	157	0.775	0.870	0.765	0.877	0.745	0.891
190	158	0.780	0.875	0.771	0.882	0.751	0.895
190	159	0.786	0.879	0.776	0.886	0.757	0.899
190	160	0.792	0.884	0.782	0.891	0.763	0.904
190	161	0.798	0.889	0.788	0.895	0.769	0.908
190	162	0.804	0.893	0.794	0.900	0.775	0.912
190	163	0.809	0.898	0.800	0.904	0.781	0.916
190	164	0.815	0.902	0.806	0.909	0.787	0.920
190	165	0.821	0.907	0.812	0.913	0.793	0.924
190	166	0.827	0.911	0.818	0.917	0.800	0.928
190	167	0.833	0.916	0.824	0.922	0.806	0.932
190	168	0.839	0.920	0.830	0.926	0.812	0.936
190	169	0.845	0.925	0.836	0.930	0.818	0.940
190	170	0.851	0.929	0.842	0.935	0.825	0.944
190	171	0.857	0.934	0.848	0.939	0.831	0.948
190	172	0.863	0.938	0.854	0.943	0.837	0.952
190	173	0.869	0.942	0.861	0.947	0.844	0.956
190	174	0.875	0.946	0.867	0.951	0.850	0.959
190	175	0.881	0.951	0.873	0.955	0.857	0.963
190	176	0.887	0.955	0.879	0.959	0.864	0.967
190	177	0.893	0.959	0.886	0.963	0.870	0.970
190	178	0.900	0.963	0.892	0.967	0.877	0.974
190	179	0.906	0.967	0.899	0.971	0.884	0.977
190	180	0.912	0.971	0.905	0.974	0.891	0.980
190	181	0.919	0.975	0.912	0.978	0.898	0.983
190	182	0.925	0.979	0.919	0.982	0.905	0.986
190	183	0.932	0.983	0.926	0.985	0.912	0.989
190	184	0.939	0.986	0.933	0.988	0.920	0.992
190	185	0.945	0.990	0.940	0.991	0.927	0.994
190	186	0.952	0.993	0.947	0.994	0.935	0.996
190	187	0.960	0.996	0.955	0.997	0.943	0.998
190	188	0.967	0.998	0.962	0.999	0.952	0.999
190	189	0.975	1.000	0.971	1.000	0.962	1.000
190	190	0.984	1.000	0.981	1.000	0.972	1.000
195	0	0.000	0.015	0.000	0.019	0.000	0.027
195	1	0.000	0.024	0.000	0.028	0.000	0.037
195	2	0.002	0.032	0.001	0.037	0.001	0.047
195	3	0.004	0.039	0.003	0.044	0.002	0.055
195	4	0.007	0.046	0.006	0.052	0.003	0.063
195	5	0.010	0.053	0.008	0.059	0.006	0.071
195	6	0.013	0.060	0.011	0.066	0.008	0.078
195	7	0.017	0.066	0.015	0.073	0.011	0.086
195	8	0.021	0.073	0.018	0.079	0.013	0.093
195	9	0.024	0.079	0.021	0.086	0.016	0.100
195	10	0.028	0.085	0.025	0.092	0.019	0.107
195	11	0.032	0.092	0.028	0.099	0.022	0.113
195	12	0.036	0.098	0.032	0.105	0.026	0.120
195	13	0.040	0.104	0.036	0.111	0.029	0.127
195	14	0.044	0.110	0.040	0.118	0.033	0.133

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
195	15	0.048	0.116	0.044	0.124	0.036	0.140
195	16	0.052	0.122	0.048	0.130	0.040	0.146
195	17	0.056	0.128	0.052	0.136	0.043	0.152
195	18	0.061	0.134	0.056	0.142	0.047	0.159
195	19	0.065	0.140	0.060	0.148	0.051	0.165
195	20	0.069	0.146	0.064	0.154	0.054	0.171
195	21	0.073	0.151	0.068	0.160	0.058	0.177
195	22	0.078	0.157	0.072	0.166	0.062	0.183
195	23	0.082	0.163	0.076	0.172	0.066	0.190
195	24	0.086	0.169	0.080	0.178	0.070	0.196
195	25	0.091	0.174	0.085	0.183	0.074	0.202
195	26	0.095	0.180	0.089	0.189	0.078	0.208
195	27	0.100	0.186	0.093	0.195	0.082	0.214
195	28	0.104	0.192	0.098	0.201	0.086	0.220
195	29	0.108	0.197	0.102	0.207	0.090	0.225
195	30	0.113	0.203	0.106	0.212	0.094	0.231
195	31	0.117	0.208	0.111	0.218	0.098	0.237
195	32	0.122	0.214	0.115	0.224	0.102	0.243
195	33	0.127	0.220	0.119	0.229	0.106	0.249
195	34	0.131	0.225	0.124	0.235	0.111	0.255
195	35	0.136	0.231	0.128	0.241	0.115	0.260
195	36	0.140	0.236	0.133	0.246	0.119	0.266
195	37	0.145	0.242	0.137	0.252	0.123	0.272
195	38	0.149	0.247	0.142	0.258	0.127	0.278
195	39	0.154	0.253	0.146	0.263	0.132	0.283
195	40	0.159	0.258	0.151	0.269	0.136	0.289
195	41	0.163	0.264	0.155	0.274	0.140	0.295
195	42	0.168	0.269	0.160	0.280	0.145	0.300
195	43	0.173	0.275	0.164	0.285	0.149	0.306
195	44	0.177	0.280	0.169	0.291	0.154	0.312
195	45	0.182	0.286	0.174	0.296	0.158	0.317
195	46	0.187	0.291	0.178	0.302	0.162	0.323
195	47	0.191	0.297	0.183	0.307	0.167	0.328
195	48	0.196	0.302	0.187	0.313	0.171	0.334
195	49	0.201	0.308	0.192	0.318	0.176	0.339
195	50	0.205	0.313	0.197	0.324	0.180	0.345
195	51	0.210	0.318	0.201	0.329	0.185	0.350
195	52	0.215	0.324	0.206	0.335	0.189	0.356
195	53	0.220	0.329	0.211	0.340	0.194	0.361
195	54	0.224	0.335	0.215	0.345	0.198	0.367
195	55	0.229	0.340	0.220	0.351	0.203	0.372
195	56	0.234	0.345	0.225	0.356	0.207	0.378
195	57	0.239	0.351	0.230	0.362	0.212	0.383
195	58	0.244	0.356	0.234	0.367	0.216	0.389
195	59	0.248	0.361	0.239	0.372	0.221	0.394
195	60	0.253	0.367	0.244	0.378	0.226	0.399
195	61	0.258	0.372	0.248	0.383	0.230	0.405
195	62	0.263	0.377	0.253	0.388	0.235	0.410
195	63	0.268	0.382	0.258	0.394	0.240	0.416
195	64	0.273	0.388	0.263	0.399	0.244	0.421
195	65	0.277	0.393	0.268	0.404	0.249	0.426
195	66	0.282	0.398	0.272	0.410	0.254	0.431
195	67	0.287	0.404	0.277	0.415	0.258	0.437
195	68	0.292	0.409	0.282	0.420	0.263	0.442
195	69	0.297	0.414	0.287	0.425	0.268	0.447

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
195	70	0.302	0.419	0.292	0.431	0.272	0.453
195	71	0.307	0.425	0.297	0.436	0.277	0.458
195	72	0.312	0.430	0.301	0.441	0.282	0.463
195	73	0.317	0.435	0.306	0.446	0.287	0.468
195	74	0.321	0.440	0.311	0.452	0.291	0.474
195	75	0.326	0.446	0.316	0.457	0.296	0.479
195	76	0.331	0.451	0.321	0.462	0.301	0.484
195	77	0.336	0.456	0.326	0.467	0.306	0.489
195	78	0.341	0.461	0.331	0.472	0.310	0.495
195	79	0.346	0.466	0.336	0.478	0.315	0.500
195	80	0.351	0.471	0.340	0.483	0.320	0.505
195	81	0.356	0.477	0.345	0.488	0.325	0.510
195	82	0.361	0.482	0.350	0.493	0.330	0.515
195	83	0.366	0.487	0.355	0.498	0.335	0.520
195	84	0.371	0.492	0.360	0.503	0.340	0.525
195	85	0.376	0.497	0.365	0.509	0.344	0.531
195	86	0.381	0.502	0.370	0.514	0.349	0.536
195	87	0.386	0.508	0.375	0.519	0.354	0.541
195	88	0.391	0.513	0.380	0.524	0.359	0.546
195	89	0.396	0.518	0.385	0.529	0.364	0.551
195	90	0.401	0.523	0.390	0.534	0.369	0.556
195	91	0.406	0.528	0.395	0.539	0.374	0.561
195	92	0.411	0.533	0.400	0.544	0.379	0.566
195	93	0.416	0.538	0.405	0.549	0.384	0.571
195	94	0.421	0.543	0.410	0.555	0.389	0.576
195	95	0.426	0.548	0.415	0.560	0.394	0.581
195	96	0.431	0.554	0.420	0.565	0.399	0.586
195	97	0.436	0.559	0.425	0.570	0.404	0.591
195	98	0.441	0.564	0.430	0.575	0.409	0.596
195	99	0.446	0.569	0.435	0.580	0.414	0.601
195	100	0.452	0.574	0.440	0.585	0.419	0.606
195	101	0.457	0.579	0.445	0.590	0.424	0.611
195	102	0.462	0.584	0.451	0.595	0.429	0.616
195	103	0.467	0.589	0.456	0.600	0.434	0.621
195	104	0.472	0.594	0.461	0.605	0.439	0.626
195	105	0.477	0.599	0.466	0.610	0.444	0.631
195	106	0.482	0.604	0.471	0.615	0.449	0.636
195	107	0.487	0.609	0.476	0.620	0.454	0.641
195	108	0.492	0.614	0.481	0.625	0.459	0.646
195	109	0.498	0.619	0.486	0.630	0.464	0.651
195	110	0.503	0.624	0.491	0.635	0.469	0.656
195	111	0.508	0.629	0.497	0.640	0.475	0.660
195	112	0.513	0.634	0.502	0.645	0.480	0.665
195	113	0.518	0.639	0.507	0.650	0.485	0.670
195	114	0.523	0.644	0.512	0.655	0.490	0.675
195	115	0.529	0.649	0.517	0.660	0.495	0.680
195	116	0.534	0.654	0.522	0.664	0.500	0.685
195	117	0.539	0.659	0.528	0.669	0.505	0.690
195	118	0.544	0.664	0.533	0.674	0.511	0.694
195	119	0.549	0.669	0.538	0.679	0.516	0.699
195	120	0.554	0.674	0.543	0.684	0.521	0.704
195	121	0.560	0.679	0.548	0.689	0.526	0.709
195	122	0.565	0.683	0.554	0.694	0.532	0.713
195	123	0.570	0.688	0.559	0.699	0.537	0.718
195	124	0.575	0.693	0.564	0.703	0.542	0.723

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
195	125	0.581	0.698	0.569	0.708	0.547	0.728
195	126	0.586	0.703	0.575	0.713	0.553	0.732
195	127	0.591	0.708	0.580	0.718	0.558	0.737
195	128	0.596	0.713	0.585	0.723	0.563	0.742
195	129	0.602	0.718	0.590	0.728	0.569	0.746
195	130	0.607	0.723	0.596	0.732	0.574	0.751
195	131	0.612	0.727	0.601	0.737	0.579	0.756
195	132	0.618	0.732	0.606	0.742	0.584	0.760
195	133	0.623	0.737	0.612	0.747	0.590	0.765
195	134	0.628	0.742	0.617	0.752	0.595	0.770
195	135	0.633	0.747	0.622	0.756	0.601	0.774
195	136	0.639	0.752	0.628	0.761	0.606	0.779
195	137	0.644	0.756	0.633	0.766	0.611	0.784
195	138	0.649	0.761	0.638	0.770	0.617	0.788
195	139	0.655	0.766	0.644	0.775	0.622	0.793
195	140	0.660	0.771	0.649	0.780	0.628	0.797
195	141	0.665	0.776	0.655	0.785	0.633	0.802
195	142	0.671	0.780	0.660	0.789	0.639	0.806
195	143	0.676	0.785	0.665	0.794	0.644	0.811
195	144	0.682	0.790	0.671	0.799	0.650	0.815
195	145	0.687	0.795	0.676	0.803	0.655	0.820
195	146	0.692	0.799	0.682	0.808	0.661	0.824
195	147	0.698	0.804	0.687	0.813	0.666	0.829
195	148	0.703	0.809	0.693	0.817	0.672	0.833
195	149	0.705	0.813	0.698	0.822	0.677	0.838
195	150	0.714	0.818	0.704	0.826	0.683	0.842
195	151	0.720	0.823	0.709	0.831	0.688	0.846
195	152	0.725	0.827	0.715	0.836	0.694	0.851
195	153	0.731	0.832	0.720	0.840	0.700	0.855
195	154	0.736	0.837	0.726	0.845	0.705	0.860
195	155	0.742	0.841	0.731	0.849	0.711	0.864
195	156	0.747	0.846	0.737	0.854	0.717	0.868
195	157	0.753	0.851	0.742	0.858	0.722	0.873
195	158	0.758	0.855	0.748	0.863	0.728	0.877
195	159	0.764	0.860	0.754	0.867	0.734	0.881
195	160	0.769	0.864	0.759	0.872	0.740	0.885
195	161	0.775	0.869	0.765	0.876	0.745	0.889
195	162	0.780	0.873	0.771	0.881	0.751	0.894
195	163	0.786	0.878	0.776	0.885	0.757	0.898
195	164	0.792	0.883	0.782	0.889	0.763	0.902
195	165	0.797	0.887	0.788	0.894	0.769	0.906
195	166	0.803	0.892	0.793	0.898	0.775	0.910
195	167	0.808	0.896	0.799	0.902	0.780	0.914
195	168	0.814	0.900	0.805	0.907	0.786	0.918
195	169	0.820	0.905	0.811	0.911	0.792	0.922
195	170	0.826	0.909	0.817	0.915	0.798	0.926
195	171	0.831	0.914	0.822	0.920	0.804	0.930
195	172	0.837	0.918	0.828	0.924	0.810	0.934
195	173	0.843	0.922	0.834	0.928	0.817	0.938
195	174	0.849	0.927	0.840	0.932	0.823	0.942
195	175	0.854	0.931	0.846	0.936	0.829	0.946
195	176	0.860	0.935	0.852	0.940	0.835	0.949
195	177	0.866	0.939	0.858	0.944	0.841	0.953
195	178	0.872	0.944	0.864	0.948	0.848	0.957
195	179	0.878	0.948	0.870	0.952	0.854	0.960



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
195	180	0.884	0.952	0.876	0.956	0.860	0.964
195	181	0.890	0.956	0.882	0.960	0.867	0.967
195	182	0.896	0.960	0.889	0.964	0.873	0.971
195	183	0.902	0.964	0.895	0.968	0.880	0.974
195	184	0.908	0.968	0.901	0.972	0.887	0.978
195	185	0.915	0.972	0.908	0.975	0.893	0.981
195	186	0.921	0.976	0.914	0.979	0.900	0.984
195	187	0.927	0.979	0.921	0.982	0.907	0.987
195	188	0.934	0.983	0.927	0.985	0.914	0.989
195	189	0.940	0.987	0.934	0.989	0.922	0.992
195	190	0.947	0.990	0.941	0.992	0.929	0.994
195	191	0.954	0.993	0.948	0.994	0.937	0.997
195	192	0.961	0.996	0.956	0.997	0.945	0.998
195	193	0.968	0.998	0.963	0.999	0.953	0.999
195	194	0.976	1.000	0.972	1.000	0.963	1.000
195	195	0.985	1.000	0.981	1.000	0.973	1.000

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
200	0	0.0000	0.0149	0.0000	0.0183	0.0000	0.0261
200	1	0.0003	0.0235	0.0001	0.0275	0.0000	0.0366
200	2	0.0018	0.0311	0.0012	0.0357	0.0005	0.0455
200	3	0.0041	0.0383	0.0031	0.0432	0.0017	0.0538
200	4	0.0069	0.0452	0.0055	0.0504	0.0034	0.0616
200	5	0.0099	0.0518	0.0082	0.0574	0.0054	0.0691
200	6	0.0131	0.0583	0.0111	0.0642	0.0078	0.0764
200	7	0.0165	0.0647	0.0142	0.0708	0.0103	0.0835
200	8	0.0201	0.0710	0.0174	0.0773	0.0130	0.0905
200	9	0.0237	0.0772	0.0206	0.0837	0.0159	0.0973
200	10	0.0274	0.0833	0.0242	0.0900	0.0186	0.1040
200	11	0.0311	0.0894	0.0278	0.0963	0.0219	0.1106
200	12	0.0350	0.0954	0.0314	0.1025	0.0251	0.1171
200	13	0.0389	0.1014	0.0351	0.1086	0.0284	0.1235
200	14	0.0428	0.1073	0.0388	0.1147	0.0317	0.1299
200	15	0.0468	0.1131	0.0426	0.1207	0.0351	0.1362
200	16	0.0508	0.1190	0.0464	0.1267	0.0386	0.1425
200	17	0.0549	0.1248	0.0503	0.1326	0.0421	0.1487
200	18	0.0590	0.1305	0.0542	0.1385	0.0457	0.1548
200	19	0.0631	0.1363	0.0582	0.1444	0.0493	0.1609
200	20	0.0673	0.1420	0.0622	0.1502	0.0529	0.1670
200	21	0.0714	0.1477	0.0662	0.1560	0.0566	0.1730
200	22	0.0756	0.1533	0.0702	0.1618	0.0604	0.1790
200	23	0.0799	0.1590	0.0743	0.1675	0.0642	0.1849
200	24	0.0841	0.1646	0.0784	0.1733	0.0680	0.1909
200	25	0.0884	0.1702	0.0826	0.1790	0.0718	0.1968
200	26	0.0927	0.1758	0.0867	0.1847	0.0757	0.2026
200	27	0.0970	0.1813	0.0909	0.1903	0.0796	0.2085
200	28	0.1014	0.1869	0.0951	0.1959	0.0835	0.2143
200	29	0.1057	0.1924	0.0993	0.2016	0.0875	0.2200
200	30	0.1101	0.1979	0.1036	0.2072	0.0915	0.2258
200	31	0.1145	0.2034	0.1078	0.2127	0.0955	0.2315
200	32	0.1189	0.2089	0.1121	0.2183	0.0995	0.2372
200	33	0.1233	0.2143	0.1164	0.2238	0.1036	0.2429
200	34	0.1277	0.2198	0.1207	0.2294	0.1077	0.2486
200	35	0.1321	0.2252	0.1250	0.2349	0.1118	0.2542
200	36	0.1366	0.2307	0.1294	0.2404	0.1159	0.2599
200	37	0.1411	0.2361	0.1337	0.2459	0.1200	0.2655
200	38	0.1456	0.2415	0.1381	0.2513	0.1242	0.2710
200	39	0.1500	0.2469	0.1425	0.2568	0.1284	0.2766
200	40	0.1545	0.2523	0.1469	0.2622	0.1326	0.2822
200	41	0.1591	0.2576	0.1513	0.2676	0.1368	0.2877
200	42	0.1636	0.2630	0.1557	0.2731	0.1410	0.2932
200	43	0.1681	0.2683	0.1602	0.2785	0.1453	0.2987
200	44	0.1727	0.2737	0.1646	0.2839	0.1495	0.3042
200	45	0.1772	0.2790	0.1691	0.2892	0.1538	0.3097
200	46	0.1818	0.2843	0.1736	0.2946	0.1581	0.3151
200	47	0.1864	0.2896	0.1781	0.3000	0.1624	0.3206
200	48	0.1910	0.2949	0.1826	0.3053	0.1667	0.3260
200	49	0.1956	0.3002	0.1871	0.3106	0.1711	0.3314
200	50	0.2002	0.3055	0.1916	0.3160	0.1754	0.3368
200	51	0.2048	0.3107	0.1961	0.3213	0.1798	0.3422
200	52	0.2094	0.3160	0.2007	0.3266	0.1842	0.3476
200	53	0.2140	0.3213	0.2052	0.3319	0.1886	0.3529
200	54	0.2187	0.3265	0.2098	0.3372	0.1930	0.3583

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
200	55	0.2233	0.3317	0.2144	0.3424	0.1974	0.3636
200	56	0.2280	0.3370	0.2190	0.3477	0.2018	0.3689
200	57	0.2327	0.3422	0.2235	0.3529	0.2063	0.3742
200	58	0.2373	0.3474	0.2282	0.3582	0.2108	0.3795
200	59	0.2420	0.3526	0.2328	0.3634	0.2152	0.3848
200	60	0.2467	0.3578	0.2374	0.3686	0.2197	0.3901
200	61	0.2514	0.3630	0.2420	0.3739	0.2242	0.3953
200	62	0.2561	0.3682	0.2467	0.3791	0.2287	0.4006
200	63	0.2608	0.3733	0.2513	0.3843	0.2332	0.4058
200	64	0.2655	0.3785	0.2560	0.3895	0.2377	0.4111
200	65	0.2703	0.3837	0.2606	0.3947	0.2423	0.4163
200	66	0.2750	0.3888	0.2653	0.3998	0.2468	0.4215
200	67	0.2797	0.3940	0.2700	0.4050	0.2514	0.4267
200	68	0.2845	0.3991	0.2747	0.4101	0.2559	0.4319
200	69	0.2892	0.4043	0.2794	0.4153	0.2606	0.4370
200	70	0.2940	0.4094	0.2841	0.4204	0.2651	0.4422
200	71	0.2987	0.4145	0.2888	0.4256	0.2697	0.4473
200	72	0.3035	0.4196	0.2935	0.4307	0.2743	0.4525
200	73	0.3083	0.4247	0.2982	0.4358	0.2790	0.4576
200	74	0.3131	0.4298	0.3030	0.4409	0.2836	0.4627
200	75	0.3179	0.4349	0.3077	0.4461	0.2882	0.4679
200	76	0.3227	0.4400	0.3125	0.4511	0.2929	0.4730
200	77	0.3275	0.4451	0.3172	0.4562	0.2976	0.4781
200	78	0.3323	0.4502	0.3220	0.4613	0.3022	0.4831
200	79	0.3371	0.4553	0.3268	0.4664	0.3069	0.4882
200	80	0.3419	0.4603	0.3315	0.4715	0.3116	0.4933
200	81	0.3467	0.4654	0.3363	0.4765	0.3163	0.4983
200	82	0.3516	0.4704	0.3411	0.4816	0.3210	0.5034
200	83	0.3564	0.4755	0.3459	0.4866	0.3257	0.5084
200	84	0.3613	0.4805	0.3507	0.4917	0.3304	0.5135
200	85	0.3661	0.4855	0.3556	0.4967	0.3352	0.5185
200	86	0.3710	0.4906	0.3604	0.5017	0.3399	0.5235
200	87	0.3759	0.4956	0.3652	0.5067	0.3447	0.5285
200	88	0.3807	0.5006	0.3701	0.5118	0.3495	0.5335
200	89	0.3856	0.5056	0.3749	0.5167	0.3542	0.5384
200	90	0.3905	0.5106	0.3798	0.5218	0.3590	0.5434
200	91	0.3954	0.5156	0.3846	0.5267	0.3638	0.5484
200	92	0.4003	0.5206	0.3895	0.5317	0.3686	0.5533
200	93	0.4052	0.5256	0.3943	0.5367	0.3734	0.5583
200	94	0.4101	0.5306	0.3992	0.5417	0.3782	0.5632
200	95	0.4150	0.5356	0.4041	0.5466	0.3831	0.5682
200	96	0.4199	0.5405	0.4090	0.5516	0.3879	0.5731
200	97	0.4248	0.5455	0.4139	0.5565	0.3928	0.5780
200	98	0.4298	0.5505	0.4188	0.5615	0.3976	0.5829
200	99	0.4347	0.5554	0.4237	0.5664	0.4025	0.5878
200	100	0.4396	0.5604	0.4286	0.5714	0.4073	0.5927
200	101	0.4446	0.5653	0.4336	0.5763	0.4122	0.5975
200	102	0.4495	0.5702	0.4385	0.5812	0.4171	0.6024
200	103	0.4545	0.5752	0.4435	0.5861	0.4220	0.6072
200	104	0.4595	0.5801	0.4484	0.5910	0.4269	0.6121
200	105	0.4644	0.5850	0.4534	0.5959	0.4318	0.6169
200	106	0.4694	0.5899	0.4583	0.6008	0.4368	0.6218
200	107	0.4744	0.5948	0.4633	0.6057	0.4417	0.6266
200	108	0.4794	0.5997	0.4683	0.6105	0.4467	0.6314
200	109	0.4844	0.6046	0.4733	0.6154	0.4516	0.6362

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
200	110	0.4894	0.6095	0.4782	0.6202	0.4566	0.6410
200	111	0.4944	0.6144	0.4833	0.6251	0.4616	0.6458
200	112	0.4994	0.6193	0.4882	0.6299	0.4665	0.6505
200	113	0.5044	0.6241	0.4933	0.6348	0.4715	0.6553
200	114	0.5094	0.6290	0.4983	0.6396	0.4765	0.6601
200	115	0.5145	0.6339	0.5033	0.6444	0.4815	0.6648
200	116	0.5195	0.6387	0.5083	0.6493	0.4865	0.6696
200	117	0.5245	0.6436	0.5134	0.6541	0.4916	0.6743
200	118	0.5296	0.6484	0.5184	0.6589	0.4966	0.6790
200	119	0.5346	0.6533	0.5235	0.6637	0.5017	0.6837
200	120	0.5397	0.6581	0.5285	0.6685	0.5067	0.6884
200	121	0.5447	0.6629	0.5336	0.6732	0.5118	0.6931
200	122	0.5498	0.6677	0.5387	0.6780	0.5169	0.6978
200	123	0.5549	0.6725	0.5438	0.6828	0.5219	0.7024
200	124	0.5600	0.6773	0.5489	0.6875	0.5270	0.7071
200	125	0.5651	0.6821	0.5539	0.6923	0.5321	0.7118
200	126	0.5702	0.6869	0.5591	0.6970	0.5373	0.7164
200	127	0.5753	0.6917	0.5642	0.7018	0.5424	0.7210
200	128	0.5804	0.6965	0.5693	0.7065	0.5475	0.7257
200	129	0.5855	0.7013	0.5744	0.7112	0.5527	0.7303
200	130	0.5906	0.7060	0.5796	0.7159	0.5578	0.7349
200	131	0.5957	0.7108	0.5847	0.7206	0.5630	0.7394
200	132	0.6009	0.7155	0.5899	0.7253	0.5681	0.7441
200	133	0.6060	0.7203	0.5950	0.7300	0.5733	0.7486
200	134	0.6112	0.7250	0.6002	0.7347	0.5785	0.7532
200	135	0.6163	0.7297	0.6053	0.7394	0.5837	0.7577
200	136	0.6215	0.7345	0.6105	0.7440	0.5889	0.7623
200	137	0.6267	0.7392	0.6157	0.7487	0.5942	0.7668
200	138	0.6318	0.7439	0.6209	0.7533	0.5994	0.7713
200	139	0.6370	0.7486	0.6261	0.7580	0.6047	0.7758
200	140	0.6422	0.7533	0.6314	0.7626	0.6099	0.7803
200	141	0.6474	0.7580	0.6366	0.7672	0.6152	0.7848
200	142	0.6526	0.7627	0.6418	0.7718	0.6205	0.7892
200	143	0.6578	0.7673	0.6471	0.7765	0.6258	0.7937
200	144	0.6630	0.7720	0.6523	0.7810	0.6311	0.7982
200	145	0.6683	0.7767	0.6576	0.7856	0.6364	0.8026
200	146	0.6735	0.7813	0.6628	0.7902	0.6417	0.8070
200	147	0.6787	0.7860	0.6681	0.7948	0.6471	0.8114
200	148	0.6840	0.7906	0.6734	0.7993	0.6524	0.8158
200	149	0.6893	0.7952	0.6787	0.8039	0.6578	0.8202
200	150	0.6945	0.7998	0.6840	0.8084	0.6632	0.8246
200	151	0.6998	0.8044	0.6894	0.8129	0.6686	0.8289
200	152	0.7051	0.8090	0.6947	0.8174	0.6740	0.8333
200	153	0.7104	0.8136	0.7000	0.8219	0.6794	0.8376
200	154	0.7157	0.8182	0.7054	0.8264	0.6849	0.8419
200	155	0.7210	0.8228	0.7108	0.8309	0.6903	0.8462
200	156	0.7263	0.8273	0.7161	0.8354	0.6958	0.8505
200	157	0.7317	0.8319	0.7215	0.8398	0.7013	0.8547
200	158	0.7370	0.8364	0.7269	0.8443	0.7068	0.8590
200	159	0.7424	0.8409	0.7324	0.8487	0.7123	0.8632
200	160	0.7477	0.8455	0.7378	0.8531	0.7178	0.8674
200	161	0.7531	0.8500	0.7432	0.8575	0.7234	0.8716
200	162	0.7585	0.8544	0.7487	0.8619	0.7290	0.8758
200	163	0.7639	0.8589	0.7541	0.8663	0.7345	0.8800
200	164	0.7693	0.8634	0.7596	0.8706	0.7401	0.8841

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
200	165	0.7748	0.8679	0.7651	0.8750	0.7458	0.8882
200	166	0.7802	0.8723	0.7706	0.8793	0.7514	0.8923
200	167	0.7857	0.8767	0.7762	0.8836	0.7571	0.8964
200	168	0.7911	0.8811	0.7817	0.8879	0.7628	0.9005
200	169	0.7966	0.8855	0.7873	0.8922	0.7685	0.9045
200	170	0.8021	0.8899	0.7928	0.8964	0.7742	0.9085
200	171	0.8076	0.8943	0.7984	0.9007	0.7800	0.9125
200	172	0.8131	0.8986	0.8041	0.9049	0.7857	0.9165
200	173	0.8187	0.9030	0.8097	0.9091	0.7915	0.9204
200	174	0.8242	0.9073	0.8153	0.9133	0.7974	0.9243
200	175	0.8298	0.9116	0.8210	0.9174	0.8032	0.9282
200	176	0.8354	0.9159	0.8267	0.9216	0.8091	0.9320
200	177	0.8410	0.9201	0.8325	0.9257	0.8151	0.9358
200	178	0.8467	0.9244	0.8382	0.9298	0.8210	0.9396
200	179	0.8523	0.9286	0.8440	0.9338	0.8270	0.9434
200	180	0.8580	0.9327	0.8498	0.9378	0.8330	0.9471
200	181	0.8637	0.9369	0.8556	0.9418	0.8391	0.9507
200	182	0.8695	0.9410	0.8615	0.9458	0.8452	0.9543
200	183	0.8752	0.9451	0.8674	0.9497	0.8513	0.9579
200	184	0.8810	0.9492	0.8733	0.9536	0.8575	0.9614
200	185	0.8869	0.9532	0.8793	0.9574	0.8638	0.9649
200	186	0.8927	0.9572	0.8853	0.9612	0.8701	0.9683
200	187	0.8986	0.9611	0.8914	0.9649	0.8765	0.9716
200	188	0.9046	0.9650	0.8975	0.9686	0.8829	0.9749
200	189	0.9106	0.9689	0.9037	0.9722	0.8894	0.9781
200	190	0.9167	0.9726	0.9100	0.9758	0.8960	0.9812
200	191	0.9228	0.9763	0.9163	0.9792	0.9027	0.9841
200	192	0.9290	0.9799	0.9227	0.9826	0.9095	0.9870
200	193	0.9353	0.9835	0.9292	0.9858	0.9165	0.9897
200	194	0.9417	0.9869	0.9358	0.9889	0.9236	0.9922
200	195	0.9482	0.9901	0.9426	0.9918	0.9309	0.9946
200	196	0.9548	0.9931	0.9496	0.9945	0.9384	0.9966
200	197	0.9617	0.9959	0.9568	0.9969	0.9462	0.9983
200	198	0.9689	0.9982	0.9643	0.9988	0.9545	0.9995
200	199	0.9765	0.9997	0.9725	0.9999	0.9634	1.0000
200	200	0.9851	1.0000	0.9817	1.0000	0.9739	1.0000

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	0	0.0000	0.0060	0.0000	0.0074	0.0000	0.0105
500	1	0.0001	0.0095	0.0001	0.0111	0.0000	0.0148
500	2	0.0007	0.0125	0.0005	0.0144	0.0002	0.0184
500	3	0.0016	0.0154	0.0012	0.0174	0.0007	0.0218
500	4	0.0027	0.0182	0.0022	0.0204	0.0013	0.0250
500	5	0.0039	0.0209	0.0033	0.0232	0.0022	0.0280
500	6	0.0052	0.0235	0.0044	0.0259	0.0031	0.0310
500	7	0.0066	0.0261	0.0056	0.0286	0.0041	0.0339
500	8	0.0080	0.0287	0.0069	0.0313	0.0052	0.0368
500	9	0.0094	0.0312	0.0083	0.0339	0.0063	0.0396
500	10	0.0109	0.0337	0.0096	0.0365	0.0075	0.0423
500	11	0.0124	0.0362	0.0110	0.0390	0.0087	0.0450
500	12	0.0139	0.0386	0.0125	0.0415	0.0099	0.0477
500	13	0.0154	0.0410	0.0139	0.0440	0.0112	0.0504
500	14	0.0170	0.0434	0.0154	0.0465	0.0125	0.0530
500	15	0.0186	0.0458	0.0169	0.0490	0.0139	0.0556
500	16	0.0202	0.0482	0.0184	0.0514	0.0152	0.0582
500	17	0.0218	0.0506	0.0199	0.0539	0.0166	0.0607
500	18	0.0234	0.0529	0.0215	0.0563	0.0180	0.0633
500	19	0.0250	0.0553	0.0230	0.0587	0.0195	0.0658
500	20	0.0267	0.0576	0.0246	0.0611	0.0209	0.0683
500	21	0.0283	0.0599	0.0262	0.0635	0.0223	0.0708
500	22	0.0300	0.0622	0.0278	0.0659	0.0238	0.0733
500	23	0.0316	0.0645	0.0294	0.0682	0.0253	0.0758
500	24	0.0333	0.0668	0.0310	0.0706	0.0268	0.0782
500	25	0.0350	0.0691	0.0326	0.0729	0.0283	0.0807
500	26	0.0367	0.0714	0.0342	0.0753	0.0298	0.0831
500	27	0.0384	0.0737	0.0359	0.0776	0.0313	0.0856
500	28	0.0401	0.0760	0.0375	0.0799	0.0328	0.0880
500	29	0.0418	0.0782	0.0392	0.0822	0.0344	0.0904
500	30	0.0435	0.0805	0.0408	0.0845	0.0359	0.0928
500	31	0.0452	0.0828	0.0425	0.0869	0.0375	0.0952
500	32	0.0470	0.0850	0.0442	0.0892	0.0391	0.0976
500	33	0.0487	0.0873	0.0459	0.0914	0.0406	0.0999
500	34	0.0504	0.0895	0.0475	0.0937	0.0422	0.1023
500	35	0.0522	0.0917	0.0492	0.0960	0.0438	0.1047
500	36	0.0539	0.0940	0.0509	0.0983	0.0454	0.1070
500	37	0.0557	0.0962	0.0526	0.1006	0.0470	0.1094
500	38	0.0574	0.0984	0.0543	0.1028	0.0486	0.1117
500	39	0.0592	0.1006	0.0561	0.1051	0.0503	0.1141
500	40	0.0609	0.1029	0.0578	0.1073	0.0519	0.1164
500	41	0.0627	0.1051	0.0595	0.1096	0.0535	0.1187
500	42	0.0645	0.1073	0.0612	0.1118	0.0551	0.1211
500	43	0.0662	0.1095	0.0629	0.1141	0.0568	0.1234
500	44	0.0680	0.1117	0.0647	0.1163	0.0584	0.1257
500	45	0.0698	0.1139	0.0664	0.1186	0.0601	0.1280
500	46	0.0716	0.1161	0.0681	0.1208	0.0617	0.1303
500	47	0.0734	0.1183	0.0699	0.1230	0.0634	0.1326
500	48	0.0752	0.1205	0.0716	0.1253	0.0651	0.1349
500	49	0.0769	0.1227	0.0734	0.1275	0.0667	0.1372
500	50	0.0787	0.1249	0.0751	0.1297	0.0684	0.1395
500	51	0.0805	0.1271	0.0769	0.1319	0.0701	0.1417
500	52	0.0823	0.1292	0.0787	0.1341	0.0718	0.1440
500	53	0.0841	0.1314	0.0804	0.1363	0.0734	0.1463
500	54	0.0859	0.1336	0.0822	0.1386	0.0751	0.1486

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	55	0.0877	0.1358	0.0839	0.1408	0.0768	0.1508
500	56	0.0896	0.1379	0.0857	0.1430	0.0785	0.1531
500	57	0.0914	0.1401	0.0875	0.1452	0.0802	0.1554
500	58	0.0932	0.1423	0.0893	0.1474	0.0819	0.1576
500	59	0.0950	0.1444	0.0911	0.1496	0.0836	0.1599
500	60	0.0968	0.1466	0.0928	0.1518	0.0854	0.1621
500	61	0.0986	0.1488	0.0946	0.1539	0.0871	0.1643
500	62	0.1005	0.1509	0.0964	0.1561	0.0888	0.1666
500	63	0.1023	0.1531	0.0982	0.1583	0.0905	0.1688
500	64	0.1041	0.1552	0.1000	0.1605	0.0922	0.1711
500	65	0.1059	0.1574	0.1016	0.1627	0.0940	0.1733
500	66	0.1078	0.1595	0.1036	0.1648	0.0957	0.1755
500	67	0.1096	0.1617	0.1054	0.1670	0.0974	0.1778
500	68	0.1114	0.1638	0.1072	0.1692	0.0992	0.1800
500	69	0.1133	0.1660	0.1090	0.1714	0.1009	0.1822
500	70	0.1151	0.1681	0.1108	0.1735	0.1026	0.1844
500	71	0.1170	0.1702	0.1126	0.1757	0.1044	0.1866
500	72	0.1188	0.1724	0.1144	0.1779	0.1061	0.1889
500	73	0.1206	0.1745	0.1162	0.1800	0.1079	0.1911
500	74	0.1225	0.1767	0.1180	0.1822	0.1096	0.1933
500	75	0.1243	0.1788	0.1199	0.1843	0.1114	0.1954
500	76	0.1262	0.1809	0.1217	0.1865	0.1131	0.1977
500	77	0.1280	0.1831	0.1235	0.1887	0.1149	0.1999
500	78	0.1299	0.1852	0.1253	0.1908	0.1167	0.2021
500	79	0.1317	0.1873	0.1271	0.1930	0.1184	0.2043
500	80	0.1336	0.1895	0.1290	0.1951	0.1202	0.2065
500	81	0.1354	0.1916	0.1308	0.1973	0.1220	0.2086
500	82	0.1373	0.1937	0.1326	0.1994	0.1237	0.2108
500	83	0.1392	0.1958	0.1344	0.2016	0.1255	0.2130
500	84	0.1410	0.1979	0.1363	0.2037	0.1273	0.2152
500	85	0.1429	0.2001	0.1381	0.2058	0.1291	0.2174
500	86	0.1447	0.2022	0.1399	0.2080	0.1308	0.2196
500	87	0.1466	0.2043	0.1418	0.2101	0.1326	0.2217
500	88	0.1485	0.2064	0.1436	0.2123	0.1344	0.2239
500	89	0.1503	0.2085	0.1455	0.2144	0.1362	0.2261
500	90	0.1522	0.2107	0.1473	0.2165	0.1380	0.2283
500	91	0.1541	0.2128	0.1491	0.2187	0.1398	0.2304
500	92	0.1559	0.2149	0.1510	0.2208	0.1416	0.2326
500	93	0.1578	0.2170	0.1528	0.2229	0.1434	0.2348
500	94	0.1597	0.2191	0.1547	0.2251	0.1452	0.2369
500	95	0.1616	0.2212	0.1565	0.2272	0.1470	0.2391
500	96	0.1634	0.2233	0.1584	0.2293	0.1488	0.2412
500	97	0.1653	0.2254	0.1602	0.2314	0.1506	0.2434
500	98	0.1672	0.2275	0.1621	0.2336	0.1524	0.2456
500	99	0.1691	0.2296	0.1639	0.2357	0.1542	0.2477
500	100	0.1710	0.2317	0.1658	0.2378	0.1560	0.2499
500	101	0.1728	0.2338	0.1677	0.2399	0.1578	0.2520
500	102	0.1747	0.2359	0.1695	0.2420	0.1596	0.2542
500	103	0.1766	0.2380	0.1714	0.2441	0.1614	0.2563
500	104	0.1785	0.2401	0.1732	0.2463	0.1632	0.2585
500	105	0.1804	0.2422	0.1751	0.2484	0.1650	0.2606
500	106	0.1823	0.2443	0.1770	0.2505	0.1669	0.2627
500	107	0.1842	0.2464	0.1788	0.2526	0.1687	0.2649
500	108	0.1860	0.2485	0.1807	0.2547	0.1705	0.2670
500	109	0.1879	0.2506	0.1826	0.2568	0.1723	0.2692

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	110	0.1898	0.2527	0.1844	0.2589	0.1742	0.2713
500	111	0.1917	0.2548	0.1863	0.2610	0.1760	0.2734
500	112	0.1936	0.2568	0.1882	0.2631	0.1778	0.2756
500	113	0.1955	0.2589	0.1901	0.2652	0.1796	0.2777
500	114	0.1974	0.2610	0.1919	0.2673	0.1815	0.2798
500	115	0.1993	0.2631	0.1938	0.2694	0.1833	0.2819
500	116	0.2012	0.2652	0.1957	0.2715	0.1851	0.2841
500	117	0.2031	0.2673	0.1976	0.2736	0.1870	0.2862
500	118	0.2050	0.2694	0.1994	0.2757	0.1888	0.2883
500	119	0.2069	0.2714	0.2013	0.2778	0.1907	0.2904
500	120	0.2088	0.2735	0.2032	0.2799	0.1925	0.2926
500	121	0.2107	0.2756	0.2051	0.2820	0.1943	0.2947
500	122	0.2126	0.2777	0.2069	0.2841	0.1962	0.2968
500	123	0.2145	0.2798	0.2088	0.2862	0.1980	0.2989
500	124	0.2164	0.2818	0.2107	0.2883	0.1999	0.3010
500	125	0.2183	0.2839	0.2126	0.2904	0.2017	0.3031
500	126	0.2202	0.2860	0.2145	0.2925	0.2036	0.3053
500	127	0.2221	0.2881	0.2164	0.2945	0.2054	0.3074
500	128	0.2240	0.2901	0.2183	0.2966	0.2073	0.3095
500	129	0.2259	0.2922	0.2202	0.2987	0.2091	0.3116
500	130	0.2279	0.2943	0.2221	0.3008	0.2110	0.3137
500	131	0.2298	0.2963	0.2240	0.3029	0.2128	0.3158
500	132	0.2317	0.2984	0.2259	0.3050	0.2147	0.3179
500	133	0.2336	0.3005	0.2277	0.3070	0.2165	0.3200
500	134	0.2355	0.3026	0.2297	0.3091	0.2184	0.3221
500	135	0.2374	0.3046	0.2315	0.3112	0.2203	0.3242
500	136	0.2393	0.3067	0.2334	0.3133	0.2221	0.3263
500	137	0.2412	0.3088	0.2353	0.3154	0.2240	0.3284
500	138	0.2432	0.3108	0.2373	0.3174	0.2259	0.3305
500	139	0.2451	0.3129	0.2391	0.3195	0.2277	0.3326
500	140	0.2470	0.3149	0.2411	0.3216	0.2296	0.3347
500	141	0.2489	0.3170	0.2429	0.3236	0.2315	0.3368
500	142	0.2508	0.3191	0.2449	0.3257	0.2333	0.3389
500	143	0.2528	0.3211	0.2468	0.3278	0.2352	0.3410
500	144	0.2547	0.3232	0.2487	0.3299	0.2371	0.3430
500	145	0.2566	0.3252	0.2506	0.3319	0.2390	0.3451
500	146	0.2585	0.3273	0.2525	0.3340	0.2409	0.3472
500	147	0.2605	0.3294	0.2544	0.3361	0.2427	0.3493
500	148	0.2624	0.3314	0.2563	0.3381	0.2446	0.3514
500	149	0.2643	0.3335	0.2582	0.3402	0.2465	0.3535
500	150	0.2662	0.3355	0.2601	0.3423	0.2484	0.3555
500	151	0.2682	0.3376	0.2620	0.3443	0.2502	0.3576
500	152	0.2701	0.3396	0.2639	0.3464	0.2521	0.3597
500	153	0.2720	0.3417	0.2659	0.3485	0.2540	0.3618
500	154	0.2739	0.3437	0.2678	0.3505	0.2559	0.3639
500	155	0.2759	0.3458	0.2697	0.3526	0.2577	0.3659
500	156	0.2778	0.3478	0.2716	0.3546	0.2597	0.3680
500	157	0.2797	0.3499	0.2735	0.3567	0.2616	0.3701
500	158	0.2817	0.3520	0.2754	0.3588	0.2635	0.3721
500	159	0.2836	0.3540	0.2774	0.3608	0.2653	0.3742
500	160	0.2855	0.3560	0.2793	0.3629	0.2672	0.3763
500	161	0.2875	0.3581	0.2812	0.3649	0.2691	0.3783
500	162	0.2894	0.3601	0.2831	0.3670	0.2710	0.3804
500	163	0.2914	0.3622	0.2851	0.3690	0.2729	0.3825
500	164	0.2933	0.3642	0.2870	0.3711	0.2748	0.3845



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	165	0.2952	0.3663	0.2889	0.3731	0.2767	0.3866
500	166	0.2972	0.3683	0.2908	0.3752	0.2786	0.3887
500	167	0.2991	0.3704	0.2928	0.3772	0.2805	0.3907
500	168	0.3010	0.3724	0.2947	0.3793	0.2824	0.3928
500	169	0.3030	0.3744	0.2966	0.3813	0.2843	0.3949
500	170	0.3049	0.3765	0.2985	0.3834	0.2862	0.3969
500	171	0.3069	0.3785	0.3005	0.3854	0.2881	0.3990
500	172	0.3088	0.3806	0.3024	0.3875	0.2900	0.4010
500	173	0.3108	0.3826	0.3043	0.3895	0.2919	0.4031
500	174	0.3127	0.3847	0.3063	0.3915	0.2938	0.4051
500	175	0.3146	0.3867	0.3082	0.3936	0.2957	0.4072
500	176	0.3166	0.3887	0.3101	0.3956	0.2976	0.4092
500	177	0.3185	0.3908	0.3120	0.3977	0.2996	0.4113
500	178	0.3205	0.3928	0.3140	0.3997	0.3015	0.4133
500	179	0.3224	0.3948	0.3159	0.4018	0.3033	0.4154
500	180	0.3244	0.3969	0.3179	0.4038	0.3053	0.4174
500	181	0.3263	0.3989	0.3198	0.4058	0.3072	0.4195
500	182	0.3283	0.4009	0.3217	0.4079	0.3091	0.4215
500	183	0.3302	0.4030	0.3237	0.4099	0.3111	0.4236
500	184	0.3322	0.4050	0.3256	0.4119	0.3130	0.4256
500	185	0.3341	0.4070	0.3276	0.4140	0.3149	0.4277
500	186	0.3361	0.4090	0.3295	0.4160	0.3168	0.4297
500	187	0.3380	0.4111	0.3314	0.4181	0.3187	0.4317
500	188	0.3400	0.4131	0.3334	0.4201	0.3206	0.4338
500	189	0.3419	0.4151	0.3353	0.4221	0.3225	0.4358
500	190	0.3439	0.4172	0.3373	0.4242	0.3245	0.4379
500	191	0.3458	0.4192	0.3392	0.4262	0.3264	0.4399
500	192	0.3478	0.4212	0.3411	0.4282	0.3283	0.4419
500	193	0.3498	0.4232	0.3431	0.4302	0.3302	0.4440
500	194	0.3517	0.4253	0.3451	0.4323	0.3321	0.4460
500	195	0.3537	0.4273	0.3470	0.4343	0.3341	0.4480
500	196	0.3556	0.4293	0.3490	0.4363	0.3360	0.4501
500	197	0.3576	0.4313	0.3509	0.4383	0.3379	0.4521
500	198	0.3596	0.4334	0.3529	0.4404	0.3399	0.4541
500	199	0.3615	0.4354	0.3548	0.4424	0.3418	0.4562
500	200	0.3635	0.4374	0.3567	0.4444	0.3437	0.4582
500	201	0.3654	0.4394	0.3587	0.4464	0.3457	0.4602
500	202	0.3674	0.4414	0.3607	0.4485	0.3476	0.4622
500	203	0.3694	0.4435	0.3626	0.4505	0.3496	0.4643
500	204	0.3713	0.4455	0.3646	0.4525	0.3515	0.4663
500	205	0.3733	0.4475	0.3665	0.4545	0.3534	0.4683
500	206	0.3753	0.4495	0.3685	0.4566	0.3554	0.4703
500	207	0.3772	0.4515	0.3704	0.4586	0.3573	0.4723
500	208	0.3792	0.4536	0.3724	0.4606	0.3592	0.4744
500	209	0.3811	0.4556	0.3744	0.4626	0.3612	0.4764
500	210	0.3831	0.4576	0.3763	0.4646	0.3631	0.4784
500	211	0.3851	0.4596	0.3783	0.4667	0.3651	0.4804
500	212	0.3870	0.4616	0.3802	0.4687	0.3670	0.4824
500	213	0.3890	0.4636	0.3822	0.4707	0.3690	0.4845
500	214	0.3910	0.4656	0.3842	0.4727	0.3709	0.4865
500	215	0.3930	0.4677	0.3861	0.4747	0.3729	0.4885
500	216	0.3949	0.4697	0.3881	0.4767	0.3748	0.4905
500	217	0.3969	0.4717	0.3901	0.4787	0.3768	0.4925
500	218	0.3989	0.4737	0.3920	0.4807	0.3787	0.4945
500	219	0.4009	0.4757	0.3940	0.4827	0.3807	0.4965

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	220	0.4028	0.4777	0.3959	0.4847	0.3826	0.4985
500	221	0.4048	0.4797	0.3979	0.4868	0.3846	0.5005
500	222	0.4068	0.4817	0.3999	0.4888	0.3865	0.5026
500	223	0.4087	0.4837	0.4019	0.4908	0.3885	0.5046
500	224	0.4107	0.4857	0.4038	0.4928	0.3905	0.5066
500	225	0.4127	0.4877	0.4058	0.4948	0.3924	0.5086
500	226	0.4147	0.4898	0.4078	0.4968	0.3944	0.5106
500	227	0.4166	0.4918	0.4097	0.4988	0.3963	0.5126
500	228	0.4186	0.4938	0.4117	0.5008	0.3983	0.5146
500	229	0.4206	0.4958	0.4137	0.5028	0.4002	0.5166
500	230	0.4226	0.4978	0.4157	0.5048	0.4022	0.5186
500	231	0.4246	0.4998	0.4176	0.5068	0.4041	0.5206
500	232	0.4266	0.5018	0.4196	0.5088	0.4061	0.5226
500	233	0.4285	0.5038	0.4216	0.5108	0.4081	0.5246
500	234	0.4305	0.5058	0.4236	0.5128	0.4101	0.5266
500	235	0.4325	0.5078	0.4255	0.5148	0.4120	0.5286
500	236	0.4345	0.5098	0.4275	0.5168	0.4140	0.5306
500	237	0.4365	0.5118	0.4295	0.5188	0.4159	0.5325
500	238	0.4384	0.5138	0.4315	0.5208	0.4179	0.5345
500	239	0.4404	0.5158	0.4334	0.5228	0.4199	0.5365
500	240	0.4424	0.5178	0.4354	0.5248	0.4219	0.5385
500	241	0.4444	0.5198	0.4374	0.5268	0.4238	0.5405
500	242	0.4464	0.5218	0.4394	0.5288	0.4258	0.5425
500	243	0.4484	0.5238	0.4414	0.5308	0.4278	0.5445
500	244	0.4504	0.5257	0.4434	0.5328	0.4297	0.5465
500	245	0.4523	0.5277	0.4454	0.5348	0.4317	0.5485
500	246	0.4543	0.5297	0.4473	0.5368	0.4337	0.5504
500	247	0.4563	0.5317	0.4493	0.5387	0.4357	0.5524
500	248	0.4583	0.5337	0.4513	0.5407	0.4377	0.5544
500	249	0.4603	0.5357	0.4533	0.5427	0.4397	0.5564
500	250	0.4623	0.5377	0.4553	0.5447	0.4416	0.5584
500	251	0.4643	0.5397	0.4573	0.5467	0.4436	0.5603
500	252	0.4663	0.5417	0.4593	0.5487	0.4456	0.5623
500	253	0.4683	0.5437	0.4613	0.5507	0.4476	0.5643
500	254	0.4703	0.5457	0.4632	0.5527	0.4496	0.5663
500	255	0.4723	0.5477	0.4652	0.5546	0.4515	0.5683
500	256	0.4743	0.5496	0.4672	0.5566	0.4535	0.5703
500	257	0.4762	0.5516	0.4692	0.5586	0.4555	0.5722
500	258	0.4782	0.5536	0.4712	0.5606	0.4575	0.5742
500	259	0.4802	0.5556	0.4732	0.5626	0.4595	0.5762
500	260	0.4822	0.5576	0.4752	0.5646	0.4615	0.5781
500	261	0.4842	0.5596	0.4772	0.5666	0.4635	0.5801
500	262	0.4862	0.5616	0.4792	0.5685	0.4655	0.5821
500	263	0.4882	0.5635	0.4812	0.5705	0.4675	0.5841
500	264	0.4902	0.5655	0.4832	0.5725	0.4694	0.5860
500	265	0.4922	0.5675	0.4852	0.5745	0.4714	0.5880
500	266	0.4942	0.5695	0.4872	0.5764	0.4734	0.5899
500	267	0.4962	0.5715	0.4892	0.5784	0.4754	0.5919
500	268	0.4982	0.5734	0.4912	0.5804	0.4774	0.5939
500	269	0.5002	0.5754	0.4932	0.5824	0.4794	0.5959
500	270	0.5022	0.5774	0.4952	0.5843	0.4814	0.5978
500	271	0.5042	0.5794	0.4972	0.5863	0.4834	0.5998
500	272	0.5062	0.5814	0.4992	0.5883	0.4854	0.6017
500	273	0.5082	0.5834	0.5012	0.5903	0.4874	0.6037
500	274	0.5102	0.5853	0.5032	0.5922	0.4894	0.6056

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	275	0.5123	0.5873	0.5052	0.5942	0.4914	0.6076
500	276	0.5143	0.5893	0.5072	0.5962	0.4934	0.6095
500	277	0.5163	0.5913	0.5092	0.5981	0.4954	0.6115
500	278	0.5183	0.5932	0.5112	0.6001	0.4974	0.6135
500	279	0.5203	0.5952	0.5132	0.6021	0.4995	0.6154
500	280	0.5223	0.5972	0.5153	0.6041	0.5015	0.6174
500	281	0.5243	0.5991	0.5173	0.6060	0.5035	0.6193
500	282	0.5263	0.6011	0.5193	0.6080	0.5055	0.6213
500	283	0.5283	0.6031	0.5213	0.6099	0.5075	0.6232
500	284	0.5303	0.6051	0.5233	0.6119	0.5095	0.6252
500	285	0.5323	0.6070	0.5253	0.6139	0.5115	0.6271
500	286	0.5344	0.6090	0.5273	0.6158	0.5135	0.6291
500	287	0.5364	0.6110	0.5293	0.6178	0.5155	0.6310
500	288	0.5384	0.6130	0.5313	0.6198	0.5176	0.6330
500	289	0.5404	0.6149	0.5333	0.6217	0.5196	0.6349
500	290	0.5424	0.6169	0.5354	0.6237	0.5216	0.6369
500	291	0.5444	0.6189	0.5374	0.6256	0.5236	0.6388
500	292	0.5464	0.6208	0.5394	0.6276	0.5256	0.6408
500	293	0.5485	0.6228	0.5414	0.6296	0.5277	0.6427
500	294	0.5505	0.6247	0.5434	0.6315	0.5297	0.6446
500	295	0.5525	0.6267	0.5455	0.6335	0.5317	0.6466
500	296	0.5545	0.6287	0.5475	0.6354	0.5337	0.6485
500	297	0.5565	0.6306	0.5495	0.6374	0.5357	0.6504
500	298	0.5586	0.6326	0.5515	0.6393	0.5378	0.6524
500	299	0.5606	0.6346	0.5536	0.6413	0.5398	0.6543
500	300	0.5626	0.6365	0.5556	0.6433	0.5418	0.6563
500	301	0.5646	0.6385	0.5576	0.6452	0.5438	0.6582
500	302	0.5666	0.6404	0.5596	0.6471	0.5459	0.6601
500	303	0.5687	0.6424	0.5617	0.6491	0.5479	0.6621
500	304	0.5707	0.6444	0.5637	0.6510	0.5499	0.6640
500	305	0.5727	0.6463	0.5657	0.6530	0.5520	0.6659
500	306	0.5747	0.6483	0.5677	0.6549	0.5540	0.6679
500	307	0.5768	0.6502	0.5698	0.6569	0.5560	0.6698
500	308	0.5788	0.6522	0.5718	0.6589	0.5581	0.6717
500	309	0.5808	0.6542	0.5738	0.6608	0.5601	0.6736
500	310	0.5828	0.6561	0.5758	0.6627	0.5621	0.6755
500	311	0.5849	0.6581	0.5779	0.6647	0.5642	0.6775
500	312	0.5869	0.6600	0.5799	0.6666	0.5662	0.6794
500	313	0.5889	0.6620	0.5819	0.6686	0.5683	0.6813
500	314	0.5910	0.6639	0.5840	0.6705	0.5703	0.6832
500	315	0.5930	0.6659	0.5860	0.6724	0.5723	0.6851
500	316	0.5950	0.6678	0.5881	0.6744	0.5744	0.6870
500	317	0.5970	0.6698	0.5901	0.6763	0.5764	0.6889
500	318	0.5991	0.6717	0.5921	0.6783	0.5785	0.6909
500	319	0.6011	0.6737	0.5942	0.6802	0.5805	0.6928
500	320	0.6031	0.6756	0.5962	0.6821	0.5826	0.6947
500	321	0.6052	0.6776	0.5982	0.6841	0.5846	0.6967
500	322	0.6072	0.6795	0.6003	0.6860	0.5867	0.6985
500	323	0.6092	0.6815	0.6023	0.6880	0.5887	0.7004
500	324	0.6113	0.6834	0.6044	0.6899	0.5908	0.7024
500	325	0.6133	0.6854	0.6064	0.6918	0.5928	0.7043
500	326	0.6153	0.6873	0.6085	0.6937	0.5949	0.7062
500	327	0.6174	0.6892	0.6105	0.6957	0.5969	0.7081
500	328	0.6194	0.6912	0.6125	0.6976	0.5990	0.7100
500	329	0.6215	0.6931	0.6146	0.6995	0.6010	0.7119

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	330	0.6235	0.6951	0.6166	0.7015	0.6031	0.7138
500	331	0.6256	0.6970	0.6187	0.7034	0.6051	0.7157
500	332	0.6276	0.6990	0.6207	0.7053	0.6072	0.7176
500	333	0.6296	0.7009	0.6228	0.7072	0.6093	0.7195
500	334	0.6317	0.7028	0.6248	0.7092	0.6113	0.7214
500	335	0.6337	0.7048	0.6269	0.7111	0.6134	0.7233
500	336	0.6358	0.7067	0.6289	0.7130	0.6155	0.7252
500	337	0.6378	0.7086	0.6310	0.7149	0.6175	0.7271
500	338	0.6399	0.7106	0.6330	0.7169	0.6196	0.7290
500	339	0.6419	0.7125	0.6351	0.7188	0.6217	0.7309
500	340	0.6440	0.7145	0.6371	0.7207	0.6237	0.7328
500	341	0.6460	0.7164	0.6392	0.7226	0.6258	0.7347
500	342	0.6480	0.7183	0.6412	0.7246	0.6279	0.7365
500	343	0.6501	0.7203	0.6433	0.7265	0.6299	0.7384
500	344	0.6522	0.7222	0.6454	0.7284	0.6320	0.7403
500	345	0.6542	0.7241	0.6474	0.7303	0.6341	0.7423
500	346	0.6563	0.7261	0.6495	0.7322	0.6361	0.7441
500	347	0.6583	0.7280	0.6515	0.7341	0.6382	0.7460
500	348	0.6604	0.7299	0.6536	0.7361	0.6403	0.7479
500	349	0.6624	0.7318	0.6557	0.7380	0.6424	0.7498
500	350	0.6645	0.7338	0.6577	0.7399	0.6445	0.7516
500	351	0.6665	0.7357	0.6598	0.7418	0.6465	0.7535
500	352	0.6686	0.7376	0.6619	0.7437	0.6486	0.7554
500	353	0.6706	0.7395	0.6639	0.7456	0.6507	0.7573
500	354	0.6727	0.7415	0.6660	0.7475	0.6528	0.7591
500	355	0.6748	0.7434	0.6681	0.7494	0.6549	0.7610
500	356	0.6768	0.7453	0.6701	0.7513	0.6570	0.7629
500	357	0.6789	0.7472	0.6722	0.7532	0.6590	0.7648
500	358	0.6809	0.7492	0.6743	0.7551	0.6611	0.7667
500	359	0.6830	0.7511	0.6764	0.7571	0.6632	0.7685
500	360	0.6851	0.7530	0.6784	0.7589	0.6653	0.7704
500	361	0.6871	0.7549	0.6805	0.7609	0.6674	0.7723
500	362	0.6892	0.7568	0.6826	0.7627	0.6695	0.7741
500	363	0.6912	0.7588	0.6846	0.7647	0.6716	0.7760
500	364	0.6933	0.7607	0.6867	0.7666	0.6737	0.7779
500	365	0.6954	0.7626	0.6888	0.7685	0.6758	0.7797
500	366	0.6974	0.7645	0.6909	0.7703	0.6779	0.7816
500	367	0.6995	0.7664	0.6930	0.7723	0.6800	0.7835
500	368	0.7016	0.7683	0.6950	0.7741	0.6821	0.7853
500	369	0.7037	0.7702	0.6971	0.7760	0.6842	0.7872
500	370	0.7057	0.7721	0.6992	0.7779	0.6863	0.7890
500	371	0.7078	0.7741	0.7013	0.7798	0.6884	0.7909
500	372	0.7099	0.7760	0.7034	0.7817	0.6905	0.7927
500	373	0.7119	0.7779	0.7055	0.7836	0.6926	0.7946
500	374	0.7140	0.7798	0.7075	0.7855	0.6947	0.7964
500	375	0.7161	0.7817	0.7096	0.7874	0.6969	0.7983
500	376	0.7182	0.7836	0.7117	0.7893	0.6990	0.8001
500	377	0.7202	0.7855	0.7138	0.7912	0.7011	0.8020
500	378	0.7223	0.7874	0.7159	0.7931	0.7032	0.8038
500	379	0.7244	0.7893	0.7180	0.7949	0.7053	0.8057
500	380	0.7265	0.7912	0.7201	0.7968	0.7074	0.8075
500	381	0.7286	0.7931	0.7222	0.7987	0.7096	0.8093
500	382	0.7306	0.7950	0.7243	0.8006	0.7117	0.8112
500	383	0.7327	0.7969	0.7264	0.8024	0.7138	0.8130
500	384	0.7348	0.7988	0.7285	0.8043	0.7159	0.8149

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	385	0.7369	0.8007	0.7306	0.8062	0.7181	0.8167
500	386	0.7390	0.8026	0.7327	0.8081	0.7202	0.8185
500	387	0.7411	0.8045	0.7348	0.8099	0.7223	0.8204
500	388	0.7432	0.8064	0.7369	0.8118	0.7244	0.8222
500	389	0.7452	0.8083	0.7390	0.8137	0.7266	0.8240
500	390	0.7473	0.8102	0.7411	0.8156	0.7287	0.8258
500	391	0.7494	0.8121	0.7432	0.8174	0.7308	0.8277
500	392	0.7515	0.8140	0.7453	0.8193	0.7330	0.8295
500	393	0.7536	0.8158	0.7474	0.8212	0.7351	0.8313
500	394	0.7557	0.8177	0.7495	0.8230	0.7373	0.8331
500	395	0.7578	0.8196	0.7516	0.8249	0.7394	0.8350
500	396	0.7599	0.8215	0.7537	0.8268	0.7415	0.8368
500	397	0.7620	0.8234	0.7559	0.8286	0.7437	0.8386
500	398	0.7641	0.8253	0.7580	0.8305	0.7458	0.8404
500	399	0.7662	0.8272	0.7601	0.8323	0.7480	0.8422
500	400	0.7683	0.8290	0.7622	0.8342	0.7501	0.8440
500	401	0.7704	0.8309	0.7643	0.8361	0.7523	0.8458
500	402	0.7725	0.8328	0.7664	0.8379	0.7544	0.8476
500	403	0.7746	0.8347	0.7686	0.8398	0.7566	0.8494
500	404	0.7767	0.8366	0.7707	0.8416	0.7588	0.8512
500	405	0.7788	0.8384	0.7728	0.8435	0.7609	0.8530
500	406	0.7809	0.8403	0.7749	0.8453	0.7631	0.8548
500	407	0.7830	0.8422	0.7771	0.8472	0.7652	0.8566
500	408	0.7851	0.8441	0.7792	0.8490	0.7674	0.8584
500	409	0.7872	0.8459	0.7813	0.8509	0.7696	0.8602
500	410	0.7893	0.8478	0.7835	0.8527	0.7717	0.8620
500	411	0.7915	0.8497	0.7856	0.8545	0.7739	0.8638
500	412	0.7936	0.8515	0.7877	0.8564	0.7761	0.8656
500	413	0.7957	0.8534	0.7899	0.8582	0.7783	0.8674
500	414	0.7978	0.8553	0.7920	0.8601	0.7804	0.8692
500	415	0.7999	0.8571	0.7942	0.8619	0.7826	0.8709
500	416	0.8021	0.8590	0.7963	0.8637	0.7848	0.8727
500	417	0.8042	0.8608	0.7984	0.8656	0.7870	0.8745
500	418	0.8063	0.8627	0.8006	0.8674	0.7892	0.8763
500	419	0.8084	0.8646	0.8027	0.8692	0.7914	0.8780
500	420	0.8105	0.8664	0.8049	0.8710	0.7935	0.8798
500	421	0.8127	0.8683	0.8070	0.8729	0.7957	0.8816
500	422	0.8148	0.8701	0.8092	0.8747	0.7979	0.8833
500	423	0.8169	0.8720	0.8113	0.8765	0.8001	0.8851
500	424	0.8191	0.8738	0.8135	0.8783	0.8023	0.8869
500	425	0.8212	0.8757	0.8157	0.8801	0.8046	0.8886
500	426	0.8233	0.8775	0.8178	0.8820	0.8067	0.8904
500	427	0.8255	0.8794	0.8200	0.8838	0.8089	0.8921
500	428	0.8276	0.8812	0.8221	0.8856	0.8111	0.8939
500	429	0.8298	0.8830	0.8243	0.8874	0.8134	0.8956
500	430	0.8319	0.8849	0.8265	0.8892	0.8156	0.8974
500	431	0.8340	0.8867	0.8286	0.8910	0.8178	0.8991
500	432	0.8362	0.8886	0.8308	0.8928	0.8200	0.9008
500	433	0.8383	0.8904	0.8330	0.8946	0.8222	0.9026
500	434	0.8405	0.8922	0.8352	0.8964	0.8245	0.9043
500	435	0.8426	0.8941	0.8373	0.8982	0.8267	0.9060
500	436	0.8448	0.8959	0.8395	0.9000	0.8289	0.9078
500	437	0.8469	0.8977	0.8417	0.9018	0.8312	0.9095
500	438	0.8491	0.8995	0.8439	0.9036	0.8334	0.9112
500	439	0.8512	0.9014	0.8461	0.9054	0.8357	0.9129

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	440	0.8534	0.9032	0.8482	0.9072	0.8379	0.9146
500	441	0.8556	0.9050	0.8504	0.9089	0.8401	0.9164
500	442	0.8577	0.9068	0.8526	0.9107	0.8424	0.9181
500	443	0.8599	0.9086	0.8548	0.9125	0.8446	0.9198
500	444	0.8621	0.9104	0.8570	0.9143	0.8469	0.9215
500	445	0.8642	0.9123	0.8592	0.9161	0.8492	0.9232
500	446	0.8664	0.9141	0.8614	0.9178	0.8514	0.9249
500	447	0.8686	0.9159	0.8637	0.9196	0.8537	0.9266
500	448	0.8708	0.9177	0.8659	0.9213	0.8560	0.9282
500	449	0.8729	0.9195	0.8681	0.9231	0.8583	0.9299
500	450	0.8751	0.9213	0.8703	0.9249	0.8605	0.9316
500	451	0.8773	0.9231	0.8725	0.9266	0.8628	0.9333
500	452	0.8795	0.9248	0.8747	0.9284	0.8651	0.9349
500	453	0.8817	0.9266	0.8770	0.9301	0.8674	0.9366
500	454	0.8839	0.9284	0.8792	0.9319	0.8697	0.9383
500	455	0.8861	0.9302	0.8814	0.9336	0.8720	0.9399
500	456	0.8883	0.9320	0.8837	0.9353	0.8743	0.9416
500	457	0.8905	0.9338	0.8859	0.9371	0.8766	0.9432
500	458	0.8927	0.9355	0.8882	0.9388	0.8789	0.9449
500	459	0.8949	0.9373	0.8904	0.9405	0.8813	0.9465
500	460	0.8971	0.9391	0.8927	0.9422	0.8836	0.9481
500	461	0.8994	0.9408	0.8949	0.9439	0.8859	0.9497
500	462	0.9016	0.9426	0.8972	0.9457	0.8883	0.9514
500	463	0.9038	0.9443	0.8994	0.9474	0.8906	0.9530
500	464	0.9060	0.9461	0.9017	0.9491	0.8930	0.9546
500	465	0.9083	0.9478	0.9040	0.9508	0.8953	0.9562
500	466	0.9105	0.9496	0.9063	0.9525	0.8977	0.9578
500	467	0.9127	0.9513	0.9086	0.9541	0.9001	0.9594
500	468	0.9150	0.9530	0.9108	0.9558	0.9024	0.9609
500	469	0.9172	0.9548	0.9131	0.9575	0.9048	0.9625
500	470	0.9195	0.9565	0.9155	0.9592	0.9072	0.9641
500	471	0.9218	0.9582	0.9178	0.9608	0.9096	0.9656
500	472	0.9240	0.9599	0.9201	0.9625	0.9120	0.9672
500	473	0.9263	0.9616	0.9224	0.9641	0.9144	0.9687
500	474	0.9286	0.9633	0.9247	0.9658	0.9169	0.9702
500	475	0.9309	0.9650	0.9271	0.9674	0.9193	0.9717
500	476	0.9332	0.9667	0.9294	0.9690	0.9218	0.9732
500	477	0.9355	0.9684	0.9318	0.9706	0.9242	0.9747
500	478	0.9378	0.9700	0.9341	0.9722	0.9267	0.9762
500	479	0.9401	0.9717	0.9365	0.9738	0.9292	0.9777
500	480	0.9424	0.9733	0.9389	0.9754	0.9317	0.9791
500	481	0.9447	0.9750	0.9413	0.9770	0.9342	0.9805
500	482	0.9471	0.9766	0.9437	0.9785	0.9367	0.9820
500	483	0.9494	0.9782	0.9461	0.9801	0.9393	0.9834
500	484	0.9518	0.9798	0.9486	0.9816	0.9418	0.9848
500	485	0.9542	0.9814	0.9510	0.9831	0.9444	0.9861
500	486	0.9566	0.9830	0.9535	0.9846	0.9470	0.9875
500	487	0.9590	0.9846	0.9560	0.9861	0.9496	0.9888
500	488	0.9614	0.9861	0.9585	0.9875	0.9523	0.9901
500	489	0.9638	0.9876	0.9610	0.9890	0.9550	0.9913
500	490	0.9663	0.9891	0.9635	0.9904	0.9577	0.9925
500	491	0.9688	0.9906	0.9661	0.9917	0.9604	0.9937
500	492	0.9713	0.9920	0.9687	0.9931	0.9632	0.9948
500	493	0.9739	0.9934	0.9714	0.9944	0.9661	0.9959
500	494	0.9765	0.9948	0.9741	0.9956	0.9690	0.9969

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
500	495	0.9791	0.9961	0.9768	0.9967	0.9720	0.9978
500	496	0.9818	0.9973	0.9796	0.9978	0.9750	0.9987
500	497	0.9846	0.9984	0.9826	0.9988	0.9782	0.9993
500	498	0.9875	0.9993	0.9856	0.9995	0.9816	0.9998
500	499	0.9905	0.9999	0.9389	0.9999	0.9852	1.0000
500	500	0.9940	1.0000	0.9926	1.0000	0.9895	1.0000

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	0	0.0000	0.0030	0.0000	0.0037	0.0000	0.0053
1000	1	0.0001	0.0047	0.0000	0.0056	0.0000	0.0074
1000	2	0.0004	0.0063	0.0002	0.0072	0.0001	0.0092
1000	3	0.0008	0.0077	0.0006	0.0087	0.0003	0.0109
1000	4	0.0014	0.0091	0.0011	0.0102	0.0007	0.0125
1000	5	0.0020	0.0105	0.0016	0.0116	0.0011	0.0141
1000	6	0.0026	0.0118	0.0022	0.0130	0.0015	0.0156
1000	7	0.0033	0.0131	0.0028	0.0144	0.0020	0.0170
1000	8	0.0040	0.0144	0.0035	0.0157	0.0026	0.0185
1000	9	0.0047	0.0157	0.0041	0.0170	0.0031	0.0199
1000	10	0.0054	0.0169	0.0048	0.0183	0.0037	0.0213
1000	11	0.0062	0.0181	0.0055	0.0196	0.0043	0.0226
1000	12	0.0069	0.0194	0.0062	0.0209	0.0050	0.0240
1000	13	0.0077	0.0206	0.0069	0.0221	0.0056	0.0253
1000	14	0.0085	0.0218	0.0077	0.0234	0.0063	0.0267
1000	15	0.0093	0.0230	0.0084	0.0246	0.0069	0.0280
1000	16	0.0101	0.0242	0.0092	0.0259	0.0076	0.0293
1000	17	0.0109	0.0254	0.0099	0.0271	0.0083	0.0306
1000	18	0.0117	0.0266	0.0107	0.0283	0.0090	0.0319
1000	19	0.0125	0.0278	0.0115	0.0295	0.0097	0.0331
1000	20	0.0133	0.0289	0.0123	0.0307	0.0104	0.0344
1000	21	0.0141	0.0301	0.0130	0.0319	0.0111	0.0357
1000	22	0.0149	0.0313	0.0138	0.0331	0.0118	0.0369
1000	23	0.0158	0.0324	0.0146	0.0343	0.0126	0.0382
1000	24	0.0166	0.0336	0.0154	0.0355	0.0133	0.0394
1000	25	0.0174	0.0347	0.0162	0.0367	0.0141	0.0407
1000	26	0.0183	0.0359	0.0171	0.0379	0.0148	0.0419
1000	27	0.0191	0.0370	0.0179	0.0390	0.0156	0.0431
1000	28	0.0200	0.0382	0.0187	0.0402	0.0163	0.0444
1000	29	0.0208	0.0393	0.0195	0.0414	0.0171	0.0456
1000	30	0.0217	0.0405	0.0203	0.0426	0.0179	0.0468
1000	31	0.0225	0.0416	0.0212	0.0437	0.0186	0.0480
1000	32	0.0234	0.0427	0.0220	0.0449	0.0194	0.0492
1000	33	0.0242	0.0439	0.0228	0.0460	0.0202	0.0504
1000	34	0.0251	0.0450	0.0237	0.0472	0.0210	0.0516
1000	35	0.0260	0.0461	0.0245	0.0483	0.0218	0.0528
1000	36	0.0268	0.0473	0.0253	0.0495	0.0226	0.0540
1000	37	0.0277	0.0484	0.0262	0.0506	0.0234	0.0552
1000	38	0.0286	0.0495	0.0270	0.0518	0.0242	0.0564
1000	39	0.0295	0.0506	0.0279	0.0529	0.0250	0.0576
1000	40	0.0303	0.0518	0.0287	0.0541	0.0258	0.0588
1000	41	0.0312	0.0529	0.0296	0.0552	0.0266	0.0600
1000	42	0.0321	0.0540	0.0304	0.0563	0.0274	0.0611
1000	43	0.0330	0.0551	0.0313	0.0575	0.0282	0.0623
1000	44	0.0338	0.0562	0.0322	0.0586	0.0290	0.0635
1000	45	0.0347	0.0573	0.0330	0.0598	0.0298	0.0647
1000	46	0.0356	0.0584	0.0339	0.0609	0.0306	0.0658
1000	47	0.0365	0.0595	0.0347	0.0620	0.0315	0.0670
1000	48	0.0374	0.0607	0.0356	0.0631	0.0323	0.0682
1000	49	0.0383	0.0618	0.0365	0.0643	0.0331	0.0693
1000	50	0.0392	0.0629	0.0373	0.0654	0.0339	0.0705
1000	51	0.0401	0.0640	0.0382	0.0665	0.0348	0.0717
1000	52	0.0409	0.0651	0.0391	0.0676	0.0356	0.0728
1000	53	0.0418	0.0662	0.0399	0.0688	0.0364	0.0740
1000	54	0.0427	0.0673	0.0408	0.0699	0.0373	0.0751



# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	55	0.0436	0.0684	0.0417	0.0710	0.0381	0.0763
1000	56	0.0445	0.0695	0.0426	0.0721	0.0389	0.0774
1000	57	0.0454	0.0706	0.0435	0.0732	0.0398	0.0786
1000	58	0.0463	0.0717	0.0443	0.0743	0.0406	0.0797
1000	59	0.0472	0.0728	0.0452	0.0754	0.0414	0.0809
1000	60	0.0481	0.0738	0.0461	0.0766	0.0423	0.0820
1000	61	0.0490	0.0749	0.0470	0.0777	0.0431	0.0832
1000	62	0.0499	0.0760	0.0479	0.0788	0.0440	0.0843
1000	63	0.0508	0.0771	0.0487	0.0799	0.0448	0.0855
1000	64	0.0517	0.0782	0.0496	0.0810	0.0457	0.0866
1000	65	0.0526	0.0793	0.0505	0.0821	0.0465	0.0877
1000	66	0.0536	0.0804	0.0514	0.0832	0.0474	0.0889
1000	67	0.0545	0.0815	0.0523	0.0843	0.0482	0.0900
1000	68	0.0554	0.0826	0.0532	0.0854	0.0491	0.0911
1000	69	0.0563	0.0837	0.0541	0.0865	0.0500	0.0923
1000	70	0.0572	0.0847	0.0550	0.0876	0.0508	0.0934
1000	71	0.0581	0.0858	0.0559	0.0887	0.0517	0.0945
1000	72	0.0590	0.0869	0.0568	0.0898	0.0525	0.0957
1000	73	0.0599	0.0880	0.0577	0.0909	0.0534	0.0968
1000	74	0.0608	0.0891	0.0586	0.0920	0.0543	0.0979
1000	75	0.0617	0.0902	0.0594	0.0931	0.0551	0.0990
1000	76	0.0627	0.0912	0.0603	0.0942	0.0560	0.1002
1000	77	0.0636	0.0923	0.0612	0.0953	0.0568	0.1013
1000	78	0.0645	0.0934	0.0621	0.0964	0.0577	0.1024
1000	79	0.0654	0.0945	0.0630	0.0975	0.0586	0.1035
1000	80	0.0663	0.0955	0.0639	0.0986	0.0594	0.1047
1000	81	0.0672	0.0966	0.0648	0.0997	0.0603	0.1058
1000	82	0.0682	0.0977	0.0657	0.1008	0.0612	0.1069
1000	83	0.0691	0.0988	0.0666	0.1019	0.0621	0.1080
1000	84	0.0700	0.0999	0.0676	0.1029	0.0629	0.1091
1000	85	0.0709	0.1009	0.0685	0.1040	0.0638	0.1102
1000	86	0.0718	0.1020	0.0694	0.1051	0.0647	0.1114
1000	87	0.0728	0.1031	0.0703	0.1062	0.0656	0.1125
1000	88	0.0737	0.1042	0.0712	0.1073	0.0664	0.1136
1000	89	0.0746	0.1052	0.0721	0.1084	0.0673	0.1147
1000	90	0.0755	0.1063	0.0730	0.1095	0.0682	0.1158
1000	91	0.0764	0.1074	0.0739	0.1106	0.0691	0.1169
1000	92	0.0774	0.1084	0.0748	0.1116	0.0700	0.1180
1000	93	0.0783	0.1095	0.0757	0.1127	0.0708	0.1191
1000	94	0.0792	0.1106	0.0766	0.1138	0.0717	0.1202
1000	95	0.0801	0.1117	0.0775	0.1149	0.0726	0.1214
1000	96	0.0811	0.1127	0.0785	0.1160	0.0735	0.1225
1000	97	0.0820	0.1138	0.0794	0.1170	0.0744	0.1236
1000	98	0.0829	0.1149	0.0803	0.1181	0.0752	0.1247
1000	99	0.0839	0.1159	0.0812	0.1192	0.0761	0.1258
1000	100	0.0848	0.1170	0.0821	0.1203	0.0770	0.1269
1000	101	0.0857	0.1180	0.0830	0.1214	0.0779	0.1280
1000	102	0.0866	0.1191	0.0839	0.1224	0.0788	0.1291
1000	103	0.0876	0.1202	0.0848	0.1235	0.0797	0.1302
1000	104	0.0885	0.1213	0.0858	0.1246	0.0806	0.1313
1000	105	0.0894	0.1223	0.0867	0.1257	0.0815	0.1324
1000	106	0.0904	0.1234	0.0876	0.1267	0.0824	0.1335
1000	107	0.0913	0.1244	0.0885	0.1278	0.0832	0.1346
1000	108	0.0922	0.1255	0.0894	0.1289	0.0841	0.1357
1000	109	0.0932	0.1266	0.0904	0.1300	0.0850	0.1368

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	110	0.0941	0.1276	0.0913	0.1311	0.0859	0.1379
1000	111	0.0950	0.1287	0.0922	0.1321	0.0868	0.1390
1000	112	0.0960	0.1298	0.0931	0.1332	0.0877	0.1401
1000	113	0.0969	0.1308	0.0940	0.1343	0.0886	0.1412
1000	114	0.0978	0.1319	0.0950	0.1354	0.0895	0.1423
1000	115	0.0988	0.1329	0.0959	0.1364	0.0904	0.1434
1000	116	0.0997	0.1340	0.0968	0.1375	0.0913	0.1444
1000	117	0.1006	0.1351	0.0977	0.1386	0.0922	0.1455
1000	118	0.1016	0.1361	0.0987	0.1396	0.0931	0.1466
1000	119	0.1025	0.1372	0.0996	0.1407	0.0940	0.1477
1000	120	0.1034	0.1382	0.1005	0.1418	0.0949	0.1488
1000	121	0.1044	0.1393	0.1014	0.1428	0.0958	0.1499
1000	122	0.1053	0.1404	0.1023	0.1439	0.0967	0.1510
1000	123	0.1063	0.1414	0.1033	0.1450	0.0976	0.1521
1000	124	0.1072	0.1425	0.1042	0.1460	0.0985	0.1531
1000	125	0.1081	0.1435	0.1051	0.1471	0.0994	0.1543
1000	126	0.1091	0.1446	0.1061	0.1482	0.1003	0.1553
1000	127	0.1100	0.1456	0.1070	0.1492	0.1012	0.1564
1000	128	0.1110	0.1467	0.1079	0.1503	0.1021	0.1575
1000	129	0.1119	0.1477	0.1088	0.1514	0.1030	0.1585
1000	130	0.1128	0.1488	0.1098	0.1524	0.1039	0.1597
1000	131	0.1138	0.1499	0.1107	0.1535	0.1048	0.1608
1000	132	0.1147	0.1509	0.1116	0.1546	0.1057	0.1618
1000	133	0.1157	0.1520	0.1126	0.1556	0.1067	0.1629
1000	134	0.1166	0.1530	0.1135	0.1567	0.1076	0.1640
1000	135	0.1175	0.1541	0.1144	0.1578	0.1085	0.1651
1000	136	0.1185	0.1551	0.1153	0.1588	0.1094	0.1662
1000	137	0.1194	0.1562	0.1163	0.1599	0.1103	0.1672
1000	138	0.1204	0.1572	0.1172	0.1609	0.1112	0.1683
1000	139	0.1213	0.1583	0.1181	0.1620	0.1121	0.1694
1000	140	0.1223	0.1593	0.1191	0.1631	0.1130	0.1705
1000	141	0.1232	0.1604	0.1200	0.1641	0.1139	0.1716
1000	142	0.1241	0.1614	0.1209	0.1652	0.1148	0.1727
1000	143	0.1251	0.1625	0.1219	0.1663	0.1157	0.1737
1000	144	0.1260	0.1635	0.1228	0.1673	0.1167	0.1748
1000	145	0.1270	0.1646	0.1237	0.1684	0.1176	0.1759
1000	146	0.1279	0.1656	0.1247	0.1694	0.1185	0.1769
1000	147	0.1289	0.1667	0.1256	0.1705	0.1194	0.1780
1000	148	0.1298	0.1677	0.1265	0.1715	0.1203	0.1791
1000	149	0.1308	0.1688	0.1275	0.1726	0.1212	0.1802
1000	150	0.1317	0.1698	0.1284	0.1737	0.1221	0.1812
1000	151	0.1327	0.1709	0.1294	0.1747	0.1231	0.1824
1000	152	0.1336	0.1719	0.1303	0.1758	0.1240	0.1834
1000	153	0.1345	0.1730	0.1312	0.1768	0.1249	0.1845
1000	154	0.1355	0.1740	0.1322	0.1779	0.1258	0.1856
1000	155	0.1365	0.1751	0.1331	0.1789	0.1267	0.1866
1000	156	0.1374	0.1761	0.1341	0.1800	0.1276	0.1877
1000	157	0.1383	0.1772	0.1350	0.1811	0.1286	0.1888
1000	158	0.1393	0.1782	0.1359	0.1821	0.1295	0.1899
1000	159	0.1402	0.1793	0.1369	0.1832	0.1304	0.1909
1000	160	0.1412	0.1803	0.1378	0.1842	0.1313	0.1920
1000	161	0.1421	0.1814	0.1387	0.1853	0.1322	0.1930
1000	162	0.1431	0.1824	0.1397	0.1863	0.1332	0.1941
1000	163	0.1440	0.1834	0.1406	0.1874	0.1341	0.1952
1000	164	0.1450	0.1845	0.1416	0.1884	0.1350	0.1962

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	165	0.1459	0.1855	0.1425	0.1895	0.1359	0.1974
1000	166	0.1469	0.1866	0.1435	0.1905	0.1368	0.1984
1000	167	0.1479	0.1876	0.1444	0.1916	0.1378	0.1995
1000	168	0.1488	0.1887	0.1453	0.1926	0.1387	0.2005
1000	169	0.1497	0.1897	0.1463	0.1937	0.1396	0.2016
1000	170	0.1507	0.1908	0.1472	0.1947	0.1405	0.2027
1000	171	0.1516	0.1918	0.1482	0.1958	0.1415	0.2037
1000	172	0.1526	0.1928	0.1491	0.1968	0.1424	0.2048
1000	173	0.1536	0.1939	0.1500	0.1979	0.1433	0.2059
1000	174	0.1545	0.1949	0.1510	0.1990	0.1442	0.2069
1000	175	0.1555	0.1960	0.1519	0.2000	0.1452	0.2080
1000	176	0.1564	0.1970	0.1529	0.2010	0.1461	0.2091
1000	177	0.1574	0.1981	0.1538	0.2021	0.1470	0.2101
1000	178	0.1583	0.1991	0.1548	0.2031	0.1479	0.2112
1000	179	0.1593	0.2001	0.1557	0.2042	0.1489	0.2122
1000	180	0.1602	0.2012	0.1567	0.2052	0.1498	0.2133
1000	181	0.1612	0.2022	0.1576	0.2063	0.1507	0.2144
1000	182	0.1621	0.2033	0.1585	0.2073	0.1516	0.2154
1000	183	0.1631	0.2043	0.1595	0.2084	0.1526	0.2165
1000	184	0.1641	0.2053	0.1604	0.2094	0.1535	0.2176
1000	185	0.1650	0.2064	0.1614	0.2105	0.1544	0.2186
1000	186	0.1660	0.2074	0.1623	0.2115	0.1554	0.2197
1000	187	0.1669	0.2085	0.1633	0.2126	0.1563	0.2207
1000	188	0.1679	0.2095	0.1642	0.2136	0.1572	0.2218
1000	189	0.1688	0.2105	0.1652	0.2147	0.1582	0.2228
1000	190	0.1698	0.2116	0.1661	0.2157	0.1591	0.2239
1000	191	0.1708	0.2126	0.1671	0.2168	0.1600	0.2250
1000	192	0.1717	0.2136	0.1680	0.2178	0.1610	0.2260
1000	193	0.1727	0.2147	0.1690	0.2188	0.1619	0.2271
1000	194	0.1736	0.2157	0.1699	0.2199	0.1628	0.2281
1000	195	0.1746	0.2168	0.1709	0.2209	0.1637	0.2292
1000	196	0.1755	0.2178	0.1718	0.2220	0.1647	0.2303
1000	197	0.1765	0.2188	0.1728	0.2230	0.1656	0.2313
1000	198	0.1775	0.2199	0.1737	0.2241	0.1666	0.2324
1000	199	0.1784	0.2209	0.1747	0.2251	0.1675	0.2334
1000	200	0.1794	0.2219	0.1756	0.2262	0.1684	0.2345
1000	201	0.1803	0.2230	0.1766	0.2272	0.1693	0.2355
1000	202	0.1813	0.2240	0.1775	0.2282	0.1703	0.2366
1000	203	0.1822	0.2251	0.1785	0.2293	0.1712	0.2376
1000	204	0.1832	0.2261	0.1794	0.2303	0.1722	0.2387
1000	205	0.1842	0.2271	0.1804	0.2314	0.1731	0.2398
1000	206	0.1851	0.2282	0.1813	0.2324	0.1740	0.2408
1000	207	0.1861	0.2292	0.1823	0.2335	0.1750	0.2419
1000	208	0.1870	0.2302	0.1832	0.2345	0.1759	0.2429
1000	209	0.1880	0.2313	0.1842	0.2355	0.1768	0.2440
1000	210	0.1890	0.2323	0.1851	0.2366	0.1778	0.2450
1000	211	0.1899	0.2333	0.1861	0.2376	0.1787	0.2461
1000	212	0.1909	0.2344	0.1870	0.2387	0.1796	0.2471
1000	213	0.1919	0.2354	0.1880	0.2397	0.1806	0.2482
1000	214	0.1928	0.2364	0.1890	0.2407	0.1815	0.2492
1000	215	0.1938	0.2375	0.1899	0.2418	0.1825	0.2503
1000	216	0.1947	0.2385	0.1909	0.2428	0.1834	0.2514
1000	217	0.1957	0.2395	0.1918	0.2439	0.1843	0.2524
1000	218	0.1967	0.2406	0.1928	0.2449	0.1853	0.2534
1000	219	0.1976	0.2416	0.1937	0.2459	0.1862	0.2545

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	220	0.1986	0.2427	0.1947	0.2470	0.1872	0.2555
1000	221	0.1995	0.2437	0.1956	0.2480	0.1881	0.2566
1000	222	0.2005	0.2447	0.1966	0.2491	0.1890	0.2577
1000	223	0.2015	0.2458	0.1975	0.2501	0.1900	0.2587
1000	224	0.2024	0.2468	0.1985	0.2511	0.1909	0.2597
1000	225	0.2034	0.2478	0.1995	0.2522	0.1919	0.2608
1000	226	0.2044	0.2488	0.2004	0.2532	0.1928	0.2618
1000	227	0.2053	0.2499	0.2014	0.2542	0.1937	0.2629
1000	228	0.2063	0.2509	0.2023	0.2553	0.1947	0.2639
1000	229	0.2073	0.2519	0.2033	0.2563	0.1956	0.2650
1000	230	0.2082	0.2530	0.2042	0.2574	0.1966	0.2660
1000	231	0.2092	0.2540	0.2052	0.2584	0.1975	0.2671
1000	232	0.2102	0.2550	0.2062	0.2594	0.1985	0.2681
1000	233	0.2111	0.2561	0.2071	0.2605	0.1994	0.2692
1000	234	0.2121	0.2571	0.2081	0.2615	0.2003	0.2702
1000	235	0.2131	0.2581	0.2090	0.2625	0.2013	0.2713
1000	236	0.2140	0.2591	0.2100	0.2636	0.2023	0.2723
1000	237	0.2150	0.2602	0.2109	0.2646	0.2032	0.2734
1000	238	0.2159	0.2612	0.2119	0.2656	0.2041	0.2744
1000	239	0.2169	0.2622	0.2129	0.2667	0.2051	0.2754
1000	240	0.2179	0.2633	0.2138	0.2677	0.2060	0.2765
1000	241	0.2188	0.2643	0.2148	0.2687	0.2069	0.2775
1000	242	0.2198	0.2653	0.2158	0.2698	0.2080	0.2786
1000	243	0.2208	0.2663	0.2167	0.2708	0.2089	0.2796
1000	244	0.2217	0.2674	0.2177	0.2718	0.2098	0.2807
1000	245	0.2227	0.2684	0.2186	0.2729	0.2107	0.2817
1000	246	0.2237	0.2694	0.2196	0.2739	0.2117	0.2828
1000	247	0.2246	0.2705	0.2206	0.2750	0.2126	0.2838
1000	248	0.2256	0.2715	0.2215	0.2760	0.2136	0.2848
1000	249	0.2266	0.2725	0.2225	0.2770	0.2146	0.2859
1000	250	0.2275	0.2736	0.2234	0.2781	0.2155	0.2869
1000	251	0.2285	0.2746	0.2244	0.2791	0.2165	0.2880
1000	252	0.2295	0.2756	0.2253	0.2801	0.2174	0.2890
1000	253	0.2304	0.2766	0.2263	0.2812	0.2183	0.2900
1000	254	0.2314	0.2777	0.2273	0.2822	0.2192	0.2911
1000	255	0.2324	0.2787	0.2282	0.2832	0.2203	0.2921
1000	256	0.2333	0.2797	0.2292	0.2842	0.2212	0.2932
1000	257	0.2343	0.2807	0.2302	0.2853	0.2222	0.2942
1000	258	0.2353	0.2818	0.2311	0.2863	0.2231	0.2952
1000	259	0.2363	0.2828	0.2321	0.2873	0.2240	0.2963
1000	260	0.2372	0.2838	0.2331	0.2884	0.2250	0.2973
1000	261	0.2382	0.2848	0.2340	0.2894	0.2259	0.2984
1000	262	0.2392	0.2859	0.2350	0.2904	0.2269	0.2994
1000	263	0.2401	0.2869	0.2359	0.2915	0.2278	0.3005
1000	264	0.2411	0.2879	0.2369	0.2925	0.2288	0.3015
1000	265	0.2421	0.2889	0.2379	0.2935	0.2297	0.3025
1000	266	0.2430	0.2900	0.2388	0.2945	0.2307	0.3036
1000	267	0.2440	0.2910	0.2398	0.2956	0.2316	0.3046
1000	268	0.2450	0.2920	0.2408	0.2966	0.2326	0.3056
1000	269	0.2460	0.2931	0.2417	0.2976	0.2336	0.3067
1000	270	0.2469	0.2941	0.2427	0.2987	0.2345	0.3077
1000	271	0.2479	0.2951	0.2437	0.2997	0.2355	0.3088
1000	272	0.2489	0.2961	0.2446	0.3007	0.2364	0.3098
1000	273	0.2498	0.2972	0.2456	0.3018	0.2374	0.3108
1000	274	0.2508	0.2982	0.2466	0.3028	0.2383	0.3119

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	275	0.2518	0.2992	0.2475	0.3038	0.2393	0.3129
1000	276	0.2528	0.3002	0.2485	0.3048	0.2402	0.3139
1000	277	0.2537	0.3012	0.2495	0.3059	0.2412	0.3150
1000	278	0.2547	0.3023	0.2504	0.3069	0.2422	0.3160
1000	279	0.2557	0.3033	0.2514	0.3079	0.2431	0.3170
1000	280	0.2566	0.3043	0.2524	0.3090	0.2441	0.3181
1000	281	0.2576	0.3053	0.2533	0.3100	0.2451	0.3191
1000	282	0.2586	0.3064	0.2543	0.3110	0.2460	0.3201
1000	283	0.2596	0.3074	0.2552	0.3120	0.2469	0.3212
1000	284	0.2605	0.3084	0.2562	0.3131	0.2479	0.3222
1000	285	0.2615	0.3094	0.2572	0.3141	0.2488	0.3232
1000	286	0.2625	0.3104	0.2582	0.3151	0.2498	0.3243
1000	287	0.2635	0.3115	0.2591	0.3161	0.2508	0.3253
1000	288	0.2644	0.3125	0.2601	0.3172	0.2517	0.3263
1000	289	0.2654	0.3135	0.2611	0.3182	0.2527	0.3274
1000	290	0.2664	0.3145	0.2620	0.3192	0.2536	0.3284
1000	291	0.2674	0.3156	0.2630	0.3202	0.2546	0.3294
1000	292	0.2683	0.3166	0.2640	0.3213	0.2556	0.3305
1000	293	0.2693	0.3176	0.2649	0.3223	0.2565	0.3315
1000	294	0.2703	0.3186	0.2659	0.3233	0.2574	0.3325
1000	295	0.2712	0.3196	0.2669	0.3243	0.2584	0.3336
1000	296	0.2722	0.3207	0.2678	0.3254	0.2594	0.3346
1000	297	0.2732	0.3217	0.2688	0.3264	0.2603	0.3356
1000	298	0.2742	0.3227	0.2698	0.3274	0.2613	0.3367
1000	299	0.2752	0.3237	0.2708	0.3284	0.2623	0.3377
1000	300	0.2761	0.3248	0.2717	0.3295	0.2632	0.3387
1000	301	0.2771	0.3258	0.2727	0.3305	0.2642	0.3398
1000	302	0.2781	0.3268	0.2737	0.3315	0.2651	0.3408
1000	303	0.2790	0.3278	0.2746	0.3325	0.2661	0.3418
1000	304	0.2800	0.3288	0.2756	0.3335	0.2671	0.3428
1000	305	0.2810	0.3299	0.2766	0.3346	0.2680	0.3439
1000	306	0.2820	0.3309	0.2775	0.3356	0.2690	0.3449
1000	307	0.2830	0.3319	0.2785	0.3366	0.2699	0.3459
1000	308	0.2839	0.3329	0.2795	0.3377	0.2708	0.3470
1000	309	0.2849	0.3339	0.2805	0.3387	0.2719	0.3480
1000	310	0.2859	0.3350	0.2814	0.3397	0.2729	0.3490
1000	311	0.2869	0.3360	0.2824	0.3407	0.2738	0.3500
1000	312	0.2878	0.3370	0.2834	0.3417	0.2747	0.3511
1000	313	0.2888	0.3380	0.2844	0.3428	0.2758	0.3521
1000	314	0.2898	0.3390	0.2853	0.3438	0.2767	0.3531
1000	315	0.2908	0.3400	0.2863	0.3448	0.2776	0.3542
1000	316	0.2917	0.3411	0.2873	0.3458	0.2786	0.3552
1000	317	0.2927	0.3421	0.2882	0.3468	0.2796	0.3562
1000	318	0.2937	0.3431	0.2892	0.3479	0.2805	0.3572
1000	319	0.2947	0.3441	0.2902	0.3489	0.2814	0.3583
1000	320	0.2956	0.3451	0.2912	0.3499	0.2824	0.3593
1000	321	0.2966	0.3462	0.2921	0.3509	0.2834	0.3603
1000	322	0.2976	0.3472	0.2931	0.3520	0.2843	0.3614
1000	323	0.2986	0.3482	0.2941	0.3530	0.2853	0.3624
1000	324	0.2996	0.3492	0.2951	0.3540	0.2864	0.3634
1000	325	0.3005	0.3502	0.2960	0.3550	0.2873	0.3644
1000	326	0.3015	0.3512	0.2970	0.3560	0.2883	0.3655
1000	327	0.3025	0.3523	0.2980	0.3570	0.2892	0.3665
1000	328	0.3035	0.3533	0.2989	0.3581	0.2902	0.3675
1000	329	0.3045	0.3543	0.2999	0.3591	0.2911	0.3685

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	330	0.3054	0.3553	0.3009	0.3601	0.2920	0.3695
1000	331	0.3064	0.3563	0.3019	0.3611	0.2931	0.3706
1000	332	0.3074	0.3573	0.3028	0.3621	0.2940	0.3716
1000	333	0.3084	0.3584	0.3038	0.3632	0.2949	0.3726
1000	334	0.3093	0.3594	0.3048	0.3642	0.2960	0.3736
1000	335	0.3103	0.3604	0.3058	0.3652	0.2970	0.3747
1000	336	0.3113	0.3614	0.3067	0.3662	0.2979	0.3757
1000	337	0.3123	0.3624	0.3077	0.3672	0.2989	0.3767
1000	338	0.3133	0.3634	0.3087	0.3683	0.2998	0.3777
1000	339	0.3142	0.3644	0.3097	0.3693	0.3008	0.3788
1000	340	0.3152	0.3655	0.3107	0.3703	0.3018	0.3798
1000	341	0.3162	0.3665	0.3116	0.3713	0.3027	0.3808
1000	342	0.3172	0.3675	0.3126	0.3723	0.3037	0.3818
1000	343	0.3182	0.3685	0.3136	0.3733	0.3046	0.3829
1000	344	0.3192	0.3695	0.3146	0.3744	0.3057	0.3839
1000	345	0.3201	0.3705	0.3155	0.3754	0.3066	0.3849
1000	346	0.3211	0.3716	0.3165	0.3764	0.3076	0.3859
1000	347	0.3221	0.3726	0.3175	0.3774	0.3086	0.3869
1000	348	0.3231	0.3736	0.3185	0.3784	0.3095	0.3880
1000	349	0.3241	0.3746	0.3194	0.3794	0.3105	0.3890
1000	350	0.3251	0.3756	0.3204	0.3805	0.3115	0.3900
1000	351	0.3260	0.3766	0.3214	0.3815	0.3124	0.3910
1000	352	0.3270	0.3776	0.3224	0.3825	0.3134	0.3920
1000	353	0.3280	0.3787	0.3233	0.3835	0.3143	0.3931
1000	354	0.3290	0.3797	0.3243	0.3845	0.3153	0.3941
1000	355	0.3300	0.3807	0.3253	0.3856	0.3163	0.3951
1000	356	0.3309	0.3817	0.3263	0.3866	0.3173	0.3961
1000	357	0.3319	0.3827	0.3273	0.3876	0.3182	0.3971
1000	358	0.3329	0.3837	0.3283	0.3886	0.3193	0.3982
1000	359	0.3339	0.3847	0.3292	0.3896	0.3202	0.3992
1000	360	0.3349	0.3857	0.3302	0.3906	0.3211	0.4002
1000	361	0.3359	0.3868	0.3312	0.3916	0.3221	0.4012
1000	362	0.3368	0.3878	0.3322	0.3927	0.3231	0.4022
1000	363	0.3378	0.3888	0.3331	0.3937	0.3241	0.4033
1000	364	0.3388	0.3898	0.3341	0.3947	0.3251	0.4043
1000	365	0.3398	0.3908	0.3351	0.3957	0.3260	0.4053
1000	366	0.3408	0.3918	0.3361	0.3967	0.3270	0.4063
1000	367	0.3417	0.3928	0.3370	0.3977	0.3279	0.4073
1000	368	0.3427	0.3939	0.3380	0.3988	0.3289	0.4083
1000	369	0.3437	0.3949	0.3390	0.3998	0.3299	0.4094
1000	370	0.3447	0.3959	0.3400	0.4008	0.3309	0.4104
1000	371	0.3457	0.3969	0.3410	0.4018	0.3319	0.4114
1000	372	0.3467	0.3979	0.3419	0.4028	0.3328	0.4124
1000	373	0.3476	0.3989	0.3429	0.4038	0.3338	0.4134
1000	374	0.3486	0.3999	0.3439	0.4048	0.3348	0.4145
1000	375	0.3496	0.4009	0.3449	0.4058	0.3358	0.4155
1000	376	0.3506	0.4019	0.3459	0.4069	0.3367	0.4165
1000	377	0.3516	0.4029	0.3469	0.4079	0.3376	0.4175
1000	378	0.3526	0.4040	0.3478	0.4089	0.3387	0.4185
1000	379	0.3536	0.4050	0.3488	0.4099	0.3397	0.4195
1000	380	0.3545	0.4060	0.3498	0.4109	0.3406	0.4205
1000	381	0.3555	0.4070	0.3508	0.4119	0.3416	0.4216
1000	382	0.3565	0.4080	0.3518	0.4129	0.3426	0.4226
1000	383	0.3575	0.4090	0.3527	0.4139	0.3435	0.4236
1000	384	0.3585	0.4100	0.3537	0.4150	0.3445	0.4246

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	385	0.3595	0.4110	0.3547	0.4160	0.3455	0.4256
1000	386	0.3605	0.4120	0.3557	0.4170	0.3465	0.4266
1000	387	0.3614	0.4131	0.3567	0.4180	0.3475	0.4277
1000	388	0.3624	0.4141	0.3576	0.4190	0.3484	0.4287
1000	389	0.3634	0.4151	0.3587	0.4200	0.3494	0.4297
1000	390	0.3644	0.4161	0.3596	0.4210	0.3503	0.4307
1000	391	0.3654	0.4171	0.3606	0.4220	0.3514	0.4317
1000	392	0.3664	0.4181	0.3616	0.4230	0.3523	0.4327
1000	393	0.3673	0.4191	0.3626	0.4240	0.3533	0.4337
1000	394	0.3683	0.4201	0.3635	0.4251	0.3542	0.4347
1000	395	0.3693	0.4211	0.3646	0.4261	0.3552	0.4358
1000	396	0.3703	0.4221	0.3655	0.4271	0.3562	0.4368
1000	397	0.3713	0.4231	0.3665	0.4281	0.3572	0.4378
1000	398	0.3723	0.4242	0.3675	0.4291	0.3582	0.4388
1000	399	0.3733	0.4252	0.3685	0.4301	0.3592	0.4398
1000	400	0.3743	0.4262	0.3695	0.4311	0.3601	0.4408
1000	401	0.3753	0.4272	0.3705	0.4321	0.3611	0.4418
1000	402	0.3762	0.4282	0.3715	0.4331	0.3621	0.4428
1000	403	0.3772	0.4292	0.3724	0.4342	0.3631	0.4438
1000	404	0.3782	0.4302	0.3734	0.4352	0.3641	0.4449
1000	405	0.3792	0.4312	0.3744	0.4362	0.3650	0.4459
1000	406	0.3802	0.4322	0.3754	0.4372	0.3661	0.4469
1000	407	0.3812	0.4332	0.3764	0.4382	0.3670	0.4479
1000	408	0.3822	0.4342	0.3774	0.4392	0.3680	0.4489
1000	409	0.3832	0.4352	0.3783	0.4402	0.3690	0.4499
1000	410	0.3841	0.4363	0.3793	0.4412	0.3700	0.4509
1000	411	0.3851	0.4373	0.3803	0.4422	0.3709	0.4519
1000	412	0.3861	0.4383	0.3813	0.4432	0.3719	0.4529
1000	413	0.3871	0.4393	0.3823	0.4442	0.3729	0.4539
1000	414	0.3881	0.4403	0.3833	0.4452	0.3739	0.4550
1000	415	0.3891	0.4413	0.3843	0.4463	0.3749	0.4560
1000	416	0.3901	0.4423	0.3852	0.4473	0.3758	0.4570
1000	417	0.3911	0.4433	0.3862	0.4483	0.3768	0.4580
1000	418	0.3920	0.4443	0.3872	0.4493	0.3777	0.4590
1000	419	0.3930	0.4453	0.3882	0.4503	0.3788	0.4600
1000	420	0.3940	0.4463	0.3892	0.4513	0.3798	0.4610
1000	421	0.3950	0.4473	0.3902	0.4523	0.3807	0.4620
1000	422	0.3960	0.4483	0.3912	0.4533	0.3817	0.4630
1000	423	0.3970	0.4493	0.3921	0.4543	0.3826	0.4640
1000	424	0.3980	0.4503	0.3932	0.4553	0.3837	0.4650
1000	425	0.3990	0.4513	0.3941	0.4563	0.3846	0.4661
1000	426	0.4000	0.4524	0.3951	0.4573	0.3857	0.4671
1000	427	0.4010	0.4534	0.3961	0.4583	0.3866	0.4681
1000	428	0.4019	0.4544	0.3971	0.4593	0.3876	0.4691
1000	429	0.4029	0.4554	0.3981	0.4604	0.3885	0.4701
1000	430	0.4039	0.4564	0.3991	0.4614	0.3896	0.4711
1000	431	0.4049	0.4574	0.4000	0.4624	0.3906	0.4721
1000	432	0.4059	0.4584	0.4010	0.4634	0.3916	0.4731
1000	433	0.4069	0.4594	0.4020	0.4644	0.3926	0.4741
1000	434	0.4079	0.4604	0.4030	0.4654	0.3935	0.4751
1000	435	0.4089	0.4614	0.4040	0.4664	0.3945	0.4761
1000	436	0.4099	0.4624	0.4050	0.4674	0.3955	0.4771
1000	437	0.4109	0.4634	0.4060	0.4684	0.3965	0.4781
1000	438	0.4119	0.4644	0.4070	0.4694	0.3974	0.4791
1000	439	0.4128	0.4654	0.4080	0.4704	0.3984	0.4801

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	440	0.4138	0.4664	0.4089	0.4714	0.3993	0.4811
1000	441	0.4148	0.4674	0.4099	0.4724	0.4004	0.4822
1000	442	0.4158	0.4684	0.4109	0.4734	0.4014	0.4831
1000	443	0.4168	0.4694	0.4119	0.4744	0.4024	0.4842
1000	444	0.4178	0.4704	0.4129	0.4754	0.4033	0.4852
1000	445	0.4188	0.4714	0.4139	0.4764	0.4042	0.4862
1000	446	0.4198	0.4725	0.4149	0.4774	0.4054	0.4872
1000	447	0.4208	0.4735	0.4159	0.4784	0.4063	0.4882
1000	448	0.4218	0.4744	0.4169	0.4794	0.4073	0.4892
1000	449	0.4228	0.4755	0.4178	0.4804	0.4083	0.4902
1000	450	0.4238	0.4765	0.4189	0.4814	0.4093	0.4912
1000	451	0.4248	0.4775	0.4199	0.4824	0.4103	0.4922
1000	452	0.4257	0.4785	0.4208	0.4835	0.4113	0.4932
1000	453	0.4267	0.4795	0.4218	0.4845	0.4123	0.4942
1000	454	0.4277	0.4805	0.4228	0.4855	0.4132	0.4952
1000	455	0.4287	0.4815	0.4238	0.4865	0.4142	0.4962
1000	456	0.4297	0.4825	0.4248	0.4875	0.4152	0.4972
1000	457	0.4307	0.4835	0.4258	0.4885	0.4162	0.4982
1000	458	0.4317	0.4845	0.4268	0.4895	0.4171	0.4992
1000	459	0.4327	0.4855	0.4278	0.4905	0.4182	0.5002
1000	460	0.4337	0.4865	0.4288	0.4915	0.4191	0.5012
1000	461	0.4347	0.4875	0.4297	0.4925	0.4201	0.5022
1000	462	0.4357	0.4885	0.4308	0.4935	0.4212	0.5032
1000	463	0.4367	0.4895	0.4317	0.4945	0.4221	0.5042
1000	464	0.4377	0.4905	0.4327	0.4955	0.4231	0.5052
1000	465	0.4387	0.4915	0.4337	0.4965	0.4241	0.5062
1000	466	0.4397	0.4925	0.4347	0.4975	0.4251	0.5072
1000	467	0.4406	0.4935	0.4357	0.4985	0.4260	0.5082
1000	468	0.4416	0.4945	0.4367	0.4995	0.4270	0.5092
1000	469	0.4426	0.4955	0.4377	0.5005	0.4281	0.5102
1000	470	0.4436	0.4965	0.4387	0.5015	0.4291	0.5112
1000	471	0.4446	0.4975	0.4397	0.5025	0.4300	0.5122
1000	472	0.4456	0.4985	0.4407	0.5035	0.4310	0.5132
1000	473	0.4466	0.4995	0.4417	0.5045	0.4320	0.5142
1000	474	0.4476	0.5005	0.4427	0.5055	0.4330	0.5152
1000	475	0.4486	0.5015	0.4437	0.5065	0.4340	0.5162
1000	476	0.4496	0.5025	0.4447	0.5075	0.4351	0.5172
1000	477	0.4506	0.5035	0.4456	0.5085	0.4359	0.5182
1000	478	0.4516	0.5045	0.4466	0.5095	0.4370	0.5192
1000	479	0.4526	0.5055	0.4476	0.5105	0.4380	0.5202
1000	480	0.4536	0.5065	0.4486	0.5115	0.4389	0.5212
1000	481	0.4546	0.5075	0.4496	0.5125	0.4400	0.5222
1000	482	0.4556	0.5085	0.4506	0.5135	0.4409	0.5232
1000	483	0.4566	0.5095	0.4516	0.5145	0.4420	0.5242
1000	484	0.4576	0.5105	0.4526	0.5155	0.4429	0.5252
1000	485	0.4585	0.5115	0.4536	0.5165	0.4439	0.5262
1000	486	0.4596	0.5125	0.4546	0.5175	0.4450	0.5272
1000	487	0.4606	0.5135	0.4556	0.5185	0.4460	0.5282
1000	488	0.4615	0.5145	0.4566	0.5195	0.4469	0.5292
1000	489	0.4625	0.5155	0.4576	0.5205	0.4480	0.5302
1000	490	0.4635	0.5165	0.4586	0.5215	0.4489	0.5312
1000	491	0.4645	0.5175	0.4596	0.5225	0.4498	0.5322
1000	492	0.4655	0.5185	0.4606	0.5235	0.4508	0.5332
1000	493	0.4665	0.5195	0.4616	0.5245	0.4518	0.5342
1000	494	0.4675	0.5205	0.4626	0.5255	0.4529	0.5352



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	495	0.4685	0.5215	0.4636	0.5265	0.4538	0.5362
1000	496	0.4695	0.5225	0.4646	0.5275	0.4549	0.5372
1000	497	0.4705	0.5235	0.4656	0.5285	0.4558	0.5382
1000	498	0.4715	0.5245	0.4665	0.5295	0.4568	0.5392
1000	499	0.4725	0.5255	0.4676	0.5304	0.4579	0.5402
1000	500	0.4735	0.5265	0.4686	0.5314	0.4588	0.5412
1000	501	0.4745	0.5275	0.4696	0.5324	0.4598	0.5421
1000	502	0.4755	0.5285	0.4705	0.5335	0.4608	0.5432
1000	503	0.4765	0.5295	0.4715	0.5344	0.4618	0.5442
1000	504	0.4775	0.5305	0.4725	0.5354	0.4628	0.5451
1000	505	0.4785	0.5315	0.4735	0.5364	0.4638	0.5462
1000	506	0.4795	0.5325	0.4745	0.5374	0.4648	0.5471
1000	507	0.4805	0.5335	0.4755	0.5384	0.4658	0.5482
1000	508	0.4815	0.5345	0.4765	0.5394	0.4668	0.5492
1000	509	0.4825	0.5355	0.4775	0.5404	0.4678	0.5502
1000	510	0.4835	0.5365	0.4785	0.5414	0.4688	0.5511
1000	511	0.4845	0.5375	0.4795	0.5424	0.4698	0.5520
1000	512	0.4855	0.5385	0.4805	0.5434	0.4708	0.5531
1000	513	0.4865	0.5394	0.4815	0.5444	0.4718	0.5540
1000	514	0.4875	0.5404	0.4825	0.5454	0.4728	0.5550
1000	515	0.4885	0.5415	0.4835	0.5464	0.4738	0.5561
1000	516	0.4895	0.5424	0.4845	0.5474	0.4748	0.5571
1000	517	0.4905	0.5434	0.4855	0.5484	0.4758	0.5580
1000	518	0.4915	0.5444	0.4865	0.5494	0.4768	0.5591
1000	519	0.4925	0.5454	0.4875	0.5504	0.4778	0.5600
1000	520	0.4935	0.5464	0.4885	0.5514	0.4788	0.5611
1000	521	0.4945	0.5474	0.4895	0.5524	0.4798	0.5620
1000	522	0.4955	0.5484	0.4905	0.5534	0.4808	0.5630
1000	523	0.4965	0.5494	0.4915	0.5544	0.4818	0.5641
1000	524	0.4975	0.5504	0.4925	0.5553	0.4828	0.5649
1000	525	0.4985	0.5514	0.4935	0.5563	0.4838	0.5660
1000	526	0.4995	0.5524	0.4945	0.5573	0.4848	0.5670
1000	527	0.5005	0.5534	0.4955	0.5583	0.4858	0.5680
1000	528	0.5015	0.5544	0.4965	0.5593	0.4868	0.5690
1000	529	0.5025	0.5554	0.4975	0.5603	0.4878	0.5700
1000	530	0.5035	0.5564	0.4985	0.5613	0.4888	0.5709
1000	531	0.5045	0.5574	0.4995	0.5623	0.4898	0.5719
1000	532	0.5055	0.5584	0.5005	0.5633	0.4908	0.5730
1000	533	0.5065	0.5594	0.5015	0.5643	0.4918	0.5740
1000	534	0.5075	0.5603	0.5025	0.5653	0.4928	0.5749
1000	535	0.5085	0.5613	0.5035	0.5663	0.4938	0.5759
1000	536	0.5095	0.5623	0.5045	0.5673	0.4948	0.5769
1000	537	0.5105	0.5633	0.5055	0.5683	0.4958	0.5779
1000	538	0.5115	0.5643	0.5065	0.5692	0.4968	0.5788
1000	539	0.5125	0.5653	0.5075	0.5703	0.4978	0.5799
1000	540	0.5135	0.5663	0.5085	0.5712	0.4988	0.5809
1000	541	0.5145	0.5673	0.5095	0.5722	0.4998	0.5818
1000	542	0.5155	0.5683	0.5105	0.5732	0.5008	0.5829
1000	543	0.5165	0.5693	0.5115	0.5742	0.5018	0.5838
1000	544	0.5175	0.5703	0.5125	0.5752	0.5028	0.5848
1000	545	0.5185	0.5713	0.5135	0.5762	0.5038	0.5858
1000	546	0.5195	0.5723	0.5145	0.5772	0.5048	0.5868
1000	547	0.5205	0.5733	0.5155	0.5782	0.5058	0.5877
1000	548	0.5215	0.5743	0.5165	0.5792	0.5068	0.5887
1000	549	0.5225	0.5752	0.5176	0.5801	0.5078	0.5897

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	550	0.5235	0.5762	0.5186	0.5811	0.5088	0.5907
1000	551	0.5245	0.5772	0.5196	0.5822	0.5098	0.5917
1000	552	0.5256	0.5782	0.5206	0.5831	0.5108	0.5927
1000	553	0.5265	0.5792	0.5216	0.5841	0.5118	0.5937
1000	554	0.5275	0.5802	0.5226	0.5851	0.5128	0.5946
1000	555	0.5286	0.5812	0.5236	0.5861	0.5138	0.5958
1000	556	0.5296	0.5822	0.5246	0.5871	0.5148	0.5967
1000	557	0.5306	0.5832	0.5256	0.5881	0.5158	0.5976
1000	558	0.5316	0.5842	0.5266	0.5891	0.5169	0.5986
1000	559	0.5326	0.5852	0.5276	0.5901	0.5178	0.5996
1000	560	0.5336	0.5862	0.5286	0.5911	0.5189	0.6007
1000	561	0.5346	0.5872	0.5296	0.5920	0.5199	0.6016
1000	562	0.5356	0.5881	0.5306	0.5930	0.5209	0.6026
1000	563	0.5366	0.5891	0.5316	0.5940	0.5219	0.6035
1000	564	0.5376	0.5901	0.5326	0.5950	0.5229	0.6045
1000	565	0.5386	0.5911	0.5336	0.5960	0.5239	0.6055
1000	566	0.5396	0.5921	0.5346	0.5970	0.5249	0.6065
1000	567	0.5406	0.5931	0.5356	0.5980	0.5259	0.6074
1000	568	0.5416	0.5941	0.5366	0.5990	0.5269	0.6084
1000	569	0.5426	0.5951	0.5376	0.6000	0.5279	0.6094
1000	570	0.5436	0.5961	0.5386	0.6009	0.5289	0.6104
1000	571	0.5446	0.5971	0.5396	0.6019	0.5299	0.6115
1000	572	0.5456	0.5981	0.5407	0.6029	0.5309	0.6124
1000	573	0.5466	0.5990	0.5417	0.6039	0.5319	0.6134
1000	574	0.5476	0.6000	0.5427	0.6049	0.5329	0.6143
1000	575	0.5487	0.6010	0.5437	0.6059	0.5339	0.6154
1000	576	0.5497	0.6020	0.5447	0.6068	0.5350	0.6163
1000	577	0.5507	0.6030	0.5457	0.6079	0.5360	0.6174
1000	578	0.5517	0.6040	0.5467	0.6088	0.5370	0.6183
1000	579	0.5527	0.6050	0.5477	0.6098	0.5380	0.6193
1000	580	0.5537	0.6060	0.5487	0.6108	0.5390	0.6202
1000	581	0.5547	0.6070	0.5497	0.6118	0.5400	0.6212
1000	582	0.5557	0.6080	0.5507	0.6128	0.5410	0.6223
1000	583	0.5567	0.6089	0.5517	0.6138	0.5420	0.6232
1000	584	0.5577	0.6099	0.5527	0.6148	0.5430	0.6242
1000	585	0.5587	0.6109	0.5537	0.6157	0.5440	0.6251
1000	586	0.5597	0.6119	0.5548	0.6167	0.5450	0.6261
1000	587	0.5607	0.6129	0.5558	0.6177	0.5461	0.6271
1000	588	0.5617	0.6139	0.5568	0.6187	0.5471	0.6281
1000	589	0.5627	0.6149	0.5578	0.6197	0.5481	0.6291
1000	590	0.5637	0.6159	0.5588	0.6207	0.5491	0.6300
1000	591	0.5648	0.6168	0.5598	0.6217	0.5501	0.6310
1000	592	0.5658	0.6178	0.5608	0.6226	0.5511	0.6320
1000	593	0.5668	0.6188	0.5618	0.6236	0.5521	0.6330
1000	594	0.5678	0.6198	0.5628	0.6246	0.5531	0.6339
1000	595	0.5688	0.6208	0.5638	0.6256	0.5541	0.6350
1000	596	0.5698	0.6218	0.5648	0.6266	0.5551	0.6359
1000	597	0.5708	0.6228	0.5658	0.6276	0.5562	0.6369
1000	598	0.5718	0.6238	0.5669	0.6285	0.5572	0.6379
1000	599	0.5728	0.6247	0.5679	0.6295	0.5582	0.6389
1000	600	0.5738	0.6257	0.5689	0.6305	0.5592	0.6399
1000	601	0.5748	0.6267	0.5699	0.6315	0.5602	0.6408
1000	602	0.5758	0.6277	0.5709	0.6325	0.5612	0.6418
1000	603	0.5769	0.6287	0.5719	0.6335	0.5622	0.6428
1000	604	0.5779	0.6297	0.5729	0.6345	0.5632	0.6438

# TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	605	0.5789	0.6307	0.5739	0.6354	0.5642	0.6448
1000	606	0.5799	0.6317	0.5749	0.6365	0.5653	0.6458
1000	607	0.5809	0.6327	0.5760	0.6374	0.5663	0.6467
1000	608	0.5819	0.6336	0.5770	0.6384	0.5673	0.6477
1000	609	0.5829	0.6346	0.5780	0.6394	0.5683	0.6486
1000	610	0.5839	0.6356	0.5790	0.6404	0.5693	0.6497
1000	611	0.5849	0.6366	0.5800	0.6413	0.5703	0.6506
1000	612	0.5859	0.6376	0.5810	0.6424	0.5713	0.6516
1000	613	0.5869	0.6386	0.5820	0.6433	0.5723	0.6525
1000	614	0.5880	0.6395	0.5830	0.6443	0.5734	0.6535
1000	615	0.5890	0.6405	0.5840	0.6453	0.5744	0.6545
1000	616	0.5900	0.6415	0.5850	0.6463	0.5754	0.6555
1000	617	0.5910	0.6425	0.5861	0.6473	0.5764	0.6565
1000	618	0.5920	0.6435	0.5871	0.6482	0.5774	0.6574
1000	619	0.5930	0.6445	0.5881	0.6492	0.5784	0.6584
1000	620	0.5940	0.6455	0.5891	0.6502	0.5795	0.6594
1000	621	0.5950	0.6464	0.5901	0.6512	0.5805	0.6603
1000	622	0.5960	0.6474	0.5911	0.6522	0.5815	0.6613
1000	623	0.5971	0.6484	0.5921	0.6531	0.5825	0.6624
1000	624	0.5981	0.6494	0.5931	0.6541	0.5835	0.6633
1000	625	0.5991	0.6504	0.5942	0.6551	0.5845	0.6642
1000	626	0.6001	0.6514	0.5952	0.6561	0.5855	0.6652
1000	627	0.6011	0.6524	0.5962	0.6571	0.5866	0.6662
1000	628	0.6021	0.6533	0.5972	0.6581	0.5876	0.6672
1000	629	0.6031	0.6543	0.5982	0.6590	0.5886	0.6681
1000	630	0.6041	0.6553	0.5992	0.6600	0.5896	0.6691
1000	631	0.6051	0.6563	0.6002	0.6610	0.5906	0.6701
1000	632	0.6061	0.6573	0.6012	0.6620	0.5917	0.6711
1000	633	0.6072	0.6583	0.6023	0.6630	0.5927	0.6721
1000	634	0.6082	0.6592	0.6033	0.6639	0.5937	0.6730
1000	635	0.6092	0.6602	0.6043	0.6649	0.5947	0.6740
1000	636	0.6102	0.6612	0.6053	0.6659	0.5957	0.6749
1000	637	0.6112	0.6622	0.6063	0.6669	0.5967	0.6759
1000	638	0.6122	0.6632	0.6073	0.6678	0.5978	0.6769
1000	639	0.6132	0.6641	0.6084	0.6688	0.5988	0.6779
1000	640	0.6143	0.6651	0.6094	0.6698	0.5998	0.6789
1000	641	0.6153	0.6661	0.6104	0.6708	0.6008	0.6798
1000	642	0.6163	0.6671	0.6114	0.6717	0.6018	0.6807
1000	643	0.6173	0.6681	0.6124	0.6727	0.6029	0.6818
1000	644	0.6183	0.6691	0.6134	0.6737	0.6039	0.6827
1000	645	0.6193	0.6700	0.6144	0.6747	0.6049	0.6837
1000	646	0.6203	0.6710	0.6155	0.6757	0.6059	0.6847
1000	647	0.6213	0.6720	0.6165	0.6767	0.6069	0.6857
1000	648	0.6224	0.6730	0.6175	0.6776	0.6080	0.6866
1000	649	0.6234	0.6740	0.6185	0.6786	0.6090	0.6876
1000	650	0.6244	0.6749	0.6195	0.6796	0.6100	0.6885
1000	651	0.6254	0.6759	0.6206	0.6806	0.6110	0.6895
1000	652	0.6264	0.6769	0.6216	0.6815	0.6120	0.6905
1000	653	0.6274	0.6779	0.6226	0.6825	0.6131	0.6914
1000	654	0.6284	0.6789	0.6236	0.6835	0.6141	0.6924
1000	655	0.6295	0.6799	0.6246	0.6845	0.6151	0.6934
1000	656	0.6305	0.6808	0.6256	0.6854	0.6161	0.6943
1000	657	0.6315	0.6818	0.6267	0.6864	0.6171	0.6954
1000	658	0.6325	0.6828	0.6277	0.6874	0.6182	0.6963
1000	659	0.6335	0.6838	0.6287	0.6884	0.6192	0.6973

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	660	0.6345	0.6848	0.6297	0.6893	0.6202	0.6982
1000	661	0.6356	0.6858	0.6307	0.6903	0.6212	0.6992
1000	662	0.6366	0.6867	0.6317	0.6913	0.6223	0.7002
1000	663	0.6376	0.6877	0.6328	0.6923	0.6233	0.7011
1000	664	0.6386	0.6887	0.6338	0.6933	0.6243	0.7021
1000	665	0.6396	0.6897	0.6348	0.6942	0.6253	0.7030
1000	666	0.6406	0.6907	0.6358	0.6952	0.6264	0.7040
1000	667	0.6416	0.6916	0.6368	0.6962	0.6274	0.7051
1000	668	0.6427	0.6926	0.6379	0.6972	0.6284	0.7060
1000	669	0.6437	0.6936	0.6389	0.6981	0.6294	0.7069
1000	670	0.6447	0.6946	0.6399	0.6991	0.6305	0.7080
1000	671	0.6457	0.6955	0.6409	0.7001	0.6315	0.7089
1000	672	0.6467	0.6965	0.6419	0.7011	0.6325	0.7098
1000	673	0.6477	0.6975	0.6430	0.7020	0.6335	0.7108
1000	674	0.6488	0.6985	0.6440	0.7030	0.6345	0.7117
1000	675	0.6498	0.6995	0.6450	0.7040	0.6356	0.7127
1000	676	0.6508	0.7004	0.6460	0.7049	0.6366	0.7136
1000	677	0.6518	0.7014	0.6470	0.7059	0.6376	0.7147
1000	678	0.6528	0.7024	0.6480	0.7069	0.6386	0.7157
1000	679	0.6538	0.7034	0.6491	0.7079	0.6397	0.7166
1000	680	0.6549	0.7044	0.6501	0.7088	0.6407	0.7176
1000	681	0.6559	0.7053	0.6511	0.7098	0.6417	0.7186
1000	682	0.6569	0.7063	0.6521	0.7108	0.6428	0.7195
1000	683	0.6579	0.7073	0.6532	0.7118	0.6438	0.7204
1000	684	0.6589	0.7083	0.6542	0.7127	0.6448	0.7214
1000	685	0.6600	0.7092	0.6552	0.7137	0.6458	0.7224
1000	686	0.6610	0.7102	0.6562	0.7147	0.6469	0.7233
1000	687	0.6620	0.7112	0.6572	0.7156	0.6479	0.7242
1000	688	0.6630	0.7122	0.6583	0.7166	0.6489	0.7253
1000	689	0.6640	0.7131	0.6593	0.7176	0.6500	0.7262
1000	690	0.6650	0.7141	0.6603	0.7186	0.6510	0.7271
1000	691	0.6661	0.7151	0.6613	0.7195	0.6520	0.7281
1000	692	0.6671	0.7161	0.6623	0.7205	0.6530	0.7292
1000	693	0.6681	0.7170	0.6634	0.7215	0.6541	0.7301
1000	694	0.6691	0.7180	0.6644	0.7225	0.6551	0.7310
1000	695	0.6701	0.7190	0.6654	0.7234	0.6561	0.7320
1000	696	0.6712	0.7200	0.6665	0.7244	0.6572	0.7329
1000	697	0.6722	0.7210	0.6675	0.7254	0.6582	0.7339
1000	698	0.6732	0.7219	0.6685	0.7263	0.6592	0.7349
1000	699	0.6742	0.7229	0.6695	0.7273	0.6602	0.7358
1000	700	0.6752	0.7239	0.6705	0.7283	0.6613	0.7368
1000	701	0.6763	0.7248	0.6716	0.7292	0.6623	0.7377
1000	702	0.6773	0.7258	0.6726	0.7302	0.6633	0.7387
1000	703	0.6783	0.7268	0.6736	0.7312	0.6644	0.7397
1000	704	0.6793	0.7278	0.6746	0.7322	0.6654	0.7406
1000	705	0.6804	0.7288	0.6757	0.7331	0.6664	0.7416
1000	706	0.6814	0.7297	0.6757	0.7341	0.6675	0.7426
1000	707	0.6824	0.7307	0.6777	0.7351	0.6685	0.7435
1000	708	0.6834	0.7317	0.6787	0.7360	0.6695	0.7444
1000	709	0.6844	0.7326	0.6798	0.7370	0.6706	0.7454
1000	710	0.6855	0.7336	0.6808	0.7380	0.6716	0.7464
1000	711	0.6865	0.7346	0.6819	0.7389	0.6726	0.7473
1000	712	0.6875	0.7356	0.6828	0.7399	0.6737	0.7483
1000	713	0.6885	0.7365	0.6839	0.7409	0.6747	0.7492
1000	714	0.6896	0.7375	0.6849	0.7418	0.6757	0.7502

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	715	0.6906	0.7385	0.6859	0.7428	0.6768	0.7512
1000	716	0.6916	0.7395	0.6869	0.7438	0.6778	0.7521
1000	717	0.6926	0.7404	0.6880	0.7448	0.6788	0.7531
1000	718	0.6936	0.7414	0.6890	0.7457	0.6799	0.7540
1000	719	0.6947	0.7424	0.6900	0.7467	0.6809	0.7549
1000	720	0.6957	0.7434	0.6910	0.7476	0.6819	0.7559
1000	721	0.6967	0.7443	0.6921	0.7486	0.6830	0.7569
1000	722	0.6977	0.7453	0.6931	0.7496	0.6840	0.7578
1000	723	0.6988	0.7463	0.6941	0.7505	0.6850	0.7588
1000	724	0.6998	0.7472	0.6952	0.7515	0.6861	0.7598
1000	725	0.7008	0.7482	0.6962	0.7525	0.6871	0.7607
1000	726	0.7018	0.7492	0.6972	0.7534	0.6881	0.7617
1000	727	0.7028	0.7502	0.6982	0.7544	0.6892	0.7626
1000	728	0.7039	0.7511	0.6993	0.7554	0.6902	0.7636
1000	729	0.7049	0.7521	0.7003	0.7563	0.6912	0.7645
1000	730	0.7059	0.7531	0.7013	0.7573	0.6923	0.7655
1000	731	0.7069	0.7540	0.7024	0.7583	0.6933	0.7664
1000	732	0.7080	0.7550	0.7034	0.7592	0.6944	0.7674
1000	733	0.7090	0.7560	0.7044	0.7602	0.6954	0.7684
1000	734	0.7100	0.7570	0.7055	0.7612	0.6964	0.7693
1000	735	0.7111	0.7579	0.7065	0.7621	0.6975	0.7703
1000	736	0.7121	0.7589	0.7075	0.7631	0.6985	0.7712
1000	737	0.7131	0.7599	0.7085	0.7641	0.6995	0.7722
1000	738	0.7141	0.7608	0.7096	0.7650	0.7006	0.7731
1000	739	0.7152	0.7618	0.7106	0.7660	0.7016	0.7741
1000	740	0.7162	0.7628	0.7116	0.7669	0.7027	0.7750
1000	741	0.7172	0.7637	0.7127	0.7679	0.7037	0.7760
1000	742	0.7182	0.7647	0.7137	0.7689	0.7048	0.7769
1000	743	0.7193	0.7657	0.7147	0.7698	0.7058	0.7778
1000	744	0.7203	0.7667	0.7158	0.7708	0.7068	0.7788
1000	745	0.7213	0.7676	0.7168	0.7718	0.7079	0.7797
1000	746	0.7223	0.7686	0.7178	0.7727	0.7089	0.7808
1000	747	0.7234	0.7696	0.7188	0.7737	0.7100	0.7817
1000	748	0.7244	0.7705	0.7199	0.7747	0.7110	0.7826
1000	749	0.7254	0.7715	0.7209	0.7756	0.7120	0.7835
1000	750	0.7264	0.7725	0.7219	0.7766	0.7131	0.7845
1000	751	0.7275	0.7734	0.7230	0.7775	0.7141	0.7854
1000	752	0.7285	0.7744	0.7240	0.7785	0.7152	0.7864
1000	753	0.7295	0.7754	0.7250	0.7794	0.7162	0.7874
1000	754	0.7306	0.7763	0.7261	0.7804	0.7172	0.7883
1000	755	0.7316	0.7773	0.7271	0.7814	0.7183	0.7893
1000	756	0.7326	0.7783	0.7282	0.7823	0.7193	0.7902
1000	757	0.7337	0.7792	0.7292	0.7833	0.7204	0.7911
1000	758	0.7347	0.7802	0.7302	0.7842	0.7214	0.7920
1000	759	0.7357	0.7812	0.7313	0.7852	0.7225	0.7931
1000	760	0.7367	0.7821	0.7323	0.7862	0.7235	0.7940
1000	761	0.7378	0.7831	0.7333	0.7871	0.7246	0.7949
1000	762	0.7388	0.7841	0.7344	0.7881	0.7256	0.7959
1000	763	0.7398	0.7850	0.7354	0.7891	0.7266	0.7968
1000	764	0.7409	0.7860	0.7364	0.7900	0.7277	0.7977
1000	765	0.7419	0.7869	0.7375	0.7910	0.7287	0.7987
1000	766	0.7429	0.7879	0.7385	0.7919	0.7298	0.7997
1000	767	0.7439	0.7889	0.7395	0.7929	0.7308	0.8006
1000	768	0.7450	0.7898	0.7406	0.7938	0.7319	0.8015
1000	769	0.7460	0.7908	0.7416	0.7948	0.7329	0.8025

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	770	0.7470	0.7918	0.7426	0.7958	0.7340	0.8034
1000	771	0.7481	0.7927	0.7437	0.7967	0.7350	0.8044
1000	772	0.7491	0.7937	0.7447	0.7977	0.7361	0.8053
1000	773	0.7501	0.7947	0.7458	0.7986	0.7371	0.8063
1000	774	0.7512	0.7956	0.7468	0.7996	0.7382	0.8072
1000	775	0.7522	0.7966	0.7478	0.8005	0.7392	0.8081
1000	776	0.7532	0.7976	0.7489	0.8015	0.7403	0.8091
1000	777	0.7542	0.7985	0.7499	0.8025	0.7413	0.8100
1000	778	0.7553	0.7995	0.7509	0.8034	0.7423	0.8110
1000	779	0.7563	0.8005	0.7520	0.8044	0.7434	0.8119
1000	780	0.7573	0.8014	0.7530	0.8053	0.7445	0.8128
1000	781	0.7584	0.8024	0.7541	0.8063	0.7455	0.8138
1000	782	0.7594	0.8033	0.7551	0.8072	0.7466	0.8147
1000	783	0.7605	0.8043	0.7561	0.8082	0.7476	0.8157
1000	784	0.7615	0.8053	0.7572	0.8091	0.7486	0.8166
1000	785	0.7625	0.8062	0.7582	0.8101	0.7497	0.8175
1000	786	0.7636	0.8072	0.7593	0.8110	0.7508	0.8185
1000	787	0.7646	0.8081	0.7603	0.8120	0.7518	0.8194
1000	788	0.7656	0.8091	0.7613	0.8130	0.7529	0.8204
1000	789	0.7667	0.8101	0.7624	0.8139	0.7539	0.8213
1000	790	0.7677	0.8110	0.7634	0.8149	0.7550	0.8222
1000	791	0.7687	0.8120	0.7645	0.8158	0.7560	0.8232
1000	792	0.7698	0.8130	0.7655	0.8168	0.7571	0.8241
1000	793	0.7708	0.8139	0.7665	0.8177	0.7581	0.8250
1000	794	0.7718	0.8149	0.7676	0.8187	0.7592	0.8260
1000	795	0.7729	0.8158	0.7686	0.8196	0.7602	0.8269
1000	796	0.7739	0.8168	0.7697	0.8206	0.7613	0.8278
1000	797	0.7749	0.8178	0.7707	0.8215	0.7624	0.8288
1000	798	0.7760	0.8187	0.7718	0.8225	0.7634	0.8297
1000	799	0.7770	0.8197	0.7728	0.8234	0.7645	0.8307
1000	800	0.7781	0.8206	0.7738	0.8244	0.7655	0.8316
1000	801	0.7791	0.8216	0.7749	0.8253	0.7666	0.8325
1000	802	0.7801	0.8225	0.7759	0.8263	0.7676	0.8334
1000	803	0.7812	0.8235	0.7770	0.8272	0.7687	0.8344
1000	804	0.7822	0.8245	0.7780	0.8282	0.7697	0.8353
1000	805	0.7832	0.8254	0.7791	0.8291	0.7708	0.8363
1000	806	0.7843	0.8264	0.7801	0.8301	0.7719	0.8372
1000	807	0.7853	0.8273	0.7812	0.8310	0.7729	0.8381
1000	808	0.7864	0.8283	0.7822	0.8320	0.7740	0.8390
1000	809	0.7874	0.8292	0.7832	0.8329	0.7750	0.8400
1000	810	0.7884	0.8302	0.7843	0.8339	0.7761	0.8409
1000	811	0.7895	0.8312	0.7853	0.8348	0.7772	0.8418
1000	812	0.7905	0.8321	0.7864	0.8358	0.7782	0.8428
1000	813	0.7915	0.8331	0.7874	0.8367	0.7793	0.8437
1000	814	0.7926	0.8340	0.7885	0.8377	0.7803	0.8446
1000	815	0.7936	0.8350	0.7895	0.8386	0.7814	0.8456
1000	816	0.7947	0.8359	0.7906	0.8396	0.7824	0.8465
1000	817	0.7957	0.8369	0.7916	0.8405	0.7835	0.8474
1000	818	0.7967	0.8379	0.7927	0.8415	0.7846	0.8484
1000	819	0.7978	0.8388	0.7937	0.8424	0.7856	0.8493
1000	820	0.7988	0.8398	0.7948	0.8433	0.7867	0.8502
1000	821	0.7999	0.8407	0.7958	0.8443	0.7878	0.8511
1000	822	0.8009	0.8417	0.7969	0.8452	0.7888	0.8521
1000	823	0.8019	0.8426	0.7979	0.8462	0.7899	0.8530
1000	824	0.8030	0.8436	0.7990	0.8471	0.7909	0.8539

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	825	0.8040	0.8445	0.8000	0.8481	0.7920	0.8548
1000	826	0.8051	0.8455	0.8010	0.8490	0.7931	0.8558
1000	827	0.8061	0.8464	0.8021	0.8500	0.7941	0.8567
1000	828	0.8072	0.8474	0.8032	0.8509	0.7952	0.8576
1000	829	0.8082	0.8484	0.8042	0.8518	0.7963	0.8585
1000	830	0.8092	0.8493	0.8053	0.8528	0.7973	0.8595
1000	831	0.8103	0.8503	0.8063	0.8537	0.7984	0.8604
1000	832	0.8113	0.8512	0.8074	0.8547	0.7995	0.8613
1000	833	0.8124	0.8521	0.8084	0.8556	0.8005	0.8622
1000	834	0.8134	0.8531	0.8095	0.8565	0.8016	0.8632
1000	835	0.8145	0.8541	0.8105	0.8575	0.8026	0.8641
1000	836	0.8155	0.8550	0.8116	0.8584	0.8038	0.8650
1000	837	0.8166	0.8560	0.8126	0.8594	0.8048	0.8659
1000	838	0.8176	0.8569	0.8137	0.8603	0.8059	0.8668
1000	839	0.8186	0.8579	0.8147	0.8613	0.8070	0.8678
1000	840	0.8197	0.8588	0.8158	0.8622	0.8080	0.8687
1000	841	0.8207	0.8598	0.8168	0.8631	0.8091	0.8696
1000	842	0.8218	0.8607	0.8179	0.8641	0.8101	0.8705
1000	843	0.8228	0.8617	0.8189	0.8650	0.8112	0.8714
1000	844	0.8239	0.8626	0.8200	0.8659	0.8123	0.8724
1000	845	0.8249	0.8635	0.8211	0.8669	0.8134	0.8733
1000	846	0.8260	0.8645	0.8221	0.8678	0.8144	0.8742
1000	847	0.8270	0.8655	0.8232	0.8688	0.8155	0.8751
1000	848	0.8281	0.8664	0.8242	0.8697	0.8166	0.8760
1000	849	0.8291	0.8673	0.8253	0.8706	0.8176	0.8769
1000	850	0.8302	0.8683	0.8263	0.8716	0.8188	0.8779
1000	851	0.8312	0.8692	0.8274	0.8725	0.8198	0.8788
1000	852	0.8323	0.8702	0.8285	0.8735	0.8209	0.8797
1000	853	0.8333	0.8711	0.8295	0.8744	0.8220	0.8806
1000	854	0.8344	0.8721	0.8306	0.8753	0.8231	0.8815
1000	855	0.8354	0.8730	0.8316	0.8763	0.8241	0.8824
1000	856	0.8365	0.8740	0.8327	0.8772	0.8252	0.8833
1000	857	0.8375	0.8749	0.8337	0.8781	0.8263	0.8843
1000	858	0.8386	0.8759	0.8348	0.8791	0.8273	0.8852
1000	859	0.8396	0.8768	0.8359	0.8800	0.8284	0.8861
1000	860	0.8407	0.8777	0.8369	0.8809	0.8295	0.8870
1000	861	0.8417	0.8787	0.8380	0.8819	0.8306	0.8879
1000	862	0.8428	0.8796	0.8391	0.8828	0.8317	0.8888
1000	863	0.8438	0.8806	0.8401	0.8837	0.8328	0.8897
1000	864	0.8449	0.8815	0.8412	0.8847	0.8338	0.8906
1000	865	0.8459	0.8825	0.8422	0.8856	0.8349	0.8915
1000	866	0.8470	0.8834	0.8433	0.8865	0.8360	0.8924
1000	867	0.8480	0.8843	0.8444	0.8874	0.8371	0.8933
1000	868	0.8491	0.8853	0.8454	0.8884	0.8382	0.8943
1000	869	0.8501	0.8862	0.8465	0.8893	0.8392	0.8952
1000	870	0.8512	0.8872	0.8476	0.8902	0.8403	0.8961
1000	871	0.8523	0.8881	0.8486	0.8912	0.8415	0.8970
1000	872	0.8533	0.8890	0.8497	0.8921	0.8425	0.8979
1000	873	0.8544	0.8900	0.8508	0.8930	0.8436	0.8988
1000	874	0.8554	0.8909	0.8518	0.8939	0.8447	0.8997
1000	875	0.8565	0.8919	0.8529	0.8949	0.8457	0.9006
1000	876	0.8575	0.8928	0.8540	0.8958	0.8469	0.9015
1000	877	0.8586	0.8937	0.8550	0.8967	0.8479	0.9024
1000	878	0.8596	0.8947	0.8561	0.8977	0.8490	0.9033
1000	879	0.8607	0.8956	0.8572	0.8986	0.8501	0.9042

## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	880	0.8618	0.8966	0.8582	0.8995	0.8512	0.9051
1000	881	0.8628	0.8975	0.8593	0.9004	0.8523	0.9060
1000	882	0.8639	0.8984	0.8604	0.9013	0.8534	0.9069
1000	883	0.8649	0.8994	0.8614	0.9023	0.8545	0.9078
1000	884	0.8660	0.9003	0.8625	0.9032	0.8556	0.9087
1000	885	0.8671	0.9012	0.8636	0.9041	0.8566	0.9096
1000	886	0.8681	0.9022	0.8646	0.9050	0.8577	0.9105
1000	887	0.8692	0.9031	0.8657	0.9060	0.8588	0.9114
1000	888	0.8702	0.9040	0.8668	0.9069	0.8599	0.9123
1000	889	0.8713	0.9050	0.8679	0.9078	0.8610	0.9132
1000	890	0.8724	0.9059	0.8689	0.9087	0.8621	0.9141
1000	891	0.8734	0.9068	0.8700	0.9096	0.8632	0.9150
1000	892	0.8745	0.9078	0.8711	0.9106	0.8643	0.9159
1000	893	0.8756	0.9087	0.8722	0.9115	0.8654	0.9168
1000	894	0.8766	0.9096	0.8733	0.9124	0.8665	0.9176
1000	895	0.8777	0.9106	0.8743	0.9133	0.8676	0.9185
1000	896	0.8787	0.9115	0.8754	0.9142	0.8687	0.9194
1000	897	0.8798	0.9124	0.8765	0.9152	0.8698	0.9203
1000	898	0.8809	0.9134	0.8776	0.9161	0.8709	0.9212
1000	899	0.8820	0.9143	0.8786	0.9170	0.8720	0.9221
1000	900	0.8830	0.9152	0.8797	0.9179	0.8731	0.9230
1000	901	0.8841	0.9161	0.8808	0.9188	0.8742	0.9239
1000	902	0.8851	0.9171	0.8819	0.9197	0.8753	0.9248
1000	903	0.8862	0.9180	0.8830	0.9206	0.8764	0.9256
1000	904	0.8873	0.9189	0.8840	0.9215	0.8775	0.9265
1000	905	0.8883	0.9199	0.8851	0.9225	0.8786	0.9274
1000	906	0.8894	0.9208	0.8862	0.9234	0.8798	0.9283
1000	907	0.8905	0.9217	0.8873	0.9243	0.8809	0.9292
1000	908	0.8916	0.9226	0.8884	0.9252	0.8820	0.9300
1000	909	0.8926	0.9236	0.8894	0.9261	0.8831	0.9309
1000	910	0.8937	0.9245	0.8905	0.9270	0.8842	0.9318
1000	911	0.8948	0.9254	0.8916	0.9279	0.8853	0.9327
1000	912	0.8958	0.9263	0.8927	0.9288	0.8864	0.9336
1000	913	0.8969	0.9272	0.8938	0.9297	0.8875	0.9344
1000	914	0.8980	0.9282	0.8949	0.9306	0.8886	0.9353
1000	915	0.8991	0.9291	0.8960	0.9315	0.8898	0.9362
1000	916	0.9001	0.9300	0.8971	0.9324	0.8909	0.9371
1000	917	0.9012	0.9309	0.8981	0.9334	0.8920	0.9379
1000	918	0.9023	0.9318	0.8992	0.9343	0.8931	0.9388
1000	919	0.9034	0.9328	0.9003	0.9352	0.8942	0.9397
1000	920	0.9045	0.9337	0.9014	0.9361	0.8953	0.9406
1000	921	0.9055	0.9346	0.9025	0.9370	0.8965	0.9414
1000	922	0.9066	0.9355	0.9036	0.9379	0.8976	0.9423
1000	923	0.9077	0.9364	0.9047	0.9388	0.8987	0.9432
1000	924	0.9088	0.9373	0.9058	0.9397	0.8998	0.9440
1000	925	0.9098	0.9383	0.9069	0.9406	0.9010	0.9449
1000	926	0.9109	0.9392	0.9080	0.9414	0.9021	0.9457
1000	927	0.9120	0.9401	0.9091	0.9423	0.9032	0.9466
1000	928	0.9131	0.9410	0.9102	0.9432	0.9043	0.9475
1000	929	0.9142	0.9419	0.9113	0.9441	0.9055	0.9483
1000	930	0.9153	0.9428	0.9124	0.9450	0.9066	0.9492
1000	931	0.9163	0.9437	0.9135	0.9459	0.9077	0.9500
1000	932	0.9174	0.9446	0.9146	0.9468	0.9089	0.9509
1000	933	0.9185	0.9455	0.9157	0.9477	0.9100	0.9518
1000	934	0.9196	0.9464	0.9168	0.9486	0.9111	0.9526



## TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	935	0.9207	0.9474	0.9179	0.9495	0.9123	0.9535
1000	936	0.9218	0.9483	0.9190	0.9504	0.9134	0.9543
1000	937	0.9229	0.9492	0.9201	0.9513	0.9145	0.9552
1000	938	0.9240	0.9501	0.9212	0.9521	0.9157	0.9560
1000	939	0.9251	0.9510	0.9223	0.9530	0.9168	0.9569
1000	940	0.9262	0.9519	0.9234	0.9539	0.9180	0.9577
1000	941	0.9272	0.9528	0.9246	0.9548	0.9191	0.9586
1000	942	0.9283	0.9537	0.9257	0.9557	0.9203	0.9594
1000	943	0.9294	0.9546	0.9268	0.9565	0.9214	0.9602
1000	944	0.9305	0.9555	0.9279	0.9574	0.9226	0.9611
1000	945	0.9316	0.9564	0.9290	0.9583	0.9237	0.9619
1000	946	0.9327	0.9573	0.9301	0.9592	0.9249	0.9627
1000	947	0.9338	0.9582	0.9312	0.9601	0.9260	0.9636
1000	948	0.9349	0.9591	0.9324	0.9609	0.9272	0.9644
1000	949	0.9360	0.9599	0.9335	0.9618	0.9283	0.9652
1000	950	0.9371	0.9608	0.9346	0.9627	0.9295	0.9661
1000	951	0.9382	0.9617	0.9357	0.9635	0.9307	0.9669
1000	952	0.9393	0.9626	0.9369	0.9644	0.9318	0.9677
1000	953	0.9405	0.9635	0.9380	0.9653	0.9330	0.9685
1000	954	0.9416	0.9644	0.9391	0.9661	0.9342	0.9694
1000	955	0.9427	0.9653	0.9402	0.9670	0.9353	0.9702
1000	956	0.9438	0.9662	0.9414	0.9678	0.9365	0.9710
1000	957	0.9449	0.9670	0.9425	0.9687	0.9377	0.9718
1000	958	0.9460	0.9679	0.9437	0.9696	0.9389	0.9726
1000	959	0.9471	0.9688	0.9448	0.9704	0.9400	0.9734
1000	960	0.9482	0.9697	0.9459	0.9713	0.9412	0.9742
1000	961	0.9494	0.9705	0.9471	0.9721	0.9424	0.9750
1000	962	0.9505	0.9714	0.9482	0.9730	0.9436	0.9758
1000	963	0.9516	0.9723	0.9494	0.9738	0.9448	0.9766
1000	964	0.9527	0.9732	0.9505	0.9747	0.9460	0.9774
1000	965	0.9539	0.9740	0.9517	0.9755	0.9472	0.9782
1000	966	0.9550	0.9749	0.9528	0.9763	0.9484	0.9790
1000	967	0.9561	0.9758	0.9540	0.9772	0.9496	0.9798
1000	968	0.9573	0.9766	0.9551	0.9780	0.9508	0.9806
1000	969	0.9584	0.9775	0.9563	0.9788	0.9520	0.9814
1000	970	0.9595	0.9783	0.9574	0.9797	0.9532	0.9821
1000	971	0.9607	0.9792	0.9586	0.9805	0.9544	0.9829
1000	972	0.9618	0.9800	0.9598	0.9813	0.9556	0.9837
1000	973	0.9630	0.9809	0.9610	0.9821	0.9569	0.9844
1000	974	0.9641	0.9817	0.9621	0.9829	0.9581	0.9852
1000	975	0.9653	0.9826	0.9633	0.9838	0.9593	0.9859
1000	976	0.9664	0.9834	0.9645	0.9846	0.9606	0.9867
1000	977	0.9676	0.9842	0.9657	0.9854	0.9618	0.9874
1000	978	0.9687	0.9851	0.9669	0.9862	0.9631	0.9882
1000	979	0.9699	0.9859	0.9681	0.9870	0.9643	0.9889
1000	980	0.9711	0.9867	0.9693	0.9877	0.9656	0.9896
1000	981	0.9722	0.9875	0.9705	0.9885	0.9669	0.9903
1000	982	0.9734	0.9883	0.9717	0.9893	0.9681	0.9910
1000	983	0.9746	0.9891	0.9729	0.9901	0.9694	0.9917
1000	984	0.9758	0.9899	0.9741	0.9908	0.9707	0.9924
1000	985	0.9770	0.9907	0.9754	0.9916	0.9720	0.9931
1000	986	0.9782	0.9915	0.9766	0.9923	0.9733	0.9937
1000	987	0.9794	0.9923	0.9779	0.9931	0.9747	0.9944
1000	988	0.9806	0.9931	0.9791	0.9938	0.9760	0.9950
1000	989	0.9819	0.9938	0.9804	0.9945	0.9774	0.9957

TWO-SIDED CONFIDENCE LIMITS FOR PROPORTIONS

N	K	90% CL		95% CL		99% CL	
		LOWER	UPPER	LOWER	UPPER	LOWER	UPPER
1000	990	0.9831	0.9946	0.9817	0.9952	0.9787	0.9963
1000	991	0.9843	0.9953	0.9830	0.9959	0.9801	0.9969
1000	992	0.9856	0.9960	0.9843	0.9965	0.9815	0.9974
1000	993	0.9869	0.9967	0.9856	0.9972	0.9830	0.9980
1000	994	0.9882	0.9974	0.9870	0.9978	0.9844	0.9985
1000	995	0.9895	0.9980	0.9884	0.9984	0.9859	0.9989
1000	996	0.9909	0.9986	0.9898	0.9989	0.9875	0.9993
1000	997	0.9923	0.9992	0.9913	0.9994	0.9891	0.9997
1000	998	0.9937	0.9996	0.9928	0.9998	0.9908	0.9999
1000	999	0.9953	0.9999	0.9944	1.0000	0.9926	1.0000
1000	1000	0.9970	1.0000	0.9963	1.0000	0.9947	1.0000

(This page intentionally blank)

(This page intentionally blank)

TABLE 2.  
(Pages 193 through 280)

One-sided  
LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE 90%	CONFIDENCE 95%	LEVEL 99%	N	K	CONFIDENCE 90%	CONFIDENCE 95%	LEVEL 99%
1	0	0.000	0.000	0.000	10	0	0.000	0.000	0.000
1	1	0.100	0.050	0.010	10	1	0.010	0.005	0.001
					10	2	0.055	0.037	0.016
2	0	0.000	0.000	0.000	10	3	0.116	0.087	0.048
2	1	0.051	0.025	0.005	10	4	0.188	0.150	0.093
2	2	0.316	0.224	0.100					
					10	5	0.267	0.222	0.150
3	0	0.000	0.000	0.000	10	6	0.354	0.304	0.218
3	1	0.035	0.017	0.003	10	7	0.448	0.393	0.297
3	2	0.196	0.135	0.059	10	8	0.550	0.493	0.388
3	3	0.464	0.369	0.215	10	9	0.663	0.606	0.496
4	0	0.000	0.000	0.000	10	10	0.794	0.741	0.631
4	1	0.026	0.013	0.003					
4	2	0.143	0.098	0.042	11	0	0.000	0.000	0.000
4	3	0.320	0.249	0.141	11	1	0.010	0.005	0.001
4	4	0.562	0.473	0.316	11	2	0.050	0.033	0.014
					11	3	0.105	0.079	0.043
5	0	0.000	0.000	0.000	11	4	0.169	0.135	0.084
5	1	0.021	0.010	0.002					
5	2	0.112	0.077	0.033	11	5	0.240	0.199	0.134
5	3	0.247	0.189	0.106	11	6	0.318	0.271	0.194
5	4	0.416	0.343	0.222	11	7	0.401	0.350	0.262
					11	8	0.489	0.436	0.340
5	5	0.631	0.549	0.398	11	9	0.585	0.530	0.428
6	0	0.000	0.000	0.000	11	10	0.690	0.636	0.530
6	1	0.018	0.009	0.002	11	11	0.811	0.762	0.658
6	2	0.093	0.063	0.027					
6	3	0.201	0.153	0.085	12	0	0.000	0.000	0.000
6	4	0.333	0.271	0.173	12	1	0.009	0.004	0.001
					12	2	0.045	0.031	0.013
6	5	0.490	0.418	0.294	12	3	0.096	0.072	0.039
6	6	0.681	0.607	0.464	12	4	0.154	0.123	0.076
7	0	0.000	0.000	0.000	12	5	0.219	0.181	0.121
7	1	0.015	0.007	0.002	12	6	0.288	0.245	0.174
7	2	0.079	0.053	0.023	12	7	0.362	0.315	0.235
7	3	0.170	0.129	0.071	12	8	0.441	0.391	0.302
7	4	0.279	0.225	0.142	12	9	0.525	0.473	0.378
7	5	0.404	0.341	0.236	12	10	0.615	0.562	0.463
7	6	0.548	0.479	0.357	12	11	0.713	0.661	0.561
7	7	0.720	0.652	0.518	12	12	0.825	0.779	0.681
8	0	0.000	0.000	0.000	13	0	0.000	0.000	0.000
8	1	0.013	0.006	0.001	13	1	0.008	0.004	0.001
8	2	0.069	0.046	0.020	13	2	0.042	0.028	0.012
8	3	0.147	0.111	0.061	13	3	0.088	0.066	0.036
8	4	0.240	0.193	0.121	13	4	0.142	0.113	0.070
8	5	0.345	0.289	0.198	13	5	0.200	0.166	0.111
8	6	0.462	0.400	0.293	13	6	0.264	0.224	0.159
8	7	0.594	0.529	0.410	13	7	0.331	0.287	0.213
8	8	0.750	0.688	0.562	13	8	0.402	0.355	0.273
					13	9	0.477	0.427	0.339
9	0	0.000	0.000	0.000	13	10	0.556	0.505	0.412
9	1	0.012	0.006	0.001	13	11	0.640	0.590	0.494
9	2	0.061	0.041	0.017	13	12	0.732	0.684	0.587
9	3	0.130	0.098	0.053	13	13	0.838	0.794	0.702
9	4	0.210	0.169	0.105					
9	5	0.301	0.251	0.171	14	0	0.000	0.000	0.000
9	6	0.401	0.345	0.250	14	1	0.008	0.004	0.001
9	7	0.510	0.450	0.344	14	2	0.039	0.026	0.011
9	8	0.632	0.571	0.456	14	3	0.082	0.061	0.033
9	9	0.774	0.717	0.600	14	4	0.131	0.104	0.064

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
14	5	0.185	0.153	0.102	17	13	0.584	0.540	0.457
14	6	0.243	0.206	0.146	17	14	0.648	0.604	0.520
14	7	0.304	0.263	0.195					
14	8	0.369	0.325	0.249	17	15	0.716	0.674	0.590
14	9	0.437	0.390	0.308	17	16	0.790	0.750	0.668
					17	17	0.873	0.838	0.763
14	10	0.508	0.460	0.373					
14	11	0.583	0.534	0.443	18	0	0.000	0.000	0.000
14	12	0.663	0.615	0.522	18	1	0.006	0.003	0.001
14	13	0.749	0.703	0.611	18	2	0.030	0.020	0.008
14	14	0.848	0.807	0.720	18	3	0.063	0.047	0.025
					18	4	0.101	0.080	0.049
15	0	0.000	0.000	0.000					
15	1	0.007	0.003	0.001	18	5	0.142	0.116	0.077
15	2	0.036	0.024	0.010	18	6	0.185	0.156	0.110
15	3	0.076	0.057	0.031	18	7	0.231	0.199	0.145
15	4	0.122	0.097	0.059	18	8	0.279	0.244	0.184
					18	9	0.329	0.291	0.226
15	5	0.172	0.142	0.094					
15	6	0.225	0.191	0.134	18	10	0.380	0.340	0.271
15	7	0.282	0.244	0.179	18	11	0.433	0.392	0.318
15	8	0.341	0.300	0.229	18	12	0.488	0.446	0.369
15	9	0.403	0.359	0.282	18	13	0.545	0.502	0.423
					18	14	0.604	0.561	0.480
15	10	0.468	0.422	0.340					
15	11	0.536	0.489	0.403	18	15	0.666	0.623	0.542
15	12	0.607	0.560	0.472	18	16	0.731	0.690	0.609
15	13	0.683	0.637	0.547	18	17	0.801	0.762	0.684
15	14	0.764	0.721	0.632	18	18	0.880	0.847	0.774
15	15	0.858	0.819	0.736	19	0	0.000	0.000	0.000
					19	1	0.006	0.003	0.001
16	0	0.000	0.000	0.000	19	2	0.028	0.019	0.008
16	1	0.007	0.003	0.001	19	3	0.060	0.045	0.024
16	2	0.034	0.023	0.010	19	4	0.095	0.075	0.046
16	3	0.071	0.053	0.029					
16	4	0.114	0.090	0.055	19	5	0.134	0.110	0.073
					19	6	0.175	0.147	0.103
16	5	0.160	0.132	0.088	19	7	0.218	0.187	0.137
16	6	0.210	0.178	0.125	19	8	0.263	0.230	0.173
16	7	0.263	0.227	0.166	19	9	0.310	0.274	0.212
16	8	0.318	0.278	0.212					
16	9	0.375	0.333	0.261	19	10	0.358	0.320	0.254
					19	11	0.407	0.368	0.298
16	10	0.434	0.391	0.313	19	12	0.459	0.418	0.345
16	11	0.496	0.452	0.370	19	13	0.511	0.470	0.394
16	12	0.561	0.516	0.431	19	14	0.566	0.524	0.446
16	13	0.629	0.583	0.497					
16	14	0.700	0.656	0.570	19	15	0.623	0.581	0.502
					19	16	0.681	0.641	0.561
16	15	0.778	0.736	0.651	19	17	0.744	0.704	0.626
16	16	0.866	0.829	0.750	19	18	0.810	0.774	0.698
					19	19	0.886	0.854	0.785
17	0	0.000	0.000	0.000					
17	1	0.006	0.003	0.001	20	0	0.000	0.000	0.000
17	2	0.032	0.021	0.009	20	1	0.005	0.003	0.001
17	3	0.067	0.050	0.027	20	2	0.027	0.018	0.008
17	4	0.107	0.085	0.052	20	3	0.057	0.042	0.023
					20	4	0.090	0.071	0.044
17	5	0.150	0.124	0.082					
17	6	0.197	0.166	0.117	20	5	0.127	0.104	0.069
17	7	0.246	0.212	0.155	20	6	0.166	0.139	0.097
17	8	0.297	0.260	0.197	20	7	0.207	0.177	0.129
17	9	0.350	0.311	0.242	20	8	0.249	0.217	0.163
					20	9	0.293	0.259	0.200
17	10	0.405	0.364	0.290					
17	11	0.462	0.420	0.342	20	10	0.338	0.302	0.239
17	12	0.522	0.478	0.397	20	11	0.385	0.347	0.280

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
20	12	0.433	0.393	0.323	23	2	0.023	0.016	0.007
20	13	0.482	0.442	0.369	23	3	0.049	0.037	0.020
20	14	0.533	0.492	0.417	23	4	0.078	0.062	0.038
20	15	0.585	0.544	0.468	23	5	0.110	0.090	0.059
20	16	0.639	0.599	0.522	23	6	0.143	0.120	0.084
20	17	0.696	0.656	0.579	23	7	0.178	0.152	0.111
20	18	0.755	0.717	0.642	23	8	0.214	0.186	0.140
20	19	0.819	0.784	0.711	23	9	0.252	0.221	0.170
20	20	0.891	0.861	0.794	23	10	0.290	0.258	0.203
21	0	0.000	0.000	0.000	23	11	0.330	0.296	0.237
21	1	0.005	0.002	0.000	23	12	0.370	0.335	0.273
21	2	0.026	0.017	0.007	23	13	0.411	0.375	0.311
21	3	0.054	0.040	0.022	23	14	0.454	0.417	0.350
21	4	0.086	0.068	0.042	23	15	0.497	0.459	0.390
21	5	0.121	0.099	0.065	23	16	0.541	0.503	0.433
21	6	0.157	0.132	0.092	23	17	0.587	0.549	0.477
21	7	0.196	0.168	0.122	23	18	0.634	0.596	0.524
21	8	0.236	0.206	0.154	23	19	0.682	0.645	0.573
21	9	0.278	0.245	0.189	23	20	0.732	0.696	0.626
21	10	0.320	0.286	0.226	23	21	0.785	0.751	0.682
21	11	0.364	0.328	0.264	23	22	0.841	0.810	0.744
21	12	0.409	0.372	0.305	23	23	0.905	0.878	0.819
21	13	0.456	0.417	0.347	24	0	0.000	0.000	0.000
21	14	0.503	0.464	0.392	24	1	0.004	0.002	0.000
21	15	0.552	0.512	0.439	24	2	0.022	0.015	0.006
21	16	0.603	0.563	0.488	24	3	0.047	0.035	0.019
21	17	0.655	0.616	0.540	24	4	0.075	0.059	0.036
21	18	0.709	0.671	0.596	24	5	0.105	0.086	0.057
21	19	0.766	0.729	0.656	24	6	0.137	0.115	0.080
21	20	0.827	0.793	0.723	24	7	0.170	0.146	0.106
21	21	0.896	0.867	0.803	24	8	0.205	0.178	0.133
22	0	0.000	0.000	0.000	24	9	0.240	0.211	0.162
22	1	0.005	0.002	0.000	24	10	0.277	0.246	0.193
22	2	0.025	0.016	0.007	24	11	0.315	0.282	0.226
22	3	0.051	0.038	0.021	24	12	0.353	0.319	0.260
22	4	0.082	0.065	0.040	24	13	0.392	0.357	0.295
22	5	0.115	0.094	0.062	24	14	0.432	0.397	0.332
22	6	0.150	0.126	0.088	24	15	0.473	0.437	0.370
22	7	0.187	0.160	0.116	24	16	0.515	0.478	0.410
22	8	0.225	0.195	0.147	24	17	0.558	0.521	0.452
22	9	0.264	0.233	0.179	24	18	0.602	0.565	0.495
22	10	0.304	0.271	0.214	24	19	0.647	0.611	0.540
22	11	0.346	0.311	0.250	24	20	0.694	0.658	0.588
22	12	0.389	0.352	0.288	24	21	0.743	0.708	0.639
22	13	0.432	0.395	0.328	24	22	0.793	0.760	0.693
22	14	0.477	0.439	0.369	24	23	0.847	0.817	0.754
22	15	0.523	0.484	0.413	24	24	0.909	0.883	0.825
22	16	0.570	0.531	0.459	25	0	0.000	0.000	0.000
22	17	0.619	0.580	0.507	25	1	0.004	0.002	0.000
22	18	0.669	0.631	0.557	25	2	0.022	0.014	0.006
22	19	0.721	0.684	0.611	25	3	0.045	0.034	0.018
22	20	0.776	0.741	0.670	25	4	0.072	0.057	0.035
22	21	0.834	0.802	0.734	25	5	0.101	0.082	0.054
22	22	0.901	0.873	0.811	25	6	0.131	0.110	0.076
23	0	0.000	0.000	0.000	25	7	0.163	0.139	0.101
23	1	0.005	0.002	0.000	25	8	0.196	0.170	0.127
					25	9	0.230	0.202	0.155

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
25	10	0.265	0.235	0.185	27	10	0.415	0.381	0.321
25	11	0.301	0.270	0.215	27	16	0.451	0.417	0.355
25	12	0.338	0.305	0.248	27	17	0.488	0.453	0.390
25	13	0.375	0.341	0.281	27	18	0.525	0.490	0.426
25	14	0.413	0.378	0.316	27	19	0.563	0.528	0.463
25	15	0.452	0.417	0.352	27	20	0.603	0.568	0.501
25	16	0.492	0.456	0.390	27	21	0.642	0.608	0.541
25	17	0.533	0.496	0.429	27	22	0.683	0.649	0.583
25	18	0.574	0.538	0.469	27	23	0.726	0.692	0.627
25	19	0.617	0.580	0.511	27	24	0.769	0.737	0.674
25	20	0.660	0.625	0.556	27	25	0.815	0.785	0.723
25	21	0.705	0.670	0.602	27	26	0.863	0.836	0.778
25	22	0.752	0.718	0.651	27	27	0.918	0.895	0.843
25	23	0.801	0.769	0.704	28	0	0.000	0.000	0.000
25	24	0.853	0.824	0.763	28	1	0.004	0.002	0.000
25	25	0.912	0.887	0.832	28	2	0.019	0.013	0.005
26	0	0.000	0.000	0.000	28	3	0.040	0.030	0.016
26	1	0.004	0.002	0.000	28	4	0.064	0.050	0.031
26	2	0.021	0.014	0.006	28	5	0.089	0.073	0.048
26	3	0.043	0.032	0.017	28	6	0.117	0.098	0.068
26	4	0.069	0.054	0.033	28	7	0.145	0.124	0.089
26	5	0.097	0.079	0.052	28	8	0.174	0.151	0.112
26	6	0.126	0.106	0.073	28	9	0.204	0.179	0.137
26	7	0.156	0.134	0.097	28	10	0.235	0.208	0.163
26	8	0.188	0.163	0.122	28	11	0.266	0.238	0.189
26	9	0.221	0.194	0.149	28	12	0.299	0.269	0.217
26	10	0.254	0.226	0.177	28	13	0.331	0.301	0.247
26	11	0.288	0.258	0.206	28	14	0.365	0.333	0.277
26	12	0.323	0.292	0.237	28	15	0.399	0.366	0.308
26	13	0.359	0.326	0.269	28	16	0.433	0.400	0.340
26	14	0.396	0.362	0.302	28	17	0.468	0.434	0.373
26	15	0.433	0.398	0.336	28	18	0.504	0.470	0.407
26	16	0.471	0.436	0.371	28	19	0.540	0.506	0.442
26	17	0.509	0.474	0.408	28	20	0.577	0.543	0.478
26	18	0.549	0.513	0.446	28	21	0.615	0.581	0.516
26	19	0.589	0.553	0.486	28	22	0.654	0.620	0.555
26	20	0.630	0.594	0.527	28	23	0.694	0.661	0.596
26	21	0.672	0.637	0.570	28	24	0.735	0.702	0.639
26	22	0.716	0.682	0.615	28	25	0.777	0.746	0.684
26	23	0.761	0.728	0.663	28	26	0.821	0.792	0.732
26	24	0.808	0.777	0.714	28	27	0.868	0.842	0.785
26	25	0.858	0.830	0.771	28	28	0.921	0.899	0.848
26	26	0.915	0.891	0.838	29	0	0.000	0.000	0.000
27	0	0.000	0.000	0.000	29	1	0.004	0.002	0.000
27	1	0.004	0.002	0.000	29	2	0.019	0.012	0.005
27	2	0.020	0.013	0.006	29	3	0.039	0.029	0.015
27	3	0.042	0.031	0.017	29	4	0.062	0.049	0.030
27	4	0.066	0.052	0.032	29	5	0.086	0.070	0.046
27	5	0.093	0.076	0.050	29	6	0.112	0.094	0.065
27	6	0.121	0.101	0.070	29	7	0.140	0.119	0.086
27	7	0.150	0.128	0.093	29	8	0.168	0.145	0.108
27	8	0.181	0.157	0.117	29	9	0.197	0.172	0.132
27	9	0.212	0.186	0.142	29	10	0.226	0.200	0.156
27	10	0.244	0.216	0.169	29	11	0.257	0.229	0.182
27	11	0.277	0.248	0.197	29	12	0.287	0.259	0.209
27	12	0.310	0.280	0.227	29	13	0.319	0.289	0.237
27	13	0.345	0.313	0.257	29	14	0.351	0.320	0.266
27	14	0.379	0.347	0.289	29	15	0.384	0.352	0.295



LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
29	16	0.417	0.384	0.326	31	12	0.268	0.241	0.194
29	17	0.450	0.417	0.357	31	13	0.297	0.269	0.220
29	18	0.484	0.451	0.390	31	14	0.326	0.297	0.246
29	19	0.519	0.486	0.423	31	15	0.357	0.327	0.273
29	20	0.555	0.521	0.458	31	16	0.387	0.356	0.301
29	21	0.591	0.557	0.493	31	17	0.418	0.387	0.330
29	22	0.627	0.594	0.530	31	18	0.450	0.418	0.360
29	23	0.665	0.632	0.568	31	19	0.482	0.449	0.390
29	24	0.703	0.671	0.608	31	20	0.514	0.482	0.421
29	25	0.743	0.712	0.650	31	21	0.547	0.514	0.453
29	26	0.784	0.754	0.693	31	22	0.581	0.548	0.486
29	27	0.827	0.798	0.740	31	23	0.615	0.582	0.520
29	28	0.872	0.847	0.792	31	24	0.649	0.617	0.556
29	29	0.924	0.902	0.853	31	25	0.685	0.653	0.592
30	0	0.000	0.000	0.000	31	26	0.721	0.690	0.630
30	1	0.004	0.002	0.000	31	27	0.759	0.729	0.669
30	2	0.018	0.012	0.005	31	28	0.797	0.769	0.711
30	3	0.037	0.028	0.015	31	29	0.837	0.811	0.755
30	4	0.060	0.047	0.029	31	30	0.880	0.856	0.804
30	5	0.083	0.068	0.045	31	31	0.928	0.908	0.862
30	6	0.109	0.091	0.063	32	0	0.000	0.000	0.000
30	7	0.135	0.115	0.083	32	1	0.003	0.002	0.000
30	8	0.162	0.140	0.104	32	2	0.017	0.011	0.005
30	9	0.190	0.166	0.127	32	3	0.035	0.026	0.014
30	10	0.218	0.193	0.151	32	4	0.056	0.044	0.027
30	11	0.247	0.221	0.175	32	5	0.078	0.064	0.042
30	12	0.277	0.249	0.201	32	6	0.102	0.085	0.059
30	13	0.307	0.279	0.228	32	7	0.126	0.107	0.077
30	14	0.338	0.308	0.255	32	8	0.151	0.131	0.097
30	15	0.370	0.339	0.284	32	9	0.177	0.155	0.118
30	16	0.401	0.370	0.313	32	10	0.204	0.180	0.140
30	17	0.434	0.401	0.343	32	11	0.231	0.206	0.163
30	18	0.466	0.434	0.374	32	12	0.259	0.232	0.187
30	19	0.500	0.467	0.406	32	13	0.287	0.260	0.212
30	20	0.534	0.500	0.439	32	14	0.315	0.287	0.237
30	21	0.568	0.535	0.472	32	15	0.345	0.315	0.263
30	22	0.603	0.570	0.507	32	16	0.374	0.344	0.290
30	23	0.639	0.606	0.543	32	17	0.404	0.373	0.318
30	24	0.675	0.643	0.580	32	18	0.434	0.403	0.346
30	25	0.713	0.681	0.619	32	19	0.465	0.433	0.375
30	26	0.751	0.720	0.660	32	20	0.496	0.464	0.405
30	27	0.791	0.761	0.702	32	21	0.528	0.496	0.436
30	28	0.832	0.805	0.748	32	22	0.560	0.528	0.467
30	29	0.876	0.851	0.798	32	23	0.592	0.560	0.500
30	30	0.926	0.905	0.858	32	24	0.626	0.594	0.533
31	0	0.000	0.000	0.000	32	25	0.660	0.628	0.567
31	1	0.003	0.002	0.000	32	26	0.694	0.663	0.603
31	2	0.017	0.012	0.005	32	27	0.729	0.699	0.640
31	3	0.036	0.027	0.014	32	28	0.766	0.736	0.678
31	4	0.058	0.045	0.028	32	29	0.803	0.775	0.719
31	5	0.081	0.066	0.043	32	30	0.842	0.816	0.762
31	6	0.105	0.088	0.061	32	31	0.884	0.860	0.810
31	7	0.130	0.111	0.080	32	32	0.931	0.911	0.866
31	8	0.156	0.135	0.101	33	0	0.000	0.000	0.000
31	9	0.183	0.160	0.122	33	1	0.003	0.002	0.000
31	10	0.211	0.186	0.145	33	2	0.016	0.011	0.005
31	11	0.239	0.213	0.169	33	3	0.034	0.025	0.014

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
33	4	0.054	0.043	0.026	34	26	0.646	0.615	0.556
33	5	0.076	0.062	0.040	34	27	0.678	0.648	0.589
33	6	0.098	0.082	0.057	34	28	0.711	0.681	0.623
33	7	0.122	0.104	0.075	34	29	0.744	0.715	0.658
33	8	0.146	0.127	0.094	34	30	0.779	0.751	0.695
33	9	0.172	0.150	0.114	34	31	0.814	0.787	0.734
33	10	0.197	0.174	0.136	34	32	0.851	0.826	0.775
33	11	0.224	0.199	0.158	34	33	0.890	0.868	0.820
33	12	0.250	0.225	0.181	34	34	0.935	0.916	0.873
33	13	0.278	0.251	0.205	35	0	0.000	0.000	0.000
33	14	0.305	0.278	0.229	35	1	0.007	0.002	0.000
33	15	0.333	0.305	0.254	35	2	0.015	0.010	0.004
33	16	0.362	0.332	0.280	35	3	0.032	0.024	0.013
33	17	0.390	0.361	0.307	35	4	0.051	0.040	0.024
33	18	0.420	0.389	0.334	35	5	0.071	0.058	0.038
33	19	0.449	0.418	0.362	35	6	0.093	0.077	0.053
33	20	0.479	0.448	0.391	35	7	0.115	0.098	0.070
33	21	0.510	0.478	0.420	35	8	0.138	0.119	0.088
33	22	0.541	0.509	0.450	35	9	0.161	0.141	0.107
33	23	0.572	0.540	0.481	35	10	0.186	0.164	0.127
33	24	0.604	0.572	0.512	35	11	0.210	0.187	0.148
33	25	0.636	0.605	0.545	35	12	0.235	0.211	0.169
33	26	0.669	0.638	0.579	35	13	0.261	0.235	0.192
33	27	0.703	0.672	0.613	35	14	0.287	0.260	0.214
33	28	0.737	0.707	0.649	35	15	0.313	0.286	0.238
33	29	0.772	0.744	0.687	35	16	0.339	0.312	0.262
33	30	0.809	0.782	0.727	35	17	0.366	0.338	0.287
33	31	0.847	0.821	0.769	35	18	0.394	0.364	0.312
33	32	0.887	0.864	0.815	35	19	0.421	0.392	0.338
33	33	0.933	0.913	0.870	35	20	0.449	0.419	0.364
34	0	0.000	0.000	0.000	35	21	0.477	0.447	0.391
34	1	0.003	0.002	0.000	35	22	0.506	0.475	0.419
34	2	0.016	0.011	0.004	35	23	0.535	0.504	0.447
34	3	0.033	0.025	0.013	35	24	0.564	0.534	0.476
34	4	0.052	0.041	0.025	35	25	0.594	0.564	0.506
34	5	0.073	0.060	0.039	35	26	0.625	0.594	0.536
34	6	0.095	0.080	0.055	35	27	0.655	0.625	0.567
34	7	0.118	0.101	0.073	35	28	0.687	0.657	0.599
34	8	0.142	0.123	0.091	35	29	0.718	0.689	0.633
34	9	0.166	0.145	0.111	35	30	0.751	0.723	0.667
34	10	0.191	0.169	0.131	35	31	0.785	0.757	0.703
34	11	0.217	0.193	0.153	35	32	0.819	0.793	0.741
34	12	0.243	0.218	0.175	35	33	0.855	0.831	0.781
34	13	0.269	0.243	0.198	35	34	0.893	0.872	0.825
34	14	0.296	0.269	0.222	35	35	0.936	0.918	0.877
34	15	0.323	0.295	0.246	36	0	0.000	0.000	0.000
34	16	0.350	0.322	0.271	36	1	0.003	0.002	0.000
34	17	0.378	0.349	0.296	36	2	0.015	0.010	0.004
34	18	0.406	0.376	0.323	36	3	0.031	0.023	0.012
34	19	0.435	0.405	0.349	36	4	0.049	0.039	0.024
34	20	0.464	0.433	0.377	36	5	0.069	0.056	0.037
34	21	0.493	0.462	0.405	36	6	0.090	0.075	0.052
34	22	0.523	0.492	0.434	36	7	0.112	0.095	0.068
34	23	0.553	0.522	0.463	36	8	0.134	0.116	0.086
34	24	0.583	0.552	0.493	36	9	0.157	0.137	0.104
34	25	0.614	0.583	0.524	36	10	0.180	0.159	0.124

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
36	11	0.204	0.182	0.143	37	29	0.673	0.644	0.587
36	12	0.228	0.205	0.164	37	30	0.702	0.674	0.618
36	13	0.253	0.228	0.186	37	31	0.733	0.705	0.650
36	14	0.278	0.253	0.208	37	32	0.764	0.737	0.683
36	15	0.303	0.277	0.230	37	33	0.795	0.769	0.717
36	16	0.329	0.302	0.254	37	34	0.828	0.804	0.753
36	17	0.355	0.327	0.278	37	35	0.863	0.839	0.792
36	18	0.382	0.353	0.302	37	36	0.899	0.878	0.834
36	19	0.408	0.379	0.327	37	37	0.940	0.922	0.883
36	20	0.435	0.406	0.352	38	0	0.000	0.000	0.000
36	21	0.463	0.433	0.378	38	1	0.003	0.001	0.000
36	22	0.490	0.460	0.405	38	2	0.014	0.009	0.004
36	23	0.518	0.488	0.432	38	3	0.029	0.022	0.012
36	24	0.547	0.516	0.460	38	4	0.047	0.037	0.022
36	25	0.575	0.545	0.488	38	5	0.065	0.053	0.035
36	26	0.605	0.574	0.517	38	6	0.085	0.071	0.049
36	27	0.634	0.604	0.547	38	7	0.106	0.090	0.064
36	28	0.664	0.635	0.578	38	8	0.127	0.109	0.081
36	29	0.695	0.666	0.609	38	9	0.148	0.129	0.098
36	30	0.726	0.697	0.642	38	10	0.170	0.150	0.117
36	31	0.757	0.730	0.675	38	11	0.193	0.171	0.135
36	32	0.790	0.764	0.710	38	12	0.216	0.193	0.155
36	33	0.824	0.799	0.747	38	13	0.239	0.216	0.175
36	34	0.859	0.835	0.786	38	14	0.263	0.238	0.196
36	35	0.896	0.875	0.829	38	15	0.286	0.261	0.217
36	36	0.938	0.920	0.880	38	16	0.311	0.285	0.239
37	0	0.000	0.000	0.000	38	17	0.335	0.309	0.261
37	1	0.003	0.002	0.000	38	18	0.360	0.333	0.284
37	2	0.014	0.010	0.004	38	19	0.385	0.357	0.307
37	3	0.030	0.023	0.012	38	20	0.410	0.382	0.331
37	4	0.048	0.038	0.023	38	21	0.436	0.407	0.355
37	5	0.067	0.055	0.036	38	22	0.462	0.433	0.380
37	6	0.087	0.073	0.050	38	23	0.488	0.459	0.405
37	7	0.108	0.092	0.066	38	24	0.515	0.485	0.431
37	8	0.130	0.112	0.083	38	25	0.541	0.512	0.457
37	9	0.152	0.133	0.101	38	26	0.568	0.539	0.484
37	10	0.175	0.154	0.120	38	27	0.596	0.567	0.511
37	11	0.198	0.176	0.139	38	28	0.624	0.594	0.539
37	12	0.222	0.199	0.159	38	29	0.652	0.623	0.567
37	13	0.246	0.222	0.180	38	30	0.681	0.652	0.597
37	14	0.270	0.245	0.202	38	31	0.710	0.682	0.627
37	15	0.295	0.269	0.223	38	32	0.739	0.712	0.658
37	16	0.320	0.293	0.246	38	33	0.769	0.743	0.690
37	17	0.345	0.318	0.269	38	34	0.801	0.775	0.724
37	18	0.370	0.343	0.293	38	35	0.833	0.808	0.759
37	19	0.396	0.368	0.317	38	36	0.866	0.843	0.797
37	20	0.423	0.394	0.341	38	37	0.901	0.881	0.838
37	21	0.449	0.420	0.366	38	38	0.941	0.924	0.886
37	22	0.476	0.446	0.392	39	0	0.000	0.000	0.000
37	23	0.503	0.473	0.418	39	1	0.003	0.001	0.000
37	24	0.530	0.500	0.445	39	2	0.014	0.009	0.004
37	25	0.558	0.528	0.472	39	3	0.029	0.021	0.011
37	26	0.586	0.556	0.500	39	4	0.046	0.036	0.022
37	27	0.614	0.585	0.528	39	5	0.064	0.052	0.034
37	28	0.643	0.614	0.557					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
39	6	0.083	0.069	0.048	40	22	0.437	0.409	0.358
39	7	0.103	0.087	0.063	40	23	0.461	0.433	0.381
39	8	0.123	0.106	0.079	40	24	0.486	0.458	0.405
39	9	0.144	0.126	0.096	40	25	0.511	0.483	0.429
39	10	0.166	0.146	0.113	40	26	0.537	0.508	0.454
39	11	0.188	0.167	0.132	40	27	0.562	0.534	0.480
39	12	0.210	0.188	0.150	40	28	0.588	0.560	0.505
39	13	0.232	0.210	0.170	40	29	0.615	0.586	0.532
39	14	0.255	0.232	0.190	40	30	0.641	0.613	0.559
39	15	0.279	0.254	0.211	40	31	0.668	0.640	0.586
39	16	0.302	0.277	0.232	40	32	0.695	0.668	0.615
39	17	0.326	0.300	0.253	40	33	0.723	0.696	0.643
39	18	0.350	0.323	0.275	40	34	0.751	0.725	0.673
39	19	0.374	0.347	0.298	40	35	0.780	0.755	0.704
39	20	0.399	0.371	0.321	40	36	0.810	0.786	0.736
39	21	0.424	0.396	0.344	40	37	0.841	0.817	0.770
39	22	0.449	0.420	0.368	40	38	0.872	0.851	0.806
39	23	0.474	0.446	0.393	40	39	0.906	0.887	0.845
39	24	0.500	0.471	0.417	40	40	0.944	0.928	0.891
39	25	0.526	0.497	0.443	41	0	0.000	0.000	0.000
39	26	0.552	0.523	0.468	41	1	0.003	0.001	0.000
39	27	0.579	0.550	0.495	41	2	0.013	0.009	0.004
39	28	0.606	0.576	0.522	41	3	0.027	0.020	0.011
39	29	0.633	0.604	0.549	41	4	0.043	0.034	0.021
39	30	0.660	0.632	0.577	41	5	0.060	0.049	0.032
39	31	0.688	0.660	0.606	41	6	0.079	0.066	0.045
39	32	0.717	0.689	0.635	41	7	0.098	0.083	0.060
39	33	0.746	0.719	0.666	41	8	0.117	0.101	0.075
39	34	0.775	0.749	0.697	41	9	0.137	0.120	0.091
39	35	0.805	0.781	0.730	41	10	0.157	0.139	0.107
39	36	0.837	0.813	0.765	41	11	0.178	0.158	0.125
39	37	0.869	0.847	0.801	41	12	0.199	0.178	0.143
39	38	0.904	0.884	0.842	41	13	0.221	0.199	0.161
39	39	0.943	0.926	0.889	41	14	0.242	0.219	0.180
40	0	0.000	0.000	0.000	41	15	0.264	0.241	0.199
40	1	0.003	0.001	0.000	41	16	0.286	0.262	0.219
40	2	0.013	0.009	0.004	41	17	0.309	0.284	0.240
40	3	0.028	0.021	0.011	41	18	0.332	0.306	0.260
40	4	0.044	0.035	0.021	41	19	0.355	0.329	0.282
40	5	0.062	0.051	0.033	41	20	0.378	0.351	0.303
40	6	0.081	0.067	0.047	41	21	0.401	0.374	0.325
40	7	0.100	0.085	0.061	41	22	0.425	0.398	0.347
40	8	0.120	0.104	0.077	41	23	0.449	0.421	0.370
40	9	0.140	0.123	0.093	41	24	0.473	0.445	0.393
40	10	0.161	0.142	0.110	41	25	0.497	0.469	0.417
40	11	0.183	0.162	0.128	41	26	0.522	0.494	0.441
40	12	0.204	0.183	0.146	41	27	0.547	0.519	0.465
40	13	0.226	0.204	0.165	41	28	0.572	0.544	0.490
40	14	0.249	0.225	0.185	41	29	0.598	0.569	0.516
40	15	0.271	0.247	0.205	41	30	0.623	0.595	0.542
40	16	0.294	0.269	0.225	41	31	0.649	0.621	0.568
40	17	0.317	0.292	0.246	41	32	0.676	0.648	0.595
40	18	0.341	0.314	0.268	41	33	0.702	0.675	0.623
40	19	0.364	0.338	0.290	41	34	0.730	0.703	0.651
40	20	0.388	0.361	0.312	41	35	0.757	0.731	0.680
40	21	0.412	0.385	0.334					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE			LEVEL	N	K	CONFIDENCE			LEVEL
		90%	95%	98%				90%	95%	98%	
41	36	0.785	0.760	0.711		43	7	0.093	0.079	0.057	
41	37	0.814	0.791	0.742		43	8	0.111	0.086	0.071	
41	38	0.844	0.822	0.775		43	9	0.130	0.114	0.086	
41	39	0.875	0.854	0.810		43	10	0.150	0.132	0.102	
41	40	0.908	0.889	0.849		43	11	0.169	0.150	0.118	
41	41	0.945	0.930	0.894		43	12	0.189	0.169	0.135	
42	0	0.000	0.000	0.000		43	13	0.210	0.189	0.153	
42	1	0.003	0.001	0.000		43	14	0.230	0.209	0.171	
42	2	0.013	0.009	0.004		43	15	0.251	0.229	0.189	
42	3	0.027	0.020	0.011		43	16	0.272	0.249	0.208	
42	4	0.042	0.033	0.020		43	17	0.294	0.270	0.227	
42	5	0.059	0.048	0.031		43	18	0.315	0.291	0.247	
42	6	0.077	0.064	0.044		43	19	0.337	0.312	0.267	
42	7	0.095	0.081	0.058		43	20	0.359	0.333	0.287	
42	8	0.114	0.098	0.073		43	21	0.381	0.355	0.308	
42	9	0.134	0.117	0.088		43	22	0.404	0.377	0.329	
42	10	0.153	0.135	0.105		43	23	0.426	0.399	0.350	
42	11	0.174	0.154	0.122		43	24	0.449	0.422	0.372	
42	12	0.194	0.174	0.139		43	25	0.472	0.445	0.394	
42	13	0.215	0.194	0.157		43	26	0.495	0.468	0.417	
42	14	0.236	0.214	0.175		43	27	0.519	0.491	0.439	
42	15	0.258	0.235	0.194		43	28	0.542	0.515	0.463	
42	16	0.279	0.255	0.214		43	29	0.566	0.539	0.486	
42	17	0.301	0.277	0.233		43	30	0.590	0.563	0.510	
42	18	0.323	0.298	0.253		43	31	0.615	0.587	0.535	
42	19	0.346	0.320	0.274		43	32	0.640	0.612	0.560	
42	20	0.368	0.342	0.295		43	33	0.664	0.637	0.585	
42	21	0.391	0.364	0.316		43	34	0.690	0.663	0.612	
42	22	0.414	0.387	0.338		43	35	0.715	0.689	0.638	
42	23	0.437	0.410	0.360		43	36	0.741	0.716	0.666	
42	24	0.461	0.433	0.382		43	37	0.768	0.743	0.694	
42	25	0.484	0.457	0.405		43	38	0.795	0.771	0.723	
42	26	0.508	0.480	0.428		43	39	0.823	0.800	0.753	
42	27	0.532	0.504	0.452		43	40	0.851	0.829	0.785	
42	28	0.557	0.529	0.476		43	41	0.881	0.861	0.819	
42	29	0.581	0.553	0.501		43	42	0.913	0.894	0.855	
42	30	0.606	0.578	0.526		43	43	0.948	0.933	0.898	
42	31	0.632	0.604	0.551		44	0	0.000	0.000	0.000	
42	32	0.657	0.630	0.577		44	1	0.002	0.001	0.000	
42	33	0.683	0.656	0.604		44	2	0.012	0.008	0.003	
42	34	0.709	0.682	0.631		44	3	0.025	0.019	0.010	
42	35	0.736	0.710	0.659		44	4	0.040	0.032	0.019	
42	36	0.763	0.737	0.687		44	5	0.056	0.046	0.030	
42	37	0.790	0.766	0.717		44	6	0.073	0.061	0.042	
42	38	0.819	0.795	0.748		44	7	0.091	0.077	0.055	
42	39	0.848	0.826	0.780		44	8	0.109	0.094	0.069	
42	40	0.878	0.858	0.815		44	9	0.127	0.111	0.084	
42	41	0.911	0.892	0.852		44	10	0.146	0.129	0.100	
42	42	0.947	0.931	0.896		44	11	0.165	0.147	0.116	
43	0	0.000	0.000	0.000		44	12	0.185	0.165	0.132	
43	1	0.002	0.001	0.000		44	13	0.205	0.184	0.149	
43	2	0.012	0.008	0.003		44	14	0.225	0.204	0.167	
43	3	0.026	0.019	0.010		44	15	0.245	0.223	0.185	
43	4	0.041	0.033	0.020		44	16	0.266	0.243	0.203	
43	5	0.058	0.047	0.031		44	17	0.287	0.263	0.222	
43	6	0.075	0.063	0.043		44	18	0.308	0.283	0.241	
						44	19	0.329	0.304	0.260	

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE			N	K	CONFIDENCE		
		90%	95%	LEVEL 99%			90%	95%	LEVEL 99%
44	20	0.350	0.325	0.280	45	31	0.584	0.557	0.506
44	21	0.372	0.346	0.300	45	32	0.607	0.580	0.529
44	22	0.394	0.368	0.320	45	33	0.631	0.604	0.553
44	23	0.416	0.389	0.341	45	34	0.654	0.628	0.577
44	24	0.438	0.411	0.362	45	35	0.678	0.652	0.602
44	25	0.460	0.433	0.384	45	36	0.703	0.677	0.627
44	26	0.483	0.456	0.405	45	37	0.727	0.702	0.653
44	27	0.506	0.478	0.428	45	38	0.752	0.728	0.679
44	28	0.529	0.501	0.450	45	39	0.778	0.754	0.706
44	29	0.552	0.524	0.473	45	40	0.804	0.780	0.734
44	30	0.575	0.548	0.496	45	41	0.830	0.808	0.763
44	31	0.599	0.572	0.520	45	42	0.858	0.837	0.794
44	32	0.623	0.596	0.544	45	43	0.886	0.867	0.826
44	33	0.647	0.620	0.569	45	44	0.916	0.899	0.861
44	34	0.672	0.645	0.594	45	45	0.950	0.936	0.903
44	35	0.696	0.670	0.619	46	0	0.000	0.000	0.000
44	36	0.721	0.696	0.646	46	1	0.002	0.001	0.000
44	37	0.747	0.722	0.672	46	2	0.012	0.008	0.003
44	38	0.773	0.748	0.700	46	3	0.024	0.018	0.010
44	39	0.799	0.776	0.729	46	4	0.039	0.030	0.018
44	40	0.827	0.804	0.758	46	5	0.054	0.044	0.029
44	41	0.854	0.833	0.789	46	6	0.070	0.058	0.040
44	42	0.884	0.864	0.822	46	7	0.087	0.074	0.053
44	43	0.914	0.897	0.858	46	8	0.104	0.090	0.066
44	44	0.949	0.934	0.901	46	9	0.122	0.106	0.080
45	0	0.000	0.000	0.000	46	10	0.140	0.123	0.095
45	1	0.002	0.001	0.000	46	11	0.158	0.140	0.110
45	2	0.012	0.008	0.003	46	12	0.177	0.158	0.126
45	3	0.025	0.019	0.010	46	13	0.195	0.176	0.142
45	4	0.039	0.031	0.019	46	14	0.215	0.194	0.159
45	5	0.055	0.045	0.029	46	15	0.234	0.213	0.176
45	6	0.072	0.060	0.041	46	16	0.254	0.232	0.193
45	7	0.089	0.075	0.054	46	17	0.273	0.251	0.211
45	8	0.106	0.092	0.068	46	18	0.293	0.270	0.229
45	9	0.124	0.108	0.082	46	19	0.314	0.290	0.247
45	10	0.143	0.126	0.097	46	20	0.334	0.310	0.266
45	11	0.162	0.143	0.113	46	21	0.355	0.330	0.285
45	12	0.181	0.162	0.129	46	22	0.375	0.350	0.305
45	13	0.200	0.180	0.146	46	23	0.396	0.371	0.324
45	14	0.220	0.199	0.163	46	24	0.417	0.391	0.344
45	15	0.240	0.218	0.180	46	25	0.439	0.412	0.364
45	16	0.260	0.237	0.198	46	26	0.460	0.434	0.385
45	17	0.280	0.257	0.216	46	27	0.482	0.455	0.406
45	18	0.300	0.277	0.235	46	28	0.503	0.477	0.427
45	19	0.321	0.297	0.254	46	29	0.525	0.499	0.449
45	20	0.342	0.317	0.273	46	30	0.547	0.521	0.470
45	21	0.363	0.338	0.292	46	31	0.570	0.543	0.493
45	22	0.384	0.359	0.312	46	32	0.592	0.566	0.515
45	23	0.406	0.380	0.332	46	33	0.615	0.589	0.538
45	24	0.427	0.401	0.353	46	34	0.638	0.612	0.561
45	25	0.449	0.423	0.374	46	35	0.661	0.635	0.585
45	26	0.471	0.444	0.395	46	36	0.685	0.659	0.609
45	27	0.493	0.466	0.416	46	37	0.709	0.683	0.634
45	28	0.516	0.489	0.438	46	38	0.733	0.708	0.659
45	29	0.538	0.511	0.460	46	39	0.757	0.733	0.685
45	30	0.561	0.534	0.483					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL				
		90%	95%	99%			90%	95%	99%		
46	40	0.782	0.759	0.712	48	0	0.000	0.000	0.000		
46	41	0.808	0.785	0.739	48	1	0.002	0.001	0.000		
46	42	0.834	0.812	0.768	48	2	0.011	0.007	0.003		
46	43	0.861	0.840	0.798	48	3	0.023	0.017	0.009		
46	44	0.888	0.869	0.830	48	4	0.037	0.029	0.018		
46	45	0.918	0.901	0.864	48	5	0.051	0.042	0.027		
46	46	0.951	0.937	0.905	48	6	0.067	0.056	0.038		
47	0	0.000	0.000	0.000	48	7	0.083	0.070	0.050		
47	1	0.002	0.001	0.000	48	8	0.099	0.086	0.063		
47	2	0.011	0.008	0.003	48	9	0.116	0.101	0.077		
47	3	0.024	0.018	0.009							
47	4	0.038	0.030	0.018	48	10	0.134	0.118	0.091		
47	5	0.053	0.043	0.028	48	11	0.151	0.134	0.105		
47	6	0.068	0.057	0.039	48	12	0.169	0.151	0.120		
47	7	0.085	0.072	0.052	48	13	0.187	0.168	0.136		
47	8	0.102	0.088	0.065	48	14	0.205	0.186	0.152		
47	9	0.119	0.104	0.078	48	15	0.224	0.203	0.168		
47	10	0.136	0.120	0.093	48	16	0.243	0.221	0.184		
47	11	0.154	0.137	0.108	48	17	0.261	0.240	0.201		
47	12	0.173	0.154	0.123	48	18	0.281	0.258	0.218		
47	13	0.191	0.172	0.139	48	19	0.300	0.277	0.236		
47	14	0.210	0.190	0.155	48	20	0.319	0.296	0.254		
47	15	0.229	0.208	0.172	48	21	0.339	0.315	0.272		
47	16	0.248	0.226	0.189	48	22	0.359	0.334	0.290		
47	17	0.267	0.245	0.206	48	23	0.378	0.354	0.309		
47	18	0.287	0.264	0.224	48	24	0.399	0.373	0.328		
47	19	0.307	0.283	0.242	48	25	0.419	0.393	0.347		
47	20	0.326	0.303	0.260	48	26	0.439	0.414	0.366		
47	21	0.346	0.322	0.278	48	27	0.460	0.434	0.386		
47	22	0.367	0.342	0.297	48	28	0.480	0.454	0.406		
47	23	0.387	0.362	0.316	48	29	0.501	0.475	0.427		
47	24	0.408	0.382	0.336	48	30	0.522	0.496	0.447		
47	25	0.428	0.403	0.356	48	31	0.543	0.517	0.468		
47	26	0.449	0.423	0.376	48	32	0.565	0.539	0.489		
47	27	0.470	0.444	0.396	48	33	0.586	0.560	0.511		
47	28	0.492	0.465	0.416	48	34	0.608	0.582	0.533		
47	29	0.513	0.487	0.437	48	35	0.630	0.604	0.555		
47	30	0.535	0.508	0.458	48	36	0.652	0.627	0.577		
47	31	0.556	0.530	0.480	48	37	0.675	0.649	0.600		
47	32	0.578	0.552	0.502	48	38	0.697	0.672	0.624		
47	33	0.600	0.574	0.524	48	39	0.720	0.696	0.648		
47	34	0.623	0.597	0.547	48	40	0.743	0.719	0.672		
47	35	0.645	0.619	0.569	48	41	0.767	0.743	0.697		
47	36	0.668	0.642	0.593	48	42	0.791	0.768	0.723		
47	37	0.691	0.666	0.617	48	43	0.815	0.793	0.749		
47	38	0.715	0.690	0.641	48	44	0.840	0.819	0.777		
47	39	0.738	0.714	0.666	48	45	0.866	0.846	0.806		
47	40	0.762	0.738	0.691	48	46	0.893	0.875	0.836		
47	41	0.787	0.763	0.717	48	47	0.921	0.905	0.870		
47	42	0.812	0.789	0.744	48	48	0.953	0.940	0.909		
47	43	0.837	0.816	0.772							
47	44	0.863	0.843	0.802	49	0	0.000	0.000	0.000		
47	45	0.891	0.872	0.833	49	1	0.002	0.001	0.000		
47	46	0.920	0.903	0.867	49	2	0.011	0.007	0.003		
47	47	0.952	0.938	0.907	49	3	0.023	0.017	0.009		
							49	4	0.036	0.028	0.017
							49	5	0.050	0.041	0.027

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
49	6	0.066	0.055	0.038	50	13	0.179	0.161	0.130
49	7	0.081	0.069	0.049	50	14	0.197	0.178	0.145
49	8	0.097	0.084	0.062	50	15	0.214	0.195	0.161
49	9	0.114	0.099	0.075	50	16	0.232	0.212	0.176
49	10	0.131	0.115	0.089	50	17	0.250	0.229	0.192
49	11	0.148	0.131	0.103	50	18	0.269	0.247	0.209
49	12	0.165	0.148	0.118	50	19	0.287	0.265	0.226
49	13	0.183	0.164	0.133	50	20	0.306	0.283	0.243
49	14	0.201	0.182	0.148	50	21	0.324	0.301	0.260
49	15	0.219	0.199	0.164	50	22	0.343	0.320	0.277
49	16	0.237	0.217	0.180	50	23	0.362	0.338	0.295
49	17	0.256	0.234	0.197	50	24	0.381	0.357	0.313
49	18	0.274	0.252	0.214	50	25	0.401	0.376	0.331
49	19	0.293	0.271	0.231	50	26	0.420	0.395	0.350
49	20	0.312	0.289	0.248	50	27	0.440	0.415	0.368
49	21	0.331	0.308	0.266	50	28	0.459	0.434	0.387
49	22	0.351	0.327	0.284	50	29	0.479	0.454	0.407
49	23	0.370	0.346	0.302	50	30	0.499	0.474	0.426
49	24	0.390	0.365	0.320	50	31	0.519	0.494	0.446
49	25	0.410	0.385	0.339	50	32	0.540	0.514	0.466
49	26	0.429	0.404	0.358	50	33	0.560	0.535	0.486
49	27	0.449	0.424	0.377	50	34	0.581	0.555	0.507
49	28	0.470	0.444	0.397	50	35	0.602	0.576	0.528
49	29	0.490	0.464	0.416	50	36	0.623	0.597	0.549
49	30	0.511	0.485	0.436	50	37	0.644	0.619	0.570
49	31	0.531	0.505	0.457	50	38	0.665	0.640	0.592
49	32	0.552	0.526	0.477	50	39	0.687	0.662	0.615
49	33	0.573	0.547	0.498	50	40	0.709	0.684	0.637
49	34	0.594	0.568	0.519	50	41	0.731	0.707	0.660
49	35	0.616	0.590	0.541	50	42	0.753	0.730	0.684
49	36	0.637	0.612	0.563	50	43	0.776	0.753	0.708
49	37	0.659	0.634	0.585	50	44	0.799	0.777	0.733
49	38	0.681	0.656	0.608	50	45	0.822	0.801	0.758
49	39	0.703	0.678	0.631	50	46	0.846	0.826	0.785
49	40	0.726	0.701	0.654	50	47	0.871	0.852	0.813
49	41	0.748	0.725	0.678	50	48	0.897	0.879	0.842
49	42	0.771	0.748	0.703	50	49	0.924	0.909	0.874
49	43	0.795	0.773	0.728	50	50	0.955	0.942	0.912
49	44	0.819	0.797	0.754	51	0	0.000	0.000	0.000
49	45	0.843	0.823	0.781	51	1	0.002	0.001	0.000
49	46	0.869	0.849	0.809	51	2	0.010	0.007	0.003
49	47	0.895	0.877	0.839	51	3	0.022	0.016	0.009
49	48	0.923	0.907	0.872	51	4	0.035	0.027	0.016
49	49	0.954	0.941	0.910	51	5	0.048	0.039	0.026
50	0	0.000	0.000	0.000	51	6	0.063	0.052	0.036
50	1	0.002	0.001	0.000	51	7	0.078	0.066	0.047
50	2	0.011	0.007	0.003	51	8	0.093	0.080	0.059
50	3	0.022	0.017	0.009	51	9	0.109	0.095	0.072
50	4	0.035	0.028	0.017	51	10	0.126	0.110	0.085
50	5	0.049	0.040	0.026	51	11	0.142	0.126	0.099
50	6	0.064	0.054	0.037	51	12	0.159	0.142	0.113
50	7	0.080	0.068	0.048	51	13	0.176	0.158	0.127
50	8	0.095	0.082	0.061	51	14	0.193	0.174	0.142
50	9	0.112	0.097	0.074	51	15	0.210	0.191	0.157
50	10	0.128	0.113	0.087	51	16	0.228	0.208	0.173
50	11	0.145	0.129	0.101	51	17	0.245	0.225	0.188
50	12	0.162	0.145	0.115					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
51	18	0.263	0.242	0.204	52	22	0.329	0.306	0.265
51	19	0.281	0.259	0.221	52	23	0.347	0.324	0.282
					52	24	0.366	0.342	0.300
51	20	0.299	0.277	0.237	52	25	0.384	0.360	0.317
51	21	0.318	0.295	0.254	52	26	0.403	0.379	0.334
51	22	0.336	0.313	0.271	52	27	0.421	0.397	0.352
51	23	0.355	0.331	0.289	52	28	0.440	0.416	0.370
51	24	0.373	0.349	0.306	52	29	0.459	0.434	0.389
					52	30	0.478	0.453	0.407
51	25	0.392	0.368	0.324	52	31	0.498	0.473	0.426
51	26	0.411	0.387	0.342	52	32	0.517	0.492	0.445
51	27	0.430	0.406	0.360	52	33	0.536	0.511	0.464
51	28	0.450	0.425	0.379	52	34	0.556	0.531	0.484
51	29	0.469	0.444	0.397					
					52	35	0.576	0.551	0.503
51	30	0.489	0.463	0.416	52	36	0.596	0.571	0.523
51	31	0.508	0.483	0.436	52	37	0.616	0.591	0.544
51	32	0.528	0.503	0.455	52	38	0.636	0.611	0.564
51	33	0.548	0.523	0.475	52	39	0.657	0.632	0.585
51	34	0.568	0.543	0.495					
					52	40	0.677	0.653	0.606
51	35	0.588	0.563	0.515	52	41	0.698	0.674	0.628
51	36	0.609	0.584	0.536	52	42	0.719	0.696	0.650
51	37	0.630	0.605	0.557	52	43	0.741	0.717	0.672
51	38	0.650	0.626	0.578	52	44	0.762	0.739	0.695
51	39	0.671	0.647	0.599					
					52	45	0.784	0.762	0.718
51	40	0.693	0.668	0.621	52	46	0.806	0.785	0.742
51	41	0.714	0.690	0.644	52	47	0.829	0.808	0.767
51	42	0.736	0.712	0.666	52	48	0.852	0.833	0.793
51	43	0.758	0.735	0.689	52	49	0.876	0.858	0.820
51	44	0.780	0.758	0.713					
					52	50	0.901	0.884	0.848
51	45	0.803	0.781	0.738	52	51	0.927	0.912	0.879
51	46	0.826	0.805	0.763	52	52	0.957	0.944	0.915
51	47	0.849	0.829	0.789					
51	48	0.874	0.855	0.816	53	0	0.000	0.000	0.000
51	49	0.899	0.882	0.845	53	1	0.002	0.001	0.000
					53	2	0.010	0.007	0.003
51	50	0.926	0.910	0.877	53	3	0.021	0.016	0.008
51	51	0.956	0.943	0.914	53	4	0.033	0.026	0.016
52	0	0.000	0.000	0.000	53	5	0.047	0.038	0.025
52	1	0.002	0.001	0.000	53	6	0.061	0.050	0.035
52	2	0.010	0.007	0.003	53	7	0.075	0.064	0.046
52	3	0.021	0.016	0.009	53	8	0.090	0.077	0.057
52	4	0.034	0.027	0.016	53	9	0.106	0.092	0.069
52	5	0.047	0.039	0.025	53	10	0.121	0.106	0.082
52	6	0.062	0.051	0.035	53	11	0.136	0.121	0.095
52	7	0.076	0.065	0.046	53	12	0.152	0.136	0.108
52	8	0.092	0.079	0.058	53	13	0.169	0.151	0.122
52	9	0.107	0.093	0.071	53	14	0.185	0.167	0.136
52	10	0.123	0.108	0.083	53	15	0.202	0.183	0.151
52	11	0.139	0.123	0.097	53	16	0.219	0.199	0.166
52	12	0.155	0.139	0.111	53	17	0.236	0.216	0.181
52	13	0.172	0.155	0.125	53	18	0.253	0.232	0.196
52	14	0.189	0.171	0.139	53	19	0.270	0.249	0.212
52	15	0.206	0.187	0.154	53	20	0.287	0.266	0.227
52	16	0.223	0.203	0.169	53	21	0.305	0.283	0.244
52	17	0.240	0.220	0.184	53	22	0.323	0.300	0.260
52	18	0.258	0.237	0.200	53	23	0.340	0.318	0.276
52	19	0.275	0.254	0.216	53	24	0.358	0.335	0.293
52	20	0.293	0.271	0.232					
52	21	0.311	0.289	0.249					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	99%	N	K	CONFIDENCE		LEVEL	99%
		90%	95%					90%	95%		
53	25	0.376	0.353	0.310		54	27	0.405	0.381	0.338	
53	26	0.395	0.371	0.327		54	28	0.423	0.399	0.355	
53	27	0.413	0.389	0.345		54	29	0.441	0.417	0.372	
53	28	0.431	0.407	0.362		54	30	0.459	0.435	0.390	
53	29	0.450	0.425	0.380		54	31	0.478	0.453	0.408	
53	30	0.469	0.444	0.398		54	32	0.496	0.471	0.426	
53	31	0.487	0.463	0.417		54	33	0.515	0.490	0.444	
53	32	0.506	0.481	0.435		54	34	0.533	0.509	0.462	
53	33	0.525	0.500	0.454		54	35	0.552	0.528	0.481	
53	34	0.545	0.520	0.473		54	36	0.571	0.547	0.500	
53	35	0.564	0.539	0.492		54	37	0.590	0.566	0.519	
53	36	0.583	0.558	0.511		54	38	0.610	0.585	0.539	
53	37	0.603	0.578	0.531		54	39	0.629	0.605	0.558	
53	38	0.623	0.598	0.551		54	40	0.649	0.625	0.578	
53	39	0.643	0.618	0.571		54	41	0.669	0.645	0.599	
53	40	0.663	0.639	0.592		54	42	0.689	0.665	0.619	
53	41	0.683	0.659	0.613		54	43	0.709	0.685	0.640	
53	42	0.704	0.680	0.634		54	44	0.729	0.706	0.661	
53	43	0.724	0.701	0.656		54	45	0.750	0.727	0.683	
53	44	0.745	0.722	0.678		54	46	0.770	0.748	0.705	
53	45	0.766	0.744	0.700		54	47	0.792	0.770	0.728	
53	46	0.788	0.766	0.723		54	48	0.813	0.792	0.751	
53	47	0.810	0.789	0.747		54	49	0.835	0.815	0.775	
53	48	0.832	0.812	0.771		54	50	0.857	0.838	0.800	
53	49	0.855	0.836	0.796		54	51	0.880	0.863	0.826	
53	50	0.878	0.860	0.823		54	52	0.904	0.888	0.853	
53	51	0.903	0.886	0.851		54	53	0.930	0.915	0.883	
53	52	0.929	0.914	0.881		54	54	0.958	0.946	0.918	
53	53	0.958	0.945	0.917		55	0	0.000	0.000	0.000	
54	0	0.000	0.000	0.000		55	1	0.002	0.001	0.000	
54	1	0.002	0.001	0.000		55	2	0.010	0.006	0.003	
54	2	0.010	0.007	0.003		55	3	0.020	0.015	0.008	
54	3	0.021	0.015	0.008		55	4	0.032	0.025	0.015	
54	4	0.033	0.026	0.016		55	5	0.045	0.036	0.024	
54	5	0.046	0.037	0.024		55	6	0.058	0.049	0.033	
54	6	0.059	0.049	0.034		55	7	0.072	0.061	0.044	
54	7	0.074	0.062	0.045		55	8	0.087	0.074	0.055	
54	8	0.088	0.076	0.056		55	9	0.101	0.088	0.067	
54	9	0.103	0.090	0.068		55	10	0.116	0.102	0.079	
54	10	0.118	0.104	0.080		55	11	0.131	0.116	0.091	
54	11	0.134	0.119	0.093		55	12	0.147	0.131	0.104	
54	12	0.149	0.133	0.106		55	13	0.162	0.146	0.117	
54	13	0.165	0.149	0.120		55	14	0.178	0.161	0.131	
54	14	0.182	0.164	0.134		55	15	0.194	0.176	0.145	
54	15	0.198	0.180	0.148		55	16	0.210	0.192	0.159	
54	16	0.214	0.195	0.162		55	17	0.227	0.207	0.174	
54	17	0.231	0.211	0.177		55	18	0.243	0.223	0.188	
54	18	0.248	0.228	0.192		55	19	0.260	0.239	0.203	
54	19	0.265	0.244	0.207		55	20	0.276	0.255	0.218	
54	20	0.282	0.261	0.223		55	21	0.293	0.272	0.234	
54	21	0.299	0.277	0.239		55	22	0.310	0.288	0.249	
54	22	0.316	0.294	0.255		55	23	0.327	0.305	0.265	
54	23	0.334	0.311	0.271		55	24	0.345	0.322	0.281	
54	24	0.351	0.328	0.287		55	25	0.362	0.339	0.298	
54	25	0.369	0.346	0.304		55	26	0.379	0.356	0.314	
54	26	0.387	0.363	0.321		55	27	0.397	0.373	0.331	

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
55	28	0.414	0.391	0.347	56	27	0.389	0.366	0.324
55	29	0.432	0.408	0.364	56	28	0.407	0.383	0.340
					56	29	0.424	0.400	0.357
55	30	0.450	0.426	0.382	56	30	0.441	0.418	0.374
55	31	0.468	0.444	0.399	56	31	0.459	0.435	0.391
55	32	0.486	0.462	0.417	56	32	0.477	0.453	0.408
55	33	0.504	0.480	0.435	56	33	0.495	0.470	0.426
55	34	0.523	0.498	0.453	56	34	0.513	0.488	0.443
55	35	0.541	0.517	0.471	56	35	0.531	0.506	0.461
55	36	0.560	0.535	0.489	56	36	0.549	0.525	0.479
55	37	0.579	0.554	0.508	56	37	0.567	0.543	0.497
55	38	0.598	0.573	0.527	56	38	0.586	0.561	0.516
55	39	0.616	0.592	0.546	56	39	0.604	0.580	0.534
55	40	0.636	0.612	0.565	56	40	0.623	0.599	0.553
55	41	0.655	0.631	0.585	56	41	0.642	0.618	0.572
55	42	0.674	0.651	0.605	56	42	0.661	0.637	0.592
55	43	0.694	0.671	0.625	56	43	0.680	0.656	0.611
55	44	0.714	0.691	0.646	56	44	0.699	0.676	0.631
55	45	0.734	0.711	0.667	56	45	0.719	0.696	0.652
55	46	0.754	0.732	0.688	56	46	0.738	0.716	0.672
55	47	0.774	0.753	0.710	56	47	0.758	0.736	0.693
55	48	0.795	0.774	0.732	56	48	0.778	0.757	0.715
55	49	0.816	0.796	0.755	56	49	0.799	0.778	0.737
55	50	0.838	0.818	0.779	56	50	0.819	0.799	0.759
55	51	0.860	0.841	0.803	56	51	0.841	0.821	0.782
55	52	0.883	0.865	0.829	56	52	0.862	0.844	0.806
55	53	0.906	0.890	0.856	56	53	0.885	0.867	0.832
55	54	0.931	0.917	0.885	56	54	0.908	0.892	0.858
55	55	0.959	0.947	0.920	56	55	0.932	0.918	0.887
					56	56	0.960	0.948	0.921
56	0	0.000	0.000	0.000	57	0	0.000	0.000	0.000
56	1	0.002	0.001	0.000	57	1	0.002	0.001	0.000
56	2	0.010	0.006	0.003	57	2	0.009	0.006	0.003
56	3	0.020	0.015	0.008	57	3	0.020	0.014	0.008
56	4	0.032	0.025	0.015	57	4	0.031	0.024	0.015
56	5	0.044	0.036	0.023	57	5	0.043	0.035	0.023
56	6	0.057	0.048	0.033	57	6	0.056	0.047	0.032
56	7	0.071	0.060	0.043	57	7	0.070	0.059	0.042
56	8	0.085	0.073	0.054	57	8	0.083	0.072	0.053
56	9	0.099	0.086	0.065	57	9	0.098	0.085	0.064
56	10	0.114	0.100	0.077	57	10	0.112	0.098	0.076
56	11	0.129	0.114	0.089	57	11	0.127	0.112	0.088
56	12	0.144	0.129	0.102	57	12	0.141	0.126	0.100
56	13	0.159	0.143	0.115	57	13	0.156	0.140	0.113
56	14	0.175	0.158	0.129	57	14	0.172	0.155	0.126
56	15	0.191	0.173	0.142	57	15	0.187	0.170	0.139
56	16	0.206	0.188	0.156	57	16	0.203	0.185	0.153
56	17	0.222	0.203	0.170	57	17	0.218	0.200	0.167
56	18	0.239	0.219	0.185	57	18	0.234	0.215	0.181
56	19	0.255	0.235	0.199	57	19	0.250	0.230	0.195
56	20	0.271	0.251	0.214	57	20	0.266	0.246	0.210
56	21	0.288	0.267	0.229	57	21	0.282	0.262	0.225
56	22	0.304	0.283	0.245	57	22	0.299	0.278	0.240
56	23	0.321	0.299	0.260	57	23	0.315	0.294	0.255
56	24	0.338	0.316	0.276	57	24	0.332	0.310	0.270
56	25	0.355	0.332	0.292					
56	26	0.372	0.349	0.308					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
57	25	0.348	0.326	0.286	58	23	0.309	0.288	0.250
57	26	0.365	0.343	0.302	58	24	0.326	0.304	0.265
57	27	0.382	0.359	0.318	58	25	0.342	0.320	0.280
57	28	0.399	0.376	0.334	58	26	0.358	0.336	0.296
57	29	0.416	0.393	0.350	58	27	0.375	0.352	0.311
57	30	0.433	0.410	0.366	58	28	0.392	0.369	0.327
57	31	0.450	0.427	0.383	58	29	0.408	0.385	0.343
57	32	0.468	0.444	0.400	58	30	0.425	0.402	0.359
57	33	0.485	0.461	0.417	58	31	0.442	0.419	0.376
57	34	0.503	0.479	0.434	58	32	0.459	0.436	0.392
57	35	0.520	0.496	0.452	58	33	0.476	0.452	0.409
57	36	0.538	0.514	0.469	58	34	0.493	0.470	0.425
57	37	0.556	0.532	0.487	58	35	0.511	0.487	0.442
57	38	0.574	0.550	0.505	58	36	0.528	0.504	0.460
57	39	0.592	0.568	0.523	58	37	0.546	0.522	0.477
57	40	0.611	0.587	0.541	58	38	0.563	0.539	0.495
57	41	0.629	0.605	0.560	58	39	0.581	0.557	0.512
57	42	0.648	0.624	0.579	58	40	0.599	0.575	0.530
57	43	0.666	0.643	0.598	58	41	0.617	0.593	0.548
57	44	0.685	0.662	0.617	58	42	0.635	0.612	0.567
57	45	0.704	0.681	0.637	58	43	0.653	0.630	0.585
57	46	0.723	0.701	0.657	58	44	0.672	0.649	0.604
57	47	0.743	0.721	0.677	58	45	0.690	0.667	0.623
57	48	0.762	0.741	0.698	58	46	0.709	0.686	0.643
57	49	0.782	0.761	0.719	58	47	0.728	0.706	0.662
57	50	0.802	0.782	0.741	58	48	0.747	0.725	0.683
57	51	0.822	0.803	0.763	58	49	0.766	0.745	0.703
57	52	0.843	0.824	0.786	58	50	0.786	0.765	0.724
57	53	0.865	0.847	0.810	58	51	0.805	0.785	0.745
57	54	0.887	0.870	0.834	58	52	0.825	0.806	0.767
57	55	0.909	0.894	0.861	58	53	0.846	0.827	0.789
57	56	0.933	0.919	0.889	58	54	0.867	0.849	0.813
57	57	0.961	0.949	0.922	58	55	0.888	0.872	0.837
58	0	0.000	0.000	0.000	58	56	0.911	0.895	0.863
58	1	0.002	0.001	0.000	58	57	0.935	0.921	0.891
58	2	0.009	0.006	0.003	58	58	0.961	0.950	0.924
58	3	0.019	0.014	0.008	59	0	0.000	0.000	0.000
58	4	0.031	0.024	0.014	59	1	0.002	0.001	0.000
58	5	0.042	0.034	0.022	59	2	0.009	0.006	0.003
58	6	0.055	0.046	0.032	59	3	0.019	0.014	0.007
58	7	0.068	0.058	0.041	59	4	0.030	0.024	0.014
58	8	0.082	0.070	0.052	59	5	0.042	0.034	0.022
58	9	0.096	0.083	0.063	59	6	0.054	0.045	0.031
58	10	0.110	0.097	0.074	59	7	0.067	0.057	0.041
58	11	0.124	0.110	0.086	59	8	0.081	0.069	0.051
58	12	0.139	0.124	0.098	59	9	0.094	0.082	0.062
58	13	0.154	0.138	0.111	59	10	0.108	0.095	0.073
58	14	0.169	0.152	0.124	59	11	0.122	0.108	0.085
58	15	0.184	0.167	0.137	59	12	0.136	0.122	0.097
58	16	0.199	0.181	0.150	59	13	0.151	0.135	0.109
58	17	0.214	0.196	0.164	59	14	0.166	0.149	0.122
58	18	0.230	0.211	0.178	59	15	0.180	0.164	0.134
58	19	0.246	0.226	0.192	59	16	0.195	0.178	0.148
58	20	0.261	0.241	0.206	59	17	0.211	0.192	0.161
58	21	0.277	0.257	0.221	59	18	0.226	0.207	0.175
58	22	0.293	0.272	0.235	59	19	0.241	0.222	0.188

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
59	20	0.257	0.237	0.202	60	17	0.207	0.189	0.158
59	21	0.272	0.252	0.217	60	18	0.222	0.204	0.171
59	22	0.288	0.268	0.231	60	19	0.237	0.218	0.185
59	23	0.304	0.283	0.246					
59	24	0.320	0.299	0.260	60	20	0.252	0.233	0.199
					60	21	0.268	0.248	0.213
59	25	0.336	0.314	0.275	60	22	0.283	0.263	0.227
59	26	0.352	0.330	0.290	60	23	0.299	0.278	0.241
59	27	0.368	0.346	0.306	60	24	0.314	0.293	0.256
59	28	0.384	0.362	0.321					
59	29	0.401	0.378	0.337	60	25	0.330	0.309	0.270
					60	26	0.346	0.324	0.285
59	30	0.417	0.394	0.352	60	27	0.362	0.340	0.300
59	31	0.434	0.411	0.368	60	28	0.378	0.355	0.315
59	32	0.451	0.427	0.384	60	29	0.394	0.371	0.330
59	33	0.467	0.444	0.401					
59	34	0.484	0.461	0.417	60	30	0.410	0.387	0.346
					60	31	0.426	0.403	0.361
59	35	0.501	0.478	0.434	60	32	0.443	0.420	0.377
59	36	0.518	0.495	0.451	60	33	0.459	0.436	0.393
59	37	0.535	0.512	0.468	60	34	0.476	0.452	0.409
59	38	0.553	0.529	0.485					
59	39	0.570	0.547	0.502	60	35	0.492	0.469	0.425
					60	36	0.509	0.486	0.442
59	40	0.588	0.564	0.519	60	37	0.526	0.502	0.458
59	41	0.605	0.582	0.537	60	38	0.543	0.519	0.475
59	42	0.623	0.600	0.555	60	39	0.560	0.536	0.492
59	43	0.641	0.618	0.573					
59	44	0.659	0.636	0.592	60	40	0.577	0.553	0.509
					60	41	0.594	0.571	0.526
59	45	0.677	0.654	0.610	60	42	0.611	0.588	0.544
59	46	0.695	0.673	0.629	60	43	0.629	0.606	0.562
59	47	0.714	0.691	0.648	60	44	0.646	0.624	0.580
59	48	0.732	0.710	0.668					
59	49	0.751	0.729	0.687	60	45	0.664	0.641	0.598
					60	46	0.682	0.659	0.616
59	50	0.770	0.749	0.707	60	47	0.700	0.678	0.635
59	51	0.789	0.769	0.728	60	48	0.718	0.696	0.654
59	52	0.808	0.789	0.749	60	49	0.736	0.715	0.673
59	53	0.828	0.809	0.770					
59	54	0.848	0.830	0.793	60	50	0.755	0.734	0.692
					60	51	0.774	0.753	0.712
59	55	0.869	0.852	0.816	60	52	0.792	0.772	0.732
59	56	0.890	0.874	0.840	60	53	0.812	0.792	0.753
59	57	0.912	0.897	0.865	60	54	0.831	0.812	0.774
59	58	0.936	0.922	0.893					
59	59	0.962	0.951	0.925	60	55	0.851	0.833	0.796
					60	56	0.871	0.854	0.819
60	0	0.000	0.000	0.000	60	57	0.892	0.876	0.842
60	1	0.002	0.001	0.000	60	58	0.914	0.899	0.867
60	2	0.009	0.006	0.002	60	59	0.937	0.923	0.894
60	3	0.019	0.014	0.007					
60	4	0.029	0.023	0.014	60	60	0.962	0.951	0.926
60	5	0.041	0.033	0.022	61	0	0.000	0.000	0.000
60	6	0.053	0.044	0.030	61	1	0.002	0.001	0.000
60	7	0.066	0.056	0.040	61	2	0.009	0.006	0.002
60	8	0.079	0.068	0.050	61	3	0.018	0.014	0.007
60	9	0.093	0.080	0.061	61	4	0.029	0.023	0.014
60	10	0.106	0.093	0.072	61	5	0.040	0.033	0.021
60	11	0.120	0.106	0.083	61	6	0.052	0.044	0.030
60	12	0.134	0.120	0.095	61	7	0.065	0.055	0.039
60	13	0.148	0.133	0.107	61	8	0.078	0.067	0.049
60	14	0.163	0.147	0.119	61	9	0.091	0.079	0.060
60	15	0.177	0.161	0.132	61	10	0.104	0.092	0.071
60	16	0.192	0.175	0.145	61	11	0.118	0.105	0.082

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL 99%	N	K	CONFIDENCE		LEVEL 99%
		90%	95%				90%	95%	
61	12	0.132	0.118	0.093	62	7	0.064	0.054	0.039
61	13	0.146	0.131	0.105	62	8	0.077	0.066	0.048
61	14	0.160	0.144	0.117	62	9	0.089	0.078	0.059
61	15	0.174	0.158	0.130	62	10	0.103	0.090	0.069
61	16	0.189	0.172	0.142	62	11	0.116	0.103	0.080
61	17	0.203	0.186	0.155	62	12	0.130	0.116	0.092
61	18	0.218	0.200	0.168	62	13	0.143	0.129	0.103
61	19	0.233	0.214	0.182	62	14	0.157	0.142	0.115
61	20	0.248	0.229	0.195	62	15	0.171	0.155	0.128
61	21	0.263	0.243	0.209	62	16	0.186	0.169	0.140
61	22	0.278	0.258	0.223	62	17	0.200	0.183	0.153
61	23	0.293	0.273	0.237	62	18	0.214	0.197	0.165
61	24	0.309	0.288	0.251	62	19	0.229	0.211	0.179
61	25	0.324	0.303	0.265	62	20	0.244	0.225	0.192
61	26	0.340	0.318	0.280	62	21	0.259	0.239	0.205
61	27	0.355	0.334	0.294	62	22	0.273	0.254	0.219
61	28	0.371	0.349	0.309	62	23	0.288	0.268	0.233
61	29	0.387	0.365	0.324	62	24	0.303	0.283	0.246
61	30	0.403	0.380	0.339	62	25	0.319	0.298	0.261
61	31	0.419	0.396	0.355	62	26	0.334	0.313	0.275
61	32	0.435	0.412	0.370	62	27	0.349	0.328	0.289
61	33	0.451	0.428	0.386	62	28	0.365	0.343	0.304
61	34	0.467	0.444	0.402	62	29	0.380	0.358	0.318
61	35	0.483	0.460	0.417	62	30	0.396	0.374	0.333
61	36	0.500	0.477	0.434	62	31	0.411	0.389	0.348
61	37	0.516	0.493	0.450	62	32	0.427	0.405	0.363
61	38	0.533	0.510	0.466	62	33	0.443	0.420	0.379
61	39	0.550	0.526	0.483	62	34	0.459	0.436	0.394
61	40	0.566	0.543	0.499	62	35	0.475	0.452	0.410
61	41	0.583	0.560	0.516	62	36	0.491	0.468	0.425
61	42	0.600	0.577	0.533	62	37	0.507	0.484	0.441
61	43	0.617	0.594	0.551	62	38	0.524	0.500	0.457
61	44	0.635	0.612	0.568	62	39	0.540	0.517	0.474
61	45	0.652	0.629	0.586	62	40	0.556	0.533	0.490
61	46	0.669	0.647	0.604	62	41	0.573	0.550	0.506
61	47	0.687	0.665	0.622	62	42	0.590	0.567	0.523
61	48	0.705	0.683	0.640	62	43	0.606	0.583	0.540
61	49	0.722	0.701	0.659	62	44	0.623	0.600	0.557
61	50	0.740	0.719	0.678	62	45	0.640	0.618	0.574
61	51	0.759	0.738	0.697	62	46	0.657	0.635	0.592
61	52	0.777	0.757	0.716	62	47	0.674	0.652	0.609
61	53	0.796	0.776	0.736	62	48	0.692	0.670	0.627
61	54	0.815	0.795	0.757	62	49	0.709	0.687	0.645
61	55	0.834	0.815	0.777	62	50	0.727	0.705	0.664
61	56	0.853	0.835	0.799	62	51	0.744	0.723	0.682
61	57	0.873	0.856	0.821	62	52	0.762	0.742	0.701
61	58	0.894	0.878	0.845	62	53	0.780	0.760	0.720
61	59	0.915	0.900	0.869	62	54	0.799	0.779	0.740
61	60	0.938	0.925	0.896	62	55	0.817	0.798	0.760
61	61	0.963	0.952	0.927	62	56	0.836	0.818	0.781
62	0	0.000	0.000	0.000	62	57	0.855	0.838	0.802
62	1	0.002	0.001	0.000	62	58	0.875	0.858	0.824
62	2	0.009	0.006	0.002	62	59	0.895	0.880	0.847
62	3	0.018	0.013	0.007	62	60	0.916	0.902	0.871
62	4	0.029	0.022	0.014	62	61	0.939	0.926	0.898
62	5	0.040	0.032	0.021	62	62	0.964	0.953	0.928
62	6	0.052	0.043	0.029	63	0	0.000	0.000	0.000

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
63	1	0.002	0.001	0.000	63	56	0.820	0.801	0.764
63	2	0.008	0.006	0.002	63	57	0.839	0.821	0.784
63	3	0.018	0.013	0.007	63	58	0.858	0.840	0.805
63	4	0.028	0.022	0.013	63	59	0.877	0.861	0.827
63	5	0.039	0.032	0.021	63	60	0.897	0.882	0.849
63	6	0.051	0.042	0.029	63	61	0.918	0.903	0.873
63	7	0.063	0.053	0.038	63	62	0.940	0.927	0.899
63	8	0.075	0.065	0.048	63	63	0.964	0.954	0.930
63	9	0.088	0.077	0.058					
63	10	0.101	0.089	0.068	64	0	0.000	0.000	0.000
63	11	0.114	0.101	0.079	64	1	0.002	0.001	0.000
63	12	0.128	0.114	0.090	64	2	0.008	0.006	0.002
63	13	0.141	0.127	0.102	64	3	0.017	0.013	0.007
63	14	0.155	0.139	0.113	64	4	0.028	0.022	0.013
63	15	0.169	0.153	0.125	64	5	0.038	0.031	0.020
63	16	0.183	0.166	0.138	64	6	0.050	0.042	0.028
63	17	0.197	0.180	0.150	64	7	0.062	0.052	0.037
63	18	0.211	0.193	0.163	64	8	0.074	0.064	0.047
63	19	0.225	0.207	0.175	64	9	0.087	0.075	0.057
63	20	0.240	0.221	0.188	64	10	0.099	0.087	0.067
63	21	0.254	0.235	0.202	64	11	0.112	0.099	0.078
63	22	0.269	0.249	0.215	64	12	0.126	0.112	0.089
63	23	0.284	0.264	0.229	64	13	0.139	0.124	0.100
63	24	0.298	0.278	0.242	64	14	0.152	0.137	0.112
63	25	0.313	0.293	0.256	64	15	0.166	0.150	0.123
63	26	0.328	0.308	0.270	64	16	0.180	0.163	0.135
63	27	0.343	0.322	0.284	64	17	0.194	0.177	0.147
63	28	0.359	0.337	0.298	64	18	0.207	0.190	0.160
63	29	0.374	0.352	0.313	64	19	0.222	0.204	0.173
63	30	0.389	0.367	0.327	64	20	0.236	0.218	0.185
63	31	0.404	0.382	0.342	64	21	0.250	0.231	0.198
63	32	0.420	0.398	0.357	64	22	0.264	0.245	0.211
63	33	0.436	0.413	0.372	64	23	0.279	0.259	0.225
63	34	0.451	0.429	0.387	64	24	0.293	0.274	0.238
63	35	0.467	0.444	0.402	64	25	0.308	0.288	0.252
63	36	0.483	0.460	0.418	64	26	0.323	0.302	0.265
63	37	0.499	0.476	0.433	64	27	0.338	0.317	0.279
63	38	0.515	0.492	0.449	64	28	0.353	0.331	0.293
63	39	0.531	0.508	0.465	64	29	0.368	0.346	0.307
63	40	0.547	0.524	0.481	64	30	0.383	0.361	0.322
63	41	0.563	0.540	0.497	64	31	0.398	0.376	0.336
63	42	0.579	0.556	0.513	64	32	0.413	0.391	0.351
63	43	0.596	0.573	0.530	64	33	0.428	0.406	0.365
63	44	0.612	0.589	0.546	64	34	0.444	0.421	0.380
63	45	0.629	0.606	0.563	64	35	0.459	0.437	0.395
63	46	0.646	0.623	0.580	64	36	0.475	0.452	0.410
63	47	0.662	0.640	0.598	64	37	0.490	0.468	0.426
63	48	0.679	0.657	0.615	64	38	0.506	0.483	0.441
63	49	0.696	0.675	0.633	64	39	0.522	0.499	0.456
63	50	0.714	0.692	0.650	64	40	0.537	0.515	0.472
63	51	0.731	0.710	0.668	64	41	0.553	0.531	0.488
63	52	0.748	0.728	0.687	64	42	0.569	0.547	0.504
63	53	0.766	0.746	0.706	64	43	0.585	0.563	0.520
63	54	0.784	0.764	0.725	64	44	0.602	0.579	0.536
63	55	0.802	0.782	0.744	64	45	0.618	0.595	0.553
					64	46	0.634	0.612	0.569

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
64	47	0.651	0.629	0.586	65	38	0.497	0.475	0.433
64	48	0.667	0.645	0.603	65	39	0.513	0.490	0.448
64	49	0.684	0.662	0.620	65	40	0.528	0.506	0.464
64	50	0.701	0.679	0.638	65	41	0.544	0.521	0.479
64	51	0.718	0.697	0.655	65	42	0.560	0.537	0.495
64	52	0.735	0.714	0.673	65	43	0.575	0.553	0.511
64	53	0.752	0.732	0.691	65	44	0.591	0.569	0.526
64	54	0.769	0.749	0.710	65	45	0.607	0.585	0.543
64	55	0.787	0.767	0.729	65	46	0.623	0.601	0.559
64	56	0.805	0.786	0.748	65	47	0.640	0.617	0.575
64	57	0.823	0.804	0.767	65	48	0.656	0.634	0.592
64	58	0.841	0.823	0.787	65	49	0.672	0.650	0.609
64	59	0.860	0.843	0.808	65	50	0.689	0.667	0.626
64	60	0.879	0.863	0.829	65	51	0.705	0.684	0.643
64	61	0.899	0.883	0.851	65	52	0.722	0.701	0.660
64	62	0.919	0.905	0.875	65	53	0.739	0.718	0.678
64	63	0.941	0.928	0.901	65	54	0.756	0.735	0.696
64	64	0.965	0.954	0.931	65	55	0.773	0.753	0.714
65	0	0.000	0.000	0.000	65	56	0.790	0.771	0.732
65	1	0.002	0.001	0.000	65	57	0.808	0.789	0.751
65	2	0.008	0.005	0.002	65	58	0.825	0.807	0.770
65	3	0.017	0.013	0.007	65	59	0.844	0.826	0.790
65	4	0.027	0.021	0.013	65	60	0.862	0.845	0.811
65	5	0.038	0.031	0.020	65	61	0.881	0.865	0.832
65	6	0.049	0.041	0.028	65	62	0.900	0.885	0.854
65	7	0.061	0.052	0.037	65	63	0.920	0.906	0.877
65	8	0.073	0.063	0.046	65	64	0.942	0.929	0.902
65	9	0.085	0.074	0.056	65	65	0.965	0.955	0.932
65	10	0.098	0.086	0.066	66	0	0.000	0.000	0.000
65	11	0.111	0.098	0.077	66	1	0.002	0.001	0.000
65	12	0.124	0.110	0.087	66	2	0.008	0.005	0.002
65	13	0.137	0.123	0.098	66	3	0.017	0.013	0.007
65	14	0.150	0.135	0.110	66	4	0.027	0.021	0.013
65	15	0.163	0.148	0.121	66	5	0.037	0.030	0.020
65	16	0.177	0.161	0.133	66	6	0.048	0.040	0.028
65	17	0.190	0.174	0.145	66	7	0.060	0.051	0.036
65	18	0.204	0.187	0.157	66	8	0.072	0.062	0.045
65	19	0.218	0.200	0.170	66	9	0.084	0.073	0.055
65	20	0.232	0.214	0.182	66	10	0.096	0.085	0.065
65	21	0.246	0.228	0.195	66	11	0.109	0.096	0.075
65	22	0.260	0.241	0.208	66	12	0.122	0.108	0.086
65	23	0.274	0.255	0.221	66	13	0.134	0.121	0.097
65	24	0.289	0.269	0.234	66	14	0.147	0.133	0.108
65	25	0.303	0.283	0.247	66	15	0.161	0.145	0.119
65	26	0.318	0.297	0.261	66	16	0.174	0.158	0.131
65	27	0.332	0.312	0.275	66	17	0.187	0.171	0.143
65	28	0.347	0.326	0.288	66	18	0.201	0.184	0.155
65	29	0.362	0.340	0.302	66	19	0.215	0.197	0.167
65	30	0.376	0.355	0.316	66	20	0.228	0.211	0.179
65	31	0.391	0.370	0.330	66	21	0.242	0.224	0.192
65	32	0.406	0.384	0.345	66	22	0.256	0.237	0.204
65	33	0.421	0.399	0.359	66	23	0.270	0.251	0.217
65	34	0.436	0.414	0.374	66	24	0.284	0.265	0.230
65	35	0.451	0.429	0.388	66	25	0.298	0.279	0.243
65	36	0.467	0.444	0.403	66	26	0.313	0.293	0.257
65	37	0.482	0.460	0.418					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
66	27	0.327	0.307	0.270	67	17	0.185	0.168	0.140
66	28	0.341	0.321	0.283	67	18	0.198	0.181	0.152
66	29	0.356	0.335	0.297	67	19	0.211	0.194	0.164
66	30	0.370	0.349	0.311	67	20	0.225	0.207	0.176
66	31	0.385	0.364	0.325	67	21	0.238	0.220	0.189
66	32	0.400	0.378	0.339	67	22	0.252	0.234	0.201
66	33	0.414	0.393	0.353	67	23	0.266	0.247	0.214
66	34	0.429	0.407	0.367	67	24	0.280	0.261	0.226
66	35	0.444	0.422	0.382	67	25	0.294	0.274	0.239
66	36	0.459	0.437	0.396	67	26	0.308	0.288	0.252
66	37	0.474	0.452	0.411	67	27	0.322	0.302	0.266
66	38	0.489	0.467	0.426	67	28	0.336	0.316	0.279
66	39	0.504	0.482	0.440	67	29	0.350	0.330	0.292
66	40	0.520	0.497	0.456	67	30	0.364	0.344	0.306
66	41	0.535	0.513	0.471	67	31	0.379	0.358	0.319
66	42	0.550	0.528	0.486	67	32	0.393	0.372	0.333
66	43	0.566	0.544	0.501	67	33	0.408	0.386	0.347
66	44	0.581	0.559	0.517	67	34	0.422	0.401	0.361
66	45	0.597	0.575	0.533	67	35	0.437	0.415	0.375
66	46	0.613	0.591	0.549	67	36	0.452	0.430	0.389
66	47	0.629	0.607	0.565	67	37	0.466	0.445	0.404
66	48	0.645	0.623	0.581	67	38	0.481	0.459	0.418
66	49	0.661	0.639	0.597	67	39	0.496	0.474	0.433
66	50	0.677	0.655	0.614	67	40	0.511	0.489	0.448
66	51	0.693	0.672	0.631	67	41	0.526	0.504	0.463
66	52	0.709	0.688	0.648	67	42	0.541	0.519	0.478
66	53	0.726	0.705	0.665	67	43	0.557	0.534	0.493
66	54	0.742	0.722	0.682	67	44	0.572	0.550	0.508
66	55	0.759	0.739	0.700	67	45	0.587	0.565	0.523
66	56	0.776	0.757	0.718	67	46	0.603	0.581	0.539
66	57	0.793	0.774	0.736	67	47	0.618	0.596	0.555
66	58	0.811	0.792	0.755	67	48	0.634	0.612	0.570
66	59	0.828	0.810	0.774	67	49	0.650	0.628	0.587
66	60	0.846	0.828	0.793	67	50	0.666	0.644	0.603
66	61	0.864	0.847	0.813	67	51	0.681	0.660	0.619
66	62	0.883	0.867	0.834	67	52	0.697	0.676	0.636
66	63	0.902	0.887	0.856	67	53	0.714	0.693	0.652
66	64	0.921	0.908	0.879	67	54	0.730	0.709	0.669
66	65	0.942	0.930	0.904	67	55	0.746	0.726	0.687
66	66	0.966	0.956	0.933	67	56	0.763	0.743	0.704
67	0	0.000	0.000	0.000	67	57	0.779	0.760	0.722
67	1	0.002	0.001	0.000	67	58	0.796	0.777	0.740
67	2	0.008	0.005	0.002	67	59	0.813	0.795	0.758
67	3	0.017	0.012	0.007	67	60	0.831	0.813	0.777
67	4	0.026	0.021	0.012	67	61	0.848	0.831	0.796
67	5	0.037	0.030	0.019	67	62	0.866	0.849	0.816
67	6	0.048	0.040	0.027	67	63	0.884	0.869	0.836
67	7	0.059	0.050	0.036	67	64	0.903	0.888	0.858
67	8	0.071	0.061	0.045	67	65	0.923	0.909	0.880
67	9	0.083	0.072	0.054	67	66	0.943	0.931	0.905
67	10	0.095	0.083	0.064	67	67	0.966	0.956	0.934
67	11	0.107	0.095	0.074	68	0	0.000	0.000	0.000
67	12	0.120	0.107	0.085	68	1	0.002	0.001	0.000
67	13	0.132	0.119	0.095	68	2	0.008	0.005	0.002
67	14	0.145	0.131	0.106	68	3	0.016	0.012	0.006
67	15	0.158	0.143	0.118	68	4	0.026	0.020	0.012
67	16	0.171	0.156	0.129	68	5	0.036	0.029	0.019

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
68	6	0.047	0.039	0.027	68	61	0.833	0.815	0.780
68	7	0.058	0.049	0.035	68	62	0.850	0.833	0.799
68	8	0.070	0.060	0.044	68	63	0.868	0.852	0.818
68	9	0.081	0.071	0.053	68	64	0.886	0.870	0.839
68	10	0.093	0.082	0.063	68	65	0.904	0.890	0.860
68	11	0.106	0.093	0.073	68	66	0.924	0.910	0.882
68	12	0.118	0.105	0.083	68	67	0.944	0.932	0.906
68	13	0.130	0.117	0.094	68	68	0.967	0.957	0.935
68	14	0.143	0.129	0.105	69	0	0.000	0.000	0.000
68	15	0.156	0.141	0.116	69	1	0.002	0.001	0.000
68	16	0.169	0.153	0.127	69	2	0.008	0.005	0.002
68	17	0.182	0.166	0.138	69	3	0.016	0.012	0.006
68	18	0.195	0.178	0.150	69	4	0.026	0.020	0.012
68	19	0.208	0.191	0.162	69	5	0.036	0.029	0.019
68	20	0.221	0.204	0.174	69	6	0.046	0.038	0.026
68	21	0.235	0.217	0.186	69	7	0.057	0.049	0.035
68	22	0.248	0.230	0.198	69	8	0.069	0.059	0.043
68	23	0.262	0.243	0.210	69	9	0.080	0.070	0.053
68	24	0.275	0.257	0.223	69	10	0.092	0.081	0.062
68	25	0.289	0.270	0.236	69	11	0.104	0.092	0.072
68	26	0.303	0.283	0.248	69	12	0.116	0.103	0.082
68	27	0.317	0.297	0.261	69	13	0.129	0.115	0.092
68	28	0.331	0.311	0.274	69	14	0.141	0.127	0.103
68	29	0.345	0.324	0.287	69	15	0.153	0.139	0.114
68	30	0.359	0.338	0.301	69	16	0.166	0.151	0.125
68	31	0.373	0.352	0.314	69	17	0.179	0.163	0.136
68	32	0.387	0.366	0.328	69	18	0.192	0.176	0.148
68	33	0.401	0.380	0.341	69	19	0.205	0.188	0.159
68	34	0.416	0.394	0.355	69	20	0.218	0.201	0.171
68	35	0.430	0.409	0.369	69	21	0.231	0.214	0.183
68	36	0.445	0.423	0.383	69	22	0.244	0.227	0.195
68	37	0.459	0.437	0.397	69	23	0.258	0.240	0.207
68	38	0.474	0.452	0.411	69	24	0.271	0.253	0.219
68	39	0.488	0.466	0.426	69	25	0.285	0.266	0.232
68	40	0.503	0.481	0.440	69	26	0.298	0.279	0.244
68	41	0.518	0.496	0.455	69	27	0.312	0.292	0.257
68	42	0.533	0.511	0.469	69	28	0.326	0.306	0.270
68	43	0.548	0.526	0.484	69	29	0.339	0.319	0.283
68	44	0.563	0.541	0.499	69	30	0.353	0.333	0.296
68	45	0.578	0.556	0.514	69	31	0.367	0.347	0.309
68	46	0.593	0.571	0.530	69	32	0.381	0.360	0.322
68	47	0.608	0.586	0.545	69	33	0.395	0.374	0.336
68	48	0.624	0.602	0.560	69	34	0.409	0.388	0.349
68	49	0.639	0.617	0.576	69	35	0.423	0.402	0.363
68	50	0.655	0.633	0.592	69	36	0.438	0.416	0.377
68	51	0.670	0.649	0.608	69	37	0.452	0.430	0.391
68	52	0.686	0.665	0.624	69	38	0.466	0.445	0.405
68	53	0.702	0.681	0.641	69	39	0.481	0.459	0.419
68	54	0.718	0.697	0.657	69	40	0.495	0.473	0.433
68	55	0.734	0.713	0.674	69	41	0.510	0.488	0.447
68	56	0.750	0.730	0.691	69	42	0.524	0.503	0.462
68	57	0.766	0.746	0.708	69	43	0.539	0.517	0.476
68	58	0.782	0.763	0.725	69	44	0.554	0.532	0.491
68	59	0.799	0.780	0.743	69	45	0.569	0.547	0.506
68	60	0.816	0.798	0.761	69	46	0.584	0.562	0.521

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
69	47	0.599	0.577	0.536	70	33	0.389	0.368	0.331
69	48	0.614	0.592	0.551	70	34	0.403	0.382	0.344
69	49	0.629	0.607	0.566	70	35	0.417	0.396	0.357
69	50	0.644	0.623	0.582	70	36	0.431	0.410	0.371
69	51	0.659	0.638	0.597	70	37	0.445	0.424	0.384
69	52	0.675	0.654	0.613	70	38	0.459	0.438	0.398
69	53	0.690	0.669	0.629	70	39	0.473	0.452	0.412
69	54	0.706	0.685	0.645	70	40	0.488	0.466	0.426
69	55	0.721	0.701	0.662	70	41	0.502	0.480	0.440
69	56	0.737	0.717	0.678	70	42	0.516	0.495	0.454
69	57	0.753	0.733	0.695	70	43	0.531	0.509	0.468
69	58	0.769	0.750	0.712	70	44	0.545	0.523	0.483
69	59	0.785	0.767	0.729	70	45	0.560	0.538	0.497
69	60	0.802	0.783	0.747	70	46	0.574	0.553	0.512
69	61	0.818	0.800	0.765	70	47	0.589	0.568	0.527
69	62	0.835	0.818	0.783	70	48	0.604	0.582	0.542
69	63	0.852	0.836	0.802	70	49	0.619	0.597	0.557
69	64	0.870	0.854	0.821	70	50	0.634	0.612	0.572
69	65	0.887	0.872	0.841	70	51	0.649	0.628	0.587
69	66	0.906	0.891	0.862	70	52	0.664	0.643	0.603
69	67	0.925	0.912	0.884	70	53	0.679	0.658	0.618
69	68	0.945	0.933	0.908	70	54	0.694	0.674	0.634
69	69	0.967	0.958	0.935	70	55	0.710	0.689	0.650
70	0	0.000	0.000	0.000	70	56	0.725	0.705	0.666
70	1	0.002	0.001	0.000	70	57	0.741	0.721	0.682
70	2	0.008	0.005	0.002	70	58	0.757	0.737	0.699
70	3	0.016	0.012	0.006	70	59	0.772	0.753	0.716
70	4	0.025	0.020	0.012	70	60	0.788	0.770	0.733
70	5	0.035	0.028	0.019	70	61	0.805	0.786	0.750
70	6	0.046	0.038	0.026	70	62	0.821	0.803	0.768
70	7	0.056	0.048	0.034	70	63	0.838	0.820	0.786
70	8	0.068	0.058	0.043	70	64	0.854	0.838	0.804
70	9	0.079	0.069	0.052	70	65	0.871	0.856	0.823
70	10	0.091	0.080	0.061	70	66	0.889	0.874	0.843
70	11	0.103	0.091	0.071	70	67	0.907	0.893	0.864
70	12	0.115	0.102	0.081	70	68	0.926	0.913	0.885
70	13	0.127	0.113	0.091	70	69	0.946	0.934	0.909
70	14	0.139	0.125	0.102	70	70	0.968	0.958	0.936
70	15	0.151	0.137	0.112	71	0	0.000	0.000	0.000
70	16	0.164	0.149	0.123	71	1	0.002	0.001	0.000
70	17	0.176	0.161	0.134	71	2	0.008	0.005	0.002
70	18	0.189	0.173	0.145	71	3	0.016	0.012	0.006
70	19	0.202	0.185	0.157	71	4	0.025	0.020	0.012
70	20	0.215	0.198	0.168	71	5	0.035	0.028	0.018
70	21	0.228	0.210	0.180	71	6	0.045	0.037	0.026
70	22	0.241	0.223	0.192	71	7	0.056	0.047	0.034
70	23	0.254	0.236	0.204	71	8	0.067	0.057	0.042
70	24	0.267	0.249	0.216	71	9	0.078	0.068	0.051
70	25	0.280	0.262	0.228	71	10	0.089	0.078	0.060
70	26	0.294	0.275	0.241	71	11	0.101	0.089	0.070
70	27	0.307	0.288	0.253	71	12	0.113	0.100	0.080
70	28	0.321	0.301	0.266	71	13	0.125	0.112	0.090
70	29	0.334	0.314	0.278	71	14	0.137	0.123	0.100
70	30	0.348	0.328	0.291	71	15	0.149	0.135	0.111
70	31	0.362	0.341	0.304	71	16	0.161	0.147	0.121
70	32	0.375	0.355	0.317					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE			LEVEL	N	K	CONFIDENCE			LEVEL
		90%	95%	99%				90%	95%	99%	
71	17	0.174	0.159	0.132		72	0	0.000	0.000	0.000	
71	18	0.186	0.171	0.143		72	1	0.002	0.001	0.000	
71	19	0.199	0.183	0.154		72	2	0.007	0.005	0.002	
						72	3	0.015	0.011	0.006	
71	20	0.212	0.195	0.166		72	4	0.025	0.019	0.012	
71	21	0.224	0.207	0.177							
71	22	0.237	0.220	0.189		72	5	0.034	0.028	0.018	
71	23	0.250	0.232	0.201		72	6	0.044	0.037	0.025	
71	24	0.263	0.245	0.213		72	7	0.055	0.046	0.033	
						72	8	0.066	0.056	0.042	
71	25	0.276	0.258	0.225		72	9	0.077	0.067	0.050	
71	26	0.289	0.271	0.237							
71	27	0.303	0.284	0.249		72	10	0.088	0.077	0.059	
71	28	0.316	0.297	0.262		72	11	0.100	0.088	0.069	
71	29	0.329	0.310	0.274		72	12	0.111	0.099	0.078	
						72	13	0.123	0.110	0.088	
71	30	0.343	0.323	0.287		72	14	0.135	0.122	0.099	
71	31	0.356	0.336	0.300							
71	32	0.370	0.349	0.312		72	15	0.147	0.133	0.109	
71	33	0.383	0.363	0.325		72	16	0.159	0.144	0.120	
71	34	0.397	0.376	0.338		72	17	0.171	0.156	0.130	
						72	18	0.184	0.168	0.141	
71	35	0.411	0.390	0.352		72	19	0.196	0.180	0.152	
71	36	0.425	0.404	0.365							
71	37	0.438	0.417	0.378		72	20	0.209	0.192	0.163	
71	38	0.452	0.431	0.392		72	21	0.221	0.204	0.175	
71	39	0.466	0.445	0.405		72	22	0.234	0.217	0.186	
						72	23	0.247	0.229	0.198	
71	40	0.480	0.459	0.419		72	24	0.259	0.241	0.210	
71	41	0.494	0.473	0.433							
71	42	0.508	0.487	0.447		72	25	0.272	0.254	0.221	
71	43	0.523	0.501	0.461		72	26	0.285	0.267	0.233	
71	44	0.537	0.515	0.475		72	27	0.298	0.279	0.245	
						72	28	0.311	0.292	0.258	
71	45	0.551	0.530	0.489		72	29	0.325	0.305	0.270	
71	46	0.566	0.544	0.503							
71	47	0.580	0.559	0.518		72	30	0.338	0.318	0.282	
71	48	0.595	0.573	0.533		72	31	0.351	0.331	0.295	
71	49	0.609	0.588	0.547		72	32	0.364	0.344	0.308	
						72	33	0.378	0.357	0.320	
71	50	0.624	0.603	0.562		72	34	0.391	0.371	0.333	
71	51	0.639	0.618	0.577							
71	52	0.653	0.632	0.592		72	35	0.405	0.384	0.346	
71	53	0.668	0.648	0.608		72	36	0.418	0.397	0.359	
71	54	0.683	0.663	0.623		72	37	0.432	0.411	0.372	
						72	38	0.446	0.424	0.386	
71	55	0.698	0.678	0.639		72	39	0.459	0.438	0.399	
71	56	0.714	0.693	0.654							
71	57	0.729	0.709	0.670		72	40	0.473	0.452	0.412	
71	58	0.744	0.725	0.686		72	41	0.487	0.466	0.426	
71	59	0.760	0.741	0.703		72	42	0.501	0.479	0.440	
						72	43	0.515	0.493	0.453	
71	60	0.775	0.757	0.719		72	44	0.529	0.507	0.467	
71	61	0.791	0.773	0.736							
71	62	0.807	0.789	0.753		72	45	0.543	0.521	0.481	
71	63	0.823	0.806	0.771		72	46	0.557	0.536	0.495	
71	64	0.840	0.823	0.789		72	47	0.571	0.550	0.510	
						72	48	0.585	0.564	0.524	
71	65	0.856	0.840	0.807		72	49	0.600	0.579	0.538	
71	66	0.873	0.858	0.826							
71	67	0.891	0.876	0.845		72	50	0.614	0.593	0.553	
71	68	0.908	0.894	0.865		72	51	0.629	0.608	0.568	
71	69	0.927	0.914	0.887		72	52	0.643	0.622	0.582	
						72	53	0.658	0.637	0.597	
71	70	0.946	0.935	0.910		72	54	0.673	0.652	0.613	
71	71	0.968	0.959	0.937							

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
72	55	0.688	0.667	0.628	73	38	0.439	0.418	0.380
72	56	0.702	0.682	0.643	73	39	0.453	0.432	0.393
72	57	0.717	0.697	0.659					
72	58	0.732	0.713	0.674	73	40	0.466	0.445	0.406
72	59	0.748	0.728	0.690	73	41	0.480	0.459	0.419
					73	42	0.493	0.472	0.433
72	60	0.763	0.744	0.707	73	43	0.507	0.486	0.446
72	61	0.778	0.760	0.723	73	44	0.521	0.500	0.460
72	62	0.794	0.776	0.740					
72	63	0.810	0.792	0.757	73	45	0.535	0.514	0.474
72	64	0.826	0.808	0.774	73	46	0.549	0.527	0.487
					73	47	0.563	0.541	0.501
72	65	0.842	0.825	0.791	73	48	0.577	0.556	0.515
72	66	0.858	0.842	0.809	73	49	0.591	0.570	0.530
72	67	0.875	0.859	0.828					
72	68	0.892	0.877	0.847	73	50	0.605	0.584	0.544
72	69	0.910	0.896	0.867	73	51	0.619	0.598	0.558
					73	52	0.634	0.613	0.573
72	70	0.928	0.915	0.888	73	53	0.648	0.627	0.587
72	71	0.947	0.936	0.911	73	54	0.662	0.642	0.602
72	72	0.969	0.959	0.938					
					73	55	0.677	0.657	0.617
73	0	0.000	0.000	0.000	73	56	0.692	0.671	0.632
73	1	0.002	0.001	0.000	73	57	0.706	0.686	0.648
73	2	0.007	0.005	0.002	73	58	0.721	0.701	0.663
73	3	0.015	0.011	0.006	73	59	0.736	0.716	0.679
73	4	0.024	0.019	0.011					
					73	60	0.751	0.732	0.694
73	5	0.034	0.027	0.018	73	61	0.766	0.747	0.710
73	6	0.044	0.036	0.025	73	62	0.781	0.763	0.726
73	7	0.054	0.046	0.033	73	63	0.797	0.779	0.743
73	8	0.065	0.056	0.041	73	64	0.812	0.795	0.760
73	9	0.076	0.066	0.050					
					73	65	0.828	0.811	0.777
73	10	0.087	0.076	0.059	73	66	0.844	0.827	0.794
73	11	0.098	0.087	0.068	73	67	0.860	0.844	0.812
73	12	0.110	0.098	0.077	73	68	0.877	0.861	0.830
73	13	0.121	0.109	0.087	73	69	0.893	0.879	0.849
73	14	0.133	0.120	0.097					
					73	70	0.911	0.897	0.869
73	15	0.145	0.131	0.107	73	71	0.929	0.916	0.890
73	16	0.157	0.142	0.118	73	72	0.948	0.937	0.913
73	17	0.169	0.154	0.128	73	73	0.969	0.960	0.939
73	18	0.181	0.166	0.139					
73	19	0.193	0.177	0.150	74	0	0.000	0.000	0.000
					74	1	0.002	0.001	0.000
73	20	0.206	0.189	0.161	74	2	0.007	0.005	0.002
73	21	0.218	0.201	0.172	74	3	0.015	0.011	0.006
73	22	0.231	0.214	0.183	74	4	0.024	0.019	0.011
73	23	0.243	0.226	0.195					
73	24	0.256	0.238	0.206	74	5	0.033	0.027	0.018
					74	6	0.043	0.036	0.025
73	25	0.268	0.250	0.218	74	7	0.053	0.045	0.032
73	26	0.281	0.263	0.230	74	8	0.064	0.055	0.040
73	27	0.294	0.275	0.242	74	9	0.075	0.065	0.049
73	28	0.307	0.288	0.254					
73	29	0.320	0.301	0.266	74	10	0.086	0.075	0.058
					74	11	0.097	0.086	0.067
73	30	0.333	0.313	0.278	74	12	0.108	0.096	0.076
73	31	0.346	0.326	0.291	74	13	0.120	0.107	0.086
73	32	0.359	0.339	0.303	74	14	0.131	0.118	0.096
73	33	0.372	0.352	0.316					
73	34	0.385	0.365	0.328	74	15	0.143	0.129	0.106
					74	16	0.155	0.140	0.116
73	35	0.399	0.378	0.341	74	17	0.166	0.152	0.127
73	36	0.412	0.392	0.354	74	18	0.178	0.163	0.137
73	37	0.426	0.405	0.367	74	19	0.191	0.175	0.148

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
74	20	0.203	0.187	0.159	75	3	0.015	0.011	0.006
74	21	0.215	0.199	0.170	75	4	0.024	0.019	0.011
74	22	0.227	0.210	0.181	75	5	0.033	0.026	0.017
74	23	0.240	0.222	0.192	75	6	0.043	0.035	0.024
74	24	0.252	0.235	0.203	75	7	0.053	0.045	0.032
74	25	0.265	0.247	0.215	75	8	0.063	0.054	0.040
74	26	0.277	0.259	0.227	75	9	0.074	0.064	0.048
74	27	0.290	0.271	0.238	75	10	0.085	0.074	0.057
74	28	0.303	0.284	0.250	75	11	0.096	0.084	0.066
74	29	0.315	0.296	0.262	75	12	0.107	0.095	0.075
74	30	0.328	0.309	0.274	75	13	0.118	0.106	0.085
74	31	0.341	0.322	0.286	75	14	0.129	0.116	0.094
74	32	0.354	0.334	0.298	75	15	0.141	0.127	0.104
74	33	0.367	0.347	0.311	75	16	0.152	0.138	0.114
74	34	0.380	0.360	0.323	75	17	0.164	0.150	0.125
74	35	0.393	0.373	0.336	75	18	0.176	0.161	0.135
74	36	0.406	0.386	0.348	75	19	0.188	0.173	0.146
74	37	0.419	0.399	0.361	75	20	0.200	0.184	0.156
74	38	0.433	0.412	0.374	75	21	0.212	0.196	0.167
74	39	0.446	0.425	0.387	75	22	0.224	0.208	0.178
74	40	0.459	0.438	0.400	75	23	0.236	0.219	0.189
74	41	0.473	0.452	0.413	75	24	0.249	0.231	0.201
74	42	0.486	0.465	0.426	75	25	0.261	0.243	0.212
74	43	0.500	0.479	0.439	75	26	0.273	0.255	0.223
74	44	0.513	0.492	0.453	75	27	0.286	0.268	0.235
74	45	0.527	0.506	0.466	75	28	0.298	0.280	0.246
74	46	0.541	0.520	0.480	75	29	0.311	0.292	0.258
74	47	0.554	0.533	0.494	75	30	0.324	0.304	0.270
74	48	0.568	0.547	0.507	75	31	0.336	0.317	0.282
74	49	0.582	0.561	0.521	75	32	0.349	0.329	0.294
74	50	0.596	0.575	0.535	75	33	0.362	0.342	0.306
74	51	0.610	0.589	0.549	75	34	0.375	0.355	0.318
74	52	0.624	0.603	0.564	75	35	0.387	0.367	0.331
74	53	0.638	0.618	0.578	75	36	0.400	0.380	0.343
74	54	0.652	0.632	0.593	75	37	0.413	0.393	0.356
74	55	0.667	0.646	0.607	75	38	0.427	0.406	0.368
74	56	0.681	0.661	0.622	75	39	0.440	0.419	0.381
74	57	0.696	0.676	0.637	75	40	0.453	0.432	0.394
74	58	0.710	0.690	0.652	75	41	0.466	0.445	0.407
74	59	0.725	0.705	0.667	75	42	0.479	0.458	0.420
74	60	0.739	0.720	0.683	75	43	0.493	0.472	0.433
74	61	0.754	0.735	0.698	75	44	0.506	0.485	0.446
74	62	0.769	0.750	0.714	75	45	0.519	0.498	0.459
74	63	0.784	0.766	0.730	75	46	0.533	0.512	0.473
74	64	0.799	0.782	0.746	75	47	0.546	0.525	0.486
74	65	0.815	0.797	0.763	75	48	0.560	0.539	0.500
74	66	0.830	0.813	0.779	75	49	0.574	0.553	0.513
74	67	0.846	0.830	0.797	75	50	0.587	0.566	0.527
74	68	0.862	0.846	0.814	75	51	0.601	0.580	0.541
74	69	0.878	0.863	0.832	75	52	0.615	0.594	0.555
74	70	0.895	0.881	0.851	75	53	0.629	0.608	0.569
74	71	0.912	0.899	0.871	75	54	0.643	0.622	0.583
74	72	0.930	0.917	0.891	75	55	0.657	0.637	0.598
74	73	0.949	0.937	0.914	75	56	0.671	0.651	0.612
74	74	0.969	0.960	0.940	75	57	0.685	0.665	0.627
75	0	0.000	0.000	0.000	75	58	0.699	0.680	0.641
75	1	0.002	0.001	0.000	75	59	0.714	0.694	0.656
75	2	0.007	0.005	0.002					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
75	60	0.728	0.709	0.671	76	40	0.446	0.426	0.388
75	61	0.743	0.724	0.686	76	41	0.459	0.439	0.401
75	62	0.757	0.739	0.702	76	42	0.472	0.452	0.413
75	63	0.772	0.754	0.717	76	43	0.486	0.465	0.426
75	64	0.787	0.769	0.733	76	44	0.499	0.478	0.439
75	65	0.802	0.784	0.749	76	45	0.512	0.491	0.452
75	66	0.817	0.800	0.766	76	46	0.525	0.504	0.465
75	67	0.832	0.816	0.782	76	47	0.539	0.518	0.479
75	68	0.848	0.832	0.799	76	48	0.552	0.531	0.492
75	69	0.864	0.848	0.817	76	49	0.565	0.545	0.505
75	70	0.880	0.865	0.834	76	50	0.579	0.558	0.519
75	71	0.896	0.882	0.853	76	51	0.592	0.572	0.532
75	72	0.913	0.900	0.872	76	52	0.606	0.585	0.546
75	73	0.931	0.918	0.893	76	53	0.620	0.599	0.560
75	74	0.949	0.938	0.915	76	54	0.634	0.613	0.574
75	75	0.970	0.961	0.940	76	55	0.647	0.627	0.588
76	0	0.000	0.000	0.000	76	56	0.661	0.641	0.602
76	1	0.002	0.001	0.000	76	57	0.675	0.655	0.617
76	2	0.007	0.005	0.002	76	58	0.689	0.669	0.631
76	3	0.015	0.011	0.006	76	59	0.703	0.684	0.646
76	4	0.023	0.018	0.011	76	60	0.717	0.698	0.660
76	5	0.032	0.026	0.017	76	61	0.732	0.712	0.675
76	6	0.042	0.035	0.024	76	62	0.746	0.727	0.690
76	7	0.052	0.044	0.031	76	63	0.760	0.742	0.705
76	8	0.062	0.053	0.039	76	64	0.775	0.757	0.721
76	9	0.073	0.063	0.048	76	65	0.790	0.772	0.736
76	10	0.083	0.073	0.056	76	66	0.804	0.787	0.752
76	11	0.094	0.083	0.065	76	67	0.819	0.802	0.768
76	12	0.105	0.094	0.074	76	68	0.835	0.818	0.785
76	13	0.116	0.104	0.084	76	69	0.850	0.834	0.802
76	14	0.128	0.115	0.093	76	70	0.865	0.850	0.819
76	15	0.139	0.126	0.103	76	71	0.881	0.867	0.836
76	16	0.150	0.137	0.113	76	72	0.898	0.884	0.855
76	17	0.162	0.148	0.123	76	73	0.914	0.901	0.874
76	18	0.174	0.159	0.133	76	74	0.931	0.919	0.894
76	19	0.185	0.170	0.144	76	75	0.950	0.939	0.916
76	20	0.197	0.182	0.154	76	76	0.970	0.961	0.941
76	21	0.209	0.193	0.165	77	0	0.000	0.000	0.000
76	22	0.221	0.205	0.176	77	1	0.001	0.001	0.000
76	23	0.233	0.216	0.187	77	2	0.007	0.005	0.002
76	24	0.245	0.228	0.198	77	3	0.014	0.011	0.006
76	25	0.257	0.240	0.209	77	4	0.023	0.018	0.011
76	26	0.270	0.252	0.220	77	5	0.032	0.026	0.017
76	27	0.282	0.264	0.231	77	6	0.041	0.034	0.024
76	28	0.294	0.276	0.243	77	7	0.051	0.043	0.031
76	29	0.307	0.288	0.255	77	8	0.061	0.053	0.039
76	30	0.319	0.300	0.266	77	9	0.072	0.062	0.047
76	31	0.332	0.313	0.278	77	10	0.082	0.072	0.055
76	32	0.344	0.325	0.290	77	11	0.093	0.082	0.064
76	33	0.357	0.337	0.302	77	12	0.104	0.092	0.073
76	34	0.369	0.350	0.314	77	13	0.115	0.103	0.082
76	35	0.382	0.362	0.326	77	14	0.126	0.113	0.092
76	36	0.395	0.375	0.338	77	15	0.137	0.124	0.102
76	37	0.408	0.388	0.351	77	16	0.148	0.135	0.111
76	38	0.421	0.400	0.363	77	17	0.160	0.146	0.121
76	39	0.433	0.413	0.375	77	18	0.171	0.157	0.131

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
77	19	0.183	0.168	0.142	77	75	0.932	0.920	0.895
77	20	0.195	0.179	0.152	77	76	0.951	0.940	0.917
77	21	0.206	0.190	0.163	77	77	0.971	0.962	0.942
77	22	0.218	0.202	0.173	78	0	0.000	0.000	0.000
77	23	0.230	0.213	0.184	78	1	0.001	0.001	0.000
77	24	0.242	0.225	0.195	78	2	0.007	0.005	0.002
77	25	0.254	0.237	0.206	78	3	0.014	0.011	0.006
77	26	0.266	0.248	0.217	78	4	0.023	0.018	0.011
77	27	0.278	0.260	0.228	78	5	0.031	0.025	0.017
77	28	0.290	0.272	0.240	78	6	0.041	0.034	0.023
77	29	0.302	0.284	0.251	78	7	0.051	0.043	0.030
77	30	0.315	0.296	0.262	78	8	0.061	0.052	0.038
77	31	0.327	0.308	0.274	78	9	0.071	0.061	0.046
77	32	0.339	0.320	0.286	78	10	0.081	0.071	0.055
77	33	0.352	0.333	0.298	78	11	0.092	0.081	0.063
77	34	0.364	0.345	0.309	78	12	0.102	0.091	0.072
77	35	0.377	0.357	0.321	78	13	0.113	0.101	0.081
77	36	0.389	0.370	0.333	78	14	0.124	0.112	0.091
77	37	0.402	0.382	0.345	78	15	0.135	0.122	0.100
77	38	0.415	0.395	0.358	78	16	0.146	0.133	0.110
77	39	0.427	0.407	0.370	78	17	0.158	0.144	0.120
77	40	0.440	0.420	0.382	78	18	0.169	0.155	0.130
77	41	0.453	0.433	0.395	78	19	0.180	0.166	0.140
77	42	0.466	0.445	0.407	78	20	0.192	0.177	0.150
77	43	0.479	0.458	0.420	78	21	0.204	0.188	0.160
77	44	0.492	0.471	0.433	78	22	0.215	0.199	0.171
77	45	0.505	0.484	0.446	78	23	0.227	0.211	0.182
77	46	0.518	0.497	0.459	78	24	0.239	0.222	0.192
77	47	0.531	0.510	0.472	78	25	0.250	0.233	0.203
77	48	0.544	0.523	0.485	78	26	0.262	0.245	0.214
77	49	0.557	0.537	0.498	78	27	0.274	0.257	0.225
77	50	0.571	0.550	0.511	78	28	0.286	0.268	0.236
77	51	0.584	0.563	0.524	78	29	0.298	0.280	0.247
77	52	0.597	0.577	0.538	78	30	0.310	0.292	0.259
77	53	0.611	0.590	0.551	78	31	0.323	0.304	0.270
77	54	0.624	0.604	0.565	78	32	0.335	0.316	0.282
77	55	0.638	0.618	0.579	78	33	0.347	0.328	0.293
77	56	0.652	0.631	0.593	78	34	0.359	0.340	0.305
77	57	0.665	0.645	0.607	78	35	0.372	0.352	0.317
77	58	0.679	0.659	0.621	78	36	0.384	0.365	0.329
77	59	0.693	0.673	0.635	78	37	0.397	0.377	0.341
77	60	0.707	0.687	0.650	78	38	0.409	0.389	0.353
77	61	0.721	0.702	0.664	78	39	0.422	0.402	0.365
77	62	0.735	0.716	0.679	78	40	0.434	0.414	0.377
77	63	0.749	0.730	0.694	78	41	0.447	0.427	0.389
77	64	0.763	0.745	0.709	78	42	0.460	0.439	0.402
77	65	0.778	0.760	0.724	78	43	0.472	0.452	0.414
77	66	0.792	0.775	0.740	78	44	0.485	0.465	0.427
77	67	0.807	0.790	0.755	78	45	0.498	0.477	0.439
77	68	0.822	0.805	0.771	78	46	0.511	0.490	0.452
77	69	0.837	0.820	0.788	78	47	0.524	0.503	0.465
77	70	0.852	0.836	0.804	78	48	0.537	0.516	0.477
77	71	0.867	0.852	0.821	78	49	0.550	0.529	0.490
77	72	0.883	0.868	0.838	78	50	0.563	0.542	0.503
77	73	0.899	0.885	0.857	78	51	0.576	0.555	0.517
77	74	0.915	0.902	0.875	78	52	0.589	0.569	0.530



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE			N	K	CONFIDENCE		
		90%	95%	99%			90%	95%	99%
78	53	0.602	0.582	0.543	79	30	0.306	0.288	0.255
78	54	0.616	0.595	0.557	79	31	0.318	0.300	0.267
78	55	0.629	0.609	0.570	79	32	0.330	0.312	0.278
78	56	0.642	0.622	0.584	79	33	0.342	0.324	0.289
78	57	0.656	0.636	0.598	79	34	0.355	0.336	0.301
78	58	0.669	0.650	0.612	79	35	0.367	0.348	0.312
78	59	0.683	0.663	0.626	79	36	0.379	0.360	0.324
78	60	0.697	0.677	0.640	79	37	0.391	0.372	0.336
78	61	0.710	0.691	0.654	79	38	0.404	0.384	0.348
78	62	0.724	0.705	0.668	79	39	0.416	0.396	0.360
78	63	0.738	0.719	0.683	79	40	0.428	0.408	0.372
78	64	0.752	0.734	0.698	79	41	0.441	0.421	0.384
78	65	0.766	0.748	0.712	79	42	0.453	0.433	0.396
78	66	0.781	0.763	0.727	79	43	0.466	0.446	0.408
78	67	0.795	0.777	0.743	79	44	0.478	0.458	0.420
78	68	0.809	0.792	0.758	79	45	0.491	0.471	0.433
78	69	0.824	0.807	0.774	79	46	0.504	0.483	0.445
78	70	0.839	0.822	0.790	79	47	0.517	0.496	0.458
78	71	0.854	0.838	0.806	79	48	0.529	0.509	0.471
78	72	0.869	0.854	0.823	79	49	0.542	0.522	0.483
78	73	0.884	0.870	0.840	79	50	0.555	0.535	0.496
78	74	0.900	0.886	0.858	79	51	0.568	0.548	0.509
78	75	0.914	0.904	0.877	79	52	0.581	0.561	0.522
78	76	0.928	0.921	0.897	79	53	0.594	0.574	0.535
78	77	0.941	0.941	0.918	79	54	0.607	0.587	0.548
78	78	0.971	0.962	0.943	79	55	0.620	0.600	0.562
79	0	0.000	0.000	0.000	79	56	0.633	0.613	0.575
79	1	0.001	0.001	0.000	79	57	0.647	0.627	0.589
79	2	0.007	0.005	0.002	79	58	0.660	0.640	0.602
79	3	0.014	0.010	0.006	79	59	0.673	0.654	0.616
79	4	0.022	0.018	0.011	79	60	0.687	0.667	0.630
79	5	0.031	0.025	0.016	79	61	0.700	0.681	0.644
79	6	0.040	0.033	0.023	79	62	0.714	0.695	0.658
79	7	0.050	0.042	0.030	79	63	0.728	0.709	0.672
79	8	0.060	0.051	0.038	79	64	0.741	0.723	0.687
79	9	0.070	0.061	0.046	79	65	0.755	0.737	0.701
79	10	0.080	0.070	0.054	79	66	0.769	0.751	0.716
79	11	0.091	0.080	0.062	79	67	0.783	0.765	0.731
79	12	0.101	0.090	0.071	79	68	0.797	0.780	0.746
79	13	0.112	0.100	0.080	79	69	0.812	0.795	0.761
79	14	0.123	0.110	0.089	79	70	0.826	0.810	0.777
79	15	0.134	0.121	0.099	79	71	0.841	0.825	0.793
79	16	0.145	0.131	0.108	79	72	0.855	0.840	0.809
79	17	0.156	0.142	0.118	79	73	0.870	0.856	0.825
79	18	0.167	0.153	0.128	79	74	0.886	0.871	0.842
79	19	0.178	0.163	0.138	79	75	0.901	0.888	0.860
79	20	0.189	0.174	0.148	79	76	0.917	0.905	0.878
79	21	0.201	0.185	0.158	79	77	0.934	0.922	0.898
79	22	0.212	0.197	0.169	79	78	0.952	0.941	0.919
79	23	0.224	0.208	0.179	79	79	0.971	0.963	0.943
79	24	0.236	0.219	0.190	80	0	0.000	0.000	0.000
79	25	0.247	0.230	0.200	80	1	0.001	0.001	0.000
79	26	0.259	0.242	0.211	80	2	0.007	0.004	0.002
79	27	0.271	0.253	0.222	80	3	0.014	0.010	0.006
79	28	0.283	0.265	0.233	80	4	0.022	0.017	0.010
79	29	0.294	0.276	0.244	80	5	0.031	0.025	0.016

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
80	6	0.040	0.033	0.023	80	62	0.704	0.685	0.648
80	7	0.049	0.042	0.030	80	63	0.717	0.698	0.662
80	8	0.059	0.051	0.037	80	64	0.731	0.712	0.676
80	9	0.069	0.060	0.045	80	65	0.744	0.726	0.690
80	10	0.079	0.069	0.053	80	66	0.758	0.740	0.705
80	11	0.089	0.079	0.062	80	67	0.772	0.754	0.719
80	12	0.100	0.089	0.070	80	68	0.786	0.768	0.734
80	13	0.110	0.099	0.079	80	69	0.800	0.783	0.749
80	14	0.121	0.109	0.088	80	70	0.814	0.797	0.764
80	15	0.132	0.119	0.098	80	71	0.828	0.812	0.779
80	16	0.143	0.130	0.107	80	72	0.843	0.827	0.795
80	17	0.154	0.140	0.117	80	73	0.857	0.842	0.811
80	18	0.165	0.151	0.126	80	74	0.872	0.857	0.827
80	19	0.176	0.161	0.136	80	75	0.887	0.873	0.844
80	20	0.187	0.172	0.146	80	76	0.903	0.889	0.862
80	21	0.198	0.183	0.156	80	77	0.918	0.906	0.880
80	22	0.210	0.194	0.166	80	78	0.935	0.923	0.899
80	23	0.221	0.205	0.177	80	79	0.952	0.942	0.920
80	24	0.232	0.216	0.187	80	80	0.972	0.963	0.944
80	25	0.244	0.227	0.198	81	0	0.000	0.000	0.000
80	26	0.256	0.239	0.208	81	1	0.001	0.001	0.000
80	27	0.267	0.250	0.219	81	2	0.007	0.004	0.002
80	28	0.279	0.261	0.230	81	3	0.014	0.010	0.005
80	29	0.291	0.273	0.241	81	4	0.022	0.017	0.010
80	30	0.302	0.284	0.252	81	5	0.030	0.024	0.016
80	31	0.314	0.296	0.263	81	6	0.039	0.033	0.022
80	32	0.326	0.308	0.274	81	7	0.049	0.041	0.029
80	33	0.338	0.319	0.285	81	8	0.058	0.050	0.037
80	34	0.350	0.331	0.297	81	9	0.068	0.059	0.045
80	35	0.362	0.343	0.308	81	10	0.078	0.068	0.053
80	36	0.374	0.355	0.320	81	11	0.088	0.078	0.061
80	37	0.386	0.367	0.331	81	12	0.099	0.088	0.069
80	38	0.398	0.379	0.343	81	13	0.109	0.098	0.078
80	39	0.410	0.391	0.355	81	14	0.120	0.108	0.087
80	40	0.423	0.403	0.366	81	15	0.130	0.118	0.096
80	41	0.435	0.415	0.378	81	16	0.141	0.128	0.106
80	42	0.447	0.427	0.390	81	17	0.152	0.138	0.115
80	43	0.460	0.440	0.402	81	18	0.163	0.149	0.125
80	44	0.472	0.452	0.414	81	19	0.174	0.159	0.134
80	45	0.485	0.464	0.427	81	20	0.185	0.170	0.144
80	46	0.497	0.477	0.439	81	21	0.196	0.181	0.154
80	47	0.510	0.489	0.451	81	22	0.207	0.191	0.164
80	48	0.522	0.502	0.464	81	23	0.218	0.202	0.174
80	49	0.535	0.514	0.476	81	24	0.229	0.213	0.185
80	50	0.547	0.527	0.489	81	25	0.241	0.224	0.195
80	51	0.560	0.540	0.502	81	26	0.252	0.235	0.206
80	52	0.573	0.553	0.514	81	27	0.264	0.247	0.216
80	53	0.586	0.566	0.527	81	28	0.275	0.258	0.227
80	54	0.599	0.579	0.540	81	29	0.287	0.269	0.238
80	55	0.612	0.592	0.553	81	30	0.298	0.281	0.248
80	56	0.625	0.605	0.567	81	31	0.310	0.292	0.259
80	57	0.638	0.618	0.580	81	32	0.322	0.304	0.270
80	58	0.651	0.631	0.593	81	33	0.334	0.315	0.281
80	59	0.664	0.644	0.607	81	34	0.345	0.327	0.293
80	60	0.677	0.658	0.620	81	35	0.357	0.338	0.304
80	61	0.691	0.671	0.634					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
81	36	0.369	0.350	0.315	82	12	0.097	0.087	0.069
81	37	0.381	0.362	0.327	82	13	0.108	0.096	0.077
81	38	0.393	0.374	0.338	82	14	0.118	0.106	0.086
81	39	0.405	0.386	0.350	82	15	0.129	0.116	0.095
81	40	0.417	0.398	0.361	82	16	0.139	0.126	0.104
81	41	0.429	0.410	0.373	82	17	0.150	0.136	0.114
81	42	0.441	0.422	0.385	82	18	0.161	0.147	0.123
81	43	0.454	0.434	0.397	82	19	0.171	0.157	0.133
81	44	0.466	0.446	0.409	82	20	0.182	0.168	0.142
81	45	0.478	0.458	0.421	82	21	0.193	0.178	0.152
81	46	0.490	0.470	0.433	82	22	0.204	0.189	0.162
81	47	0.503	0.483	0.445	82	23	0.215	0.200	0.172
81	48	0.515	0.495	0.457	82	24	0.227	0.211	0.182
81	49	0.528	0.507	0.470	82	25	0.238	0.221	0.192
81	50	0.540	0.520	0.482	82	26	0.249	0.232	0.203
81	51	0.553	0.533	0.495	82	27	0.260	0.243	0.213
81	52	0.565	0.545	0.507	82	28	0.272	0.255	0.224
81	53	0.578	0.558	0.520	82	29	0.283	0.266	0.234
81	54	0.591	0.571	0.533	82	30	0.295	0.277	0.245
81	55	0.603	0.583	0.545	82	31	0.306	0.288	0.256
81	56	0.616	0.596	0.558	82	32	0.318	0.300	0.267
81	57	0.629	0.609	0.571	82	33	0.329	0.311	0.278
81	58	0.642	0.622	0.585	82	34	0.341	0.322	0.289
81	59	0.655	0.635	0.598	82	35	0.353	0.334	0.300
81	60	0.668	0.648	0.611	82	36	0.364	0.345	0.311
81	61	0.681	0.662	0.625	82	37	0.376	0.357	0.322
81	62	0.694	0.675	0.638	82	38	0.388	0.369	0.334
81	63	0.707	0.688	0.652	82	39	0.400	0.381	0.345
81	64	0.721	0.702	0.666	82	40	0.412	0.392	0.357
81	65	0.734	0.716	0.680	82	41	0.424	0.404	0.368
81	66	0.747	0.729	0.694	82	42	0.436	0.416	0.380
81	67	0.761	0.743	0.708	82	43	0.448	0.428	0.391
81	68	0.775	0.757	0.722	82	44	0.460	0.440	0.403
81	69	0.788	0.771	0.737	82	45	0.472	0.452	0.415
81	70	0.802	0.785	0.752	82	46	0.484	0.464	0.427
81	71	0.816	0.800	0.767	82	47	0.496	0.476	0.439
81	72	0.830	0.814	0.782	82	48	0.508	0.488	0.451
81	73	0.844	0.829	0.797	82	49	0.521	0.501	0.463
81	74	0.859	0.844	0.813	82	50	0.533	0.513	0.475
81	75	0.874	0.859	0.829	82	51	0.545	0.525	0.488
81	76	0.888	0.875	0.846	82	52	0.558	0.538	0.500
81	77	0.904	0.891	0.863	82	53	0.570	0.550	0.513
81	78	0.919	0.907	0.881	82	54	0.583	0.563	0.525
81	79	0.936	0.924	0.900	82	55	0.595	0.575	0.538
81	80	0.953	0.943	0.921	82	56	0.608	0.588	0.550
81	81	0.972	0.964	0.945	82	57	0.621	0.601	0.563
82	0	0.000	0.000	0.000	82	58	0.633	0.614	0.576
82	1	0.001	0.001	0.000	82	59	0.646	0.627	0.589
82	2	0.007	0.004	0.002	82	60	0.659	0.639	0.602
82	3	0.014	0.010	0.005	82	61	0.672	0.653	0.615
82	4	0.022	0.017	0.010	82	62	0.685	0.666	0.629
82	5	0.030	0.024	0.016	82	63	0.698	0.679	0.642
82	6	0.039	0.032	0.022	82	64	0.711	0.692	0.656
82	7	0.048	0.041	0.029	82	65	0.724	0.705	0.669
82	8	0.058	0.049	0.036	82	66	0.737	0.719	0.683
82	9	0.067	0.058	0.044	82	67	0.750	0.732	0.697
82	10	0.077	0.068	0.052	82	68	0.764	0.746	0.711
82	11	0.087	0.077	0.060	82	69	0.777	0.760	0.725

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
82	70	0.791	0.774	0.740	83	43	0.442	0.422	0.386
82	71	0.804	0.788	0.754	83	44	0.454	0.434	0.398
82	72	0.818	0.802	0.769	83	45	0.466	0.446	0.409
82	73	0.832	0.816	0.784	83	46	0.478	0.458	0.421
82	74	0.846	0.831	0.800	83	47	0.490	0.470	0.433
82	75	0.861	0.846	0.815	83	48	0.502	0.482	0.445
82	76	0.875	0.861	0.831	83	49	0.514	0.494	0.457
82	77	0.890	0.876	0.848	83	50	0.526	0.506	0.469
82	78	0.905	0.892	0.865	83	51	0.538	0.518	0.481
82	79	0.920	0.908	0.883	83	52	0.551	0.531	0.493
82	80	0.936	0.925	0.901	83	53	0.563	0.543	0.505
82	81	0.953	0.944	0.922	83	54	0.575	0.555	0.518
82	82	0.972	0.964	0.945	83	55	0.588	0.568	0.530
83	0	0.000	0.000	0.000	83	56	0.600	0.580	0.543
83	1	0.001	0.001	0.000	83	57	0.612	0.593	0.555
83	2	0.006	0.004	0.002	83	58	0.625	0.605	0.568
83	3	0.013	0.010	0.005	83	59	0.638	0.618	0.581
83	4	0.021	0.017	0.010	83	60	0.650	0.631	0.594
83	5	0.029	0.024	0.016	83	61	0.663	0.644	0.607
83	6	0.038	0.032	0.022	83	62	0.676	0.656	0.620
83	7	0.047	0.040	0.029	83	63	0.688	0.669	0.633
83	8	0.057	0.049	0.036	83	64	0.701	0.682	0.646
83	9	0.066	0.058	0.043	83	65	0.714	0.696	0.660
83	10	0.076	0.067	0.051	83	66	0.727	0.709	0.673
83	11	0.086	0.076	0.059	83	67	0.740	0.722	0.687
83	12	0.096	0.086	0.068	83	68	0.753	0.735	0.700
83	13	0.106	0.095	0.076	83	69	0.767	0.749	0.714
83	14	0.117	0.105	0.085	83	70	0.780	0.763	0.729
83	15	0.127	0.115	0.094	83	71	0.793	0.776	0.743
83	16	0.137	0.125	0.103	83	72	0.807	0.790	0.757
83	17	0.148	0.135	0.112	83	73	0.820	0.804	0.772
83	18	0.159	0.145	0.121	83	74	0.834	0.818	0.787
83	19	0.169	0.155	0.131	83	75	0.848	0.833	0.802
83	20	0.180	0.166	0.140	83	76	0.862	0.847	0.817
83	21	0.191	0.176	0.150	83	77	0.877	0.862	0.833
83	22	0.202	0.187	0.160	83	78	0.891	0.877	0.850
83	23	0.213	0.197	0.170	83	79	0.906	0.893	0.866
83	24	0.224	0.208	0.180	83	80	0.921	0.909	0.884
83	25	0.235	0.219	0.190	83	81	0.937	0.926	0.903
83	26	0.246	0.230	0.200	83	82	0.954	0.944	0.923
83	27	0.257	0.240	0.211	83	83	0.973	0.965	0.946
83	28	0.268	0.251	0.221	84	0	0.000	0.000	0.000
83	29	0.280	0.262	0.231	84	1	0.001	0.001	0.000
83	30	0.291	0.273	0.242	84	2	0.006	0.004	0.002
83	31	0.302	0.285	0.253	84	3	0.013	0.010	0.005
83	32	0.314	0.296	0.263	84	4	0.021	0.016	0.010
83	33	0.325	0.307	0.274	84	5	0.029	0.024	0.015
83	34	0.337	0.318	0.285	84	6	0.038	0.031	0.022
83	35	0.348	0.330	0.296	84	7	0.047	0.040	0.028
83	36	0.360	0.341	0.307	84	8	0.056	0.048	0.035
83	37	0.371	0.353	0.318	84	9	0.066	0.057	0.043
83	38	0.383	0.364	0.329	84	10	0.075	0.066	0.051
83	39	0.395	0.376	0.340	84	11	0.085	0.075	0.059
83	40	0.406	0.387	0.352	84	12	0.095	0.085	0.067
83	41	0.418	0.399	0.363	84	13	0.105	0.094	0.075
83	42	0.430	0.411	0.375	84	14	0.115	0.104	0.084

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
84	15	0.125	0.113	0.093	84	71	0.782	0.765	0.732
84	16	0.136	0.123	0.102	84	72	0.796	0.779	0.746
84	17	0.146	0.133	0.111	84	73	0.809	0.793	0.760
84	18	0.157	0.143	0.120	84	74	0.822	0.806	0.774
84	19	0.167	0.153	0.129	84	75	0.836	0.820	0.789
84	20	0.178	0.164	0.139	84	76	0.850	0.835	0.804
84	21	0.189	0.174	0.148	84	77	0.864	0.849	0.820
84	22	0.199	0.184	0.158	84	78	0.878	0.864	0.835
84	23	0.210	0.195	0.168	84	79	0.892	0.879	0.851
84	24	0.221	0.205	0.178	84	80	0.907	0.894	0.868
84	25	0.232	0.216	0.188	84	81	0.922	0.910	0.885
84	26	0.243	0.227	0.198	84	82	0.938	0.927	0.904
84	27	0.254	0.237	0.208	84	83	0.955	0.945	0.924
84	28	0.265	0.248	0.218	84	84	0.973	0.965	0.947
84	29	0.276	0.259	0.228	85	0	0.000	0.000	0.000
84	30	0.287	0.270	0.239	85	1	0.001	0.001	0.000
84	31	0.299	0.281	0.249	85	2	0.006	0.004	0.002
84	32	0.310	0.292	0.260	85	3	0.013	0.010	0.005
84	33	0.321	0.303	0.271	85	4	0.021	0.016	0.010
84	34	0.332	0.314	0.281	85	5	0.029	0.023	0.015
84	35	0.344	0.325	0.292	85	6	0.037	0.031	0.021
84	36	0.355	0.337	0.303	85	7	0.046	0.039	0.028
84	37	0.367	0.348	0.314	85	8	0.056	0.048	0.035
84	38	0.378	0.359	0.325	85	9	0.065	0.056	0.042
84	39	0.390	0.371	0.336	85	10	0.074	0.065	0.050
84	40	0.401	0.382	0.347	85	11	0.084	0.074	0.058
84	41	0.413	0.394	0.358	85	12	0.094	0.083	0.066
84	42	0.425	0.405	0.370	85	13	0.104	0.093	0.074
84	43	0.436	0.417	0.381	85	14	0.114	0.102	0.083
84	44	0.448	0.429	0.392	85	15	0.124	0.112	0.092
84	45	0.460	0.440	0.404	85	16	0.134	0.122	0.100
84	46	0.472	0.452	0.416	85	17	0.144	0.132	0.109
84	47	0.484	0.464	0.427	85	18	0.155	0.141	0.118
84	48	0.495	0.476	0.439	85	19	0.165	0.151	0.128
84	49	0.507	0.488	0.451	85	20	0.176	0.162	0.137
84	50	0.519	0.500	0.462	85	21	0.186	0.172	0.146
84	51	0.531	0.512	0.474	85	22	0.197	0.182	0.156
84	52	0.543	0.524	0.486	85	23	0.208	0.192	0.166
84	53	0.556	0.536	0.498	85	24	0.218	0.203	0.175
84	54	0.568	0.548	0.511	85	25	0.229	0.213	0.185
84	55	0.580	0.560	0.523	85	26	0.240	0.224	0.195
84	56	0.592	0.572	0.535	85	27	0.251	0.234	0.205
84	57	0.605	0.585	0.548	85	28	0.262	0.245	0.215
84	58	0.617	0.597	0.560	85	29	0.273	0.256	0.226
84	59	0.629	0.610	0.573	85	30	0.284	0.267	0.236
84	60	0.642	0.622	0.585	85	31	0.295	0.277	0.246
84	61	0.654	0.635	0.598	85	32	0.306	0.288	0.257
84	62	0.667	0.648	0.611	85	33	0.317	0.299	0.267
84	63	0.679	0.660	0.624	85	34	0.328	0.310	0.278
84	64	0.692	0.673	0.637	85	35	0.340	0.321	0.288
84	65	0.705	0.686	0.650	85	36	0.351	0.332	0.299
84	66	0.717	0.699	0.663	85	37	0.362	0.344	0.310
84	67	0.730	0.712	0.677	85	38	0.374	0.355	0.321
84	68	0.743	0.725	0.690	85	39	0.385	0.366	0.332
84	69	0.756	0.738	0.704	85	40	0.396	0.377	0.343
84	70	0.769	0.752	0.718	85	41	0.408	0.389	0.354

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
85	42	0.419	0.400	0.365	86	13	0.103	0.092	0.073
85	43	0.431	0.412	0.376	86	14	0.112	0.101	0.082
85	44	0.442	0.423	0.387	86	15	0.122	0.111	0.090
85	45	0.454	0.435	0.399	86	16	0.132	0.120	0.099
85	46	0.466	0.446	0.410	86	17	0.143	0.130	0.108
85	47	0.477	0.458	0.421	86	18	0.153	0.140	0.117
85	48	0.489	0.470	0.433	86	19	0.163	0.150	0.126
85	49	0.501	0.481	0.445	86	20	0.174	0.160	0.135
85	50	0.513	0.493	0.456	86	21	0.184	0.170	0.145
85	51	0.525	0.505	0.468	86	22	0.194	0.180	0.154
85	52	0.537	0.517	0.480	86	23	0.205	0.190	0.164
85	53	0.548	0.529	0.492	86	24	0.216	0.200	0.173
85	54	0.560	0.541	0.504	86	25	0.226	0.211	0.183
85	55	0.572	0.553	0.516	86	26	0.237	0.221	0.193
85	56	0.585	0.565	0.528	86	27	0.248	0.232	0.203
85	57	0.597	0.577	0.540	86	28	0.259	0.242	0.213
85	58	0.609	0.589	0.552	86	29	0.269	0.253	0.223
85	59	0.621	0.602	0.565	86	30	0.280	0.263	0.233
85	60	0.633	0.614	0.577	86	31	0.291	0.274	0.243
85	61	0.646	0.626	0.590	86	32	0.302	0.285	0.253
85	62	0.658	0.639	0.602	86	33	0.313	0.296	0.264
85	63	0.670	0.651	0.615	86	34	0.324	0.306	0.274
85	64	0.683	0.664	0.628	86	35	0.335	0.317	0.285
85	65	0.695	0.677	0.641	86	36	0.347	0.328	0.295
85	66	0.708	0.689	0.654	86	37	0.358	0.339	0.306
85	67	0.721	0.702	0.667	86	38	0.369	0.350	0.317
85	68	0.733	0.715	0.680	86	39	0.380	0.362	0.327
85	69	0.746	0.728	0.693	86	40	0.391	0.373	0.338
85	70	0.759	0.741	0.707	86	41	0.403	0.384	0.349
85	71	0.772	0.755	0.721	86	42	0.414	0.395	0.360
85	72	0.785	0.768	0.734	86	43	0.426	0.406	0.371
85	73	0.798	0.781	0.748	86	44	0.437	0.416	0.382
85	74	0.811	0.795	0.763	86	45	0.448	0.429	0.393
85	75	0.824	0.809	0.777	86	46	0.460	0.441	0.405
85	76	0.838	0.822	0.792	86	47	0.472	0.452	0.416
85	77	0.852	0.837	0.806	86	48	0.483	0.464	0.427
85	78	0.865	0.851	0.822	86	49	0.495	0.475	0.439
85	79	0.879	0.865	0.837	86	50	0.506	0.487	0.450
85	80	0.894	0.880	0.853	86	51	0.518	0.499	0.462
85	81	0.908	0.896	0.869	86	52	0.530	0.510	0.474
85	82	0.923	0.911	0.887	86	53	0.542	0.522	0.485
85	83	0.939	0.928	0.905	86	54	0.553	0.534	0.497
85	84	0.955	0.946	0.924	86	55	0.565	0.546	0.509
85	85	0.973	0.965	0.947	86	56	0.577	0.558	0.521
86	0	0.000	0.000	0.000	86	57	0.589	0.570	0.533
86	1	0.001	0.001	0.000	86	58	0.601	0.582	0.545
86	2	0.006	0.004	0.002	86	59	0.613	0.594	0.557
86	3	0.013	0.010	0.005	86	60	0.625	0.606	0.569
86	4	0.021	0.016	0.010	86	61	0.637	0.618	0.582
86	5	0.028	0.023	0.015	86	62	0.650	0.630	0.594
86	6	0.037	0.031	0.021	86	63	0.662	0.643	0.607
86	7	0.046	0.039	0.028	86	64	0.674	0.655	0.619
86	8	0.055	0.047	0.034	86	65	0.686	0.668	0.632
86	9	0.064	0.056	0.042	86	66	0.699	0.680	0.645
86	10	0.074	0.064	0.049	86	67	0.711	0.693	0.657
86	11	0.083	0.073	0.057	86	68	0.724	0.706	0.670
86	12	0.093	0.082	0.065	86	69	0.736	0.718	0.684

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
86	70	0.749	0.731	0.697	87	40	0.387	0.368	0.334
86	71	0.762	0.744	0.710	87	41	0.398	0.379	0.345
86	72	0.774	0.757	0.724	87	42	0.409	0.390	0.356
86	73	0.787	0.770	0.737	87	43	0.420	0.401	0.366
86	74	0.800	0.784	0.751	87	44	0.432	0.413	0.377
86	75	0.813	0.797	0.765	87	45	0.443	0.424	0.388
86	76	0.826	0.811	0.779	87	46	0.454	0.435	0.400
86	77	0.840	0.824	0.794	87	47	0.466	0.446	0.411
86	78	0.853	0.838	0.808	87	48	0.477	0.458	0.422
86	79	0.867	0.852	0.823	87	49	0.489	0.469	0.433
86	80	0.881	0.867	0.839	87	50	0.500	0.481	0.444
86	81	0.895	0.882	0.855	87	51	0.512	0.492	0.456
86	82	0.909	0.897	0.871	87	52	0.523	0.504	0.467
86	83	0.924	0.912	0.888	87	53	0.535	0.515	0.479
86	84	0.939	0.929	0.906	87	54	0.547	0.527	0.490
86	85	0.956	0.946	0.925	87	55	0.558	0.539	0.502
86	86	0.974	0.966	0.948	87	56	0.570	0.551	0.514
87	0	0.000	0.000	0.000	87	57	0.582	0.562	0.526
87	1	0.001	0.001	0.000	87	58	0.594	0.574	0.538
87	2	0.006	0.004	0.002	87	59	0.606	0.586	0.550
87	3	0.013	0.009	0.005					
87	4	0.020	0.016	0.010	87	60	0.617	0.598	0.562
87	5	0.028	0.023	0.015	87	61	0.629	0.610	0.574
87	6	0.036	0.030	0.021	87	62	0.641	0.622	0.586
87	7	0.045	0.038	0.027	87	63	0.653	0.634	0.598
87	8	0.054	0.047	0.034	87	64	0.665	0.647	0.611
87	9	0.063	0.055	0.041	87	65	0.678	0.659	0.623
87	10	0.073	0.064	0.049	87	66	0.690	0.671	0.636
87	11	0.082	0.073	0.057	87	67	0.702	0.684	0.648
87	12	0.092	0.082	0.064	87	68	0.714	0.696	0.661
87	13	0.101	0.091	0.073	87	69	0.727	0.709	0.674
87	14	0.111	0.100	0.081	87	70	0.739	0.721	0.687
87	15	0.121	0.109	0.089	87	71	0.752	0.734	0.700
87	16	0.131	0.119	0.098	87	72	0.764	0.747	0.713
87	17	0.141	0.128	0.107	87	73	0.777	0.760	0.727
87	18	0.151	0.138	0.116	87	74	0.790	0.773	0.740
87	19	0.161	0.148	0.125	87	75	0.802	0.786	0.754
87	20	0.171	0.158	0.134	87	76	0.815	0.799	0.768
87	21	0.182	0.168	0.143	87	77	0.828	0.813	0.782
87	22	0.192	0.178	0.152	87	78	0.842	0.826	0.796
87	23	0.203	0.188	0.162	87	79	0.855	0.840	0.811
87	24	0.213	0.198	0.171	87	80	0.868	0.854	0.825
87	25	0.224	0.208	0.181	87	81	0.882	0.868	0.841
87	26	0.234	0.218	0.190	87	82	0.896	0.883	0.856
87	27	0.245	0.229	0.200	87	83	0.910	0.898	0.872
87	28	0.255	0.239	0.210	87	84	0.925	0.913	0.889
87	29	0.266	0.250	0.220	87	85	0.940	0.929	0.907
87	30	0.277	0.260	0.230	87	86	0.956	0.947	0.926
87	31	0.288	0.271	0.240	87	87	0.974	0.966	0.949
87	32	0.299	0.281	0.250	88	0	0.000	0.000	0.000
87	33	0.309	0.292	0.260	88	1	0.001	0.001	0.000
87	34	0.320	0.303	0.271	88	2	0.006	0.004	0.002
87	35	0.331	0.314	0.281	88	3	0.013	0.009	0.005
87	36	0.342	0.324	0.292	88	4	0.020	0.016	0.009
87	37	0.353	0.335	0.302					
87	38	0.364	0.346	0.313	88	5	0.028	0.023	0.015
87	39	0.376	0.357	0.323	88	6	0.036	0.030	0.021
87	35	0.331	0.314	0.281	88	7	0.045	0.038	0.027
87	36	0.342	0.324	0.292	88	8	0.054	0.046	0.034

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL		N	K	CONFIDENCE		LEVEL
		90%	95%					90%	95%	
88	9	0.063	0.054	0.041		88	65	0.669	0.650	0.615
88	10	0.072	0.063	0.048		88	66	0.681	0.663	0.627
88	11	0.081	0.072	0.056		88	67	0.693	0.675	0.639
88	12	0.091	0.081	0.064		88	68	0.705	0.687	0.652
88	13	0.100	0.090	0.072		88	69	0.717	0.699	0.665
88	14	0.110	0.099	0.080		88	70	0.730	0.712	0.677
88	15	0.120	0.108	0.088		88	71	0.742	0.724	0.690
88	16	0.129	0.117	0.097		88	72	0.754	0.737	0.703
88	17	0.139	0.127	0.105		88	73	0.767	0.750	0.716
88	18	0.149	0.136	0.114		88	74	0.779	0.762	0.730
88	19	0.159	0.146	0.123		88	75	0.792	0.775	0.743
88	20	0.169	0.156	0.132		88	76	0.805	0.788	0.756
88	21	0.180	0.166	0.141		88	77	0.817	0.802	0.770
88	22	0.190	0.176	0.150		88	78	0.830	0.815	0.784
88	23	0.200	0.186	0.160		88	79	0.843	0.828	0.798
88	24	0.211	0.196	0.169		88	80	0.856	0.842	0.813
88	25	0.221	0.206	0.179		88	81	0.870	0.856	0.827
88	26	0.231	0.216	0.188		88	82	0.883	0.870	0.842
88	27	0.242	0.226	0.198		88	83	0.897	0.884	0.858
88	28	0.252	0.236	0.207		88	84	0.911	0.899	0.874
88	29	0.263	0.247	0.217		88	85	0.926	0.914	0.890
88	30	0.274	0.257	0.227		88	86	0.941	0.930	0.908
88	31	0.284	0.267	0.237		88	87	0.957	0.947	0.927
88	32	0.295	0.278	0.247		88	88	0.974	0.967	0.949
88	33	0.306	0.289	0.257		89	0	0.000	0.000	0.000
88	34	0.317	0.299	0.267		89	1	0.001	0.001	0.000
88	35	0.327	0.310	0.278		89	2	0.006	0.004	0.002
88	36	0.338	0.320	0.288		89	3	0.012	0.009	0.005
88	37	0.349	0.331	0.298		89	4	0.020	0.015	0.009
88	38	0.360	0.342	0.309		89	5	0.027	0.022	0.015
88	39	0.371	0.353	0.319		89	6	0.036	0.030	0.020
88	40	0.382	0.364	0.330		89	7	0.044	0.037	0.027
88	41	0.393	0.375	0.340		89	8	0.053	0.045	0.033
88	42	0.404	0.386	0.351		89	9	0.062	0.054	0.040
88	43	0.415	0.397	0.362		89	10	0.071	0.062	0.048
88	44	0.426	0.408	0.373		89	11	0.080	0.071	0.055
88	45	0.438	0.419	0.384		89	12	0.090	0.080	0.063
88	46	0.449	0.430	0.394		89	13	0.099	0.089	0.071
88	47	0.460	0.441	0.405		89	14	0.109	0.098	0.079
88	48	0.471	0.452	0.416		89	15	0.118	0.107	0.087
88	49	0.483	0.463	0.428		89	16	0.128	0.116	0.096
88	50	0.494	0.475	0.439		89	17	0.138	0.125	0.104
88	51	0.505	0.486	0.450		89	18	0.148	0.135	0.113
88	52	0.517	0.498	0.461		89	19	0.158	0.144	0.122
88	53	0.528	0.509	0.473		89	20	0.168	0.154	0.131
88	54	0.540	0.520	0.484		89	21	0.178	0.164	0.139
88	55	0.551	0.532	0.496		89	22	0.188	0.174	0.149
88	56	0.563	0.544	0.507		89	23	0.198	0.183	0.158
88	57	0.575	0.555	0.519		89	24	0.208	0.193	0.167
88	58	0.586	0.567	0.531		89	25	0.218	0.203	0.176
88	59	0.598	0.579	0.542		89	26	0.229	0.213	0.186
88	60	0.610	0.591	0.554		89	27	0.239	0.223	0.195
88	61	0.622	0.602	0.566		89	28	0.250	0.234	0.205
88	62	0.633	0.614	0.578		89	29	0.260	0.244	0.215
88	63	0.645	0.626	0.590		89	30	0.270	0.254	0.224
88	64	0.657	0.638	0.602		89	31	0.281	0.264	0.234



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
89	32	0.292	0.275	0.244	89	87	0.941	0.931	0.909
89	33	0.302	0.285	0.254	89	88	0.957	0.948	0.928
89	34	0.313	0.296	0.264	89	89	0.975	0.967	0.950
89	35	0.324	0.306	0.274	90	0	0.000	0.000	0.000
89	36	0.334	0.317	0.284	90	1	0.001	0.001	0.000
89	37	0.345	0.327	0.295	90	2	0.006	0.004	0.002
89	38	0.356	0.338	0.305	90	3	0.012	0.009	0.005
89	39	0.367	0.349	0.315	90	4	0.020	0.015	0.009
89	40	0.378	0.359	0.326	90	5	0.027	0.022	0.014
89	41	0.388	0.370	0.336	90	6	0.035	0.029	0.020
89	42	0.399	0.381	0.347	90	7	0.044	0.037	0.026
89	43	0.410	0.392	0.357	90	8	0.052	0.045	0.033
89	44	0.421	0.403	0.368	90	9	0.061	0.053	0.040
89	45	0.432	0.414	0.379	90	10	0.070	0.061	0.047
89	46	0.444	0.425	0.390	90	11	0.079	0.070	0.055
89	47	0.455	0.436	0.400	90	12	0.089	0.079	0.062
89	48	0.466	0.447	0.411	90	13	0.098	0.088	0.070
89	49	0.477	0.458	0.422	90	14	0.107	0.097	0.078
89	50	0.488	0.469	0.433	90	15	0.117	0.106	0.086
89	51	0.499	0.480	0.444	90	16	0.127	0.115	0.095
89	52	0.511	0.491	0.455	90	17	0.136	0.124	0.103
89	53	0.522	0.503	0.467	90	18	0.146	0.133	0.112
89	54	0.533	0.514	0.478	90	19	0.156	0.143	0.120
89	55	0.545	0.525	0.489	90	20	0.166	0.152	0.129
89	56	0.556	0.537	0.501	90	21	0.176	0.162	0.138
89	57	0.568	0.548	0.512	90	22	0.186	0.172	0.147
89	58	0.579	0.560	0.524	90	23	0.196	0.181	0.156
89	59	0.591	0.571	0.535	90	24	0.206	0.191	0.165
89	60	0.602	0.583	0.547	90	25	0.216	0.201	0.174
89	61	0.614	0.595	0.559	90	26	0.226	0.211	0.184
89	62	0.626	0.607	0.571	90	27	0.236	0.221	0.193
89	63	0.637	0.618	0.582	90	28	0.247	0.231	0.203
89	64	0.649	0.630	0.594	90	29	0.257	0.241	0.212
89	65	0.661	0.642	0.607	90	30	0.267	0.251	0.222
89	66	0.673	0.654	0.619	90	31	0.278	0.261	0.231
89	67	0.685	0.666	0.631	90	32	0.288	0.271	0.241
89	68	0.696	0.678	0.643	90	33	0.299	0.282	0.251
89	69	0.708	0.690	0.656	90	34	0.309	0.292	0.261
89	70	0.720	0.703	0.668	90	35	0.320	0.302	0.271
89	71	0.733	0.715	0.681	90	36	0.330	0.313	0.281
89	72	0.745	0.727	0.693	90	37	0.341	0.323	0.291
89	73	0.757	0.740	0.706	90	38	0.352	0.334	0.301
89	74	0.769	0.752	0.719	90	39	0.362	0.344	0.312
89	75	0.782	0.765	0.732	90	40	0.373	0.355	0.322
89	76	0.794	0.778	0.746	90	41	0.384	0.366	0.332
89	77	0.807	0.791	0.759	90	42	0.395	0.376	0.343
89	78	0.819	0.804	0.773	90	43	0.406	0.387	0.353
89	79	0.832	0.817	0.786	90	44	0.416	0.398	0.364
89	80	0.845	0.830	0.800	90	45	0.427	0.409	0.374
89	81	0.858	0.844	0.815	90	46	0.438	0.419	0.385
89	82	0.871	0.857	0.829	90	47	0.449	0.430	0.395
89	83	0.885	0.871	0.844	90	48	0.460	0.441	0.406
89	84	0.898	0.885	0.859	90	49	0.471	0.452	0.417
89	85	0.912	0.900	0.875	90	50	0.482	0.463	0.428
89	86	0.926	0.915	0.892	90	51	0.493	0.474	0.439

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
90	52	0.505	0.485	0.450	91	18	0.144	0.132	0.110
90	53	0.516	0.497	0.461	91	19	0.154	0.141	0.119
90	54	0.527	0.508	0.472	91	20	0.164	0.151	0.128
90	55	0.538	0.519	0.483	91	21	0.174	0.160	0.136
90	56	0.549	0.530	0.494	91	22	0.183	0.170	0.145
90	57	0.561	0.542	0.506	91	23	0.193	0.179	0.154
90	58	0.572	0.553	0.517	91	24	0.203	0.189	0.163
90	59	0.584	0.564	0.528	91	25	0.213	0.199	0.172
90	60	0.595	0.576	0.540	91	26	0.224	0.208	0.182
90	61	0.606	0.587	0.551	91	27	0.234	0.218	0.191
90	62	0.618	0.599	0.563	91	28	0.244	0.228	0.200
90	63	0.630	0.611	0.575	91	29	0.254	0.238	0.210
90	64	0.641	0.622	0.587	91	30	0.264	0.248	0.219
90	65	0.653	0.634	0.599	91	31	0.275	0.258	0.229
90	66	0.664	0.646	0.611	91	32	0.285	0.268	0.238
90	67	0.676	0.658	0.623	91	33	0.295	0.278	0.248
90	68	0.688	0.670	0.635	91	34	0.306	0.289	0.258
90	69	0.700	0.682	0.647	91	35	0.316	0.299	0.268
90	70	0.712	0.694	0.659	91	36	0.327	0.309	0.278
90	71	0.723	0.706	0.671	91	37	0.337	0.320	0.288
90	72	0.735	0.718	0.684	91	38	0.348	0.330	0.298
90	73	0.747	0.730	0.697	91	39	0.358	0.340	0.308
90	74	0.760	0.743	0.709	91	40	0.369	0.351	0.318
90	75	0.772	0.755	0.722	91	41	0.379	0.361	0.328
90	76	0.784	0.768	0.735	91	42	0.390	0.372	0.338
90	77	0.796	0.780	0.748	91	43	0.401	0.382	0.349
90	78	0.809	0.793	0.762	91	44	0.412	0.393	0.359
90	79	0.821	0.806	0.775	91	45	0.422	0.404	0.370
90	80	0.834	0.819	0.789	91	46	0.433	0.415	0.380
90	81	0.847	0.832	0.802	91	47	0.444	0.425	0.391
90	82	0.860	0.845	0.817	91	48	0.455	0.436	0.401
90	83	0.873	0.859	0.831	91	49	0.466	0.447	0.412
90	84	0.886	0.873	0.846	91	50	0.477	0.458	0.423
90	85	0.899	0.887	0.861	91	51	0.488	0.469	0.433
90	86	0.913	0.901	0.876	91	52	0.499	0.480	0.444
90	87	0.927	0.916	0.893	91	53	0.510	0.491	0.455
90	88	0.942	0.932	0.910	91	54	0.521	0.502	0.466
90	89	0.958	0.948	0.929	91	55	0.532	0.513	0.477
90	90	0.975	0.967	0.950	91	56	0.543	0.524	0.488
91	0	0.000	0.000	0.000	91	57	0.554	0.535	0.499
91	1	0.001	0.001	0.000	91	58	0.565	0.546	0.510
91	2	0.006	0.004	0.002	91	59	0.577	0.558	0.522
91	3	0.012	0.009	0.005	91	60	0.588	0.569	0.533
91	4	0.019	0.015	0.009	91	61	0.599	0.580	0.544
91	5	0.027	0.022	0.014	91	62	0.611	0.592	0.556
91	6	0.035	0.029	0.020	91	63	0.622	0.603	0.567
91	7	0.043	0.037	0.026	91	64	0.633	0.615	0.579
91	8	0.052	0.044	0.033	91	65	0.645	0.626	0.591
91	9	0.061	0.053	0.039	91	66	0.656	0.638	0.603
91	10	0.069	0.061	0.047	91	67	0.668	0.650	0.614
91	11	0.078	0.069	0.054	91	68	0.679	0.661	0.626
91	12	0.088	0.078	0.062	91	69	0.691	0.673	0.638
91	13	0.097	0.087	0.069	91	70	0.703	0.685	0.650
91	14	0.106	0.095	0.077	91	71	0.715	0.697	0.663
91	15	0.116	0.104	0.085	91	72	0.726	0.709	0.675
91	16	0.125	0.113	0.093	91	73	0.738	0.721	0.687
91	17	0.135	0.123	0.102	91	74	0.750	0.733	0.700

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
91	75	0.762	0.745	0.712	92	40	0.365	0.347	0.314
91	76	0.774	0.758	0.725	92	41	0.375	0.357	0.324
91	77	0.786	0.770	0.738	92	42	0.386	0.368	0.334
91	78	0.799	0.782	0.751	92	43	0.396	0.378	0.345
91	79	0.811	0.795	0.764	92	44	0.407	0.389	0.355
91	80	0.823	0.808	0.777	92	45	0.418	0.399	0.365
91	81	0.836	0.821	0.791	92	46	0.428	0.410	0.375
91	82	0.848	0.834	0.804	92	47	0.439	0.420	0.386
91	83	0.861	0.847	0.818	92	48	0.450	0.431	0.396
91	84	0.874	0.860	0.833	92	49	0.460	0.442	0.407
91	85	0.887	0.874	0.847	92	50	0.471	0.452	0.417
91	86	0.900	0.888	0.862	92	51	0.482	0.463	0.428
91	87	0.914	0.902	0.878	92	52	0.493	0.474	0.439
91	88	0.928	0.917	0.894	92	53	0.504	0.485	0.450
91	89	0.943	0.932	0.911	92	54	0.515	0.496	0.460
91	90	0.958	0.949	0.929	92	55	0.526	0.507	0.471
91	91	0.975	0.968	0.951	92	56	0.537	0.518	0.482
92	0	0.000	0.000	0.000	92	57	0.548	0.529	0.493
92	1	0.001	0.001	0.000	92	58	0.559	0.540	0.504
92	2	0.006	0.004	0.002	92	59	0.570	0.551	0.515
92	3	0.012	0.009	0.005	92	60	0.581	0.562	0.526
92	4	0.019	0.015	0.009	92	61	0.592	0.573	0.538
92	5	0.027	0.022	0.014	92	62	0.603	0.584	0.549
92	6	0.034	0.029	0.020	92	63	0.615	0.596	0.560
92	7	0.043	0.036	0.026	92	64	0.626	0.607	0.572
92	8	0.051	0.044	0.032	92	65	0.637	0.619	0.583
92	9	0.060	0.052	0.039	92	66	0.649	0.630	0.595
92	10	0.069	0.060	0.046	92	67	0.660	0.642	0.607
92	11	0.078	0.068	0.053	92	68	0.671	0.653	0.618
92	12	0.087	0.077	0.061	92	69	0.683	0.665	0.630
92	13	0.096	0.086	0.069	92	70	0.694	0.676	0.642
92	14	0.105	0.094	0.076	92	71	0.706	0.688	0.654
92	15	0.114	0.103	0.084	92	72	0.718	0.700	0.666
92	16	0.124	0.112	0.092	92	73	0.729	0.712	0.678
92	17	0.133	0.121	0.101	92	74	0.741	0.724	0.690
92	18	0.143	0.130	0.109	92	75	0.753	0.736	0.703
92	19	0.152	0.140	0.118	92	76	0.765	0.748	0.715
92	20	0.162	0.149	0.126	92	77	0.777	0.760	0.728
92	21	0.172	0.158	0.135	92	78	0.789	0.772	0.740
92	22	0.181	0.168	0.143	92	79	0.801	0.785	0.753
92	23	0.191	0.177	0.152	92	80	0.813	0.797	0.766
92	24	0.201	0.187	0.161	92	81	0.825	0.810	0.780
92	25	0.211	0.196	0.170	92	82	0.837	0.823	0.793
92	26	0.221	0.206	0.179	92	83	0.850	0.835	0.807
92	27	0.231	0.216	0.189	92	84	0.863	0.849	0.820
92	28	0.241	0.226	0.198	92	85	0.875	0.862	0.834
92	29	0.251	0.235	0.207	92	86	0.888	0.875	0.849
92	30	0.261	0.245	0.217	92	87	0.901	0.889	0.864
92	31	0.271	0.255	0.226	92	88	0.915	0.903	0.879
92	32	0.282	0.265	0.236	92	89	0.929	0.918	0.895
92	33	0.292	0.275	0.245	92	90	0.943	0.933	0.912
92	34	0.302	0.285	0.255	92	91	0.958	0.950	0.930
92	35	0.313	0.295	0.265	92	92	0.975	0.968	0.951
92	36	0.323	0.306	0.274	93	0	0.000	0.000	0.000
92	37	0.333	0.316	0.284	93	1	0.001	0.001	0.000
92	38	0.344	0.326	0.294	93	2	0.006	0.004	0.002
92	39	0.354	0.336	0.304	93	3	0.012	0.009	0.005

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
93	4	0.019	0.015	0.009	93	61	0.585	0.566	0.531
93	5	0.026	0.021	0.014	93	62	0.596	0.578	0.542
93	6	0.034	0.028	0.019	93	63	0.607	0.589	0.553
93	7	0.042	0.036	0.025	93	64	0.619	0.600	0.565
93	8	0.051	0.043	0.032	93	65	0.630	0.611	0.576
93	9	0.059	0.051	0.039	93	66	0.641	0.622	0.587
93	10	0.068	0.059	0.046	93	67	0.652	0.634	0.599
93	11	0.077	0.068	0.053	93	68	0.663	0.645	0.610
93	12	0.086	0.076	0.060	93	69	0.675	0.657	0.622
93	13	0.095	0.085	0.068	93	70	0.686	0.668	0.634
93	14	0.104	0.093	0.075	93	71	0.697	0.680	0.645
93	15	0.113	0.102	0.083	93	72	0.709	0.691	0.657
93	16	0.122	0.111	0.091	93	73	0.720	0.703	0.669
93	17	0.132	0.120	0.100	93	74	0.732	0.715	0.681
93	18	0.141	0.129	0.108	93	75	0.744	0.727	0.693
93	19	0.151	0.138	0.116	93	76	0.755	0.738	0.706
93	20	0.160	0.147	0.125	93	77	0.767	0.750	0.718
93	21	0.170	0.156	0.133	93	78	0.779	0.763	0.730
93	22	0.179	0.166	0.142	93	79	0.791	0.775	0.743
93	23	0.189	0.175	0.151	93	80	0.803	0.787	0.756
93	24	0.199	0.185	0.159	93	81	0.815	0.799	0.769
93	25	0.209	0.194	0.168	93	82	0.827	0.812	0.782
93	26	0.219	0.204	0.177	93	83	0.839	0.824	0.795
93	27	0.228	0.213	0.186	93	84	0.851	0.837	0.808
93	28	0.238	0.223	0.196	93	85	0.864	0.850	0.822
93	29	0.248	0.233	0.205	93	86	0.877	0.863	0.836
93	30	0.258	0.243	0.214	93	87	0.889	0.877	0.850
93	31	0.268	0.252	0.223	93	88	0.902	0.890	0.865
93	32	0.279	0.262	0.233	93	89	0.916	0.904	0.880
93	33	0.289	0.272	0.242	93	90	0.930	0.919	0.896
93	34	0.299	0.282	0.252	93	91	0.944	0.934	0.913
93	35	0.309	0.292	0.262	93	92	0.959	0.950	0.931
93	36	0.319	0.302	0.271	93	93	0.976	0.968	0.952
93	37	0.330	0.312	0.281	94	0	0.000	0.000	0.000
93	38	0.340	0.322	0.291	94	1	0.001	0.001	0.000
93	39	0.350	0.333	0.301	94	2	0.006	0.004	0.002
93	40	0.360	0.343	0.310	94	3	0.012	0.009	0.005
93	41	0.371	0.353	0.320	94	4	0.019	0.015	0.009
93	42	0.381	0.363	0.330	94	5	0.026	0.021	0.014
93	43	0.392	0.374	0.340	94	6	0.034	0.028	0.019
93	44	0.402	0.384	0.351	94	7	0.042	0.035	0.025
93	45	0.413	0.394	0.361	94	8	0.050	0.043	0.031
93	46	0.423	0.405	0.371	94	9	0.059	0.051	0.038
93	47	0.434	0.415	0.381	94	10	0.067	0.059	0.045
93	48	0.444	0.426	0.392	94	11	0.076	0.067	0.052
93	49	0.455	0.437	0.402	94	12	0.085	0.075	0.060
93	50	0.466	0.447	0.412	94	13	0.094	0.084	0.067
93	51	0.476	0.458	0.423	94	14	0.103	0.092	0.075
93	52	0.487	0.468	0.433	94	15	0.112	0.101	0.082
93	53	0.498	0.479	0.444	94	16	0.121	0.110	0.090
93	54	0.509	0.490	0.455	94	17	0.130	0.119	0.098
93	55	0.520	0.501	0.465	94	18	0.140	0.128	0.107
93	56	0.530	0.512	0.476	94	19	0.149	0.136	0.115
93	57	0.541	0.522	0.487	94	20	0.158	0.146	0.123
93	58	0.552	0.533	0.498	94	21	0.168	0.155	0.132
93	59	0.563	0.544	0.509	94	22	0.177	0.164	0.140
93	60	0.574	0.555	0.520	94	23	0.187	0.173	0.149
					94	24	0.197	0.183	0.158

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
94	25	0.206	0.192	0.166	94	81	0.805	0.789	0.758
94	26	0.216	0.201	0.175	94	82	0.817	0.801	0.771
94	27	0.226	0.211	0.184	94	83	0.829	0.814	0.784
94	28	0.236	0.221	0.193	94	84	0.841	0.826	0.797
94	29	0.246	0.230	0.202					
					94	85	0.853	0.839	0.810
94	30	0.256	0.240	0.212	94	86	0.865	0.852	0.824
94	31	0.265	0.250	0.221	94	87	0.878	0.865	0.838
94	32	0.275	0.259	0.230	94	88	0.891	0.878	0.852
94	33	0.285	0.269	0.240	94	89	0.904	0.891	0.866
94	34	0.296	0.279	0.249					
					94	90	0.917	0.905	0.881
94	35	0.306	0.289	0.259	94	91	0.930	0.920	0.897
94	36	0.316	0.299	0.268	94	92	0.944	0.935	0.914
94	37	0.326	0.309	0.278	94	93	0.959	0.951	0.931
94	38	0.336	0.319	0.287	94	94	0.976	0.969	0.952
94	39	0.346	0.329	0.297					
					95	0	0.000	0.000	0.000
94	40	0.356	0.339	0.307	95	1	0.001	0.001	0.000
94	41	0.367	0.349	0.317	95	2	0.006	0.004	0.002
94	42	0.377	0.359	0.327	95	3	0.012	0.009	0.005
94	43	0.387	0.369	0.337	95	4	0.019	0.015	0.009
94	44	0.398	0.380	0.347					
					95	5	0.026	0.021	0.014
94	45	0.408	0.390	0.357	95	6	0.033	0.028	0.019
94	46	0.419	0.400	0.367	95	7	0.041	0.035	0.025
94	47	0.429	0.411	0.377	95	8	0.050	0.043	0.031
94	48	0.439	0.421	0.387	95	9	0.058	0.050	0.038
94	49	0.450	0.431	0.397					
					95	10	0.066	0.058	0.045
94	50	0.461	0.442	0.408	95	11	0.075	0.066	0.052
94	51	0.471	0.452	0.418	95	12	0.084	0.074	0.059
94	52	0.482	0.463	0.428	95	13	0.093	0.083	0.066
94	53	0.492	0.474	0.439	95	14	0.102	0.091	0.074
94	54	0.503	0.484	0.449					
					95	15	0.111	0.100	0.082
94	55	0.514	0.495	0.460	95	16	0.120	0.109	0.089
94	56	0.524	0.506	0.471	95	17	0.129	0.117	0.097
94	57	0.535	0.516	0.481	95	18	0.138	0.126	0.105
94	58	0.546	0.527	0.492	95	19	0.147	0.135	0.114
94	59	0.557	0.538	0.503					
					95	20	0.157	0.144	0.122
94	60	0.568	0.549	0.514	95	21	0.166	0.153	0.130
94	61	0.578	0.560	0.525	95	22	0.176	0.162	0.139
94	62	0.589	0.571	0.535	95	23	0.185	0.171	0.147
94	63	0.600	0.582	0.547	95	24	0.195	0.181	0.156
94	64	0.611	0.593	0.558					
					95	25	0.204	0.190	0.165
94	65	0.622	0.604	0.569	95	26	0.214	0.199	0.173
94	66	0.633	0.615	0.580	95	27	0.223	0.209	0.182
94	67	0.645	0.626	0.591	95	28	0.233	0.218	0.191
94	68	0.656	0.637	0.603	95	29	0.243	0.228	0.200
94	69	0.667	0.649	0.614					
					95	30	0.253	0.237	0.209
94	70	0.678	0.660	0.626	95	31	0.263	0.247	0.218
94	71	0.689	0.671	0.637	95	32	0.272	0.256	0.228
94	72	0.701	0.683	0.649	95	33	0.282	0.266	0.237
94	73	0.712	0.694	0.661	95	34	0.292	0.276	0.246
94	74	0.723	0.706	0.673					
					95	35	0.302	0.286	0.256
94	75	0.735	0.718	0.684	95	36	0.312	0.295	0.265
94	76	0.746	0.729	0.696	95	37	0.322	0.305	0.275
94	77	0.758	0.741	0.709	95	38	0.332	0.315	0.284
94	78	0.769	0.753	0.721	95	39	0.342	0.325	0.294
94	79	0.781	0.765	0.733					
					95	40	0.353	0.335	0.303
94	80	0.793	0.777	0.746	95	41	0.363	0.345	0.313

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
95	42	0.373	0.355	0.323	96	4	0.018	0.014	0.009
95	43	0.383	0.365	0.333	96	5	0.025	0.021	0.013
95	44	0.393	0.375	0.343	96	6	0.033	0.027	0.019
95	45	0.404	0.386	0.352	96	7	0.041	0.035	0.025
95	46	0.414	0.396	0.362	96	8	0.049	0.042	0.031
95	47	0.424	0.406	0.372	96	9	0.057	0.050	0.037
95	48	0.435	0.416	0.382	96	10	0.066	0.058	0.044
95	49	0.445	0.427	0.393	96	11	0.074	0.066	0.051
95	50	0.455	0.437	0.403	96	12	0.083	0.074	0.058
95	51	0.466	0.447	0.413	96	13	0.092	0.082	0.066
95	52	0.476	0.458	0.423	96	14	0.101	0.090	0.073
95	53	0.487	0.468	0.434	96	15	0.109	0.099	0.081
95	54	0.497	0.479	0.444	96	16	0.118	0.107	0.088
95	55	0.508	0.489	0.454	96	17	0.127	0.116	0.096
95	56	0.518	0.500	0.465	96	18	0.137	0.125	0.104
95	57	0.529	0.510	0.475	96	19	0.146	0.134	0.112
95	58	0.540	0.521	0.486	96	20	0.155	0.142	0.121
95	59	0.550	0.532	0.497	96	21	0.164	0.151	0.129
95	60	0.561	0.542	0.507	96	22	0.174	0.160	0.137
95	61	0.572	0.553	0.518	96	23	0.183	0.169	0.146
95	62	0.583	0.564	0.529	96	24	0.192	0.179	0.154
95	63	0.593	0.575	0.540	96	25	0.202	0.188	0.163
95	64	0.604	0.586	0.551	96	26	0.211	0.197	0.171
95	65	0.615	0.597	0.562	96	27	0.221	0.206	0.180
95	66	0.626	0.608	0.573	96	28	0.231	0.216	0.189
95	67	0.637	0.619	0.584	96	29	0.240	0.225	0.198
95	68	0.648	0.630	0.595	96	30	0.250	0.235	0.207
95	69	0.659	0.641	0.607	96	31	0.260	0.244	0.216
95	70	0.670	0.652	0.618	96	32	0.269	0.254	0.225
95	71	0.681	0.663	0.629	96	33	0.279	0.263	0.234
95	72	0.692	0.675	0.641	96	34	0.289	0.273	0.243
95	73	0.704	0.686	0.652	96	35	0.299	0.283	0.253
95	74	0.715	0.697	0.664	96	36	0.309	0.292	0.262
95	75	0.726	0.709	0.676	96	37	0.319	0.302	0.271
95	76	0.737	0.720	0.688	96	38	0.329	0.312	0.281
95	77	0.749	0.732	0.699	96	39	0.339	0.322	0.290
95	78	0.760	0.744	0.711	96	40	0.349	0.331	0.300
95	79	0.772	0.755	0.724	96	41	0.359	0.341	0.310
95	80	0.783	0.767	0.736	96	42	0.369	0.351	0.319
95	81	0.795	0.779	0.748	96	43	0.379	0.361	0.329
95	82	0.807	0.791	0.761	96	44	0.389	0.371	0.339
95	83	0.819	0.803	0.773	96	45	0.399	0.381	0.348
95	84	0.830	0.816	0.786	96	46	0.409	0.391	0.358
95	85	0.842	0.828	0.799	96	47	0.420	0.401	0.368
95	86	0.855	0.840	0.812	96	48	0.430	0.412	0.378
95	87	0.867	0.853	0.826	96	49	0.440	0.422	0.388
95	88	0.879	0.866	0.839	96	50	0.450	0.432	0.398
95	89	0.892	0.879	0.853	96	51	0.461	0.442	0.408
95	90	0.904	0.892	0.868	96	52	0.471	0.453	0.418
95	91	0.918	0.906	0.883	96	53	0.481	0.463	0.429
95	92	0.931	0.920	0.898	96	54	0.492	0.473	0.439
95	93	0.945	0.935	0.914	96	55	0.502	0.484	0.449
95	94	0.960	0.951	0.932	96	56	0.513	0.494	0.459
95	95	0.976	0.969	0.953	96	57	0.523	0.505	0.470
96	0	0.000	0.000	0.000	96	58	0.534	0.515	0.480
96	1	0.001	0.001	0.000	96	59	0.544	0.526	0.491
96	2	0.006	0.004	0.002	96	60	0.555	0.536	0.501
96	3	0.012	0.009	0.005	96	61	0.565	0.547	0.512

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
96	62	0.576	0.558	0.523	97	23	0.181	0.168	0.144
96	63	0.587	0.568	0.533	97	24	0.190	0.177	0.152
96	64	0.598	0.579	0.544	97	25	0.200	0.186	0.161
96	65	0.608	0.590	0.555	97	26	0.209	0.195	0.170
96	66	0.619	0.601	0.566	97	27	0.219	0.204	0.178
96	67	0.630	0.612	0.577	97	28	0.228	0.213	0.187
96	68	0.641	0.623	0.588	97	29	0.238	0.223	0.196
96	69	0.652	0.634	0.599	97	30	0.247	0.232	0.205
96	70	0.662	0.645	0.610	97	31	0.257	0.241	0.214
96	71	0.673	0.656	0.622	97	32	0.267	0.251	0.223
96	72	0.684	0.667	0.633	97	33	0.276	0.260	0.232
96	73	0.695	0.678	0.644	97	34	0.286	0.270	0.241
96	74	0.707	0.689	0.656	97	35	0.296	0.279	0.250
96	75	0.718	0.700	0.667	97	36	0.306	0.289	0.259
96	76	0.729	0.712	0.679	97	37	0.315	0.299	0.268
96	77	0.740	0.723	0.691	97	38	0.325	0.308	0.278
96	78	0.751	0.735	0.702	97	39	0.335	0.318	0.287
96	79	0.763	0.746	0.714	97	40	0.345	0.328	0.297
96	80	0.774	0.758	0.726	97	41	0.355	0.338	0.306
96	81	0.786	0.770	0.738	97	42	0.365	0.347	0.316
96	82	0.797	0.781	0.751	97	43	0.375	0.357	0.325
96	83	0.809	0.793	0.763	97	44	0.385	0.367	0.335
96	84	0.820	0.805	0.776	97	45	0.395	0.377	0.344
96	85	0.832	0.817	0.788	97	46	0.405	0.387	0.354
96	86	0.844	0.830	0.801	97	47	0.415	0.397	0.364
96	87	0.856	0.842	0.814	97	48	0.425	0.407	0.374
96	88	0.868	0.855	0.827	97	49	0.435	0.417	0.384
96	89	0.880	0.867	0.841	97	50	0.445	0.427	0.394
96	90	0.893	0.880	0.855	97	51	0.456	0.437	0.404
96	91	0.905	0.894	0.869	97	52	0.466	0.448	0.414
96	92	0.918	0.907	0.884	97	53	0.476	0.458	0.424
96	93	0.932	0.921	0.899	97	54	0.486	0.468	0.434
96	94	0.946	0.936	0.915	97	55	0.497	0.478	0.444
96	95	0.960	0.952	0.933	97	56	0.507	0.489	0.454
96	96	0.976	0.969	0.953	97	57	0.517	0.499	0.464
97	0	0.000	0.000	0.000	97	58	0.528	0.509	0.475
97	1	0.001	0.001	0.000	97	59	0.538	0.520	0.485
97	2	0.005	0.004	0.002	97	60	0.549	0.530	0.496
97	3	0.011	0.008	0.005	97	61	0.559	0.541	0.506
97	4	0.018	0.014	0.009	97	62	0.570	0.551	0.517
97	5	0.025	0.020	0.013	97	63	0.580	0.562	0.527
97	6	0.033	0.027	0.019	97	64	0.591	0.572	0.538
97	7	0.041	0.034	0.024	97	65	0.601	0.583	0.548
97	8	0.049	0.042	0.030	97	66	0.612	0.594	0.559
97	9	0.057	0.049	0.037	97	67	0.623	0.605	0.570
97	10	0.065	0.057	0.044	97	68	0.633	0.615	0.581
97	11	0.073	0.065	0.051	97	69	0.644	0.626	0.592
97	12	0.082	0.073	0.058	97	70	0.655	0.637	0.603
97	13	0.091	0.081	0.065	97	71	0.666	0.648	0.614
97	14	0.099	0.089	0.072	97	72	0.677	0.659	0.625
97	15	0.108	0.098	0.080	97	73	0.688	0.670	0.636
97	16	0.117	0.106	0.087	97	74	0.698	0.681	0.648
97	17	0.126	0.115	0.095	97	75	0.709	0.692	0.659
97	18	0.135	0.123	0.103	97	76	0.720	0.703	0.670
97	19	0.144	0.132	0.111	97	77	0.732	0.715	0.682
97	20	0.153	0.141	0.119	97	78	0.743	0.726	0.693
97	21	0.163	0.150	0.127	97	79	0.754	0.737	0.705
97	22	0.172	0.159	0.136	97	80	0.765	0.749	0.717

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
97	81	0.776	0.760	0.729	98	40	0.341	0.324	0.293
97	82	0.788	0.772	0.741	98	41	0.351	0.334	0.303
97	83	0.799	0.784	0.753	98	42	0.361	0.344	0.312
97	84	0.811	0.795	0.765	98	43	0.371	0.353	0.322
					98	44	0.381	0.363	0.331
97	85	0.822	0.807	0.778					
97	86	0.834	0.819	0.790	98	45	0.391	0.373	0.341
97	87	0.846	0.831	0.803	98	46	0.401	0.383	0.350
97	88	0.857	0.844	0.816	98	47	0.411	0.393	0.360
97	89	0.869	0.856	0.829	98	48	0.421	0.403	0.370
					98	49	0.431	0.413	0.379
97	90	0.882	0.869	0.843					
97	91	0.894	0.882	0.856	98	50	0.441	0.423	0.389
97	92	0.906	0.895	0.870	98	51	0.451	0.433	0.399
97	93	0.919	0.908	0.885	98	52	0.461	0.443	0.409
97	94	0.932	0.922	0.900	98	53	0.471	0.453	0.419
					98	54	0.481	0.463	0.429
97	95	0.946	0.937	0.916					
97	96	0.961	0.952	0.934	98	55	0.491	0.473	0.439
97	97	0.977	0.970	0.954	98	56	0.501	0.483	0.449
					98	57	0.512	0.493	0.459
98	0	0.000	0.000	0.000	98	58	0.522	0.504	0.469
98	1	0.001	0.001	0.000	98	59	0.532	0.514	0.480
98	2	0.005	0.004	0.002					
98	3	0.011	0.008	0.004	98	60	0.543	0.524	0.490
98	4	0.018	0.014	0.008	98	61	0.553	0.535	0.500
					98	62	0.563	0.545	0.511
98	5	0.025	0.020	0.013	98	63	0.574	0.555	0.521
98	6	0.032	0.027	0.018	98	64	0.584	0.566	0.531
98	7	0.040	0.034	0.024					
98	8	0.048	0.041	0.030	98	65	0.595	0.576	0.542
98	9	0.056	0.049	0.037	98	66	0.605	0.587	0.553
					98	67	0.616	0.598	0.563
98	10	0.064	0.056	0.043	98	68	0.626	0.608	0.574
98	11	0.073	0.064	0.050	98	69	0.637	0.619	0.585
98	12	0.081	0.072	0.057					
98	13	0.090	0.080	0.064	98	70	0.648	0.630	0.596
98	14	0.098	0.088	0.071	98	71	0.658	0.641	0.607
					98	72	0.669	0.651	0.618
98	15	0.107	0.097	0.079	98	73	0.680	0.662	0.629
98	16	0.116	0.105	0.087	98	74	0.691	0.673	0.640
98	17	0.125	0.114	0.094					
98	18	0.134	0.122	0.102	98	75	0.701	0.684	0.651
98	19	0.143	0.131	0.110	98	76	0.712	0.695	0.662
					98	77	0.723	0.706	0.673
98	20	0.152	0.139	0.118	98	78	0.734	0.717	0.685
98	21	0.161	0.148	0.126	98	79	0.745	0.729	0.696
98	22	0.170	0.157	0.134					
98	23	0.179	0.166	0.142	98	80	0.756	0.740	0.708
98	24	0.188	0.175	0.151	98	81	0.767	0.751	0.720
					98	82	0.779	0.763	0.731
98	25	0.198	0.184	0.159	98	83	0.790	0.774	0.743
98	26	0.207	0.193	0.168	98	84	0.801	0.786	0.755
98	27	0.216	0.202	0.176					
98	28	0.226	0.211	0.185	98	85	0.812	0.797	0.768
98	29	0.235	0.220	0.194	98	86	0.824	0.809	0.780
					98	87	0.835	0.821	0.792
98	30	0.245	0.230	0.202	98	88	0.847	0.833	0.805
98	31	0.254	0.239	0.211	98	89	0.859	0.845	0.818
98	32	0.264	0.248	0.220					
98	33	0.273	0.258	0.229	98	90	0.871	0.857	0.831
98	34	0.283	0.267	0.238	98	91	0.883	0.870	0.844
					98	92	0.895	0.883	0.858
98	35	0.293	0.276	0.247	98	93	0.907	0.896	0.872
98	36	0.302	0.286	0.256	98	94	0.920	0.909	0.886
98	37	0.312	0.295	0.265					
98	38	0.322	0.305	0.275	98	95	0.933	0.923	0.901
98	39	0.331	0.315	0.284	98	96	0.947	0.937	0.917



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
98	97	0.961	0.953	0.934	99	55	0.486	0.468	0.434
98	98	0.977	0.970	0.954	99	56	0.496	0.478	0.444
99	0	0.000	0.000	0.000	99	57	0.506	0.488	0.454
99	1	0.001	0.001	0.000	99	58	0.516	0.498	0.464
99	2	0.005	0.004	0.002	99	59	0.527	0.508	0.474
99	3	0.011	0.008	0.004	99	60	0.537	0.518	0.484
99	4	0.018	0.014	0.008	99	61	0.547	0.529	0.494
99	5	0.025	0.020	0.013	99	62	0.557	0.539	0.505
99	6	0.032	0.027	0.018	99	63	0.568	0.549	0.515
99	7	0.040	0.034	0.024	99	64	0.578	0.560	0.525
99	8	0.048	0.041	0.030	99	65	0.588	0.570	0.536
99	9	0.056	0.048	0.036	99	66	0.599	0.580	0.546
99	10	0.064	0.056	0.043	99	67	0.609	0.591	0.557
99	11	0.072	0.064	0.049	99	68	0.620	0.602	0.567
99	12	0.080	0.071	0.056	99	69	0.630	0.612	0.578
99	13	0.089	0.079	0.064	99	70	0.641	0.623	0.589
99	14	0.097	0.088	0.071	99	71	0.651	0.633	0.599
99	15	0.106	0.096	0.078	99	72	0.662	0.644	0.610
99	16	0.115	0.104	0.086	99	73	0.672	0.655	0.621
99	17	0.124	0.112	0.093	99	74	0.683	0.665	0.632
99	18	0.132	0.121	0.101	99	75	0.694	0.676	0.643
99	19	0.141	0.129	0.109	99	76	0.704	0.687	0.654
99	20	0.150	0.138	0.117	99	77	0.715	0.698	0.665
99	21	0.159	0.147	0.125	99	78	0.726	0.709	0.677
99	22	0.168	0.155	0.133	99	79	0.737	0.720	0.688
99	23	0.177	0.164	0.141	99	80	0.748	0.731	0.699
99	24	0.186	0.173	0.149	99	81	0.759	0.742	0.711
99	25	0.196	0.182	0.158	99	82	0.770	0.754	0.722
99	26	0.205	0.191	0.166	99	83	0.781	0.765	0.734
99	27	0.214	0.200	0.174	99	84	0.792	0.776	0.746
99	28	0.223	0.209	0.183	99	85	0.803	0.788	0.758
99	29	0.233	0.218	0.192	99	86	0.814	0.799	0.770
99	30	0.242	0.227	0.200	99	87	0.826	0.811	0.782
99	31	0.252	0.236	0.209	99	88	0.837	0.823	0.794
99	32	0.261	0.246	0.218	99	89	0.849	0.835	0.807
99	33	0.270	0.255	0.227	99	90	0.860	0.847	0.819
99	34	0.280	0.264	0.236	99	91	0.872	0.859	0.832
99	35	0.290	0.273	0.245	99	92	0.884	0.871	0.846
99	36	0.299	0.283	0.254	99	93	0.896	0.884	0.859
99	37	0.309	0.292	0.263	99	94	0.908	0.897	0.873
99	38	0.318	0.302	0.272	99	95	0.921	0.910	0.887
99	39	0.328	0.311	0.281	99	96	0.934	0.924	0.902
99	40	0.338	0.321	0.290	99	97	0.947	0.938	0.918
99	41	0.347	0.330	0.299	99	98	0.961	0.953	0.935
99	42	0.357	0.340	0.309	99	99	0.977	0.970	0.955
99	43	0.367	0.350	0.318	100	0	0.000	0.000	0.000
99	44	0.377	0.359	0.327	100	1	0.001	0.001	0.000
99	45	0.386	0.369	0.337	100	2	0.005	0.004	0.002
99	46	0.396	0.379	0.346	100	3	0.011	0.008	0.004
99	47	0.406	0.388	0.356	100	4	0.018	0.014	0.008
99	48	0.416	0.398	0.365	100	5	0.024	0.020	0.013
99	49	0.426	0.408	0.375	100	6	0.032	0.026	0.018
99	50	0.436	0.418	0.385	100	7	0.039	0.033	0.024
99	51	0.446	0.428	0.395	100	8	0.047	0.040	0.030
99	52	0.456	0.438	0.404	100	9	0.055	0.048	0.036
99	53	0.466	0.448	0.414	100	10	0.063	0.055	0.042
99	54	0.476	0.458	0.424	100	11	0.071	0.063	0.049

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
100	12	0.080	0.071	0.056	100	68	0.613	0.595	0.561
100	13	0.088	0.079	0.063	100	69	0.623	0.605	0.571
100	14	0.096	0.087	0.070	100	70	0.634	0.616	0.582
100	15	0.105	0.095	0.077	100	71	0.644	0.626	0.593
100	16	0.114	0.103	0.085	100	72	0.654	0.637	0.603
100	17	0.122	0.111	0.092	100	73	0.665	0.647	0.614
100	18	0.131	0.120	0.100	100	74	0.675	0.658	0.625
100	19	0.140	0.128	0.108	100	75	0.686	0.669	0.635
100	20	0.149	0.137	0.116	100	76	0.697	0.679	0.646
100	21	0.158	0.145	0.124	100	77	0.707	0.690	0.657
100	22	0.167	0.154	0.132	100	78	0.718	0.701	0.668
100	23	0.176	0.163	0.140	100	79	0.729	0.712	0.680
100	24	0.185	0.171	0.148	100	80	0.739	0.723	0.691
100	25	0.194	0.180	0.156	100	81	0.750	0.734	0.702
100	26	0.203	0.189	0.164	100	82	0.761	0.745	0.713
100	27	0.212	0.198	0.173	100	83	0.772	0.756	0.725
100	28	0.221	0.207	0.181	100	84	0.783	0.767	0.737
100	29	0.231	0.216	0.190	100	85	0.794	0.778	0.748
100	30	0.240	0.225	0.198	100	86	0.805	0.790	0.760
100	31	0.249	0.234	0.207	100	87	0.816	0.801	0.772
100	32	0.258	0.243	0.216	100	88	0.827	0.813	0.784
100	33	0.268	0.252	0.224	100	89	0.839	0.825	0.796
100	34	0.277	0.262	0.233	100	90	0.850	0.836	0.809
100	35	0.287	0.271	0.242	100	91	0.862	0.848	0.821
100	36	0.296	0.280	0.251	100	92	0.873	0.860	0.834
100	37	0.306	0.289	0.260	100	93	0.885	0.873	0.847
100	38	0.315	0.299	0.269	100	94	0.897	0.885	0.860
100	39	0.325	0.308	0.278	100	95	0.909	0.898	0.874
100	40	0.334	0.318	0.287	100	96	0.922	0.911	0.888
100	41	0.344	0.327	0.296	100	97	0.934	0.924	0.903
100	42	0.353	0.336	0.305	100	98	0.948	0.938	0.919
100	43	0.363	0.346	0.315	100	99	0.962	0.953	0.935
100	44	0.373	0.356	0.324	100	100	0.977	0.970	0.955
100	45	0.382	0.365	0.333	105	0	0.000	0.000	0.000
100	46	0.392	0.375	0.343	105	1	0.001	0.000	0.000
100	47	0.402	0.384	0.352	105	2	0.005	0.003	0.001
100	48	0.412	0.394	0.362	105	3	0.011	0.008	0.004
100	49	0.422	0.404	0.371	105	4	0.017	0.013	0.008
100	50	0.431	0.414	0.381	105	5	0.023	0.019	0.012
100	51	0.441	0.423	0.390	105	6	0.030	0.025	0.017
100	52	0.451	0.433	0.400	105	7	0.037	0.032	0.023
100	53	0.461	0.443	0.410	105	8	0.045	0.038	0.028
100	54	0.471	0.453	0.419	105	9	0.052	0.045	0.034
100	55	0.481	0.463	0.429	105	10	0.060	0.053	0.040
100	56	0.491	0.473	0.439	105	11	0.068	0.060	0.047
100	57	0.501	0.483	0.449	105	12	0.076	0.067	0.053
100	58	0.511	0.493	0.459	105	13	0.084	0.075	0.060
100	59	0.521	0.503	0.469	105	14	0.092	0.082	0.067
100	60	0.531	0.513	0.479	105	15	0.100	0.090	0.074
100	61	0.541	0.523	0.489	105	16	0.108	0.098	0.081
100	62	0.551	0.533	0.499	105	17	0.116	0.106	0.088
100	63	0.562	0.543	0.509	105	18	0.125	0.114	0.095
100	64	0.572	0.554	0.519	105	19	0.133	0.122	0.102
100	65	0.582	0.564	0.530	105	20	0.142	0.130	0.110
100	66	0.592	0.574	0.540	105	21	0.150	0.138	0.117
100	67	0.603	0.585	0.550					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
105	22	0.158	0.146	0.125	105	78	0.680	0.663	0.631
105	23	0.167	0.155	0.133	105	79	0.690	0.673	0.641
105	24	0.176	0.163	0.140	105	80	0.700	0.684	0.652
105	25	0.184	0.171	0.146	105	81	0.710	0.694	0.662
105	26	0.193	0.180	0.156	105	82	0.721	0.704	0.673
105	27	0.202	0.188	0.164	105	83	0.731	0.715	0.683
105	28	0.210	0.197	0.172	105	84	0.741	0.725	0.694
105	29	0.219	0.205	0.180	105	85	0.751	0.735	0.705
105	30	0.228	0.214	0.188	105	86	0.762	0.746	0.715
105	31	0.237	0.222	0.196	105	87	0.772	0.756	0.726
105	32	0.246	0.231	0.205	105	88	0.782	0.767	0.737
105	33	0.255	0.240	0.213	105	89	0.793	0.778	0.748
105	34	0.264	0.248	0.221	105	90	0.803	0.789	0.760
105	35	0.272	0.257	0.230	105	91	0.814	0.799	0.771
105	36	0.281	0.266	0.238	105	92	0.825	0.810	0.782
105	37	0.290	0.275	0.247	105	93	0.835	0.821	0.794
105	38	0.299	0.284	0.255	105	94	0.846	0.833	0.805
105	39	0.309	0.293	0.264	105	95	0.857	0.844	0.817
105	40	0.318	0.302	0.272	105	96	0.868	0.855	0.829
105	41	0.327	0.311	0.281	105	97	0.879	0.867	0.842
105	42	0.336	0.320	0.290	105	98	0.890	0.878	0.854
105	43	0.345	0.329	0.298	105	99	0.902	0.890	0.867
105	44	0.354	0.338	0.307	105	100	0.913	0.902	0.880
105	45	0.363	0.347	0.316	105	101	0.925	0.915	0.893
105	46	0.373	0.356	0.325	105	102	0.937	0.928	0.907
105	47	0.382	0.365	0.334	105	103	0.950	0.941	0.922
105	48	0.391	0.374	0.343	105	104	0.963	0.956	0.938
105	49	0.400	0.383	0.352	105	105	0.978	0.972	0.957
105	50	0.410	0.393	0.361	110	0	0.000	0.000	0.000
105	51	0.419	0.402	0.370	110	1	0.001	0.000	0.000
105	52	0.428	0.411	0.379	110	2	0.005	0.003	0.001
105	53	0.438	0.420	0.388	110	3	0.010	0.007	0.004
105	54	0.447	0.430	0.397	110	4	0.016	0.013	0.008
105	55	0.457	0.439	0.407	110	5	0.022	0.018	0.012
105	56	0.466	0.449	0.416	110	6	0.029	0.024	0.016
105	57	0.476	0.458	0.425	110	7	0.036	0.030	0.022
105	58	0.485	0.467	0.437	110	8	0.043	0.037	0.027
105	59	0.495	0.477	0.444	110	9	0.050	0.043	0.033
105	60	0.504	0.486	0.453	110	10	0.057	0.050	0.038
105	61	0.514	0.496	0.463	110	11	0.065	0.057	0.044
105	62	0.523	0.506	0.472	110	12	0.072	0.064	0.051
105	63	0.533	0.515	0.482	110	13	0.080	0.071	0.057
105	64	0.543	0.525	0.492	110	14	0.088	0.079	0.063
105	65	0.552	0.535	0.501	110	15	0.095	0.086	0.070
105	66	0.562	0.544	0.511	110	16	0.103	0.093	0.077
105	67	0.572	0.554	0.521	110	17	0.111	0.101	0.084
105	68	0.581	0.564	0.530	110	18	0.119	0.109	0.091
105	69	0.591	0.574	0.540	110	19	0.127	0.116	0.098
105	70	0.601	0.583	0.550	110	20	0.135	0.124	0.105
105	71	0.611	0.593	0.560	110	21	0.143	0.132	0.112
105	72	0.621	0.603	0.570	110	22	0.151	0.139	0.119
105	73	0.630	0.613	0.580	110	23	0.159	0.147	0.126
105	74	0.640	0.623	0.590	110	24	0.167	0.155	0.134
105	75	0.650	0.633	0.600	110	25	0.176	0.163	0.141
105	76	0.660	0.643	0.610	110	26	0.184	0.171	0.149
105	77	0.670	0.653	0.621					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
110	27	0.192	0.179	0.156	110	83	0.694	0.678	0.646
110	28	0.201	0.187	0.164	110	84	0.704	0.687	0.656
110	29	0.209	0.195	0.172	110	85	0.713	0.697	0.666
110	30	0.217	0.204	0.179	110	86	0.723	0.707	0.676
110	31	0.226	0.212	0.187	110	87	0.733	0.717	0.686
110	32	0.234	0.220	0.195	110	88	0.743	0.727	0.697
110	33	0.243	0.228	0.203	110	89	0.752	0.737	0.707
110	34	0.251	0.237	0.211	110	90	0.762	0.747	0.717
110	35	0.260	0.245	0.219	110	91	0.772	0.757	0.727
110	36	0.268	0.253	0.227	110	92	0.782	0.767	0.738
110	37	0.277	0.262	0.235	110	93	0.792	0.777	0.748
110	38	0.285	0.270	0.243	110	94	0.802	0.787	0.759
110	39	0.294	0.279	0.251	110	95	0.812	0.798	0.770
110	40	0.303	0.287	0.259	110	96	0.822	0.808	0.781
110	41	0.311	0.296	0.267	110	97	0.832	0.819	0.792
110	42	0.320	0.304	0.276	110	98	0.843	0.829	0.803
110	43	0.329	0.313	0.284	110	99	0.853	0.840	0.814
110	44	0.337	0.321	0.292	110	100	0.863	0.851	0.825
110	45	0.346	0.330	0.301	110	101	0.874	0.862	0.837
110	46	0.355	0.339	0.309	110	102	0.885	0.873	0.848
110	47	0.364	0.347	0.317	110	103	0.895	0.884	0.860
110	48	0.373	0.356	0.326	110	104	0.906	0.895	0.873
110	49	0.381	0.365	0.334	110	105	0.917	0.907	0.885
110	50	0.390	0.374	0.343	110	106	0.929	0.919	0.898
110	51	0.399	0.382	0.352	110	107	0.940	0.931	0.912
110	52	0.408	0.391	0.360	110	108	0.952	0.944	0.926
110	53	0.417	0.400	0.369	110	109	0.965	0.958	0.941
110	54	0.426	0.409	0.378	110	110	0.979	0.973	0.959
110	55	0.435	0.418	0.386	115	0	0.000	0.000	0.000
110	56	0.444	0.427	0.395	115	1	0.001	0.000	0.000
110	57	0.453	0.436	0.404	115	2	0.005	0.003	0.001
110	58	0.462	0.445	0.413	115	3	0.010	0.007	0.004
110	59	0.471	0.454	0.422	115	4	0.015	0.012	0.007
110	60	0.480	0.463	0.431	115	5	0.021	0.017	0.011
110	61	0.489	0.472	0.439	115	6	0.028	0.023	0.016
110	62	0.498	0.481	0.448	115	7	0.034	0.029	0.021
110	63	0.507	0.490	0.457	115	8	0.041	0.035	0.026
110	64	0.516	0.499	0.467	115	9	0.048	0.041	0.031
110	65	0.525	0.508	0.476	115	10	0.055	0.048	0.037
110	66	0.535	0.517	0.485	115	11	0.062	0.055	0.042
110	67	0.544	0.526	0.494	115	12	0.069	0.061	0.048
110	68	0.553	0.536	0.503	115	13	0.076	0.068	0.054
110	69	0.562	0.545	0.512	115	14	0.084	0.075	0.061
110	70	0.572	0.554	0.522	115	15	0.091	0.082	0.067
110	71	0.581	0.564	0.531	115	16	0.099	0.089	0.073
110	72	0.590	0.573	0.540	115	17	0.106	0.096	0.080
110	73	0.599	0.582	0.550	115	18	0.114	0.104	0.086
110	74	0.609	0.592	0.559	115	19	0.121	0.111	0.093
110	75	0.618	0.601	0.569	115	20	0.129	0.118	0.100
110	76	0.628	0.611	0.578	115	21	0.137	0.126	0.107
110	77	0.637	0.620	0.588	115	22	0.144	0.133	0.114
110	78	0.646	0.630	0.597	115	23	0.152	0.141	0.121
110	79	0.656	0.639	0.607	115	24	0.160	0.148	0.128
110	80	0.665	0.649	0.617	115	25	0.168	0.156	0.135
110	81	0.675	0.658	0.627	115	26	0.176	0.164	0.142
110	82	0.685	0.668	0.636					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
115	27	0.184	0.171	0.149	115	83	0.661	0.645	0.614
115	28	0.192	0.179	0.156	115	84	0.670	0.654	0.623
115	29	0.200	0.187	0.164	115	85	0.679	0.663	0.632
115	30	0.208	0.194	0.171	115	86	0.689	0.672	0.642
115	31	0.216	0.202	0.178	115	87	0.698	0.682	0.651
115	32	0.224	0.210	0.186	115	88	0.707	0.691	0.661
115	33	0.232	0.218	0.193	115	89	0.716	0.700	0.670
115	34	0.240	0.226	0.201	115	90	0.725	0.710	0.680
115	35	0.248	0.234	0.209	115	91	0.735	0.719	0.689
115	36	0.256	0.242	0.216	115	92	0.744	0.729	0.699
115	37	0.264	0.250	0.224	115	93	0.753	0.738	0.709
115	38	0.272	0.258	0.232	115	94	0.763	0.748	0.719
115	39	0.281	0.266	0.239	115	95	0.772	0.757	0.729
115	40	0.289	0.274	0.247	115	96	0.782	0.767	0.739
115	41	0.297	0.282	0.255	115	97	0.791	0.777	0.749
115	42	0.306	0.290	0.263	115	98	0.801	0.787	0.759
115	43	0.314	0.299	0.271	115	99	0.810	0.796	0.769
115	44	0.322	0.307	0.279	115	100	0.820	0.806	0.779
115	45	0.330	0.315	0.287	115	101	0.830	0.816	0.790
115	46	0.339	0.323	0.295	115	102	0.839	0.826	0.800
115	47	0.347	0.331	0.303	115	103	0.849	0.836	0.811
115	48	0.356	0.340	0.311	115	104	0.859	0.847	0.822
115	49	0.364	0.348	0.319	115	105	0.869	0.857	0.832
115	50	0.372	0.356	0.327	115	106	0.879	0.867	0.844
115	51	0.381	0.365	0.335	115	107	0.889	0.878	0.855
115	52	0.389	0.373	0.343	115	108	0.900	0.889	0.866
115	53	0.398	0.382	0.351	115	109	0.910	0.900	0.878
115	54	0.406	0.390	0.360	115	110	0.921	0.911	0.890
115	55	0.415	0.398	0.368	115	111	0.932	0.922	0.902
115	56	0.423	0.407	0.376	115	112	0.943	0.934	0.915
115	57	0.432	0.415	0.385	115	113	0.954	0.946	0.929
115	58	0.441	0.424	0.393	115	114	0.967	0.959	0.944
115	59	0.449	0.432	0.401	115	115	0.980	0.974	0.961
115	60	0.458	0.441	0.410	120	0	0.000	0.000	0.000
115	61	0.466	0.450	0.418	120	1	0.001	0.000	0.000
115	62	0.475	0.458	0.427	120	2	0.004	0.003	0.001
115	63	0.484	0.467	0.435	120	3	0.009	0.007	0.004
115	64	0.492	0.476	0.444	120	4	0.015	0.011	0.007
115	65	0.501	0.484	0.453	120	5	0.020	0.017	0.011
115	66	0.510	0.493	0.461	120	6	0.026	0.022	0.015
115	67	0.519	0.502	0.470	120	7	0.033	0.028	0.020
115	68	0.527	0.510	0.479	120	8	0.039	0.034	0.025
115	69	0.536	0.519	0.487	120	9	0.046	0.040	0.030
115	70	0.545	0.528	0.496	120	10	0.052	0.046	0.035
115	71	0.554	0.537	0.505	120	11	0.059	0.052	0.041
115	72	0.563	0.546	0.514	120	12	0.066	0.059	0.046
115	73	0.571	0.555	0.523	120	13	0.073	0.065	0.052
115	74	0.580	0.563	0.532	120	14	0.080	0.072	0.058
115	75	0.589	0.572	0.541	120	15	0.087	0.079	0.064
115	76	0.598	0.581	0.550	120	16	0.094	0.085	0.070
115	77	0.607	0.590	0.559	120	17	0.102	0.092	0.076
115	78	0.616	0.599	0.568	120	18	0.109	0.099	0.083
115	79	0.625	0.608	0.577	120	19	0.116	0.106	0.089
115	80	0.634	0.617	0.586	120	20	0.123	0.113	0.096
115	81	0.643	0.627	0.595	120	21	0.131	0.120	0.102
115	82	0.652	0.636	0.604					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
120	22	0.138	0.127	0.109	120	79	0.597	0.581	0.549
120	23	0.146	0.135	0.115	120	80	0.606	0.589	0.558
120	24	0.153	0.142	0.122	120	81	0.614	0.598	0.567
120	25	0.161	0.149	0.129	120	82	0.623	0.606	0.575
120	26	0.168	0.156	0.136	120	83	0.631	0.615	0.584
120	27	0.176	0.164	0.143	120	84	0.640	0.624	0.593
120	28	0.183	0.171	0.150	120	85	0.649	0.632	0.602
120	29	0.191	0.179	0.157	120	86	0.657	0.641	0.611
120	30	0.199	0.186	0.164	120	87	0.666	0.650	0.620
120	31	0.206	0.194	0.171	120	88	0.675	0.659	0.628
120	32	0.214	0.201	0.178	120	89	0.683	0.668	0.637
120	33	0.222	0.209	0.185	120	90	0.692	0.677	0.646
120	34	0.230	0.216	0.192	120	91	0.701	0.685	0.656
120	35	0.237	0.224	0.199	120	92	0.710	0.694	0.665
120	36	0.245	0.231	0.207	120	93	0.719	0.703	0.674
120	37	0.253	0.239	0.214	120	94	0.728	0.712	0.683
120	38	0.261	0.247	0.221	120	95	0.736	0.721	0.692
120	39	0.269	0.254	0.229	120	96	0.745	0.730	0.702
120	40	0.276	0.262	0.236	120	97	0.754	0.740	0.711
120	41	0.284	0.270	0.244	120	98	0.763	0.749	0.720
120	42	0.292	0.278	0.251	120	99	0.772	0.758	0.730
120	43	0.300	0.285	0.259	120	100	0.781	0.767	0.739
120	44	0.308	0.293	0.266	120	101	0.790	0.776	0.749
120	45	0.316	0.301	0.274	120	102	0.800	0.786	0.759
120	46	0.324	0.309	0.281	120	103	0.809	0.795	0.768
120	47	0.332	0.317	0.289	120	104	0.818	0.805	0.778
120	48	0.340	0.325	0.297	120	105	0.827	0.814	0.788
120	49	0.348	0.333	0.304	120	106	0.837	0.824	0.798
120	50	0.356	0.341	0.312	120	107	0.846	0.833	0.808
120	51	0.364	0.349	0.320	120	108	0.855	0.843	0.818
120	52	0.372	0.357	0.328	120	109	0.865	0.853	0.829
120	53	0.381	0.365	0.336	120	110	0.875	0.863	0.839
120	54	0.389	0.373	0.343	120	111	0.884	0.873	0.850
120	55	0.397	0.381	0.351	120	112	0.894	0.883	0.861
120	56	0.405	0.389	0.359	120	113	0.904	0.893	0.872
120	57	0.413	0.397	0.367	120	114	0.914	0.904	0.883
120	58	0.421	0.405	0.375	120	115	0.924	0.914	0.894
120	59	0.429	0.413	0.383	120	116	0.934	0.925	0.906
120	60	0.438	0.421	0.391	120	117	0.945	0.937	0.919
120	61	0.446	0.430	0.399	120	118	0.956	0.948	0.932
120	62	0.454	0.438	0.407	120	119	0.968	0.961	0.946
120	63	0.462	0.446	0.415	120	120	0.981	0.975	0.962
120	64	0.471	0.454	0.424	125	0	0.000	0.000	0.000
120	65	0.479	0.463	0.432	125	1	0.001	0.000	0.000
120	66	0.487	0.471	0.440	125	2	0.004	0.003	0.001
120	67	0.496	0.479	0.448	125	3	0.009	0.007	0.004
120	68	0.504	0.487	0.457	125	4	0.014	0.011	0.007
120	69	0.512	0.496	0.465	125	5	0.020	0.016	0.010
120	70	0.521	0.504	0.473	125	6	0.025	0.021	0.014
120	71	0.529	0.513	0.481	125	7	0.031	0.027	0.019
120	72	0.538	0.521	0.490	125	8	0.038	0.032	0.024
120	73	0.546	0.529	0.498	125	9	0.044	0.038	0.029
120	74	0.554	0.538	0.507	125	10	0.050	0.044	0.034
120	75	0.563	0.546	0.515	125	11	0.057	0.050	0.039
120	76	0.571	0.555	0.524	125	12	0.063	0.056	0.044
120	77	0.580	0.563	0.532	125	13	0.070	0.063	0.050
120	78	0.588	0.572	0.541					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
125	14	0.077	0.069	0.056	125	72	0.515	0.499	0.468
125	15	0.084	0.075	0.061	125	73	0.523	0.507	0.476
125	16	0.091	0.082	0.067	125	74	0.531	0.515	0.484
125	17	0.097	0.089	0.073	125	75	0.539	0.523	0.492
125	18	0.104	0.095	0.079	125	76	0.547	0.531	0.500
125	19	0.111	0.102	0.085	125	77	0.555	0.539	0.508
125	20	0.118	0.109	0.092	125	78	0.563	0.547	0.517
125	21	0.125	0.115	0.098	125	79	0.571	0.555	0.525
125	22	0.133	0.122	0.104	125	80	0.580	0.563	0.533
125	23	0.140	0.129	0.111	125	81	0.588	0.572	0.541
125	24	0.147	0.136	0.117	125	82	0.596	0.580	0.549
125	25	0.154	0.143	0.124	125	83	0.604	0.588	0.558
125	26	0.161	0.150	0.130	125	84	0.612	0.596	0.566
125	27	0.169	0.157	0.137	125	85	0.621	0.605	0.574
125	28	0.176	0.164	0.143	125	86	0.629	0.613	0.583
125	29	0.183	0.171	0.150	125	87	0.637	0.621	0.591
125	30	0.191	0.178	0.157	125	88	0.645	0.630	0.600
125	31	0.198	0.186	0.163	125	89	0.654	0.638	0.608
125	32	0.205	0.193	0.170	125	90	0.662	0.646	0.617
125	33	0.213	0.200	0.177	125	91	0.670	0.655	0.625
125	34	0.220	0.207	0.184	125	92	0.679	0.663	0.634
125	35	0.228	0.214	0.191	125	93	0.687	0.672	0.642
125	36	0.235	0.222	0.198	125	94	0.696	0.680	0.651
125	37	0.242	0.229	0.205	125	95	0.704	0.689	0.660
125	38	0.250	0.236	0.212	125	96	0.713	0.697	0.668
125	39	0.258	0.244	0.219	125	97	0.721	0.706	0.677
125	40	0.265	0.251	0.226	125	98	0.730	0.715	0.686
125	41	0.273	0.259	0.233	125	99	0.738	0.723	0.695
125	42	0.280	0.266	0.240	125	100	0.747	0.732	0.704
125	43	0.288	0.273	0.248	125	101	0.755	0.741	0.713
125	44	0.295	0.281	0.255	125	102	0.764	0.750	0.722
125	45	0.303	0.288	0.262	125	103	0.772	0.758	0.731
125	46	0.311	0.296	0.269	125	104	0.781	0.767	0.740
125	47	0.318	0.304	0.277	125	105	0.790	0.776	0.749
125	48	0.326	0.311	0.284	125	106	0.799	0.785	0.758
125	49	0.334	0.319	0.291	125	107	0.807	0.794	0.768
125	50	0.341	0.326	0.299	125	108	0.816	0.803	0.777
125	51	0.349	0.334	0.306	125	109	0.825	0.812	0.787
125	52	0.357	0.342	0.314	125	110	0.834	0.821	0.796
125	53	0.365	0.349	0.321	125	111	0.843	0.830	0.806
125	54	0.372	0.357	0.329	125	112	0.852	0.840	0.815
125	55	0.380	0.365	0.336	125	113	0.861	0.849	0.825
125	56	0.388	0.372	0.344	125	114	0.870	0.859	0.835
125	57	0.396	0.380	0.351	125	115	0.879	0.868	0.845
125	58	0.404	0.388	0.359	125	116	0.889	0.878	0.856
125	59	0.411	0.396	0.366	125	117	0.898	0.887	0.866
125	60	0.419	0.403	0.374	125	118	0.908	0.897	0.877
125	61	0.427	0.411	0.382	125	119	0.917	0.907	0.887
125	62	0.435	0.419	0.390	125	120	0.927	0.918	0.898
125	63	0.443	0.427	0.397	125	121	0.937	0.928	0.910
125	64	0.451	0.435	0.405	125	122	0.947	0.939	0.922
125	65	0.459	0.443	0.413	125	123	0.958	0.950	0.934
125	66	0.467	0.451	0.421	125	124	0.969	0.963	0.948
125	67	0.475	0.459	0.428	125	125	0.982	0.976	0.964
125	68	0.483	0.467	0.436	130	0	0.000	0.000	0.000
125	69	0.491	0.475	0.444	130	1	0.001	0.000	0.000
125	70	0.499	0.482	0.452	130	2	0.004	0.003	0.001
125	71	0.507	0.490	0.460	130	3	0.009	0.006	0.003

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
130	4	0.013	0.011	0.006	130	62	0.418	0.402	0.373
					130	63	0.425	0.410	0.381
130	5	0.019	0.015	0.010	130	64	0.433	0.417	0.388
130	6	0.024	0.020	0.014					
130	7	0.030	0.026	0.018	130	65	0.440	0.425	0.396
130	8	0.036	0.031	0.023	130	66	0.448	0.432	0.403
130	9	0.042	0.037	0.027	130	67	0.456	0.440	0.410
					130	68	0.463	0.447	0.418
130	10	0.048	0.042	0.032	130	69	0.471	0.455	0.425
130	11	0.055	0.048	0.037					
130	12	0.061	0.054	0.043	130	70	0.478	0.463	0.433
130	13	0.067	0.060	0.048	130	71	0.486	0.470	0.441
130	14	0.074	0.066	0.053	130	72	0.494	0.478	0.448
					130	73	0.502	0.486	0.456
130	15	0.080	0.072	0.059	130	74	0.509	0.493	0.464
130	16	0.087	0.079	0.065					
130	17	0.094	0.085	0.070	130	75	0.517	0.501	0.471
130	18	0.100	0.091	0.076	130	76	0.525	0.509	0.479
130	19	0.107	0.098	0.082	130	77	0.532	0.517	0.487
					130	78	0.540	0.524	0.494
130	20	0.114	0.104	0.088	130	79	0.548	0.532	0.502
130	21	0.121	0.111	0.094					
130	22	0.127	0.117	0.100	130	80	0.556	0.540	0.510
130	23	0.134	0.124	0.106	130	81	0.564	0.548	0.518
130	24	0.141	0.131	0.112	130	82	0.571	0.556	0.526
					130	83	0.579	0.563	0.534
130	25	0.148	0.137	0.119	130	84	0.587	0.571	0.541
130	26	0.155	0.144	0.125					
130	27	0.162	0.151	0.131	130	85	0.595	0.579	0.549
130	28	0.169	0.158	0.138	130	86	0.603	0.587	0.557
130	29	0.176	0.164	0.144	130	87	0.611	0.595	0.565
					130	88	0.619	0.603	0.573
130	30	0.183	0.171	0.150	130	89	0.627	0.611	0.581
130	31	0.190	0.178	0.157					
130	32	0.197	0.185	0.163	130	90	0.635	0.619	0.589
130	33	0.204	0.192	0.170	130	91	0.643	0.627	0.597
130	34	0.211	0.199	0.177	130	92	0.651	0.635	0.606
					130	93	0.659	0.643	0.614
130	35	0.219	0.206	0.183	130	94	0.667	0.651	0.622
130	36	0.226	0.213	0.190					
130	37	0.233	0.220	0.197	130	95	0.675	0.659	0.630
130	38	0.240	0.227	0.203	130	96	0.683	0.667	0.638
130	39	0.247	0.234	0.210	130	97	0.691	0.676	0.647
					130	98	0.699	0.684	0.655
130	40	0.255	0.241	0.217	130	99	0.707	0.692	0.663
130	41	0.262	0.248	0.224					
130	42	0.269	0.255	0.231	130	100	0.715	0.700	0.672
130	43	0.276	0.263	0.237	130	101	0.723	0.709	0.680
130	44	0.284	0.270	0.244	130	102	0.731	0.717	0.689
					130	103	0.740	0.725	0.697
130	45	0.291	0.277	0.251	130	104	0.748	0.733	0.706
130	46	0.298	0.284	0.258					
130	47	0.306	0.291	0.265	130	105	0.756	0.742	0.714
130	48	0.313	0.299	0.272	130	106	0.764	0.750	0.723
130	49	0.320	0.306	0.279	130	107	0.773	0.759	0.732
					130	108	0.781	0.767	0.741
130	50	0.328	0.313	0.286	130	109	0.789	0.776	0.749
130	51	0.335	0.320	0.294					
130	52	0.343	0.328	0.301	130	110	0.798	0.784	0.758
130	53	0.350	0.335	0.308	130	111	0.806	0.793	0.767
130	54	0.357	0.342	0.315	130	112	0.815	0.802	0.776
					130	113	0.823	0.810	0.785
130	55	0.365	0.350	0.322	130	114	0.832	0.819	0.794
130	56	0.372	0.357	0.329					
130	57	0.380	0.365	0.337	130	115	0.840	0.828	0.804
130	58	0.387	0.372	0.344	130	116	0.849	0.837	0.813
130	59	0.395	0.380	0.351	130	117	0.858	0.846	0.822
					130	118	0.866	0.855	0.832
130	60	0.402	0.387	0.359	130	119	0.875	0.864	0.841
130	61	0.410	0.394	0.366					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
130	120	0.884	0.873	0.851	135	47	0.294	0.280	0.255
130	121	0.893	0.882	0.861	135	48	0.301	0.287	0.262
130	122	0.902	0.892	0.871	135	49	0.308	0.294	0.268
130	123	0.911	0.901	0.881					
130	124	0.920	0.911	0.892	135	50	0.315	0.301	0.275
					135	51	0.322	0.308	0.282
130	125	0.930	0.921	0.902	135	52	0.329	0.315	0.289
130	126	0.939	0.931	0.913	135	53	0.337	0.322	0.296
130	127	0.949	0.941	0.925	135	54	0.344	0.329	0.302
130	128	0.960	0.952	0.937					
130	129	0.970	0.964	0.950	135	55	0.351	0.336	0.309
					135	56	0.358	0.343	0.316
130	130	0.982	0.977	0.965	135	57	0.365	0.350	0.323
					135	58	0.372	0.358	0.330
135	0	0.000	0.000	0.000	135	59	0.380	0.365	0.337
135	1	0.001	0.000	0.000					
135	2	0.004	0.003	0.001	135	60	0.387	0.372	0.344
135	3	0.008	0.006	0.003	135	61	0.394	0.379	0.351
135	4	0.013	0.010	0.006	135	62	0.401	0.386	0.358
					135	63	0.409	0.393	0.365
135	5	0.018	0.015	0.010	135	64	0.416	0.401	0.372
135	6	0.024	0.020	0.013					
135	7	0.029	0.025	0.018	135	65	0.423	0.408	0.380
135	8	0.035	0.030	0.022	135	66	0.430	0.415	0.387
135	9	0.041	0.035	0.026	135	67	0.438	0.422	0.394
					135	68	0.445	0.430	0.401
135	10	0.047	0.041	0.031	135	69	0.452	0.437	0.408
135	11	0.053	0.046	0.036					
135	12	0.059	0.052	0.041	135	70	0.460	0.444	0.416
135	13	0.065	0.058	0.046	135	71	0.467	0.452	0.423
135	14	0.071	0.064	0.051	135	72	0.475	0.459	0.430
					135	73	0.482	0.466	0.437
135	15	0.077	0.070	0.057	135	74	0.489	0.474	0.445
135	16	0.084	0.076	0.062					
135	17	0.090	0.082	0.068	135	75	0.497	0.481	0.452
135	18	0.097	0.088	0.073	135	76	0.504	0.489	0.459
135	19	0.103	0.094	0.079	135	77	0.512	0.496	0.467
					135	78	0.519	0.503	0.474
135	20	0.109	0.100	0.085	135	79	0.526	0.511	0.482
135	21	0.116	0.107	0.090					
135	22	0.123	0.113	0.096	135	80	0.534	0.518	0.489
135	23	0.129	0.119	0.102	135	81	0.541	0.526	0.496
135	24	0.136	0.126	0.108	135	82	0.549	0.533	0.504
					135	83	0.556	0.541	0.511
135	25	0.142	0.132	0.114	135	84	0.564	0.548	0.519
135	26	0.149	0.139	0.120					
135	27	0.156	0.145	0.126	135	85	0.571	0.556	0.527
135	28	0.163	0.152	0.132	135	86	0.579	0.563	0.534
135	29	0.169	0.158	0.138	135	87	0.587	0.571	0.542
					135	88	0.594	0.579	0.549
135	30	0.176	0.165	0.145	135	89	0.602	0.586	0.557
135	31	0.183	0.171	0.151					
135	32	0.190	0.178	0.157	135	90	0.609	0.594	0.565
135	33	0.196	0.185	0.163	135	91	0.617	0.602	0.572
135	34	0.203	0.191	0.170	135	92	0.625	0.609	0.580
					135	93	0.632	0.617	0.588
135	35	0.210	0.198	0.176	135	94	0.640	0.625	0.596
135	36	0.217	0.205	0.183					
135	37	0.224	0.211	0.189	135	95	0.648	0.632	0.603
135	38	0.231	0.218	0.195	135	96	0.655	0.640	0.611
135	39	0.238	0.225	0.202	135	97	0.663	0.648	0.619
					135	98	0.671	0.656	0.627
135	40	0.245	0.232	0.208	135	99	0.678	0.664	0.635
135	41	0.252	0.239	0.215					
135	42	0.259	0.246	0.222	135	100	0.686	0.671	0.643
135	43	0.266	0.252	0.228	135	101	0.694	0.679	0.651
135	44	0.273	0.259	0.235	135	102	0.702	0.687	0.659
					135	103	0.710	0.695	0.667
135	45	0.280	0.266	0.241	135	104	0.717	0.703	0.675
135	46	0.287	0.273	0.248					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
135	105	0.725	0.711	0.683	140	28	0.157	0.146	0.127
135	106	0.733	0.719	0.691	140	29	0.163	0.152	0.133
135	107	0.741	0.727	0.700					
135	108	0.749	0.735	0.708	140	30	0.170	0.159	0.139
135	109	0.757	0.743	0.716	140	31	0.176	0.165	0.145
					140	32	0.183	0.171	0.151
135	110	0.765	0.751	0.724	140	33	0.189	0.178	0.157
135	111	0.773	0.759	0.733	140	34	0.196	0.184	0.163
135	112	0.781	0.767	0.741					
135	113	0.789	0.776	0.750	140	35	0.202	0.191	0.170
135	114	0.797	0.784	0.758	140	36	0.209	0.197	0.176
					140	37	0.216	0.204	0.182
135	115	0.805	0.792	0.767	140	38	0.222	0.210	0.188
135	116	0.813	0.800	0.775	140	39	0.229	0.217	0.194
135	117	0.821	0.809	0.784					
135	118	0.829	0.817	0.793	140	40	0.236	0.223	0.201
135	119	0.838	0.826	0.802	140	41	0.243	0.230	0.207
					140	42	0.249	0.236	0.213
135	120	0.846	0.834	0.810	140	43	0.256	0.243	0.220
135	121	0.854	0.843	0.819	140	44	0.263	0.250	0.226
135	122	0.863	0.851	0.829					
135	123	0.871	0.860	0.838	140	45	0.269	0.256	0.232
135	124	0.880	0.869	0.847	140	46	0.276	0.263	0.239
					140	47	0.283	0.270	0.245
135	125	0.888	0.878	0.856	140	48	0.290	0.276	0.252
135	126	0.897	0.887	0.866	140	49	0.297	0.283	0.258
135	127	0.906	0.896	0.876					
135	128	0.914	0.905	0.885	140	50	0.304	0.290	0.265
135	129	0.923	0.914	0.895	140	51	0.310	0.296	0.271
					140	52	0.317	0.303	0.278
135	130	0.932	0.924	0.906	140	53	0.324	0.310	0.284
135	131	0.942	0.933	0.916	140	54	0.331	0.317	0.291
135	132	0.951	0.944	0.928					
135	133	0.961	0.954	0.939	140	55	0.338	0.324	0.298
135	134	0.971	0.965	0.952	140	56	0.345	0.330	0.304
					140	57	0.352	0.337	0.311
135	135	0.983	0.978	0.966	140	58	0.359	0.344	0.318
					140	59	0.366	0.351	0.324
140	0	0.000	0.000	0.000					
140	1	0.001	0.000	0.000	140	60	0.372	0.358	0.331
140	2	0.004	0.003	0.001	140	61	0.379	0.365	0.338
140	3	0.008	0.006	0.003	140	62	0.386	0.372	0.344
140	4	0.013	0.010	0.006	140	63	0.393	0.379	0.351
					140	64	0.400	0.386	0.358
140	5	0.017	0.014	0.009					
140	6	0.023	0.019	0.013	140	65	0.407	0.392	0.365
140	7	0.028	0.024	0.017	140	66	0.414	0.399	0.372
140	8	0.034	0.029	0.021	140	67	0.421	0.406	0.379
140	9	0.039	0.034	0.025	140	68	0.428	0.413	0.386
					140	69	0.436	0.420	0.392
140	10	0.045	0.039	0.030					
140	11	0.051	0.045	0.035	140	70	0.443	0.427	0.399
140	12	0.057	0.050	0.040	140	71	0.450	0.434	0.406
140	13	0.063	0.056	0.045	140	72	0.457	0.442	0.413
140	14	0.069	0.061	0.050	140	73	0.464	0.449	0.420
					140	74	0.471	0.456	0.427
140	15	0.075	0.067	0.055					
140	16	0.081	0.073	0.060	140	75	0.478	0.463	0.434
140	17	0.087	0.079	0.065	140	76	0.485	0.470	0.441
140	18	0.093	0.085	0.071	140	77	0.492	0.477	0.448
140	19	0.099	0.091	0.076	140	78	0.499	0.484	0.455
					140	79	0.507	0.491	0.463
140	20	0.105	0.097	0.082					
140	21	0.112	0.103	0.087	140	80	0.514	0.498	0.470
140	22	0.118	0.109	0.093	140	81	0.521	0.506	0.477
140	23	0.124	0.115	0.098	140	82	0.528	0.513	0.484
140	24	0.131	0.121	0.104	140	83	0.535	0.520	0.491
					140	84	0.543	0.527	0.498
140	25	0.137	0.127	0.110					
140	26	0.144	0.134	0.116	140	85	0.550	0.534	0.506
140	27	0.150	0.140	0.121	140	86	0.557	0.542	0.513

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
140	87	0.564	0.549	0.520	145	6	0.022	0.018	0.012
140	88	0.572	0.556	0.527	145	7	0.027	0.023	0.016
140	89	0.579	0.564	0.535	145	8	0.032	0.028	0.020
					145	9	0.038	0.033	0.025
140	90	0.586	0.571	0.542					
140	91	0.593	0.578	0.549	145	10	0.043	0.038	0.029
140	92	0.601	0.586	0.557	145	11	0.049	0.043	0.034
140	93	0.608	0.593	0.564	145	12	0.055	0.048	0.038
140	94	0.615	0.600	0.572	145	13	0.060	0.054	0.043
					145	14	0.066	0.059	0.048
140	95	0.623	0.608	0.579					
140	96	0.630	0.615	0.586	145	15	0.072	0.065	0.053
140	97	0.637	0.622	0.594	145	16	0.078	0.070	0.058
140	98	0.645	0.630	0.602	145	17	0.084	0.076	0.063
140	99	0.652	0.637	0.609	145	18	0.090	0.082	0.068
					145	19	0.096	0.088	0.073
140	100	0.660	0.645	0.617					
140	101	0.667	0.652	0.624	145	20	0.102	0.093	0.079
140	102	0.675	0.660	0.632	145	21	0.108	0.099	0.084
140	103	0.682	0.667	0.639	145	22	0.114	0.105	0.089
140	104	0.689	0.675	0.647	145	23	0.120	0.111	0.095
					145	24	0.126	0.117	0.100
140	105	0.697	0.683	0.655					
140	106	0.705	0.690	0.663	145	25	0.132	0.123	0.106
140	107	0.712	0.698	0.670	145	26	0.139	0.129	0.111
140	108	0.720	0.705	0.678	145	27	0.145	0.135	0.117
140	109	0.727	0.713	0.686	145	28	0.151	0.141	0.123
					145	29	0.157	0.147	0.128
140	110	0.735	0.721	0.694					
140	111	0.742	0.728	0.702	145	30	0.164	0.153	0.134
140	112	0.750	0.736	0.710	145	31	0.170	0.159	0.140
140	113	0.758	0.744	0.718	145	32	0.176	0.165	0.146
140	114	0.765	0.752	0.726	145	33	0.183	0.171	0.152
					145	34	0.189	0.178	0.158
140	115	0.773	0.760	0.734					
140	116	0.781	0.767	0.742	145	35	0.195	0.184	0.163
140	117	0.788	0.775	0.750	145	36	0.202	0.190	0.169
140	118	0.796	0.783	0.758	145	37	0.208	0.196	0.175
140	119	0.804	0.791	0.766	145	38	0.215	0.203	0.181
					145	39	0.221	0.209	0.187
140	120	0.812	0.799	0.775					
140	121	0.820	0.807	0.783	145	40	0.227	0.215	0.193
140	122	0.827	0.815	0.791	145	41	0.234	0.222	0.199
140	123	0.835	0.823	0.800	145	42	0.240	0.228	0.205
140	124	0.843	0.832	0.808	145	43	0.247	0.234	0.212
					145	44	0.253	0.241	0.218
140	125	0.851	0.840	0.817					
140	126	0.859	0.848	0.826	145	45	0.260	0.247	0.224
140	127	0.867	0.856	0.834	145	46	0.266	0.253	0.230
140	128	0.876	0.865	0.843	145	47	0.273	0.260	0.236
140	129	0.884	0.873	0.852	145	48	0.280	0.266	0.242
					145	49	0.286	0.273	0.249
140	130	0.892	0.882	0.861					
140	131	0.900	0.891	0.870	145	50	0.293	0.279	0.255
140	132	0.909	0.899	0.880	145	51	0.299	0.286	0.261
140	133	0.917	0.908	0.889	145	52	0.306	0.292	0.268
140	134	0.926	0.917	0.899	145	53	0.312	0.299	0.274
					145	54	0.319	0.305	0.280
140	135	0.935	0.926	0.909					
140	136	0.944	0.936	0.919	145	55	0.326	0.312	0.287
140	137	0.953	0.946	0.930	145	56	0.332	0.318	0.293
140	138	0.962	0.956	0.941	145	57	0.339	0.325	0.299
140	139	0.973	0.967	0.954	145	58	0.346	0.332	0.306
					145	59	0.352	0.338	0.312
140	140	0.984	0.979	0.968					
145	0	0.000	0.000	0.000	145	60	0.359	0.345	0.319
145	1	0.001	0.000	0.000	145	61	0.366	0.352	0.325
145	2	0.004	0.002	0.001	145	62	0.373	0.358	0.332
145	3	0.008	0.006	0.003	145	63	0.379	0.365	0.338
145	4	0.012	0.009	0.006	145	64	0.386	0.371	0.345
145	5	0.017	0.014	0.009	145	65	0.393	0.378	0.351
					145	66	0.399	0.385	0.358

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
145	67	0.406	0.392	0.365	145	123	0.803	0.790	0.766
145	68	0.413	0.398	0.371	145	124	0.811	0.798	0.774
145	69	0.420	0.405	0.378	145	125	0.818	0.806	0.782
145	70	0.427	0.412	0.384	145	126	0.826	0.814	0.790
145	71	0.433	0.419	0.391	145	127	0.833	0.821	0.798
145	72	0.440	0.425	0.398	145	128	0.841	0.829	0.806
145	73	0.447	0.432	0.404	145	129	0.849	0.837	0.815
145	74	0.454	0.439	0.411	145	130	0.856	0.845	0.823
145	75	0.461	0.446	0.418	145	131	0.864	0.853	0.831
145	76	0.468	0.453	0.425	145	132	0.872	0.861	0.840
145	77	0.474	0.459	0.431	145	133	0.880	0.869	0.848
145	78	0.481	0.466	0.438	145	134	0.888	0.878	0.857
145	79	0.488	0.473	0.445	145	135	0.896	0.886	0.866
145	80	0.495	0.480	0.452	145	136	0.904	0.894	0.875
145	81	0.502	0.487	0.459	145	137	0.912	0.903	0.884
145	82	0.509	0.494	0.466	145	138	0.920	0.911	0.893
145	83	0.516	0.501	0.472	145	139	0.928	0.920	0.902
145	84	0.523	0.508	0.479	145	140	0.937	0.929	0.912
145	85	0.530	0.515	0.486	145	141	0.946	0.938	0.922
145	86	0.537	0.522	0.493	145	142	0.955	0.947	0.932
145	87	0.544	0.529	0.500	145	143	0.964	0.957	0.943
145	88	0.551	0.536	0.507	145	144	0.973	0.968	0.955
145	89	0.558	0.543	0.514	145	145	0.984	0.980	0.969
145	90	0.565	0.550	0.521	150	0	0.000	0.000	0.000
145	91	0.572	0.557	0.528	150	1	0.001	0.000	0.000
145	92	0.579	0.564	0.535	150	2	0.004	0.002	0.001
145	93	0.586	0.571	0.542	150	3	0.007	0.005	0.003
145	94	0.593	0.578	0.549	150	4	0.012	0.009	0.006
145	95	0.600	0.585	0.557	150	5	0.016	0.013	0.009
145	96	0.607	0.592	0.564	150	6	0.021	0.018	0.012
145	97	0.614	0.599	0.571	150	7	0.026	0.022	0.016
145	98	0.621	0.606	0.578	150	8	0.031	0.027	0.020
145	99	0.628	0.613	0.585	150	9	0.037	0.032	0.024
145	100	0.635	0.620	0.592	150	10	0.042	0.037	0.028
145	101	0.642	0.628	0.600	150	11	0.047	0.042	0.032
145	102	0.649	0.635	0.607	150	12	0.053	0.047	0.037
145	103	0.657	0.642	0.614	150	13	0.058	0.052	0.041
145	104	0.664	0.649	0.622	150	14	0.064	0.057	0.046
145	105	0.671	0.657	0.629	150	15	0.070	0.063	0.051
145	106	0.678	0.664	0.636	150	16	0.075	0.068	0.056
145	107	0.685	0.671	0.644	150	17	0.081	0.074	0.061
145	108	0.693	0.678	0.651	150	18	0.087	0.079	0.066
145	109	0.700	0.686	0.659	150	19	0.093	0.085	0.071
145	110	0.707	0.693	0.666	150	20	0.098	0.090	0.076
145	111	0.714	0.700	0.674	150	21	0.104	0.096	0.081
145	112	0.722	0.708	0.681	150	22	0.110	0.101	0.086
145	113	0.729	0.715	0.689	150	23	0.116	0.107	0.092
145	114	0.736	0.723	0.696	150	24	0.122	0.113	0.097
145	115	0.744	0.730	0.704	150	25	0.128	0.119	0.102
145	116	0.751	0.737	0.711	150	26	0.134	0.124	0.108
145	117	0.758	0.745	0.719	150	27	0.140	0.130	0.113
145	118	0.766	0.752	0.727	150	28	0.146	0.136	0.119
145	119	0.773	0.760	0.735	150	29	0.152	0.142	0.124
145	120	0.781	0.768	0.742	150	30	0.158	0.148	0.130
145	121	0.788	0.775	0.750	150	31	0.164	0.154	0.135
145	122	0.795	0.783	0.758					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
150	32	0.170	0.160	0.141	150	89	0.538	0.523	0.495
150	33	0.176	0.166	0.146	150	90	0.545	0.530	0.502
150	34	0.183	0.172	0.152	150	91	0.551	0.537	0.509
150	35	0.189	0.178	0.158	150	92	0.558	0.543	0.515
150	36	0.195	0.184	0.163	150	93	0.565	0.550	0.522
150	37	0.201	0.190	0.169	150	94	0.572	0.557	0.529
150	38	0.207	0.196	0.175	150	95	0.578	0.564	0.536
150	39	0.213	0.202	0.181	150	96	0.585	0.571	0.543
150	40	0.220	0.208	0.187	150	97	0.592	0.577	0.550
150	41	0.226	0.214	0.192	150	98	0.599	0.584	0.556
150	42	0.232	0.220	0.198	150	99	0.606	0.591	0.563
150	43	0.238	0.226	0.204	150	100	0.613	0.598	0.570
150	44	0.245	0.232	0.210	150	101	0.619	0.605	0.577
150	45	0.251	0.239	0.216	150	102	0.626	0.612	0.584
150	46	0.257	0.245	0.222	150	103	0.633	0.619	0.591
150	47	0.264	0.251	0.228	150	104	0.640	0.626	0.598
150	48	0.270	0.257	0.234	150	105	0.647	0.632	0.605
150	49	0.276	0.263	0.240	150	106	0.654	0.639	0.612
150	50	0.283	0.270	0.246	150	107	0.66	0.646	0.619
150	51	0.289	0.276	0.252	150	108	0.668	0.653	0.626
150	52	0.295	0.282	0.258	150	109	0.675	0.660	0.633
150	53	0.302	0.288	0.264	150	110	0.682	0.667	0.640
150	54	0.308	0.295	0.270	150	111	0.688	0.674	0.648
150	55	0.315	0.301	0.276	150	112	0.695	0.682	0.655
150	56	0.321	0.307	0.283	150	113	0.702	0.689	0.662
150	57	0.327	0.314	0.289	150	114	0.709	0.696	0.669
150	58	0.334	0.320	0.295	150	115	0.717	0.703	0.676
150	59	0.340	0.326	0.301	150	116	0.724	0.710	0.684
150	60	0.347	0.333	0.307	150	117	0.731	0.717	0.691
150	61	0.353	0.339	0.314	150	118	0.738	0.724	0.698
150	62	0.360	0.346	0.320	150	119	0.745	0.731	0.706
150	63	0.366	0.352	0.326	150	120	0.752	0.739	0.713
150	64	0.373	0.358	0.332	150	121	0.759	0.746	0.721
150	65	0.379	0.365	0.339	150	122	0.766	0.753	0.728
150	66	0.386	0.371	0.345	150	123	0.773	0.760	0.735
150	67	0.392	0.378	0.351	150	124	0.780	0.768	0.743
150	68	0.399	0.384	0.358	150	125	0.788	0.775	0.751
150	69	0.405	0.391	0.364	150	126	0.795	0.782	0.758
150	70	0.412	0.397	0.371	150	127	0.802	0.790	0.766
150	71	0.418	0.404	0.377	150	128	0.809	0.797	0.773
150	72	0.425	0.410	0.383	150	129	0.817	0.805	0.781
150	73	0.431	0.417	0.390	150	130	0.824	0.812	0.789
150	74	0.438	0.423	0.396	150	131	0.831	0.820	0.797
150	75	0.445	0.430	0.403	150	132	0.839	0.827	0.805
150	76	0.451	0.437	0.409	150	133	0.846	0.835	0.813
150	77	0.458	0.443	0.416	150	134	0.854	0.843	0.821
150	78	0.464	0.450	0.422	150	135	0.861	0.850	0.829
150	79	0.471	0.456	0.429	150	136	0.869	0.858	0.837
150	80	0.478	0.463	0.435	150	137	0.876	0.866	0.845
150	81	0.484	0.470	0.442	150	138	0.884	0.874	0.853
150	82	0.491	0.476	0.449	150	139	0.891	0.882	0.862
150	83	0.498	0.483	0.455	150	140	0.899	0.890	0.870
150	84	0.504	0.490	0.462	150	141	0.907	0.898	0.879
150	85	0.511	0.496	0.468	150	142	0.915	0.906	0.888
150	86	0.518	0.503	0.475	150	143	0.923	0.914	0.897
150	87	0.524	0.510	0.482	150	144	0.931	0.923	0.906
150	88	0.531	0.516	0.489					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
150	145	0.939	0.931	0.915	155	53	0.292	0.279	0.255
150	146	0.947	0.940	0.925	155	54	0.298	0.285	0.261
150	147	0.956	0.949	0.935	155	55	0.304	0.291	0.267
150	148	0.965	0.959	0.945	155	56	0.310	0.297	0.273
150	149	0.974	0.969	0.957	155	57	0.316	0.303	0.279
150	150	0.985	0.980	0.970	155	58	0.323	0.309	0.285
155	0	0.000	0.000	0.000	155	59	0.329	0.315	0.291
155	1	0.001	0.000	0.000	155	60	0.335	0.322	0.297
155	2	0.003	0.002	0.001	155	61	0.341	0.328	0.303
155	3	0.007	0.005	0.003	155	62	0.348	0.334	0.309
155	4	0.011	0.009	0.005	155	63	0.354	0.340	0.315
155	5	0.016	0.013	0.008	155	64	0.360	0.346	0.321
155	6	0.020	0.017	0.012	155	65	0.366	0.353	0.327
155	7	0.025	0.021	0.015	155	66	0.373	0.359	0.333
155	8	0.030	0.026	0.019	155	67	0.379	0.365	0.339
155	9	0.035	0.031	0.023	155	68	0.385	0.371	0.345
155	10	0.041	0.035	0.027	155	69	0.392	0.378	0.352
155	11	0.046	0.040	0.031	155	70	0.398	0.384	0.358
155	12	0.051	0.045	0.036	155	71	0.404	0.390	0.364
155	13	0.056	0.050	0.040	155	72	0.411	0.396	0.370
155	14	0.062	0.055	0.045	155	73	0.417	0.403	0.376
155	15	0.067	0.061	0.049	155	74	0.423	0.409	0.382
155	16	0.073	0.066	0.054	155	75	0.430	0.415	0.389
155	17	0.078	0.071	0.059	155	76	0.436	0.422	0.395
155	18	0.084	0.076	0.064	155	77	0.442	0.428	0.401
155	19	0.089	0.082	0.068	155	78	0.449	0.434	0.408
155	20	0.095	0.087	0.073	155	79	0.455	0.441	0.414
155	21	0.101	0.093	0.078	155	80	0.462	0.447	0.420
155	22	0.106	0.098	0.083	155	81	0.468	0.453	0.426
155	23	0.112	0.104	0.089	155	82	0.474	0.460	0.433
155	24	0.118	0.109	0.094	155	83	0.481	0.466	0.439
155	25	0.124	0.115	0.099	155	84	0.487	0.473	0.446
155	26	0.130	0.120	0.104	155	85	0.494	0.479	0.452
155	27	0.135	0.126	0.109	155	86	0.500	0.486	0.458
155	28	0.141	0.132	0.115	155	87	0.507	0.492	0.465
155	29	0.147	0.137	0.120	155	88	0.513	0.499	0.471
155	30	0.153	0.143	0.125	155	89	0.520	0.505	0.478
155	31	0.159	0.149	0.131	155	90	0.526	0.511	0.484
155	32	0.165	0.154	0.136	155	91	0.533	0.518	0.491
155	33	0.171	0.160	0.141	155	92	0.539	0.524	0.497
155	34	0.176	0.166	0.147	155	93	0.546	0.531	0.504
155	35	0.182	0.172	0.152	155	94	0.552	0.538	0.510
155	36	0.188	0.177	0.158	155	95	0.559	0.544	0.517
155	37	0.194	0.183	0.163	155	96	0.565	0.551	0.523
155	38	0.200	0.189	0.169	155	97	0.572	0.557	0.530
155	39	0.206	0.195	0.175	155	98	0.578	0.564	0.536
155	40	0.212	0.201	0.180	155	99	0.585	0.570	0.543
155	41	0.218	0.207	0.186	155	100	0.591	0.577	0.550
155	42	0.224	0.213	0.192	155	101	0.598	0.584	0.556
155	43	0.231	0.219	0.197	155	102	0.605	0.590	0.563
155	44	0.237	0.225	0.203	155	103	0.611	0.597	0.570
155	45	0.243	0.231	0.209	155	104	0.618	0.604	0.576
155	46	0.249	0.237	0.214	155	105	0.625	0.610	0.583
155	47	0.255	0.243	0.220	155	106	0.631	0.617	0.590
155	48	0.261	0.249	0.226	155	107	0.638	0.624	0.597
155	49	0.267	0.255	0.232	155	108	0.644	0.630	0.603
155	50	0.273	0.261	0.238	155	109	0.651	0.637	0.610
155	51	0.279	0.267	0.243	155	110	0.658	0.644	0.617
155	52	0.285	0.273	0.249	155	111	0.665	0.651	0.624

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
155	112	0.671	0.657	0.631	160	16	0.070	0.064	0.052
155	113	0.678	0.664	0.638	160	17	0.076	0.069	0.057
155	114	0.685	0.671	0.644	160	18	0.081	0.074	0.062
					160	19	0.087	0.079	0.066
155	115	0.691	0.678	0.651					
155	116	0.698	0.685	0.658	160	20	0.092	0.084	0.071
155	117	0.705	0.691	0.665	160	21	0.098	0.090	0.076
155	118	0.712	0.698	0.672	160	22	0.103	0.095	0.081
155	119	0.719	0.705	0.679	160	23	0.109	0.100	0.086
					160	24	0.114	0.106	0.091
155	120	0.725	0.712	0.686					
155	121	0.732	0.719	0.693	160	25	0.120	0.111	0.096
155	122	0.739	0.726	0.700	160	26	0.125	0.116	0.101
155	123	0.746	0.733	0.708	160	27	0.131	0.122	0.106
155	124	0.753	0.740	0.715	160	28	0.137	0.127	0.111
					160	29	0.142	0.133	0.116
155	125	0.760	0.747	0.722					
155	126	0.767	0.754	0.729	160	30	0.148	0.138	0.121
155	127	0.773	0.761	0.736	160	31	0.154	0.144	0.126
155	128	0.780	0.768	0.744	160	32	0.159	0.149	0.132
155	129	0.787	0.775	0.751	160	33	0.165	0.155	0.137
					160	34	0.171	0.161	0.142
155	130	0.794	0.782	0.758					
155	131	0.801	0.789	0.766	160	35	0.177	0.166	0.147
155	132	0.808	0.796	0.773	160	36	0.182	0.172	0.153
155	133	0.815	0.804	0.780	160	37	0.188	0.177	0.158
155	134	0.822	0.811	0.788	160	38	0.194	0.183	0.164
					160	39	0.200	0.189	0.169
155	135	0.830	0.818	0.795					
155	136	0.837	0.825	0.803	160	40	0.206	0.194	0.174
155	137	0.844	0.833	0.811	160	41	0.211	0.200	0.180
155	138	0.851	0.840	0.818	160	42	0.217	0.206	0.185
155	139	0.858	0.847	0.826	160	43	0.223	0.212	0.191
					160	44	0.229	0.217	0.196
155	140	0.865	0.855	0.834					
155	141	0.873	0.862	0.842	160	45	0.235	0.223	0.202
155	142	0.880	0.870	0.850	160	46	0.241	0.229	0.207
155	143	0.887	0.878	0.858	160	47	0.247	0.235	0.213
155	144	0.895	0.885	0.866	160	48	0.253	0.240	0.219
					160	49	0.258	0.246	0.224
155	145	0.902	0.893	0.874					
155	146	0.910	0.901	0.883	160	50	0.264	0.252	0.230
155	147	0.918	0.909	0.891	160	51	0.270	0.258	0.235
155	148	0.925	0.917	0.900	160	52	0.276	0.264	0.241
155	149	0.933	0.925	0.909	160	53	0.282	0.270	0.247
					160	54	0.288	0.276	0.252
155	150	0.941	0.933	0.918					
155	151	0.949	0.942	0.927	160	55	0.294	0.281	0.258
155	152	0.957	0.951	0.937	160	56	0.300	0.287	0.264
155	153	0.966	0.960	0.947	160	57	0.306	0.293	0.270
155	154	0.975	0.970	0.958	160	58	0.312	0.299	0.275
					160	59	0.318	0.305	0.281
155	155	0.985	0.981	0.971					
160	0	0.000	0.000	0.000	160	60	0.324	0.311	0.287
160	1	0.001	0.000	0.000	160	61	0.330	0.317	0.293
160	2	0.003	0.002	0.001	160	62	0.336	0.323	0.299
160	3	0.007	0.005	0.003	160	63	0.342	0.329	0.304
160	4	0.011	0.009	0.005	160	64	0.348	0.335	0.310
160	5	0.015	0.012	0.008	160	65	0.354	0.341	0.316
160	6	0.020	0.016	0.011	160	66	0.361	0.347	0.322
160	7	0.025	0.021	0.015	160	67	0.367	0.353	0.328
160	8	0.029	0.025	0.018	160	68	0.373	0.359	0.334
160	9	0.034	0.030	0.022	160	69	0.379	0.365	0.340
160	10	0.039	0.034	0.026	160	70	0.385	0.371	0.346
160	11	0.044	0.039	0.030	160	71	0.391	0.377	0.352
160	12	0.049	0.044	0.035	160	72	0.397	0.383	0.358
160	13	0.055	0.049	0.039	160	73	0.403	0.389	0.364
160	14	0.060	0.054	0.043	160	74	0.409	0.395	0.370
160	15	0.065	0.059	0.048	160	75	0.416	0.402	0.376
					160	76	0.422	0.408	0.382

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
160	77	0.428	0.414	0.388	160	133	0.787	0.775	0.751
160	78	0.434	0.420	0.394	160	134	0.794	0.782	0.758
160	79	0.440	0.426	0.400	160	135	0.801	0.789	0.765
160	80	0.446	0.432	0.406	160	136	0.807	0.796	0.773
160	81	0.453	0.438	0.412	160	137	0.814	0.803	0.780
160	82	0.459	0.445	0.418	160	138	0.821	0.810	0.787
160	83	0.465	0.451	0.424	160	139	0.828	0.817	0.794
160	84	0.471	0.457	0.430	160	140	0.835	0.824	0.802
160	85	0.478	0.463	0.437	160	141	0.842	0.831	0.809
160	86	0.484	0.469	0.443	160	142	0.849	0.838	0.816
160	87	0.490	0.476	0.449	160	143	0.856	0.845	0.824
160	88	0.496	0.482	0.455	160	144	0.863	0.852	0.831
160	89	0.502	0.488	0.461	160	145	0.870	0.859	0.839
160	90	0.509	0.494	0.468	160	146	0.877	0.867	0.847
160	91	0.515	0.501	0.474	160	147	0.884	0.874	0.854
160	92	0.521	0.507	0.480	160	148	0.891	0.881	0.862
160	93	0.528	0.513	0.486	160	149	0.898	0.889	0.870
160	94	0.534	0.520	0.493	160	150	0.905	0.896	0.878
160	95	0.540	0.526	0.499	160	151	0.913	0.904	0.886
160	96	0.547	0.532	0.505	160	152	0.920	0.912	0.894
160	97	0.553	0.538	0.512	160	153	0.928	0.919	0.903
160	98	0.559	0.545	0.518	160	154	0.935	0.927	0.911
160	99	0.566	0.551	0.524	160	155	0.943	0.935	0.920
160	100	0.572	0.558	0.531	160	156	0.951	0.944	0.929
160	101	0.578	0.564	0.537	160	157	0.959	0.952	0.939
160	102	0.585	0.570	0.543	160	158	0.967	0.961	0.949
160	103	0.591	0.577	0.550	160	159	0.976	0.971	0.959
160	104	0.597	0.583	0.556	160	160	0.986	0.981	0.972
160	105	0.604	0.590	0.563	165	0	0.000	0.000	0.000
160	106	0.610	0.596	0.569	165	1	0.001	0.000	0.000
160	107	0.617	0.602	0.576	165	2	0.003	0.002	0.001
160	108	0.623	0.609	0.582	165	3	0.007	0.005	0.003
160	109	0.629	0.615	0.589	165	4	0.011	0.008	0.005
160	110	0.636	0.622	0.595	165	5	0.015	0.012	0.008
160	111	0.642	0.628	0.602	165	6	0.019	0.016	0.011
160	112	0.649	0.635	0.608	165	7	0.024	0.020	0.014
160	113	0.655	0.641	0.615	165	8	0.028	0.024	0.018
160	114	0.662	0.648	0.622	165	9	0.033	0.029	0.022
160	115	0.668	0.654	0.628	165	10	0.038	0.033	0.025
160	116	0.675	0.661	0.635	165	11	0.043	0.038	0.029
160	117	0.681	0.668	0.641	165	12	0.048	0.042	0.033
160	118	0.688	0.674	0.648	165	13	0.053	0.047	0.038
160	119	0.694	0.681	0.655	165	14	0.058	0.052	0.042
160	120	0.701	0.687	0.662	165	15	0.063	0.057	0.046
160	121	0.707	0.694	0.668	165	16	0.068	0.062	0.051
160	122	0.714	0.701	0.675	165	17	0.073	0.067	0.055
160	123	0.720	0.707	0.682	165	18	0.079	0.072	0.060
160	124	0.727	0.714	0.689	165	19	0.084	0.077	0.064
160	125	0.734	0.721	0.696	165	20	0.089	0.082	0.069
160	126	0.740	0.727	0.702	165	21	0.095	0.087	0.074
160	127	0.747	0.734	0.709	165	22	0.100	0.092	0.078
160	128	0.754	0.741	0.716	165	23	0.105	0.097	0.083
160	129	0.760	0.748	0.723	165	24	0.111	0.102	0.088
160	130	0.767	0.754	0.730	165	25	0.116	0.108	0.093
160	131	0.774	0.761	0.737	165	26	0.122	0.113	0.098
160	132	0.780	0.768	0.744					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
165	27	0.127	0.118	0.102	165	85	0.462	0.448	0.422
165	28	0.132	0.123	0.107	165	86	0.468	0.454	0.428
165	29	0.138	0.129	0.112	165	87	0.474	0.460	0.434
					165	88	0.480	0.466	0.440
165	30	0.143	0.134	0.117	165	89	0.487	0.472	0.446
165	31	0.149	0.139	0.122					
165	32	0.154	0.145	0.127	165	90	0.493	0.478	0.452
165	33	0.160	0.150	0.133	165	91	0.499	0.484	0.458
165	34	0.166	0.156	0.138	165	92	0.505	0.491	0.464
					165	93	0.511	0.497	0.470
165	35	0.171	0.161	0.143	165	94	0.517	0.503	0.476
165	36	0.177	0.166	0.148					
165	37	0.182	0.172	0.153	165	95	0.523	0.509	0.482
165	38	0.188	0.177	0.158	165	96	0.529	0.515	0.488
165	39	0.194	0.183	0.164	165	97	0.535	0.521	0.494
					165	98	0.541	0.527	0.501
165	40	0.199	0.188	0.169	165	99	0.547	0.533	0.507
165	41	0.205	0.194	0.174					
165	42	0.211	0.199	0.179	165	100	0.554	0.539	0.513
165	43	0.216	0.205	0.185	165	101	0.560	0.546	0.519
165	44	0.222	0.211	0.190	165	102	0.566	0.552	0.525
					165	103	0.572	0.558	0.531
165	45	0.228	0.216	0.195	165	104	0.578	0.564	0.538
165	46	0.233	0.222	0.201					
165	47	0.239	0.227	0.206	165	105	0.584	0.570	0.544
165	48	0.245	0.233	0.212	165	106	0.590	0.576	0.550
165	49	0.250	0.239	0.217	165	107	0.597	0.583	0.556
					165	108	0.603	0.589	0.562
165	50	0.256	0.244	0.222	165	109	0.609	0.595	0.569
165	51	0.262	0.250	0.228					
165	52	0.268	0.256	0.233	165	110	0.615	0.601	0.575
165	53	0.273	0.261	0.239	165	111	0.621	0.608	0.581
165	54	0.279	0.267	0.244	165	112	0.628	0.614	0.588
					165	113	0.634	0.620	0.594
165	55	0.285	0.273	0.250	165	114	0.640	0.626	0.600
165	56	0.291	0.278	0.255					
165	57	0.297	0.284	0.261	165	115	0.646	0.633	0.607
165	58	0.302	0.290	0.267	165	116	0.653	0.639	0.613
165	59	0.308	0.295	0.272	165	117	0.659	0.645	0.619
					165	118	0.665	0.652	0.626
165	60	0.314	0.301	0.278	165	119	0.672	0.658	0.632
165	61	0.320	0.307	0.283					
165	62	0.326	0.313	0.289	165	120	0.678	0.664	0.639
165	63	0.332	0.319	0.295	165	121	0.684	0.671	0.645
165	64	0.337	0.324	0.300	165	122	0.691	0.677	0.652
					165	123	0.697	0.684	0.658
165	65	0.343	0.330	0.306	165	124	0.703	0.690	0.665
165	66	0.349	0.336	0.312					
165	67	0.355	0.342	0.317	165	125	0.710	0.696	0.671
165	68	0.361	0.348	0.323	165	126	0.716	0.703	0.678
165	69	0.367	0.353	0.329	165	127	0.722	0.709	0.684
					165	128	0.729	0.716	0.691
165	70	0.373	0.359	0.335	165	129	0.735	0.722	0.698
165	71	0.379	0.365	0.340					
165	72	0.385	0.371	0.346	165	130	0.742	0.729	0.704
165	73	0.391	0.377	0.352	165	131	0.748	0.735	0.711
165	74	0.397	0.383	0.358	165	132	0.754	0.742	0.718
					165	133	0.761	0.748	0.724
165	75	0.402	0.389	0.363	165	134	0.767	0.755	0.731
165	76	0.408	0.395	0.369					
165	77	0.414	0.401	0.375	165	135	0.774	0.762	0.738
165	78	0.420	0.407	0.381	165	136	0.780	0.768	0.745
165	79	0.426	0.412	0.387	165	137	0.787	0.775	0.752
					165	138	0.793	0.781	0.758
165	80	0.432	0.418	0.393	165	139	0.800	0.788	0.765
165	81	0.438	0.424	0.399					
165	82	0.444	0.430	0.404	165	140	0.806	0.795	0.772
165	83	0.450	0.436	0.410	165	141	0.813	0.802	0.779
165	84	0.456	0.442	0.416	165	142	0.820	0.808	0.786

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
165	143	0.826	0.815	0.793	170	37	0.177	0.167	0.148
165	144	0.833	0.822	0.800	170	38	0.182	0.172	0.154
					170	39	0.188	0.177	0.159
165	145	0.840	0.829	0.807	170	40	0.193	0.183	0.164
165	146	0.846	0.836	0.815	170	41	0.199	0.188	0.169
165	147	0.853	0.843	0.822	170	42	0.204	0.193	0.174
165	148	0.860	0.849	0.829	170	43	0.210	0.199	0.179
165	149	0.867	0.856	0.836	170	44	0.215	0.204	0.184
165	150	0.873	0.863	0.844	170	45	0.221	0.210	0.189
165	151	0.880	0.871	0.851	170	46	0.226	0.215	0.195
165	152	0.887	0.878	0.859	170	47	0.232	0.220	0.200
165	153	0.894	0.885	0.866	170	48	0.237	0.226	0.205
165	154	0.901	0.892	0.874	170	49	0.243	0.231	0.210
165	155	0.908	0.899	0.882	170	50	0.248	0.237	0.216
165	156	0.915	0.907	0.890	170	51	0.254	0.242	0.221
165	157	0.922	0.914	0.898	170	52	0.260	0.248	0.226
165	158	0.930	0.922	0.906	170	53	0.265	0.253	0.231
165	159	0.937	0.929	0.914	170	54	0.271	0.259	0.237
165	160	0.945	0.937	0.922	170	55	0.276	0.264	0.242
165	161	0.952	0.945	0.931	170	56	0.282	0.270	0.248
165	162	0.960	0.954	0.940	170	57	0.288	0.275	0.253
165	163	0.968	0.962	0.950	170	58	0.293	0.281	0.258
165	164	0.977	0.972	0.960	170	59	0.299	0.286	0.264
165	165	0.986	0.982	0.972	170	60	0.305	0.292	0.269
170	0	0.000	0.000	0.000	170	61	0.310	0.298	0.274
170	1	0.001	0.000	0.000	170	62	0.316	0.303	0.280
170	2	0.003	0.002	0.001	170	63	0.322	0.309	0.285
170	3	0.007	0.005	0.003	170	64	0.327	0.314	0.291
170	4	0.010	0.008	0.005	170	65	0.333	0.320	0.296
170	5	0.014	0.012	0.008	170	66	0.339	0.326	0.302
170	6	0.019	0.015	0.011	170	67	0.344	0.331	0.307
170	7	0.023	0.019	0.014	170	68	0.350	0.337	0.313
170	8	0.028	0.024	0.017	170	69	0.356	0.343	0.318
170	9	0.032	0.028	0.021	170	70	0.361	0.348	0.324
170	10	0.037	0.032	0.025	170	71	0.367	0.354	0.330
170	11	0.042	0.037	0.029	170	72	0.373	0.360	0.335
170	12	0.046	0.041	0.032	170	73	0.379	0.365	0.341
170	13	0.051	0.046	0.037	170	74	0.384	0.371	0.346
170	14	0.056	0.050	0.041	170	75	0.390	0.377	0.352
170	15	0.061	0.055	0.045	170	76	0.396	0.382	0.358
170	16	0.066	0.060	0.049	170	77	0.402	0.388	0.363
170	17	0.071	0.065	0.053	170	78	0.407	0.394	0.369
170	18	0.076	0.070	0.058	170	79	0.413	0.400	0.375
170	19	0.081	0.074	0.062	170	80	0.419	0.405	0.380
170	20	0.087	0.079	0.067	170	81	0.425	0.411	0.386
170	21	0.092	0.084	0.071	170	82	0.431	0.417	0.392
170	22	0.097	0.089	0.076	170	83	0.436	0.423	0.397
170	23	0.102	0.094	0.081	170	84	0.442	0.429	0.403
170	24	0.107	0.099	0.085	170	85	0.448	0.434	0.409
170	25	0.113	0.104	0.090	170	86	0.454	0.440	0.414
170	26	0.118	0.109	0.095	170	87	0.460	0.446	0.420
170	27	0.123	0.115	0.099	170	88	0.466	0.452	0.426
170	28	0.128	0.120	0.104	170	89	0.472	0.458	0.432
170	29	0.134	0.125	0.109	170	90	0.477	0.463	0.438
170	30	0.139	0.130	0.114	170	91	0.483	0.469	0.443
170	31	0.144	0.135	0.119	170	92	0.489	0.475	0.449
170	32	0.150	0.140	0.124	170	93	0.495	0.481	0.455
170	33	0.155	0.146	0.129	170	94	0.501	0.487	0.461
170	34	0.161	0.151	0.133	170	95	0.507	0.493	0.467
170	35	0.166	0.156	0.138	170	96	0.513	0.499	0.473
170	36	0.171	0.161	0.143	170	97	0.519	0.505	0.479

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
170	98	0.524	0.511	0.484	170	153	0.864	0.854	0.834
170	99	0.530	0.516	0.490	170	154	0.870	0.861	0.841
170	100	0.536	0.522	0.496	170	155	0.877	0.867	0.848
170	101	0.542	0.528	0.502	170	156	0.884	0.874	0.855
170	102	0.548	0.534	0.508	170	157	0.890	0.881	0.863
170	103	0.554	0.540	0.514	170	158	0.897	0.888	0.870
170	104	0.560	0.546	0.520	170	159	0.904	0.895	0.877
170	105	0.566	0.552	0.526	170	160	0.911	0.902	0.885
170	106	0.572	0.558	0.532	170	161	0.918	0.909	0.893
170	107	0.578	0.564	0.538	170	162	0.925	0.917	0.900
170	108	0.584	0.570	0.544	170	163	0.932	0.924	0.908
170	109	0.590	0.576	0.550	170	164	0.939	0.932	0.916
170	110	0.596	0.582	0.556	170	165	0.946	0.939	0.925
170	111	0.602	0.588	0.562	170	166	0.954	0.947	0.933
170	112	0.608	0.594	0.568	170	167	0.961	0.955	0.942
170	113	0.614	0.600	0.574	170	168	0.969	0.963	0.951
170	114	0.620	0.606	0.580	170	169	0.977	0.972	0.962
170	115	0.626	0.613	0.587	170	170	0.987	0.983	0.973
170	116	0.632	0.619	0.593	175	0	0.000	0.000	0.000
170	117	0.638	0.625	0.599	175	1	0.001	0.000	0.000
170	118	0.644	0.631	0.605	175	2	0.003	0.002	0.001
170	119	0.650	0.637	0.611	175	3	0.006	0.005	0.003
170	120	0.656	0.643	0.617	175	4	0.010	0.008	0.005
170	121	0.663	0.649	0.624	175	5	0.014	0.011	0.007
170	122	0.669	0.655	0.630	175	6	0.018	0.015	0.010
170	123	0.675	0.661	0.636	175	7	0.022	0.019	0.013
170	124	0.681	0.668	0.642	175	8	0.027	0.023	0.017
170	125	0.687	0.674	0.649	175	9	0.031	0.027	0.020
170	126	0.693	0.680	0.655	175	10	0.036	0.031	0.024
170	127	0.699	0.686	0.661	175	11	0.040	0.036	0.028
170	128	0.705	0.692	0.668	175	12	0.045	0.040	0.032
170	129	0.712	0.699	0.674	175	13	0.050	0.044	0.035
170	130	0.718	0.705	0.680	175	14	0.055	0.049	0.039
170	131	0.724	0.711	0.687	175	15	0.059	0.054	0.044
170	132	0.730	0.718	0.693	175	16	0.064	0.058	0.048
170	133	0.736	0.724	0.700	175	17	0.069	0.063	0.052
170	134	0.743	0.730	0.706	175	18	0.074	0.068	0.056
170	135	0.749	0.736	0.712	175	19	0.079	0.072	0.060
170	136	0.755	0.743	0.719	175	20	0.084	0.077	0.065
170	137	0.761	0.749	0.726	175	21	0.089	0.082	0.069
170	138	0.768	0.756	0.732	175	22	0.094	0.087	0.074
170	139	0.774	0.762	0.739	175	23	0.099	0.092	0.078
170	140	0.780	0.768	0.745	175	24	0.104	0.096	0.083
170	141	0.787	0.775	0.752	175	25	0.109	0.101	0.087
170	142	0.793	0.781	0.758	175	26	0.114	0.106	0.092
170	143	0.799	0.786	0.765	175	27	0.120	0.111	0.096
170	144	0.806	0.794	0.772	175	28	0.125	0.116	0.101
170	145	0.812	0.801	0.779	175	29	0.130	0.121	0.106
170	146	0.818	0.807	0.785	175	30	0.135	0.126	0.110
170	147	0.825	0.814	0.792	175	31	0.140	0.131	0.115
170	148	0.831	0.820	0.799	175	32	0.145	0.136	0.120
170	149	0.838	0.827	0.806	175	33	0.151	0.141	0.125
170	150	0.844	0.834	0.813	175	34	0.156	0.146	0.130
170	151	0.851	0.840	0.820	175	35	0.161	0.152	0.134
170	152	0.857	0.847	0.827					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
175	36	0.166	0.157	0.139	175	94	0.486	0.472	0.447
175	37	0.172	0.162	0.144	175	95	0.492	0.478	0.452
175	38	0.177	0.167	0.149	175	96	0.497	0.484	0.458
175	39	0.182	0.172	0.154	175	97	0.503	0.489	0.464
175	40	0.188	0.177	0.159	175	98	0.509	0.495	0.469
175	41	0.193	0.182	0.164	175	99	0.514	0.501	0.475
175	42	0.198	0.188	0.169	175	100	0.520	0.506	0.481
175	43	0.204	0.193	0.174	175	101	0.526	0.512	0.486
175	44	0.209	0.198	0.179	175	102	0.532	0.518	0.492
175	45	0.214	0.203	0.184	175	103	0.537	0.524	0.498
175	46	0.220	0.209	0.189	175	104	0.543	0.530	0.504
175	47	0.225	0.214	0.194	175	105	0.549	0.535	0.509
175	48	0.230	0.219	0.199	175	106	0.555	0.541	0.515
175	49	0.236	0.224	0.204	175	107	0.561	0.547	0.521
175	50	0.241	0.230	0.209	175	108	0.566	0.553	0.527
175	51	0.247	0.235	0.214	175	109	0.572	0.558	0.533
175	52	0.252	0.240	0.219	175	110	0.578	0.564	0.539
175	53	0.257	0.246	0.225	175	111	0.584	0.570	0.544
175	54	0.263	0.251	0.230	175	112	0.590	0.576	0.550
175	55	0.268	0.256	0.235	175	113	0.595	0.582	0.556
175	56	0.274	0.262	0.240	175	114	0.601	0.588	0.562
175	57	0.279	0.267	0.245	175	115	0.607	0.594	0.568
175	58	0.285	0.273	0.250	175	116	0.613	0.599	0.574
175	59	0.290	0.278	0.256	175	117	0.619	0.605	0.580
175	60	0.296	0.283	0.261	175	118	0.625	0.611	0.586
175	61	0.301	0.289	0.266	175	119	0.631	0.617	0.592
175	62	0.307	0.294	0.271	175	120	0.636	0.623	0.598
175	63	0.312	0.300	0.277	175	121	0.642	0.629	0.604
175	64	0.318	0.305	0.282	175	122	0.648	0.635	0.610
175	65	0.323	0.310	0.287	175	123	0.654	0.641	0.616
175	66	0.329	0.316	0.293	175	124	0.660	0.647	0.622
175	67	0.334	0.321	0.298	175	125	0.666	0.653	0.628
175	68	0.340	0.327	0.303	175	126	0.672	0.659	0.634
175	69	0.345	0.332	0.309	175	127	0.678	0.665	0.640
175	70	0.351	0.338	0.314	175	128	0.684	0.671	0.646
175	71	0.356	0.343	0.320	175	129	0.690	0.677	0.652
175	72	0.362	0.349	0.325	175	130	0.696	0.683	0.658
175	73	0.367	0.354	0.330	175	131	0.702	0.689	0.664
175	74	0.373	0.360	0.336	175	132	0.708	0.695	0.670
175	75	0.379	0.365	0.341	175	133	0.714	0.701	0.677
175	76	0.384	0.371	0.347	175	134	0.720	0.707	0.683
175	77	0.390	0.377	0.352	175	135	0.726	0.713	0.689
175	78	0.395	0.382	0.358	175	136	0.732	0.719	0.695
175	79	0.401	0.388	0.363	175	137	0.738	0.725	0.701
175	80	0.407	0.393	0.369	175	138	0.744	0.731	0.708
175	81	0.412	0.399	0.374	175	139	0.750	0.738	0.714
175	82	0.418	0.404	0.380	175	140	0.756	0.744	0.720
175	83	0.423	0.410	0.385	175	141	0.762	0.750	0.727
175	84	0.429	0.416	0.391	175	142	0.768	0.756	0.733
175	85	0.435	0.421	0.396	175	143	0.774	0.762	0.739
175	86	0.440	0.427	0.402	175	144	0.780	0.769	0.746
175	87	0.446	0.433	0.407	175	145	0.786	0.775	0.752
175	88	0.452	0.438	0.413	175	146	0.793	0.781	0.759
175	89	0.457	0.444	0.418	175	147	0.799	0.787	0.765
175	90	0.463	0.449	0.424	175	148	0.805	0.794	0.772
175	91	0.469	0.455	0.430	175	149	0.811	0.800	0.778
175	92	0.474	0.461	0.435	175	150	0.817	0.806	0.785
175	93	0.480	0.466	0.441					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
175	151	0.824	0.813	0.791	180	35	0.157	0.147	0.131
175	152	0.830	0.819	0.798	180	36	0.162	0.152	0.135
175	153	0.836	0.825	0.805	180	37	0.167	0.157	0.140
175	154	0.842	0.832	0.811	180	38	0.172	0.162	0.145
					180	39	0.177	0.167	0.149
175	155	0.849	0.838	0.818					
175	156	0.855	0.845	0.825	180	40	0.182	0.172	0.154
175	157	0.861	0.851	0.832	180	41	0.187	0.177	0.159
175	158	0.868	0.858	0.838	180	42	0.193	0.182	0.164
175	159	0.874	0.864	0.845	180	43	0.198	0.187	0.169
					180	44	0.203	0.192	0.174
175	160	0.881	0.871	0.852					
175	161	0.887	0.878	0.859	180	45	0.208	0.198	0.178
175	162	0.894	0.884	0.866	180	46	0.213	0.203	0.183
175	163	0.900	0.891	0.874	180	47	0.219	0.208	0.188
175	164	0.907	0.898	0.881	180	48	0.224	0.213	0.193
					180	49	0.229	0.218	0.198
175	165	0.913	0.905	0.888					
175	166	0.920	0.912	0.896	180	50	0.234	0.223	0.203
175	167	0.927	0.919	0.903	180	51	0.240	0.228	0.208
175	168	0.934	0.926	0.911	180	52	0.245	0.233	0.213
175	169	0.941	0.933	0.919	180	53	0.250	0.239	0.218
					180	54	0.255	0.244	0.223
175	170	0.948	0.941	0.927					
175	171	0.955	0.948	0.935	180	55	0.261	0.249	0.228
175	172	0.962	0.956	0.944	180	56	0.266	0.254	0.233
175	173	0.970	0.964	0.953	180	57	0.271	0.259	0.238
175	174	0.978	0.973	0.963	180	58	0.276	0.265	0.243
					180	59	0.282	0.270	0.248
175	175	0.987	0.983	0.974					
180	0	0.000	0.000	0.000	180	60	0.287	0.275	0.253
180	1	0.001	0.000	0.000	180	61	0.292	0.280	0.258
180	2	0.003	0.002	0.001	180	62	0.298	0.286	0.264
180	3	0.006	0.005	0.002	180	63	0.303	0.291	0.269
180	4	0.010	0.008	0.005	180	64	0.308	0.296	0.274
180	5	0.014	0.011	0.007	180	65	0.314	0.302	0.279
180	6	0.018	0.015	0.010	180	66	0.319	0.307	0.284
180	7	0.022	0.018	0.013	180	67	0.325	0.312	0.289
180	8	0.026	0.022	0.016	180	68	0.330	0.317	0.294
180	9	0.030	0.026	0.020	180	69	0.335	0.323	0.300
180	10	0.035	0.030	0.023	180	70	0.341	0.328	0.305
180	11	0.039	0.035	0.027	180	71	0.346	0.333	0.310
180	12	0.044	0.039	0.031	180	72	0.351	0.339	0.315
180	13	0.048	0.043	0.034	180	73	0.357	0.344	0.321
180	14	0.053	0.048	0.038	180	74	0.362	0.349	0.326
180	15	0.058	0.052	0.042	180	75	0.368	0.355	0.331
180	16	0.063	0.057	0.046	180	76	0.373	0.360	0.336
180	17	0.067	0.061	0.050	180	77	0.379	0.366	0.342
180	18	0.072	0.066	0.055	180	78	0.384	0.371	0.347
180	19	0.077	0.070	0.059	180	79	0.389	0.376	0.352
180	20	0.082	0.075	0.063	180	80	0.395	0.382	0.358
180	21	0.087	0.080	0.067	180	81	0.400	0.387	0.363
180	22	0.091	0.084	0.072	180	82	0.406	0.393	0.368
180	23	0.096	0.089	0.076	180	83	0.411	0.398	0.374
180	24	0.101	0.094	0.080	180	84	0.417	0.403	0.379
180	25	0.106	0.098	0.085	180	85	0.422	0.409	0.384
180	26	0.111	0.103	0.089	180	86	0.428	0.414	0.390
180	27	0.116	0.108	0.094	180	87	0.433	0.420	0.395
180	28	0.121	0.113	0.098	180	88	0.439	0.425	0.401
180	29	0.126	0.118	0.103	180	89	0.444	0.431	0.406
180	30	0.131	0.123	0.107	180	90	0.450	0.436	0.411
180	31	0.136	0.127	0.112	180	91	0.455	0.442	0.417
180	32	0.141	0.132	0.117	180	92	0.461	0.447	0.422
180	33	0.146	0.137	0.121	180	93	0.466	0.453	0.428
180	34	0.151	0.142	0.126	180	94	0.472	0.458	0.433

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
180	95	0.477	0.464	0.449	180	151	0.798	0.787	0.765
180	96	0.483	0.469	0.444	180	152	0.804	0.793	0.771
180	97	0.488	0.475	0.450	180	153	0.810	0.799	0.778
180	98	0.494	0.480	0.455	180	154	0.816	0.805	0.784
180	99	0.499	0.486	0.461	180	155	0.822	0.811	0.790
180	100	0.505	0.492	0.466	180	156	0.828	0.818	0.797
180	101	0.511	0.497	0.472	180	157	0.834	0.824	0.803
180	102	0.516	0.503	0.477	180	158	0.840	0.830	0.810
180	103	0.522	0.508	0.483	180	159	0.847	0.836	0.816
180	104	0.527	0.514	0.488	180	160	0.853	0.843	0.823
180	105	0.533	0.519	0.494	180	161	0.859	0.849	0.829
180	106	0.539	0.525	0.500	180	162	0.865	0.855	0.836
180	107	0.544	0.531	0.505	180	163	0.871	0.862	0.843
180	108	0.550	0.536	0.511	180	164	0.878	0.868	0.849
180	109	0.555	0.542	0.516	180	165	0.884	0.875	0.856
180	110	0.561	0.548	0.522	180	166	0.890	0.881	0.863
180	111	0.567	0.553	0.528	180	167	0.896	0.888	0.870
180	112	0.572	0.559	0.533	180	168	0.903	0.894	0.877
180	113	0.578	0.564	0.539	180	169	0.909	0.901	0.884
180	114	0.584	0.570	0.545	180	170	0.916	0.908	0.891
180	115	0.589	0.576	0.550	180	171	0.922	0.914	0.896
180	116	0.595	0.581	0.556	180	172	0.929	0.921	0.906
180	117	0.601	0.587	0.562	180	173	0.935	0.928	0.913
180	118	0.606	0.593	0.568	180	174	0.942	0.935	0.921
180	119	0.612	0.599	0.573	180	175	0.949	0.942	0.929
180	120	0.618	0.604	0.579	180	176	0.956	0.950	0.937
180	121	0.623	0.610	0.585	180	177	0.963	0.957	0.945
180	122	0.629	0.616	0.591	180	178	0.971	0.965	0.954
180	123	0.635	0.622	0.596	180	179	0.979	0.974	0.964
180	124	0.640	0.627	0.602	180	180	0.987	0.983	0.975
180	125	0.646	0.633	0.608	185	0	0.000	0.000	0.000
180	126	0.652	0.639	0.614	185	1	0.001	0.000	0.000
180	127	0.658	0.645	0.620	185	2	0.003	0.002	0.001
180	128	0.663	0.650	0.626	185	3	0.006	0.004	0.002
180	129	0.669	0.656	0.632	185	4	0.009	0.007	0.004
180	130	0.675	0.662	0.637	185	5	0.013	0.011	0.007
180	131	0.681	0.668	0.643	185	6	0.017	0.014	0.010
180	132	0.686	0.674	0.649	185	7	0.021	0.018	0.013
180	133	0.692	0.680	0.655	185	8	0.025	0.022	0.016
180	134	0.698	0.685	0.661	185	9	0.030	0.026	0.019
180	135	0.704	0.691	0.667	185	10	0.034	0.030	0.023
180	136	0.710	0.697	0.673	185	11	0.038	0.034	0.026
180	137	0.716	0.703	0.679	185	12	0.043	0.038	0.030
180	138	0.721	0.709	0.685	185	13	0.047	0.042	0.034
180	139	0.727	0.715	0.691	185	14	0.052	0.046	0.037
180	140	0.733	0.721	0.697	185	15	0.056	0.051	0.041
180	141	0.739	0.727	0.703	185	16	0.061	0.055	0.045
180	142	0.745	0.733	0.709	185	17	0.065	0.059	0.049
180	143	0.751	0.739	0.715	185	18	0.070	0.064	0.053
180	144	0.757	0.745	0.722	185	19	0.075	0.068	0.057
180	145	0.762	0.751	0.728	185	20	0.080	0.073	0.061
180	146	0.768	0.757	0.734	185	21	0.084	0.077	0.065
180	147	0.774	0.763	0.740	185	22	0.089	0.082	0.070
180	148	0.780	0.769	0.746	185	23	0.094	0.086	0.074
180	149	0.786	0.775	0.752	185	24	0.099	0.091	0.078
180	150	0.792	0.781	0.759					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
185	25	0.103	0.096	0.082	185	84	0.405	0.392	0.368
185	26	0.108	0.100	0.087	185	85	0.410	0.397	0.373
185	27	0.113	0.105	0.091	185	86	0.416	0.403	0.378
185	28	0.118	0.110	0.095	185	87	0.421	0.408	0.384
185	29	0.123	0.114	0.100	185	88	0.426	0.413	0.389
185	30	0.128	0.119	0.104	185	89	0.432	0.419	0.394
185	31	0.133	0.124	0.109	185	90	0.437	0.424	0.399
185	32	0.137	0.129	0.113	185	91	0.442	0.429	0.405
185	33	0.142	0.134	0.116	185	92	0.448	0.435	0.410
185	34	0.147	0.138	0.122	185	93	0.453	0.440	0.415
185	35	0.152	0.143	0.127	185	94	0.458	0.445	0.421
185	36	0.157	0.148	0.131	185	95	0.464	0.451	0.426
185	37	0.162	0.153	0.136	185	96	0.469	0.456	0.431
185	38	0.167	0.158	0.141	185	97	0.475	0.461	0.436
185	39	0.172	0.163	0.145	185	98	0.480	0.467	0.442
185	40	0.177	0.167	0.150	185	99	0.485	0.472	0.447
185	41	0.182	0.172	0.155	185	100	0.491	0.477	0.452
185	42	0.187	0.177	0.159	185	101	0.496	0.483	0.458
185	43	0.192	0.182	0.164	185	102	0.502	0.488	0.463
185	44	0.197	0.187	0.169	185	103	0.507	0.494	0.469
185	45	0.202	0.192	0.173	185	104	0.512	0.499	0.474
185	46	0.207	0.197	0.178	185	105	0.518	0.504	0.479
185	47	0.213	0.202	0.183	185	106	0.523	0.510	0.485
185	48	0.218	0.207	0.188	185	107	0.529	0.515	0.490
185	49	0.223	0.212	0.192	185	108	0.534	0.521	0.496
185	50	0.228	0.217	0.197	185	109	0.540	0.526	0.501
185	51	0.233	0.222	0.202	185	110	0.545	0.532	0.507
185	52	0.238	0.227	0.207	185	111	0.550	0.537	0.512
185	53	0.243	0.232	0.212	185	112	0.556	0.543	0.518
185	54	0.248	0.237	0.217	185	113	0.561	0.548	0.523
185	55	0.253	0.242	0.222	185	114	0.567	0.554	0.529
185	56	0.258	0.247	0.226	185	115	0.572	0.559	0.534
185	57	0.264	0.252	0.231	185	116	0.578	0.565	0.540
185	58	0.269	0.257	0.236	185	117	0.583	0.570	0.545
185	59	0.274	0.262	0.241	185	118	0.589	0.576	0.551
185	60	0.279	0.267	0.246	185	119	0.594	0.581	0.556
185	61	0.284	0.273	0.251	185	120	0.600	0.587	0.562
185	62	0.289	0.278	0.256	185	121	0.605	0.592	0.567
185	63	0.295	0.283	0.261	185	122	0.611	0.598	0.573
185	64	0.300	0.288	0.266	185	123	0.616	0.603	0.578
185	65	0.305	0.293	0.271	185	124	0.622	0.609	0.584
185	66	0.310	0.298	0.276	185	125	0.628	0.615	0.590
185	67	0.315	0.303	0.281	185	126	0.633	0.620	0.595
185	68	0.321	0.308	0.286	185	127	0.639	0.626	0.601
185	69	0.326	0.314	0.291	185	128	0.644	0.631	0.607
185	70	0.331	0.319	0.296	185	129	0.650	0.637	0.612
185	71	0.336	0.324	0.301	185	130	0.655	0.643	0.618
185	72	0.342	0.329	0.306	185	131	0.661	0.648	0.624
185	73	0.347	0.334	0.311	185	132	0.667	0.654	0.629
185	74	0.352	0.340	0.316	185	133	0.672	0.659	0.635
185	75	0.357	0.345	0.322	185	134	0.678	0.665	0.641
185	76	0.363	0.350	0.327	185	135	0.683	0.671	0.647
185	77	0.368	0.355	0.332	185	136	0.689	0.676	0.652
185	78	0.373	0.360	0.337	185	137	0.695	0.682	0.658
185	79	0.379	0.366	0.342	185	138	0.700	0.688	0.664
185	80	0.384	0.371	0.347	185	139	0.706	0.694	0.670
185	81	0.389	0.376	0.352	185	140	0.712	0.699	0.676
185	82	0.394	0.381	0.358	185	141	0.717	0.705	0.681
185	83	0.400	0.387	0.363					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE 90%	CONFIDENCE 95%	LEVEL 99%	N	K	CONFIDENCE 90%	CONFIDENCE 95%	LEVEL 99%
185	142	0.723	0.711	0.687	190	17	0.064	0.058	0.048
185	143	0.729	0.716	0.693	190	18	0.068	0.062	0.052
185	144	0.734	0.722	0.699	190	19	0.073	0.066	0.056
185	145	0.740	0.728	0.705	190	20	0.077	0.071	0.060
185	146	0.746	0.734	0.711	190	21	0.082	0.075	0.064
185	147	0.751	0.740	0.717	190	22	0.087	0.080	0.068
185	148	0.757	0.745	0.723	190	23	0.091	0.084	0.072
185	149	0.763	0.751	0.729	190	24	0.096	0.089	0.076
185	150	0.769	0.757	0.735	190	25	0.101	0.093	0.080
185	151	0.774	0.763	0.741	190	26	0.105	0.098	0.084
185	152	0.780	0.769	0.747	190	27	0.110	0.102	0.089
185	153	0.786	0.775	0.753	190	28	0.115	0.107	0.093
185	154	0.792	0.781	0.759	190	29	0.119	0.111	0.097
185	155	0.798	0.787	0.765	190	30	0.124	0.116	0.101
185	156	0.803	0.792	0.771	190	31	0.129	0.121	0.106
185	157	0.809	0.798	0.777	190	32	0.134	0.125	0.110
185	158	0.815	0.804	0.783	190	33	0.139	0.130	0.115
185	159	0.821	0.810	0.790	190	34	0.143	0.135	0.119
185	160	0.827	0.816	0.796	190	35	0.148	0.139	0.123
185	161	0.833	0.822	0.802	190	36	0.153	0.144	0.128
185	162	0.839	0.828	0.808	190	37	0.158	0.149	0.132
185	163	0.845	0.835	0.815	190	38	0.163	0.153	0.137
185	164	0.851	0.841	0.821	190	39	0.168	0.158	0.141
185	165	0.857	0.847	0.827	190	40	0.172	0.163	0.146
185	166	0.863	0.853	0.834	190	41	0.177	0.168	0.150
185	167	0.869	0.859	0.840	190	42	0.182	0.172	0.155
185	168	0.875	0.865	0.847	190	43	0.187	0.177	0.159
185	169	0.881	0.872	0.853	190	44	0.192	0.182	0.164
185	170	0.887	0.878	0.860	190	45	0.197	0.187	0.169
185	171	0.893	0.884	0.867	190	46	0.202	0.192	0.173
185	172	0.899	0.891	0.873	190	47	0.207	0.196	0.178
185	173	0.905	0.897	0.880	190	48	0.212	0.201	0.183
185	174	0.912	0.904	0.887	190	49	0.217	0.206	0.187
185	175	0.918	0.910	0.894	190	50	0.222	0.211	0.192
185	176	0.924	0.917	0.901	190	51	0.227	0.216	0.197
185	177	0.931	0.923	0.908	190	52	0.232	0.221	0.201
185	178	0.937	0.930	0.916	190	53	0.237	0.226	0.206
185	179	0.944	0.937	0.923	190	54	0.242	0.231	0.211
185	180	0.950	0.944	0.931	190	55	0.247	0.235	0.215
185	181	0.957	0.951	0.939	190	56	0.252	0.240	0.220
185	182	0.964	0.959	0.947	190	57	0.257	0.245	0.225
185	183	0.971	0.966	0.955	190	58	0.262	0.250	0.230
185	184	0.979	0.975	0.965	190	59	0.267	0.255	0.235
185	185	0.988	0.984	0.975	190	60	0.272	0.260	0.239
190	0	0.000	0.000	0.000	190	61	0.277	0.265	0.244
190	1	0.001	0.000	0.000	190	62	0.282	0.270	0.249
190	2	0.003	0.002	0.001	190	63	0.287	0.275	0.254
190	3	0.006	0.004	0.002	190	64	0.292	0.280	0.259
190	4	0.009	0.007	0.004	190	65	0.297	0.285	0.263
190	5	0.013	0.010	0.007	190	66	0.302	0.290	0.268
190	6	0.017	0.014	0.009	190	67	0.307	0.295	0.273
190	7	0.021	0.017	0.012	190	68	0.312	0.300	0.278
190	8	0.025	0.021	0.015	190	69	0.317	0.305	0.283
190	9	0.029	0.025	0.019	190	70	0.322	0.310	0.288
190	10	0.033	0.029	0.022	190	71	0.327	0.315	0.293
190	11	0.037	0.033	0.025	190	72	0.332	0.320	0.298
190	12	0.042	0.037	0.029	190	73	0.337	0.325	0.303
190	13	0.046	0.041	0.033	190	74	0.343	0.330	0.308
190	14	0.050	0.045	0.036	190	75	0.348	0.335	0.313
190	15	0.055	0.049	0.040	190	76	0.353	0.340	0.318
190	16	0.059	0.054	0.044	190	77	0.358	0.345	0.323
190					190	78	0.363	0.351	0.328



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
190	74	0.368	0.356	0.332	190	137	0.675	0.663	0.639
190	80	0.373	0.361	0.338	190	138	0.681	0.668	0.644
190	81	0.378	0.366	0.343	190	139	0.686	0.674	0.650
190	82	0.384	0.371	0.348	190	140	0.692	0.679	0.655
190	83	0.389	0.376	0.353	190	141	0.697	0.685	0.661
190	84	0.394	0.381	0.358	190	142	0.702	0.690	0.667
190	85	0.399	0.386	0.363	190	143	0.708	0.696	0.672
190	86	0.404	0.391	0.368	190	144	0.713	0.701	0.676
190	87	0.409	0.397	0.373	190	145	0.719	0.707	0.684
190	88	0.415	0.402	0.378	190	146	0.725	0.712	0.689
190	89	0.420	0.407	0.383	190	147	0.730	0.718	0.695
190	90	0.425	0.412	0.388	190	148	0.736	0.724	0.701
190	91	0.430	0.417	0.393	190	149	0.741	0.729	0.707
190	92	0.435	0.422	0.398	190	150	0.747	0.735	0.712
190	93	0.441	0.428	0.403	190	151	0.752	0.741	0.718
190	94	0.446	0.433	0.409	190	152	0.758	0.746	0.724
190	95	0.451	0.438	0.414	190	153	0.763	0.752	0.730
190	96	0.456	0.443	0.419	190	154	0.769	0.758	0.735
190	97	0.462	0.448	0.424	190	155	0.775	0.763	0.741
190	98	0.467	0.454	0.429	190	156	0.780	0.769	0.747
190	99	0.472	0.459	0.434	190	157	0.786	0.775	0.753
190	100	0.477	0.464	0.440	190	158	0.792	0.780	0.759
190	101	0.482	0.469	0.445	190	159	0.797	0.786	0.765
190	102	0.488	0.475	0.450	190	160	0.803	0.792	0.771
190	103	0.493	0.480	0.455	190	161	0.809	0.798	0.777
190	104	0.498	0.485	0.460	190	162	0.814	0.804	0.783
190	105	0.504	0.490	0.466	190	163	0.820	0.809	0.789
190	106	0.509	0.496	0.471	190	164	0.826	0.815	0.795
190	107	0.514	0.501	0.476	190	165	0.831	0.821	0.801
190	108	0.519	0.506	0.481	190	166	0.837	0.827	0.807
190	109	0.525	0.511	0.487	190	167	0.843	0.833	0.813
190	110	0.530	0.517	0.492	190	168	0.849	0.839	0.819
190	111	0.535	0.522	0.497	190	169	0.854	0.845	0.826
190	112	0.541	0.527	0.503	190	170	0.860	0.851	0.832
190	113	0.546	0.533	0.508	190	171	0.866	0.857	0.838
190	114	0.551	0.538	0.513	190	172	0.872	0.863	0.844
190	115	0.557	0.543	0.519	190	173	0.878	0.869	0.851
190	116	0.562	0.549	0.524	190	174	0.884	0.875	0.857
190	117	0.567	0.554	0.529	190	175	0.890	0.881	0.864
190	118	0.573	0.559	0.535	190	176	0.896	0.887	0.870
190	119	0.578	0.565	0.540	190	177	0.902	0.893	0.877
190	120	0.583	0.570	0.545	190	178	0.908	0.900	0.883
190	121	0.589	0.576	0.551	190	179	0.914	0.906	0.890
190	122	0.594	0.581	0.556	190	180	0.920	0.912	0.897
190	123	0.599	0.586	0.562	190	181	0.926	0.919	0.904
190	124	0.605	0.592	0.567	190	182	0.933	0.925	0.911
190	125	0.610	0.597	0.573	190	183	0.939	0.932	0.918
190	126	0.615	0.602	0.578	190	184	0.945	0.939	0.925
190	127	0.621	0.608	0.583	190	185	0.952	0.945	0.932
190	128	0.626	0.613	0.589	190	186	0.958	0.952	0.940
190	129	0.632	0.619	0.594	190	187	0.965	0.960	0.948
190	130	0.637	0.624	0.600	190	188	0.972	0.967	0.956
190	131	0.642	0.630	0.605	190	189	0.980	0.975	0.966
190	132	0.648	0.635	0.611	190	190	0.988	0.984	0.976
190	133	0.653	0.641	0.616	195	0	0.000	0.000	0.000
190	134	0.659	0.646	0.622	195	1	0.001	0.000	0.000
190	135	0.664	0.652	0.627	195	2	0.003	0.002	0.001
190	136	0.670	0.657	0.633	195	3	0.006	0.004	0.002

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
195	4	0.009	0.007	0.004	195	65	0.289	0.277	0.256
195	5	0.013	0.010	0.007	195	66	0.294	0.282	0.261
195	6	0.016	0.013	0.009	195	67	0.299	0.287	0.266
195	7	0.020	0.017	0.012	195	68	0.304	0.292	0.271
195	8	0.024	0.021	0.015	195	69	0.309	0.297	0.275
195	9	0.028	0.024	0.018	195	70	0.314	0.302	0.280
195	10	0.032	0.028	0.021	195	71	0.319	0.307	0.285
195	11	0.036	0.032	0.025	195	72	0.324	0.312	0.290
195	12	0.040	0.036	0.028	195	73	0.329	0.317	0.294
195	13	0.045	0.040	0.032	195	74	0.333	0.321	0.299
195	14	0.049	0.044	0.035	195	75	0.338	0.326	0.304
195	15	0.053	0.048	0.039	195	76	0.343	0.331	0.309
195	16	0.058	0.052	0.043	195	77	0.348	0.336	0.314
195	17	0.062	0.056	0.046	195	78	0.353	0.341	0.319
195	18	0.066	0.061	0.050	195	79	0.358	0.346	0.323
195	19	0.071	0.065	0.054	195	80	0.363	0.351	0.328
195	20	0.075	0.069	0.058	195	81	0.368	0.356	0.333
195	21	0.080	0.073	0.062	195	82	0.373	0.361	0.338
195	22	0.084	0.078	0.066	195	83	0.376	0.366	0.343
195	23	0.089	0.082	0.070	195	84	0.383	0.371	0.346
195	24	0.093	0.086	0.074	195	85	0.388	0.376	0.353
195	25	0.098	0.091	0.078	195	86	0.394	0.381	0.358
195	26	0.103	0.095	0.082	195	87	0.399	0.386	0.363
195	27	0.107	0.100	0.086	195	88	0.404	0.391	0.368
195	28	0.112	0.104	0.090	195	89	0.409	0.396	0.373
195	29	0.116	0.108	0.095	195	90	0.414	0.401	0.377
195	30	0.121	0.113	0.099	195	91	0.419	0.406	0.382
195	31	0.126	0.117	0.103	195	92	0.424	0.411	0.387
195	32	0.130	0.122	0.107	195	93	0.429	0.416	0.392
195	33	0.135	0.127	0.112	195	94	0.434	0.421	0.397
195	34	0.140	0.131	0.116	195	95	0.439	0.426	0.402
195	35	0.144	0.136	0.120	195	96	0.444	0.431	0.407
195	36	0.149	0.140	0.124	195	97	0.449	0.436	0.412
195	37	0.154	0.145	0.129	195	98	0.454	0.441	0.417
195	38	0.158	0.149	0.133	195	99	0.459	0.446	0.422
195	39	0.163	0.154	0.138	195	100	0.464	0.452	0.427
195	40	0.168	0.159	0.142	195	101	0.470	0.457	0.433
195	41	0.173	0.163	0.146	195	102	0.475	0.462	0.438
195	42	0.177	0.168	0.151	195	103	0.480	0.467	0.443
195	43	0.182	0.173	0.155	195	104	0.485	0.472	0.448
195	44	0.187	0.177	0.160	195	105	0.490	0.477	0.453
195	45	0.192	0.182	0.164	195	106	0.495	0.482	0.458
195	46	0.197	0.187	0.169	195	107	0.500	0.487	0.463
195	47	0.201	0.191	0.173	195	108	0.505	0.492	0.468
195	48	0.206	0.196	0.178	195	109	0.511	0.498	0.473
195	49	0.211	0.201	0.182	195	110	0.516	0.503	0.478
195	50	0.216	0.205	0.187	195	111	0.521	0.508	0.483
195	51	0.221	0.210	0.191	195	112	0.526	0.513	0.489
195	52	0.225	0.215	0.196	195	113	0.531	0.518	0.494
195	53	0.230	0.220	0.200	195	114	0.536	0.523	0.499
195	54	0.235	0.224	0.205	195	115	0.542	0.529	0.504
195	55	0.240	0.229	0.210	195	116	0.547	0.534	0.509
195	56	0.245	0.234	0.214	195	117	0.552	0.539	0.514
195	57	0.250	0.239	0.219	195	118	0.557	0.544	0.520
195	58	0.255	0.244	0.224	195	119	0.562	0.549	0.525
195	59	0.260	0.248	0.228	195	120	0.567	0.554	0.530
195	60	0.264	0.253	0.233	195	121	0.573	0.560	0.535
195	61	0.269	0.258	0.238	195	122	0.578	0.565	0.541
195	62	0.274	0.263	0.242	195	123	0.583	0.570	0.546
195	63	0.279	0.268	0.247	195	124	0.588	0.575	0.551
195	64	0.284	0.273	0.252	195	125	0.593	0.581	0.556

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
195	126	0.599	0.586	0.562	195	182	0.904	0.896	0.880
195	127	0.604	0.591	0.567	195	183	0.910	0.902	0.886
195	128	0.609	0.596	0.572	195	184	0.916	0.908	0.893
195	129	0.614	0.602	0.577					
195	130	0.620	0.607	0.583	195	185	0.922	0.915	0.899
195	131	0.625	0.612	0.588	195	186	0.928	0.921	0.906
195	132	0.630	0.618	0.593	195	187	0.934	0.927	0.913
195	133	0.635	0.623	0.599	195	188	0.940	0.934	0.920
195	134	0.641	0.628	0.604	195	189	0.947	0.940	0.927
195	135	0.646	0.633	0.609	195	190	0.953	0.947	0.934
195	136	0.651	0.639	0.615	195	191	0.959	0.954	0.942
195	137	0.657	0.644	0.620	195	192	0.966	0.961	0.949
195	138	0.662	0.649	0.626	195	193	0.973	0.968	0.958
195	139	0.667	0.655	0.631	195	194	0.980	0.976	0.966
195	140	0.673	0.660	0.636	195	195	0.988	0.985	0.977
195	141	0.678	0.665	0.642					
195	142	0.683	0.671	0.647					
195	143	0.688	0.676	0.653					
195	144	0.694	0.682	0.658					
195	145	0.699	0.687	0.664					
195	146	0.705	0.692	0.669					
195	147	0.710	0.698	0.675					
195	148	0.715	0.703	0.680					
195	149	0.721	0.709	0.686					
195	150	0.726	0.714	0.691					
195	151	0.731	0.720	0.697					
195	152	0.737	0.725	0.702					
195	153	0.742	0.731	0.708					
195	154	0.748	0.736	0.714					
195	155	0.753	0.742	0.719					
195	156	0.758	0.747	0.725					
195	157	0.764	0.753	0.731					
195	158	0.769	0.758	0.736					
195	159	0.775	0.764	0.742					
195	160	0.780	0.769	0.748					
195	161	0.786	0.775	0.753					
195	162	0.791	0.780	0.759					
195	163	0.797	0.786	0.765					
195	164	0.802	0.792	0.771					
195	165	0.808	0.797	0.776					
195	166	0.813	0.803	0.782					
195	167	0.819	0.808	0.788					
195	168	0.824	0.814	0.794					
195	169	0.830	0.820	0.800					
195	170	0.836	0.826	0.806					
195	171	0.841	0.831	0.812					
195	172	0.847	0.837	0.818					
195	173	0.853	0.843	0.824					
195	174	0.858	0.849	0.830					
195	175	0.864	0.854	0.836					
195	176	0.870	0.860	0.842					
195	177	0.875	0.866	0.848					
195	178	0.881	0.872	0.854					
195	179	0.887	0.878	0.861					
195	180	0.893	0.884	0.867					
195	181	0.898	0.890	0.873					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
200	0	0.0000	0.0000	0.0000	200	60	0.2576	0.2467	0.2268
200	1	0.0005	0.0003	0.0001	200	61	0.2624	0.2514	0.2313
200	2	0.0027	0.0018	0.0007	200	62	0.2672	0.2561	0.2359
200	3	0.0055	0.0041	0.0022	200	63	0.2719	0.2608	0.2405
200	4	0.0088	0.0069	0.0041	200	64	0.2767	0.2655	0.2450
200	5	0.0122	0.0099	0.0064	200	65	0.2815	0.2703	0.2496
200	6	0.0158	0.0131	0.0090	200	66	0.2863	0.2750	0.2542
200	7	0.0196	0.0165	0.0118	200	67	0.2911	0.2797	0.2589
200	8	0.0234	0.0201	0.0147	200	68	0.2959	0.2845	0.2635
200	9	0.0273	0.0237	0.0177	200	69	0.3007	0.2892	0.2681
200	10	0.0313	0.0274	0.0209	200	70	0.3056	0.2940	0.2727
200	11	0.0354	0.0311	0.0242	200	71	0.3104	0.2987	0.2774
200	12	0.0395	0.0350	0.0275	200	72	0.3152	0.3035	0.2820
200	13	0.0436	0.0389	0.0310	200	73	0.3200	0.3083	0.2867
200	14	0.0478	0.0428	0.0345	200	74	0.3249	0.3131	0.2914
200	15	0.0520	0.0468	0.0380	200	75	0.3297	0.3179	0.2961
200	16	0.0562	0.0508	0.0416	200	76	0.3346	0.3227	0.3008
200	17	0.0605	0.0549	0.0453	200	77	0.3394	0.3275	0.3055
200	18	0.0648	0.0590	0.0490	200	78	0.3443	0.3323	0.3102
200	19	0.0691	0.0631	0.0528	200	79	0.3492	0.3371	0.3149
200	20	0.0735	0.0673	0.0566	200	80	0.3540	0.3419	0.3196
200	21	0.0778	0.0714	0.0604	200	81	0.3589	0.3467	0.3243
200	22	0.0822	0.0756	0.0642	200	82	0.3638	0.3516	0.3291
200	23	0.0866	0.0799	0.0682	200	83	0.3687	0.3564	0.3339
200	24	0.0911	0.0841	0.0721	200	84	0.3735	0.3613	0.3386
200	25	0.0955	0.0884	0.0761	200	85	0.3784	0.3661	0.3434
200	26	0.1000	0.0927	0.0800	200	86	0.3833	0.3710	0.3482
200	27	0.1044	0.0970	0.0841	200	87	0.3882	0.3759	0.3530
200	28	0.1089	0.1014	0.0881	200	88	0.3931	0.3807	0.3576
200	29	0.1134	0.1057	0.0922	200	89	0.3980	0.3856	0.3626
200	30	0.1179	0.1101	0.0963	200	90	0.4030	0.3905	0.3674
200	31	0.1224	0.1145	0.1004	200	91	0.4079	0.3954	0.3722
200	32	0.1270	0.1189	0.1045	200	92	0.4128	0.4003	0.3770
200	33	0.1315	0.1233	0.1087	200	93	0.4177	0.4052	0.3819
200	34	0.1361	0.1277	0.1128	200	94	0.4227	0.4101	0.3867
200	35	0.1406	0.1321	0.1170	200	95	0.4276	0.4150	0.3916
200	36	0.1452	0.1366	0.1212	200	96	0.4325	0.4199	0.3964
200	37	0.1498	0.1411	0.1255	200	97	0.4375	0.4248	0.4013
200	38	0.1544	0.1456	0.1297	200	98	0.4424	0.4298	0.4062
200	39	0.1590	0.1500	0.1340	200	99	0.4474	0.4347	0.4111
200	40	0.1637	0.1545	0.1383	200	100	0.4524	0.4396	0.4159
200	41	0.1683	0.1591	0.1426	200	101	0.4573	0.4446	0.4209
200	42	0.1729	0.1636	0.1469	200	102	0.4623	0.4495	0.4258
200	43	0.1776	0.1681	0.1512	200	103	0.4673	0.4545	0.4307
200	44	0.1822	0.1727	0.1556	200	104	0.4722	0.4595	0.4356
200	45	0.1869	0.1772	0.1599	200	105	0.4772	0.4644	0.4405
200	46	0.1915	0.1818	0.1643	200	106	0.4822	0.4694	0.4455
200	47	0.1962	0.1864	0.1687	200	107	0.4872	0.4744	0.4504
200	48	0.2009	0.1910	0.1731	200	108	0.4922	0.4794	0.4554
200	49	0.2056	0.1956	0.1775	200	109	0.4972	0.4844	0.4604
200	50	0.2103	0.2002	0.1819	200	110	0.5022	0.4894	0.4653
200	51	0.2150	0.2048	0.1863	200	111	0.5072	0.4944	0.4703
200	52	0.2197	0.2094	0.1908	200	112	0.5122	0.4994	0.4753
200	53	0.2244	0.2140	0.1952	200	113	0.5173	0.5044	0.4803
200	54	0.2291	0.2187	0.1997	200	114	0.5223	0.5094	0.4853
200	55	0.2339	0.2233	0.2042	200	115	0.5273	0.5145	0.4903
200	56	0.2386	0.2280	0.2087	200	116	0.5323	0.5195	0.4954
200	57	0.2434	0.2327	0.2132	200	117	0.5374	0.5245	0.5004
200	58	0.2481	0.2373	0.2177	200	118	0.5424	0.5296	0.5054
200	59	0.2529	0.2420	0.2222	200	119	0.5475	0.5346	0.5105

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
200	120	0.5525	0.5397	0.5156	200	175	0.8397	0.8298	0.8105
200	121	0.5576	0.5447	0.5206	200	176	0.8451	0.8354	0.8164
200	122	0.5626	0.5498	0.5257	200	177	0.8506	0.8410	0.8222
200	123	0.5677	0.5549	0.5308	200	178	0.8561	0.8467	0.8281
200	124	0.5728	0.5600	0.5359	200	179	0.8616	0.8523	0.8340
200	125	0.5778	0.5651	0.5410	200	180	0.8672	0.8580	0.8399
200	126	0.5829	0.5702	0.5461	200	181	0.8727	0.8637	0.8459
200	127	0.5880	0.5753	0.5512	200	182	0.8783	0.8695	0.8519
200	128	0.5931	0.5804	0.5563	200	183	0.8839	0.8752	0.8580
200	129	0.5982	0.5855	0.5615	200	184	0.8896	0.8810	0.8641
200	130	0.6033	0.5906	0.5666	200	185	0.8952	0.8869	0.8702
200	131	0.6084	0.5957	0.5718	200	186	0.9009	0.8927	0.8764
200	132	0.6135	0.6009	0.5770	200	187	0.9066	0.8986	0.8827
200	133	0.6186	0.6060	0.5821	200	188	0.9124	0.9046	0.8890
200	134	0.6237	0.6112	0.5873	200	189	0.9182	0.9106	0.8954
200	135	0.6289	0.6163	0.5925	200	190	0.9240	0.9167	0.9018
200	136	0.6340	0.6215	0.5977	200	191	0.9299	0.9228	0.9084
200	137	0.6391	0.6267	0.6029	200	192	0.9358	0.9290	0.9150
200	138	0.6443	0.6318	0.6081	200	193	0.9418	0.9353	0.9218
200	139	0.6494	0.6370	0.6134	200	194	0.9479	0.9417	0.9287
200	140	0.6546	0.6422	0.6186	200	195	0.9541	0.9482	0.9358
200	141	0.6598	0.6474	0.6239	200	196	0.9604	0.9548	0.9431
200	142	0.6649	0.6526	0.6292	200	197	0.9669	0.9617	0.9507
200	143	0.6701	0.6578	0.6344	200	198	0.9736	0.9689	0.9586
200	144	0.6753	0.6630	0.6397	200	199	0.9807	0.9765	0.9673
200	145	0.6805	0.6683	0.6450	200	200	0.9886	0.9851	0.9772
200	146	0.6856	0.6735	0.6503					
200	147	0.6908	0.6787	0.6556					
200	148	0.6961	0.6840	0.6610					
200	149	0.7013	0.6893	0.6663					
200	150	0.7065	0.6945	0.6717					
200	151	0.7117	0.6998	0.6771					
200	152	0.7169	0.7051	0.6824					
200	153	0.7222	0.7104	0.6878					
200	154	0.7274	0.7157	0.6932					
200	155	0.7327	0.7210	0.6987					
200	156	0.7379	0.7263	0.7041					
200	157	0.7432	0.7317	0.7095					
200	158	0.7485	0.7370	0.7150					
200	159	0.7538	0.7424	0.7205					
200	160	0.7590	0.7477	0.7260					
200	161	0.7644	0.7531	0.7315					
200	162	0.7697	0.7585	0.7370					
200	163	0.7750	0.7639	0.7425					
200	164	0.7803	0.7693	0.7481					
200	165	0.7857	0.7748	0.7537					
200	166	0.7910	0.7802	0.7593					
200	167	0.7963	0.7857	0.7649					
200	168	0.8017	0.7911	0.7705					
200	169	0.8071	0.7966	0.7762					
200	170	0.8125	0.8021	0.7818					
200	171	0.8179	0.8076	0.7875					
200	172	0.8233	0.8131	0.7933					
200	173	0.8287	0.8187	0.7990					
200	174	0.8342	0.8242	0.8048					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	0	0.0000	0.0000	0.0000	500	54	0.0904	0.0859	0.0779
500	1	0.0002	0.0001	0.0000	500	55	0.0923	0.0877	0.0797
500	2	0.0011	0.0007	0.0003	500	56	0.0941	0.0896	0.0814
500	3	0.0022	0.0016	0.0009	500	57	0.0960	0.0914	0.0831
500	4	0.0035	0.0027	0.0017	500	58	0.0978	0.0932	0.0849
500	5	0.0049	0.0039	0.0026	500	59	0.0997	0.0950	0.0866
500	6	0.0063	0.0052	0.0036	500	60	0.1015	0.0968	0.0883
500	7	0.0078	0.0066	0.0047	500	61	0.1034	0.0986	0.0901
500	8	0.0093	0.0080	0.0058	500	62	0.1053	0.1005	0.0918
500	9	0.0109	0.0094	0.0070	500	63	0.1071	0.1023	0.0936
500	10	0.0125	0.0109	0.0083	500	64	0.1090	0.1041	0.0953
500	11	0.0141	0.0124	0.0096	500	65	0.1108	0.1059	0.0971
500	12	0.0157	0.0139	0.0109	500	66	0.1127	0.1078	0.0988
500	13	0.0174	0.0154	0.0123	500	67	0.1146	0.1096	0.1006
500	14	0.0190	0.0170	0.0137	500	68	0.1165	0.1114	0.1024
500	15	0.0207	0.0186	0.0151	500	69	0.1183	0.1133	0.1041
500	16	0.0224	0.0202	0.0165	500	70	0.1202	0.1151	0.1059
500	17	0.0241	0.0218	0.0179	500	71	0.1221	0.1170	0.1077
500	18	0.0258	0.0234	0.0194	500	72	0.1240	0.1188	0.1094
500	19	0.0275	0.0250	0.0209	500	73	0.1258	0.1206	0.1112
500	20	0.0292	0.0267	0.0223	500	74	0.1277	0.1225	0.1130
500	21	0.0309	0.0283	0.0238	500	75	0.1296	0.1243	0.1148
500	22	0.0326	0.0300	0.0254	500	76	0.1315	0.1262	0.1166
500	23	0.0344	0.0316	0.0269	500	77	0.1334	0.1280	0.1183
500	24	0.0361	0.0333	0.0284	500	78	0.1353	0.1299	0.1201
500	25	0.0379	0.0350	0.0300	500	79	0.1371	0.1317	0.1219
500	26	0.0396	0.0367	0.0315	500	80	0.1390	0.1336	0.1237
500	27	0.0414	0.0384	0.0331	500	81	0.1409	0.1354	0.1255
500	28	0.0432	0.0401	0.0347	500	82	0.1428	0.1373	0.1273
500	29	0.0450	0.0418	0.0363	500	83	0.1447	0.1392	0.1291
500	30	0.0467	0.0435	0.0379	500	84	0.1466	0.1410	0.1309
500	31	0.0485	0.0452	0.0395	500	85	0.1485	0.1429	0.1327
500	32	0.0503	0.0470	0.0411	500	86	0.1504	0.1447	0.1345
500	33	0.0521	0.0487	0.0427	500	87	0.1523	0.1466	0.1363
500	34	0.0539	0.0504	0.0443	500	88	0.1542	0.1485	0.1381
500	35	0.0557	0.0522	0.0460	500	89	0.1561	0.1503	0.1399
500	36	0.0575	0.0539	0.0476	500	90	0.1580	0.1522	0.1417
500	37	0.0593	0.0557	0.0492	500	91	0.1599	0.1541	0.1435
500	38	0.0611	0.0574	0.0509	500	92	0.1618	0.1559	0.1453
500	39	0.0629	0.0592	0.0526	500	93	0.1637	0.1578	0.1472
500	40	0.0647	0.0609	0.0542	500	94	0.1656	0.1597	0.1490
500	41	0.0665	0.0627	0.0559	500	95	0.1675	0.1616	0.1508
500	42	0.0684	0.0645	0.0576	500	96	0.1694	0.1634	0.1526
500	43	0.0702	0.0662	0.0592	500	97	0.1713	0.1653	0.1544
500	44	0.0720	0.0680	0.0609	500	98	0.1732	0.1672	0.1563
500	45	0.0738	0.0698	0.0626	500	99	0.1751	0.1691	0.1581
500	46	0.0757	0.0716	0.0643	500	100	0.1770	0.1710	0.1599
500	47	0.0775	0.0734	0.0660	500	101	0.1789	0.1728	0.1618
500	48	0.0793	0.0752	0.0677	500	102	0.1808	0.1747	0.1636
500	49	0.0812	0.0769	0.0694	500	103	0.1827	0.1766	0.1654
500	50	0.0830	0.0787	0.0711	500	104	0.1846	0.1785	0.1672
500	51	0.0849	0.0805	0.0728	500	105	0.1865	0.1804	0.1691
500	52	0.0867	0.0823	0.0745	500	106	0.1885	0.1823	0.1709
500	53	0.0886	0.0841	0.0762					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	107	0.1904	0.1842	0.1728	500	161	0.2948	0.2875	0.2740
500	108	0.1923	0.1860	0.1746	500	162	0.2967	0.2894	0.2759
500	109	0.1942	0.1879	0.1764	500	163	0.2987	0.2914	0.2778
500	110	0.1961	0.1898	0.1783	500	164	0.3006	0.2933	0.2797
500	111	0.1980	0.1917	0.1801	500	165	0.3026	0.2952	0.2816
500	112	0.2000	0.1936	0.1820	500	166	0.3045	0.2972	0.2835
500	113	0.2019	0.1955	0.1838	500	167	0.3065	0.2991	0.2854
500	114	0.2038	0.1974	0.1857	500	168	0.3084	0.3010	0.2873
500	115	0.2057	0.1993	0.1875	500	169	0.3104	0.3030	0.2893
500	116	0.2076	0.2012	0.1894	500	170	0.3124	0.3049	0.2912
500	117	0.2096	0.2031	0.1912	500	171	0.3143	0.3069	0.2931
500	118	0.2115	0.2050	0.1931	500	172	0.3163	0.3088	0.2950
500	119	0.2134	0.2069	0.1949	500	173	0.3182	0.3108	0.2969
500	120	0.2153	0.2088	0.1968	500	174	0.3202	0.3127	0.2988
500	121	0.2172	0.2107	0.1986	500	175	0.3222	0.3146	0.3007
500	122	0.2191	0.2126	0.2005	500	176	0.3241	0.3166	0.3027
500	123	0.2212	0.2145	0.2024	500	177	0.3261	0.3185	0.3046
500	124	0.2230	0.2164	0.2042	500	178	0.3280	0.3205	0.3065
500	125	0.2250	0.2183	0.2061	500	179	0.3300	0.3224	0.3084
500	126	0.2269	0.2202	0.2080	500	180	0.3319	0.3244	0.3104
500	127	0.2288	0.2221	0.2098	500	181	0.3339	0.3263	0.3123
500	128	0.2307	0.2240	0.2117	500	182	0.3359	0.3283	0.3142
500	129	0.2327	0.2259	0.2136	500	183	0.3378	0.3302	0.3161
500	130	0.2346	0.2279	0.2154	500	184	0.3398	0.3322	0.3181
500	131	0.2365	0.2298	0.2173	500	185	0.3418	0.3341	0.3200
500	132	0.2385	0.2317	0.2192	500	186	0.3437	0.3361	0.3219
500	133	0.2404	0.2336	0.2210	500	187	0.3457	0.3380	0.3238
500	134	0.2423	0.2355	0.2229	500	188	0.3476	0.3400	0.3258
500	135	0.2443	0.2374	0.2248	500	189	0.3496	0.3419	0.3277
500	136	0.2462	0.2393	0.2267	500	190	0.3516	0.3439	0.3296
500	137	0.2481	0.2412	0.2286	500	191	0.3535	0.3458	0.3316
500	138	0.2501	0.2432	0.2304	500	192	0.3555	0.3478	0.3335
500	139	0.2520	0.2451	0.2323	500	193	0.3575	0.3496	0.3354
500	140	0.2540	0.2470	0.2342	500	194	0.3594	0.3517	0.3374
500	141	0.2559	0.2489	0.2361	500	195	0.3614	0.3537	0.3393
500	142	0.2578	0.2508	0.2380	500	196	0.3634	0.3556	0.3412
500	143	0.2598	0.2528	0.2398	500	197	0.3653	0.3576	0.3432
500	144	0.2617	0.2547	0.2418	500	198	0.3673	0.3596	0.3451
500	145	0.2636	0.2566	0.2436	500	199	0.3693	0.3615	0.3471
500	146	0.2656	0.2585	0.2455	500	200	0.3713	0.3635	0.3490
500	147	0.2675	0.2605	0.2474	500	201	0.3732	0.3654	0.3509
500	148	0.2695	0.2624	0.2493	500	202	0.3752	0.3674	0.3529
500	149	0.2714	0.2643	0.2512	500	203	0.3772	0.3694	0.3548
500	150	0.2734	0.2662	0.2531	500	204	0.3791	0.3713	0.3568
500	151	0.2753	0.2682	0.2550	500	205	0.3811	0.3733	0.3587
500	152	0.2773	0.2701	0.2569	500	206	0.3831	0.3753	0.3607
500	153	0.2792	0.2720	0.2588	500	207	0.3851	0.3772	0.3626
500	154	0.2812	0.2739	0.2607	500	208	0.3870	0.3792	0.3645
500	155	0.2831	0.2759	0.2626	500	209	0.3890	0.3811	0.3665
500	156	0.2850	0.2778	0.2645	500	210	0.3910	0.3831	0.3684
500	157	0.2870	0.2797	0.2664	500	211	0.3930	0.3851	0.3704
500	158	0.2889	0.2817	0.2683	500	212	0.3949	0.3870	0.3724
500	159	0.2909	0.2836	0.2702	500	213	0.3969	0.3890	0.3743
500	160	0.2928	0.2855	0.2721	500	214	0.3989	0.3910	0.3763

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	215	0.4009	0.3930	0.3782	500	269	0.5084	0.5002	0.4850
500	216	0.4029	0.3949	0.3802	500	270	0.5104	0.5022	0.4870
500	217	0.4048	0.3969	0.3821	500	271	0.5124	0.5042	0.4890
500	218	0.4068	0.3989	0.3841	500	272	0.5144	0.5062	0.4910
500	219	0.4088	0.4009	0.3861	500	273	0.5164	0.5082	0.4930
500	220	0.4108	0.4028	0.3880	500	274	0.5184	0.5102	0.4950
500	221	0.4127	0.4048	0.3900	500	275	0.5204	0.5123	0.4970
500	222	0.4147	0.4068	0.3919	500	276	0.5224	0.5143	0.4990
500	223	0.4167	0.4087	0.3939	500	277	0.5244	0.5163	0.5010
500	224	0.4187	0.4107	0.3959	500	278	0.5264	0.5183	0.5030
500	225	0.4207	0.4127	0.3979	500	279	0.5284	0.5203	0.5050
500	226	0.4227	0.4147	0.3998	500	280	0.5304	0.5223	0.5070
500	227	0.4246	0.4166	0.4017	500	281	0.5324	0.5243	0.5091
500	228	0.4266	0.4186	0.4037	500	282	0.5344	0.5263	0.5111
500	229	0.4286	0.4206	0.4057	500	283	0.5364	0.5283	0.5131
500	230	0.4306	0.4226	0.4076	500	284	0.5384	0.5303	0.5151
500	231	0.4326	0.4246	0.4096	500	285	0.5405	0.5323	0.5171
500	232	0.4346	0.4266	0.4116	500	286	0.5425	0.5344	0.5191
500	233	0.4365	0.4285	0.4135	500	287	0.5445	0.5364	0.5211
500	234	0.4385	0.4305	0.4155	500	288	0.5465	0.5384	0.5231
500	235	0.4405	0.4325	0.4175	500	289	0.5485	0.5404	0.5252
500	236	0.4425	0.4345	0.4195	500	290	0.5505	0.5424	0.5272
500	237	0.4445	0.4365	0.4214	500	291	0.5525	0.5444	0.5292
500	238	0.4465	0.4384	0.4234	500	292	0.5545	0.5464	0.5312
500	239	0.4485	0.4404	0.4254	500	293	0.5566	0.5485	0.5332
500	240	0.4505	0.4424	0.4273	500	294	0.5586	0.5505	0.5353
500	241	0.4525	0.4444	0.4293	500	295	0.5606	0.5525	0.5373
500	242	0.4544	0.4464	0.4313	500	296	0.5626	0.5545	0.5393
500	243	0.4564	0.4484	0.4333	500	297	0.5646	0.5565	0.5413
500	244	0.4584	0.4504	0.4352	500	298	0.5666	0.5586	0.5433
500	245	0.4604	0.4523	0.4372	500	299	0.5686	0.5606	0.5454
500	246	0.4624	0.4543	0.4392	500	300	0.5707	0.5626	0.5474
500	247	0.4644	0.4563	0.4412	500	301	0.5727	0.5646	0.5494
500	248	0.4664	0.4583	0.4432	500	302	0.5747	0.5666	0.5514
500	249	0.4684	0.4603	0.4452	500	303	0.5767	0.5687	0.5535
500	250	0.4704	0.4623	0.4471	500	304	0.5787	0.5707	0.5555
500	251	0.4724	0.4643	0.4491	500	305	0.5808	0.5727	0.5575
500	252	0.4744	0.4663	0.4511	500	306	0.5828	0.5747	0.5596
500	253	0.4764	0.4683	0.4531	500	307	0.5848	0.5768	0.5616
500	254	0.4784	0.4703	0.4551	500	308	0.5868	0.5788	0.5636
500	255	0.4804	0.4723	0.4571	500	309	0.5888	0.5808	0.5657
500	256	0.4824	0.4743	0.4591	500	310	0.5909	0.5828	0.5677
500	257	0.4844	0.4762	0.4611	500	311	0.5929	0.5849	0.5697
500	258	0.4864	0.4782	0.4631	500	312	0.5949	0.5869	0.5718
500	259	0.4883	0.4802	0.4650	500	313	0.5969	0.5889	0.5738
500	260	0.4903	0.4822	0.4670	500	314	0.5990	0.5910	0.5758
500	261	0.4923	0.4842	0.4690	500	315	0.6010	0.5930	0.5779
500	262	0.4943	0.4862	0.4710	500	316	0.6030	0.5950	0.5799
500	263	0.4963	0.4882	0.4730	500	317	0.6050	0.5970	0.5820
500	264	0.4983	0.4902	0.4750	500	318	0.6071	0.5991	0.5840
500	265	0.5003	0.4922	0.4770	500	319	0.6091	0.6011	0.5861
500	266	0.5023	0.4942	0.4790	500	320	0.6111	0.6031	0.5881
500	267	0.5043	0.4962	0.4810	500	321	0.6131	0.6052	0.5901
500	268	0.5064	0.4982	0.4830					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	322	0.6152	0.6072	0.5922	500	376	0.7255	0.7182	0.7042
500	323	0.6172	0.6092	0.5942	500	377	0.7276	0.7202	0.7065
500	324	0.6192	0.6113	0.5963	500	378	0.7297	0.7223	0.7084
					500	379	0.7317	0.7244	0.7105
500	325	0.6213	0.6133	0.5983					
500	326	0.6233	0.6153	0.6004	500	380	0.7338	0.7265	0.7126
500	327	0.6253	0.6174	0.6024	500	381	0.7358	0.7286	0.7147
500	328	0.6273	0.6194	0.6045	500	382	0.7379	0.7306	0.7168
500	329	0.6294	0.6215	0.6065	500	383	0.7400	0.7327	0.7189
					500	384	0.7420	0.7348	0.7210
500	330	0.6314	0.6235	0.6086					
500	331	0.6334	0.6256	0.6106	500	385	0.7441	0.7369	0.7232
500	332	0.6355	0.6276	0.6127	500	386	0.7462	0.7390	0.7253
500	333	0.6375	0.6296	0.6148	500	387	0.7482	0.7411	0.7274
500	334	0.6395	0.6317	0.6168	500	388	0.7503	0.7432	0.7295
					500	389	0.7524	0.7452	0.7316
500	335	0.6416	0.6337	0.6189					
500	336	0.6436	0.6358	0.6209	500	390	0.7544	0.7473	0.7337
500	337	0.6457	0.6378	0.6230	500	391	0.7565	0.7494	0.7359
500	338	0.6477	0.6399	0.6250	500	392	0.7586	0.7515	0.7380
500	339	0.6497	0.6419	0.6271	500	393	0.7607	0.7536	0.7401
					500	394	0.7627	0.7557	0.7423
500	340	0.6518	0.6440	0.6292					
500	341	0.6538	0.6460	0.6312	500	395	0.7648	0.7578	0.7444
500	342	0.6558	0.6480	0.6333	500	396	0.7669	0.7599	0.7465
500	343	0.6579	0.6501	0.6354	500	397	0.7690	0.7620	0.7486
500	344	0.6599	0.6522	0.6374	500	398	0.7710	0.7641	0.7508
					500	399	0.7731	0.7662	0.7529
500	345	0.6620	0.6542	0.6395					
500	346	0.6640	0.6563	0.6416	500	400	0.7752	0.7683	0.7551
500	347	0.6660	0.6583	0.6436	500	401	0.7773	0.7704	0.7572
500	348	0.6681	0.6604	0.6457	500	402	0.7794	0.7725	0.7593
500	349	0.6701	0.6624	0.6478	500	403	0.7814	0.7746	0.7615
					500	404	0.7835	0.7767	0.7636
500	350	0.6722	0.6645	0.6498					
500	351	0.6742	0.6665	0.6519	500	405	0.7856	0.7788	0.7658
500	352	0.6763	0.6686	0.6540	500	406	0.7877	0.7809	0.7679
500	353	0.6783	0.6705	0.6561	500	407	0.7898	0.7830	0.7701
500	354	0.6804	0.6727	0.6582	500	408	0.7919	0.7851	0.7722
					500	409	0.7940	0.7872	0.7744
500	355	0.6824	0.6748	0.6602					
500	356	0.6845	0.6768	0.6623	500	410	0.7960	0.7893	0.7765
500	357	0.6865	0.6789	0.6644	500	411	0.7981	0.7915	0.7787
500	358	0.6885	0.6809	0.6665	500	412	0.8002	0.7936	0.7808
500	359	0.6906	0.6830	0.6686	500	413	0.8023	0.7957	0.7830
					500	414	0.8044	0.7978	0.7852
500	360	0.6926	0.6851	0.6706					
500	361	0.6947	0.6871	0.6727	500	415	0.8065	0.7999	0.7873
500	362	0.6967	0.6892	0.6748	500	416	0.8086	0.8021	0.7895
500	363	0.6988	0.6912	0.6769	500	417	0.8107	0.8042	0.7917
500	364	0.7008	0.6933	0.6790	500	418	0.8128	0.8063	0.7938
					500	419	0.8149	0.8084	0.7960
500	365	0.7029	0.6954	0.6811					
500	366	0.7049	0.6974	0.6832	500	420	0.8170	0.8105	0.7982
500	367	0.7070	0.6995	0.6853	500	421	0.8191	0.8127	0.8003
500	368	0.7091	0.7016	0.6874	500	422	0.8212	0.8148	0.8025
500	369	0.7111	0.7037	0.6895	500	423	0.8233	0.8169	0.8047
					500	424	0.8254	0.8191	0.8069
500	370	0.7132	0.7057	0.6916					
500	371	0.7152	0.7078	0.6937	500	425	0.8275	0.8212	0.8091
500	372	0.7173	0.7099	0.6957	500	426	0.8296	0.8233	0.8113
500	373	0.7194	0.7119	0.6979	500	427	0.8317	0.8255	0.8134
500	374	0.7214	0.7140	0.7000	500	428	0.8338	0.8276	0.8156
					500	429	0.8359	0.8298	0.8178
500	375	0.7235	0.7161	0.7020					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	430	0.8380	0.8319	0.8200	500	484	0.9554	0.9518	0.9446
500	431	0.8402	0.8340	0.8222	500	485	0.9577	0.9542	0.9471
500	432	0.8423	0.8362	0.8244	500	486	0.9600	0.9566	0.9497
500	433	0.8444	0.8383	0.8266	500	487	0.9623	0.9590	0.9523
500	434	0.8465	0.8405	0.8288	500	488	0.9646	0.9614	0.9549
500	435	0.8486	0.8426	0.8310	500	489	0.9670	0.9638	0.9575
500	436	0.8507	0.8448	0.8333	500	490	0.9694	0.9663	0.9601
500	437	0.8529	0.8469	0.8355	500	491	0.9717	0.9686	0.9626
500	438	0.8550	0.8491	0.8377	500	492	0.9741	0.9713	0.9655
500	439	0.8571	0.8512	0.8399	500	493	0.9766	0.9739	0.9683
500	440	0.8592	0.8534	0.8421	500	494	0.9790	0.9765	0.9711
500	441	0.8614	0.8556	0.8444	500	495	0.9815	0.9791	0.9740
500	442	0.8635	0.8577	0.8466	500	496	0.9841	0.9818	0.9770
500	443	0.8656	0.8599	0.8488	500	497	0.9867	0.9846	0.9801
500	444	0.8678	0.8621	0.8511	500	498	0.9894	0.9875	0.9833
500	445	0.8699	0.8642	0.8533	500	499	0.9922	0.9905	0.9868
500	446	0.8720	0.8664	0.8555	500	500	0.9954	0.9940	0.9906
500	447	0.8742	0.8686	0.8578					
500	448	0.8763	0.8708	0.8600					
500	449	0.8784	0.8729	0.8623					
500	450	0.8806	0.8751	0.8645					
500	451	0.8827	0.8773	0.8668					
500	452	0.8849	0.8795	0.8690					
500	453	0.8870	0.8817	0.8713					
500	454	0.8892	0.8839	0.8736					
500	455	0.8913	0.8861	0.8759					
500	456	0.8935	0.8883	0.8781					
500	457	0.8957	0.8905	0.8804					
500	458	0.8978	0.8927	0.8827					
500	459	0.9000	0.8949	0.8850					
500	460	0.9022	0.8971	0.8873					
500	461	0.9043	0.8994	0.8896					
500	462	0.9065	0.9016	0.8919					
500	463	0.9087	0.9038	0.8942					
500	464	0.9109	0.9060	0.8966					
500	465	0.9130	0.9083	0.8989					
500	466	0.9152	0.9105	0.9012					
500	467	0.9174	0.9127	0.9036					
500	468	0.9196	0.9150	0.9059					
500	469	0.9218	0.9172	0.9082					
500	470	0.9240	0.9195	0.9106					
500	471	0.9262	0.9218	0.9130					
500	472	0.9284	0.9240	0.9153					
500	473	0.9306	0.9263	0.9177					
500	474	0.9329	0.9286	0.9201					
500	475	0.9351	0.9309	0.9225					
500	476	0.9373	0.9332	0.9249					
500	477	0.9396	0.9355	0.9273					
500	478	0.9418	0.9378	0.9298					
500	479	0.9440	0.9401	0.9322					
500	480	0.9463	0.9424	0.9347					
500	481	0.9486	0.9447	0.9371					
500	482	0.9508	0.9471	0.9396					
500	483	0.9531	0.9494	0.9421					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	0	0.0000	0.0000	0.0000	1000	54	0.0450	0.0427	0.0387
1000	1	0.0001	0.0001	0.0000	1000	55	0.0459	0.0436	0.0395
1000	2	0.0005	0.0004	0.0001	1000	56	0.0468	0.0445	0.0404
1000	3	0.0011	0.0008	0.0004	1000	57	0.0478	0.0454	0.0412
1000	4	0.0017	0.0014	0.0008	1000	58	0.0487	0.0463	0.0421
1000	5	0.0024	0.0020	0.0013	1000	59	0.0496	0.0472	0.0429
1000	6	0.0032	0.0026	0.0018	1000	60	0.0505	0.0481	0.0438
1000	7	0.0039	0.0033	0.0023	1000	61	0.0515	0.0490	0.0447
1000	8	0.0047	0.0040	0.0029	1000	62	0.0524	0.0499	0.0455
1000	9	0.0054	0.0047	0.0035	1000	63	0.0532	0.0508	0.0464
1000	10	0.0062	0.0054	0.0041	1000	64	0.0542	0.0517	0.0473
1000	11	0.0070	0.0062	0.0048	1000	65	0.0552	0.0526	0.0481
1000	12	0.0078	0.0069	0.0054	1000	66	0.0561	0.0536	0.0490
1000	13	0.0087	0.0077	0.0061	1000	67	0.0570	0.0545	0.0499
1000	14	0.0095	0.0085	0.0068	1000	68	0.0579	0.0554	0.0507
1000	15	0.0103	0.0093	0.0075	1000	69	0.0589	0.0563	0.0516
1000	16	0.0112	0.0101	0.0082	1000	70	0.0598	0.0572	0.0525
1000	17	0.0120	0.0109	0.0089	1000	71	0.0607	0.0581	0.0533
1000	18	0.0128	0.0117	0.0097	1000	72	0.0617	0.0590	0.0542
1000	19	0.0137	0.0125	0.0104	1000	73	0.0626	0.0599	0.0551
1000	20	0.0146	0.0133	0.0111	1000	74	0.0635	0.0608	0.0560
1000	21	0.0154	0.0141	0.0119	1000	75	0.0645	0.0617	0.0568
1000	22	0.0163	0.0149	0.0126	1000	76	0.0654	0.0627	0.0577
1000	23	0.0171	0.0158	0.0134	1000	77	0.0663	0.0636	0.0586
1000	24	0.0180	0.0166	0.0142	1000	78	0.0673	0.0645	0.0595
1000	25	0.0189	0.0174	0.0149	1000	79	0.0682	0.0654	0.0604
1000	26	0.0198	0.0183	0.0157	1000	80	0.0691	0.0663	0.0612
1000	27	0.0206	0.0191	0.0165	1000	81	0.0701	0.0672	0.0621
1000	28	0.0215	0.0200	0.0173	1000	82	0.0710	0.0682	0.0630
1000	29	0.0224	0.0208	0.0180	1000	83	0.0719	0.0691	0.0639
1000	30	0.0233	0.0217	0.0188	1000	84	0.0729	0.0700	0.0648
1000	31	0.0242	0.0225	0.0196	1000	85	0.0738	0.0709	0.0657
1000	32	0.0251	0.0234	0.0204	1000	86	0.0748	0.0718	0.0666
1000	33	0.0260	0.0242	0.0212	1000	87	0.0757	0.0728	0.0674
1000	34	0.0269	0.0251	0.0220	1000	88	0.0766	0.0737	0.0683
1000	35	0.0278	0.0260	0.0229	1000	89	0.0776	0.0746	0.0692
1000	36	0.0287	0.0268	0.0237	1000	90	0.0785	0.0755	0.0701
1000	37	0.0295	0.0277	0.0245	1000	91	0.0795	0.0764	0.0710
1000	38	0.0304	0.0286	0.0253	1000	92	0.0804	0.0774	0.0719
1000	39	0.0313	0.0295	0.0261	1000	93	0.0813	0.0783	0.0728
1000	40	0.0323	0.0303	0.0269	1000	94	0.0823	0.0792	0.0737
1000	41	0.0332	0.0312	0.0278	1000	95	0.0832	0.0801	0.0746
1000	42	0.0341	0.0321	0.0286	1000	96	0.0842	0.0811	0.0755
1000	43	0.0350	0.0330	0.0294	1000	97	0.0851	0.0820	0.0764
1000	44	0.0359	0.0338	0.0302	1000	98	0.0861	0.0829	0.0773
1000	45	0.0368	0.0347	0.0311	1000	99	0.0870	0.0839	0.0782
1000	46	0.0377	0.0356	0.0319	1000	100	0.0879	0.0848	0.0791
1000	47	0.0386	0.0365	0.0328	1000	101	0.0889	0.0857	0.0799
1000	48	0.0395	0.0374	0.0336	1000	102	0.0898	0.0866	0.0808
1000	49	0.0404	0.0383	0.0344	1000	103	0.0908	0.0876	0.0817
1000	50	0.0413	0.0392	0.0353	1000	104	0.0917	0.0885	0.0826
1000	51	0.0423	0.0401	0.0361	1000	105	0.0927	0.0894	0.0835
1000	52	0.0432	0.0409	0.0370	1000	106	0.0936	0.0904	0.0844
1000	53	0.0441	0.0418	0.0378					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	107	0.0946	0.0913	0.0854	1000	161	0.1461	0.1421	0.1348
1000	108	0.0955	0.0922	0.0863	1000	162	0.1471	0.1431	0.1358
1000	109	0.0965	0.0932	0.0872	1000	163	0.1480	0.1440	0.1367
1000	110	0.0974	0.0941	0.0881	1000	164	0.1490	0.1450	0.1376
1000	111	0.0984	0.0950	0.0890	1000	165	0.1500	0.1459	0.1386
1000	112	0.0993	0.0960	0.0899	1000	166	0.1509	0.1469	0.1395
1000	113	0.1002	0.0969	0.0908	1000	167	0.1519	0.1479	0.1404
1000	114	0.1012	0.0978	0.0917	1000	168	0.1528	0.1488	0.1414
1000	115	0.1021	0.0988	0.0926	1000	169	0.1538	0.1497	0.1423
1000	116	0.1031	0.0997	0.0935	1000	170	0.1548	0.1507	0.1432
1000	117	0.1040	0.1006	0.0944	1000	171	0.1557	0.1516	0.1442
1000	118	0.1050	0.1016	0.0953	1000	172	0.1567	0.1526	0.1451
1000	119	0.1059	0.1025	0.0962	1000	173	0.1577	0.1536	0.1460
1000	120	0.1069	0.1034	0.0971	1000	174	0.1586	0.1545	0.1469
1000	121	0.1079	0.1044	0.0981	1000	175	0.1596	0.1555	0.1479
1000	122	0.1088	0.1053	0.0990	1000	176	0.1605	0.1564	0.1488
1000	123	0.1097	0.1063	0.0999	1000	177	0.1615	0.1574	0.1498
1000	124	0.1107	0.1072	0.1008	1000	178	0.1625	0.1583	0.1507
1000	125	0.1117	0.1081	0.1017	1000	179	0.1634	0.1593	0.1516
1000	126	0.1126	0.1091	0.1026	1000	180	0.1644	0.1602	0.1525
1000	127	0.1136	0.1100	0.1035	1000	181	0.1654	0.1612	0.1535
1000	128	0.1145	0.1110	0.1044	1000	182	0.1663	0.1621	0.1544
1000	129	0.1155	0.1119	0.1054	1000	183	0.1673	0.1631	0.1554
1000	130	0.1164	0.1128	0.1063	1000	184	0.1683	0.1641	0.1563
1000	131	0.1174	0.1138	0.1072	1000	185	0.1692	0.1650	0.1572
1000	132	0.1183	0.1147	0.1081	1000	186	0.1702	0.1660	0.1582
1000	133	0.1193	0.1157	0.1090	1000	187	0.1712	0.1669	0.1591
1000	134	0.1202	0.1166	0.1099	1000	188	0.1721	0.1679	0.1600
1000	135	0.1212	0.1175	0.1108	1000	189	0.1731	0.1688	0.1610
1000	136	0.1222	0.1185	0.1118	1000	190	0.1741	0.1698	0.1619
1000	137	0.1231	0.1194	0.1127	1000	191	0.1750	0.1708	0.1629
1000	138	0.1241	0.1204	0.1136	1000	192	0.1760	0.1717	0.1638
1000	139	0.1250	0.1213	0.1145	1000	193	0.1770	0.1727	0.1647
1000	140	0.1260	0.1223	0.1154	1000	194	0.1779	0.1736	0.1657
1000	141	0.1269	0.1232	0.1164	1000	195	0.1789	0.1746	0.1666
1000	142	0.1279	0.1241	0.1173	1000	196	0.1799	0.1755	0.1675
1000	143	0.1289	0.1251	0.1182	1000	197	0.1808	0.1765	0.1685
1000	144	0.1298	0.1260	0.1191	1000	198	0.1818	0.1775	0.1694
1000	145	0.1308	0.1270	0.1200	1000	199	0.1828	0.1784	0.1704
1000	146	0.1317	0.1279	0.1210	1000	200	0.1837	0.1794	0.1713
1000	147	0.1327	0.1289	0.1219	1000	201	0.1847	0.1803	0.1723
1000	148	0.1336	0.1298	0.1228	1000	202	0.1857	0.1813	0.1732
1000	149	0.1346	0.1308	0.1237	1000	203	0.1866	0.1822	0.1741
1000	150	0.1356	0.1317	0.1247	1000	204	0.1876	0.1832	0.1751
1000	151	0.1365	0.1327	0.1256	1000	205	0.1886	0.1842	0.1760
1000	152	0.1375	0.1336	0.1265	1000	206	0.1896	0.1851	0.1770
1000	153	0.1384	0.1345	0.1274	1000	207	0.1905	0.1861	0.1779
1000	154	0.1394	0.1355	0.1284	1000	208	0.1915	0.1870	0.1789
1000	155	0.1403	0.1365	0.1293	1000	209	0.1925	0.1880	0.1798
1000	156	0.1413	0.1374	0.1302	1000	210	0.1934	0.1890	0.1807
1000	157	0.1423	0.1383	0.1311	1000	211	0.1944	0.1899	0.1817
1000	158	0.1432	0.1393	0.1321	1000	212	0.1954	0.1909	0.1826
1000	159	0.1442	0.1402	0.1330	1000	213	0.1963	0.1919	0.1836
1000	160	0.1451	0.1412	0.1339	1000	214	0.1973	0.1928	0.1845

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	215	0.1983	0.1938	0.1855	1000	269	0.2509	0.2460	0.2369
1000	216	0.1993	0.1947	0.1864	1000	270	0.2519	0.2469	0.2378
1000	217	0.2002	0.1957	0.1874	1000	271	0.2528	0.2479	0.2388
1000	218	0.2012	0.1967	0.1883	1000	272	0.2538	0.2489	0.2397
1000	219	0.2022	0.1976	0.1892	1000	273	0.2548	0.2498	0.2407
1000	220	0.2031	0.1986	0.1902	1000	274	0.2558	0.2508	0.2416
1000	221	0.2041	0.1995	0.1911	1000	275	0.2568	0.2518	0.2426
1000	222	0.2051	0.2005	0.1921	1000	276	0.2577	0.2526	0.2435
1000	223	0.2060	0.2015	0.1930	1000	277	0.2587	0.2537	0.2445
1000	224	0.2070	0.2024	0.1940	1000	278	0.2597	0.2547	0.2455
1000	225	0.2080	0.2034	0.1949	1000	279	0.2607	0.2557	0.2465
1000	226	0.2090	0.2044	0.1959	1000	280	0.2616	0.2566	0.2474
1000	227	0.2099	0.2053	0.1968	1000	281	0.2626	0.2576	0.2484
1000	228	0.2109	0.2063	0.1978	1000	282	0.2636	0.2586	0.2493
1000	229	0.2119	0.2073	0.1987	1000	283	0.2646	0.2596	0.2503
1000	230	0.2129	0.2082	0.1997	1000	284	0.2656	0.2605	0.2512
1000	231	0.2138	0.2092	0.2006	1000	285	0.2665	0.2615	0.2522
1000	232	0.2148	0.2102	0.2016	1000	286	0.2675	0.2625	0.2531
1000	233	0.2158	0.2111	0.2025	1000	287	0.2685	0.2635	0.2541
1000	234	0.2167	0.2121	0.2034	1000	288	0.2695	0.2644	0.2551
1000	235	0.2177	0.2131	0.2044	1000	289	0.2705	0.2654	0.2561
1000	236	0.2187	0.2140	0.2054	1000	290	0.2714	0.2664	0.2570
1000	237	0.2197	0.2150	0.2063	1000	291	0.2724	0.2674	0.2580
1000	238	0.2206	0.2159	0.2073	1000	292	0.2734	0.2683	0.2589
1000	239	0.2216	0.2169	0.2082	1000	293	0.2744	0.2693	0.2599
1000	240	0.2226	0.2179	0.2092	1000	294	0.2754	0.2703	0.2609
1000	241	0.2236	0.2188	0.2101	1000	295	0.2763	0.2712	0.2618
1000	242	0.2245	0.2198	0.2111	1000	296	0.2773	0.2722	0.2628
1000	243	0.2255	0.2208	0.2120	1000	297	0.2783	0.2732	0.2637
1000	244	0.2265	0.2217	0.2130	1000	298	0.2793	0.2742	0.2647
1000	245	0.2275	0.2227	0.2139	1000	299	0.2803	0.2752	0.2657
1000	246	0.2284	0.2237	0.2149	1000	300	0.2812	0.2761	0.2666
1000	247	0.2294	0.2246	0.2158	1000	301	0.2822	0.2771	0.2676
1000	248	0.2304	0.2256	0.2168	1000	302	0.2832	0.2781	0.2686
1000	249	0.2314	0.2266	0.2178	1000	303	0.2842	0.2790	0.2695
1000	250	0.2323	0.2275	0.2187	1000	304	0.2852	0.2800	0.2705
1000	251	0.2333	0.2285	0.2197	1000	305	0.2861	0.2810	0.2715
1000	252	0.2343	0.2295	0.2206	1000	306	0.2871	0.2820	0.2724
1000	253	0.2353	0.2304	0.2215	1000	307	0.2881	0.2830	0.2734
1000	254	0.2362	0.2314	0.2225	1000	308	0.2891	0.2839	0.2743
1000	255	0.2372	0.2324	0.2235	1000	309	0.2901	0.2849	0.2754
1000	256	0.2382	0.2333	0.2244	1000	310	0.2911	0.2859	0.2763
1000	257	0.2392	0.2343	0.2254	1000	311	0.2920	0.2869	0.2773
1000	258	0.2401	0.2353	0.2263	1000	312	0.2930	0.2878	0.2782
1000	259	0.2411	0.2363	0.2273	1000	313	0.2940	0.2888	0.2792
1000	260	0.2421	0.2372	0.2282	1000	314	0.2950	0.2898	0.2802
1000	261	0.2431	0.2382	0.2292	1000	315	0.2960	0.2908	0.2811
1000	262	0.2440	0.2392	0.2302	1000	316	0.2969	0.2917	0.2821
1000	263	0.2450	0.2401	0.2311	1000	317	0.2979	0.2927	0.2831
1000	264	0.2460	0.2411	0.2321	1000	318	0.2989	0.2937	0.2840
1000	265	0.2470	0.2421	0.2330	1000	319	0.2999	0.2947	0.2850
1000	266	0.2479	0.2430	0.2340	1000	320	0.3009	0.2956	0.2860
1000	267	0.2489	0.2440	0.2349	1000	321	0.3019	0.2966	0.2869
1000	268	0.2499	0.2450	0.2359					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	322	0.3028	0.2976	0.2879	1000	376	0.3561	0.3506	0.3404
1000	323	0.3038	0.2986	0.2888	1000	377	0.3570	0.3516	0.3414
1000	324	0.3048	0.2996	0.2898	1000	378	0.3580	0.3526	0.3424
					1000	379	0.3590	0.3536	0.3434
1000	325	0.3058	0.3005	0.2908					
1000	326	0.3068	0.3015	0.2918	1000	380	0.3600	0.3545	0.3443
1000	327	0.3077	0.3025	0.2927	1000	381	0.3610	0.3555	0.3453
1000	328	0.3087	0.3035	0.2937	1000	382	0.3620	0.3565	0.3463
1000	329	0.3097	0.3045	0.2947	1000	383	0.3630	0.3575	0.3473
					1000	384	0.3640	0.3585	0.3482
1000	330	0.3107	0.3054	0.2956					
1000	331	0.3117	0.3064	0.2966	1000	385	0.3650	0.3595	0.3492
1000	332	0.3127	0.3074	0.2976	1000	386	0.3659	0.3605	0.3502
1000	333	0.3137	0.3084	0.2985	1000	387	0.3670	0.3614	0.3512
1000	334	0.3146	0.3093	0.2995	1000	388	0.3679	0.3624	0.3521
					1000	389	0.3689	0.3634	0.3532
1000	335	0.3156	0.3103	0.3005					
1000	336	0.3166	0.3113	0.3015	1000	390	0.3699	0.3644	0.3541
1000	337	0.3176	0.3123	0.3025	1000	391	0.3709	0.3654	0.3551
1000	338	0.3186	0.3133	0.3034	1000	392	0.3719	0.3664	0.3561
1000	339	0.3196	0.3142	0.3044	1000	393	0.3729	0.3673	0.3570
					1000	394	0.3739	0.3683	0.3580
1000	340	0.3205	0.3152	0.3054					
1000	341	0.3215	0.3162	0.3063	1000	395	0.3749	0.3693	0.3590
1000	342	0.3225	0.3172	0.3073	1000	396	0.3758	0.3703	0.3600
1000	343	0.3235	0.3182	0.3083	1000	397	0.3768	0.3713	0.3610
1000	344	0.3245	0.3192	0.3092	1000	398	0.3778	0.3723	0.3619
					1000	399	0.3788	0.3733	0.3629
1000	345	0.3255	0.3201	0.3102					
1000	346	0.3265	0.3211	0.3112	1000	400	0.3798	0.3743	0.3639
1000	347	0.3274	0.3221	0.3122	1000	401	0.3808	0.3753	0.3649
1000	348	0.3284	0.3231	0.3131	1000	402	0.3818	0.3762	0.3659
1000	349	0.3294	0.3241	0.3141	1000	403	0.3828	0.3772	0.3668
					1000	404	0.3838	0.3782	0.3679
1000	350	0.3304	0.3251	0.3151					
1000	351	0.3314	0.3260	0.3160	1000	405	0.3848	0.3792	0.3688
1000	352	0.3324	0.3270	0.3170	1000	406	0.3857	0.3802	0.3698
1000	353	0.3334	0.3280	0.3180	1000	407	0.3867	0.3812	0.3708
1000	354	0.3343	0.3290	0.3189	1000	408	0.3877	0.3822	0.3718
					1000	409	0.3887	0.3832	0.3727
1000	355	0.3353	0.3300	0.3200					
1000	356	0.3363	0.3309	0.3209	1000	410	0.3897	0.3841	0.3738
1000	357	0.3373	0.3319	0.3219	1000	411	0.3907	0.3851	0.3747
1000	358	0.3383	0.3329	0.3229	1000	412	0.3917	0.3861	0.3757
1000	359	0.3393	0.3339	0.3238	1000	413	0.3927	0.3871	0.3767
					1000	414	0.3937	0.3881	0.3777
1000	360	0.3403	0.3349	0.3248					
1000	361	0.3413	0.3359	0.3258	1000	415	0.3947	0.3891	0.3787
1000	362	0.3422	0.3368	0.3268	1000	416	0.3957	0.3901	0.3796
1000	363	0.3432	0.3378	0.3277	1000	417	0.3967	0.3911	0.3806
1000	364	0.3442	0.3388	0.3287	1000	418	0.3976	0.3920	0.3816
					1000	419	0.3986	0.3930	0.3826
1000	365	0.3452	0.3398	0.3297					
1000	366	0.3462	0.3408	0.3307	1000	420	0.3996	0.3940	0.3836
1000	367	0.3472	0.3417	0.3316	1000	421	0.4006	0.3950	0.3846
1000	368	0.3482	0.3427	0.3326	1000	422	0.4016	0.3960	0.3855
1000	369	0.3491	0.3437	0.3336	1000	423	0.4026	0.3970	0.3865
					1000	424	0.4036	0.3980	0.3875
1000	370	0.3501	0.3447	0.3346					
1000	371	0.3511	0.3457	0.3355	1000	425	0.4046	0.3990	0.3885
1000	372	0.3521	0.3467	0.3365	1000	426	0.4056	0.4000	0.3895
1000	373	0.3531	0.3476	0.3375	1000	427	0.4066	0.4010	0.3904
1000	374	0.3541	0.3486	0.3385	1000	428	0.4076	0.4019	0.3915
					1000	429	0.4086	0.4029	0.3924
1000	375	0.3551	0.3496	0.3395					

LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	430	0.4096	0.4039	0.3934	1000	484	0.4633	0.4576	0.4468
1000	431	0.4105	0.4049	0.3944	1000	485	0.4643	0.4585	0.4478
1000	432	0.4115	0.4059	0.3954	1000	486	0.4653	0.4596	0.4488
1000	433	0.4125	0.4069	0.3964	1000	487	0.4663	0.4606	0.4499
1000	434	0.4135	0.4079	0.3973	1000	488	0.4673	0.4615	0.4508
1000	435	0.4145	0.4089	0.3983	1000	489	0.4683	0.4625	0.4519
1000	436	0.4155	0.4099	0.3993	1000	490	0.4693	0.4635	0.4528
1000	437	0.4165	0.4109	0.4003	1000	491	0.4703	0.4645	0.4538
1000	438	0.4175	0.4119	0.4013	1000	492	0.4713	0.4655	0.4548
1000	439	0.4185	0.4128	0.4023	1000	493	0.4723	0.4665	0.4558
1000	440	0.4195	0.4138	0.4033	1000	494	0.4733	0.4675	0.4568
1000	441	0.4205	0.4148	0.4043	1000	495	0.4743	0.4685	0.4578
1000	442	0.4215	0.4158	0.4053	1000	496	0.4753	0.4695	0.4588
1000	443	0.4225	0.4168	0.4063	1000	497	0.4762	0.4705	0.4598
1000	444	0.4235	0.4178	0.4072	1000	498	0.4773	0.4715	0.4607
1000	445	0.4244	0.4188	0.4082	1000	499	0.4782	0.4725	0.4618
1000	446	0.4255	0.4198	0.4092	1000	500	0.4793	0.4735	0.4628
1000	447	0.4264	0.4208	0.4102	1000	501	0.4802	0.4745	0.4638
1000	448	0.4274	0.4218	0.4112	1000	502	0.4813	0.4755	0.4648
1000	449	0.4284	0.4228	0.4121	1000	503	0.4822	0.4765	0.4658
1000	450	0.4294	0.4238	0.4132	1000	504	0.4833	0.4775	0.4668
1000	451	0.4304	0.4248	0.4142	1000	505	0.4842	0.4785	0.4678
1000	452	0.4314	0.4257	0.4151	1000	506	0.4852	0.4795	0.4688
1000	453	0.4324	0.4267	0.4161	1000	507	0.4862	0.4805	0.4697
1000	454	0.4334	0.4277	0.4171	1000	508	0.4872	0.4815	0.4708
1000	455	0.4344	0.4287	0.4181	1000	509	0.4882	0.4825	0.4717
1000	456	0.4354	0.4297	0.4191	1000	510	0.4892	0.4835	0.4727
1000	457	0.4364	0.4307	0.4201	1000	511	0.4902	0.4845	0.4737
1000	458	0.4374	0.4317	0.4211	1000	512	0.4912	0.4855	0.4747
1000	459	0.4384	0.4327	0.4221	1000	513	0.4922	0.4865	0.4757
1000	460	0.4394	0.4337	0.4231	1000	514	0.4932	0.4875	0.4767
1000	461	0.4404	0.4347	0.4240	1000	515	0.4942	0.4885	0.4777
1000	462	0.4414	0.4357	0.4251	1000	516	0.4952	0.4895	0.4787
1000	463	0.4424	0.4367	0.4260	1000	517	0.4962	0.4905	0.4797
1000	464	0.4434	0.4377	0.4270	1000	518	0.4972	0.4915	0.4807
1000	465	0.4444	0.4387	0.4280	1000	519	0.4982	0.4925	0.4817
1000	466	0.4453	0.4397	0.4290	1000	520	0.4992	0.4935	0.4827
1000	467	0.4463	0.4406	0.4300	1000	521	0.5002	0.4945	0.4837
1000	468	0.4473	0.4416	0.4310	1000	522	0.5012	0.4955	0.4847
1000	469	0.4483	0.4426	0.4320	1000	523	0.5022	0.4965	0.4857
1000	470	0.4493	0.4436	0.4330	1000	524	0.5032	0.4975	0.4867
1000	471	0.4503	0.4446	0.4340	1000	525	0.5042	0.4985	0.4877
1000	472	0.4513	0.4456	0.4349	1000	526	0.5052	0.4995	0.4887
1000	473	0.4523	0.4466	0.4359	1000	527	0.5062	0.5005	0.4897
1000	474	0.4533	0.4476	0.4369	1000	528	0.5072	0.5015	0.4907
1000	475	0.4543	0.4486	0.4379	1000	529	0.5082	0.5025	0.4917
1000	476	0.4553	0.4496	0.4389	1000	530	0.5092	0.5035	0.4927
1000	477	0.4563	0.4505	0.4399	1000	531	0.5102	0.5045	0.4937
1000	478	0.4573	0.4516	0.4409	1000	532	0.5113	0.5055	0.4947
1000	479	0.4583	0.4526	0.4419	1000	533	0.5122	0.5065	0.4957
1000	480	0.4593	0.4536	0.4429	1000	534	0.5133	0.5075	0.4967
1000	481	0.4603	0.4546	0.4439	1000	535	0.5142	0.5085	0.4977
1000	482	0.4613	0.4556	0.4448	1000	536	0.5153	0.5095	0.4987
1000	483	0.4623	0.4566	0.4459					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	537	0.5163	0.5105	0.4997	1000	591	0.5705	0.5648	0.5540
1000	538	0.5173	0.5115	0.5007	1000	592	0.5715	0.5658	0.5550
1000	539	0.5183	0.5125	0.5017	1000	593	0.5725	0.5668	0.5560
					1000	594	0.5735	0.5678	0.5571
1000	540	0.5193	0.5135	0.5027					
1000	541	0.5203	0.5145	0.5037	1000	595	0.5745	0.5688	0.5581
1000	542	0.5213	0.5155	0.5047	1000	596	0.5755	0.5698	0.5591
1000	543	0.5223	0.5165	0.5057	1000	597	0.5765	0.5708	0.5601
1000	544	0.5233	0.5175	0.5067	1000	598	0.5775	0.5718	0.5611
					1000	599	0.5785	0.5728	0.5621
1000	545	0.5243	0.5185	0.5077					
1000	546	0.5253	0.5195	0.5088	1000	600	0.5795	0.5738	0.5631
1000	547	0.5263	0.5205	0.5098	1000	601	0.5805	0.5748	0.5641
1000	548	0.5273	0.5215	0.5107	1000	602	0.5815	0.5758	0.5651
1000	549	0.5283	0.5225	0.5118	1000	603	0.5825	0.5769	0.5662
					1000	604	0.5835	0.5779	0.5672
1000	550	0.5293	0.5235	0.5128					
1000	551	0.5303	0.5245	0.5138	1000	605	0.5845	0.5789	0.5682
1000	552	0.5313	0.5256	0.5148	1000	606	0.5855	0.5799	0.5692
1000	553	0.5323	0.5265	0.5158	1000	607	0.5866	0.5809	0.5702
1000	554	0.5333	0.5275	0.5168	1000	608	0.5876	0.5819	0.5712
					1000	609	0.5886	0.5829	0.5722
1000	555	0.5343	0.5286	0.5178					
1000	556	0.5353	0.5296	0.5188	1000	610	0.5896	0.5839	0.5732
1000	557	0.5363	0.5306	0.5198	1000	611	0.5906	0.5849	0.5742
1000	558	0.5373	0.5316	0.5208	1000	612	0.5916	0.5859	0.5752
1000	559	0.5383	0.5326	0.5218	1000	613	0.5926	0.5869	0.5763
					1000	614	0.5936	0.5880	0.5773
1000	560	0.5393	0.5336	0.5228					
1000	561	0.5403	0.5346	0.5238	1000	615	0.5946	0.5890	0.5783
1000	562	0.5413	0.5356	0.5248	1000	616	0.5956	0.5900	0.5793
1000	563	0.5423	0.5366	0.5258	1000	617	0.5966	0.5910	0.5803
1000	564	0.5433	0.5376	0.5268	1000	618	0.5976	0.5920	0.5813
					1000	619	0.5987	0.5930	0.5824
1000	565	0.5443	0.5386	0.5278					
1000	566	0.5453	0.5396	0.5288	1000	620	0.5997	0.5940	0.5834
1000	567	0.5463	0.5406	0.5298	1000	621	0.6007	0.5950	0.5844
1000	568	0.5473	0.5416	0.5308	1000	622	0.6017	0.5960	0.5854
1000	569	0.5483	0.5426	0.5319	1000	623	0.6027	0.5971	0.5864
					1000	624	0.6037	0.5981	0.5874
1000	570	0.5494	0.5436	0.5329					
1000	571	0.5503	0.5446	0.5339	1000	625	0.6047	0.5991	0.5884
1000	572	0.5514	0.5456	0.5349	1000	626	0.6057	0.6001	0.5895
1000	573	0.5524	0.5466	0.5359	1000	627	0.6067	0.6011	0.5905
1000	574	0.5534	0.5476	0.5369	1000	628	0.6077	0.6021	0.5915
					1000	629	0.6087	0.6031	0.5925
1000	575	0.5544	0.5487	0.5379					
1000	576	0.5554	0.5497	0.5389	1000	630	0.6097	0.6041	0.5935
1000	577	0.5564	0.5507	0.5399	1000	631	0.6108	0.6051	0.5945
1000	578	0.5574	0.5517	0.5409	1000	632	0.6118	0.6061	0.5955
1000	579	0.5584	0.5527	0.5419	1000	633	0.6128	0.6072	0.5966
					1000	634	0.6138	0.6082	0.5976
1000	580	0.5594	0.5537	0.5429					
1000	581	0.5604	0.5547	0.5439	1000	635	0.6148	0.6092	0.5986
1000	582	0.5614	0.5557	0.5449	1000	636	0.6158	0.6102	0.5996
1000	583	0.5624	0.5567	0.5460	1000	637	0.6168	0.6112	0.6006
1000	584	0.5634	0.5577	0.5470	1000	638	0.6178	0.6122	0.6016
					1000	639	0.6188	0.6132	0.6027
1000	585	0.5644	0.5587	0.5480					
1000	586	0.5654	0.5597	0.5490	1000	640	0.6199	0.6143	0.6037
1000	587	0.5664	0.5607	0.5500	1000	641	0.6209	0.6153	0.6047
1000	588	0.5674	0.5617	0.5510	1000	642	0.6219	0.6163	0.6057
1000	589	0.5684	0.5627	0.5520	1000	643	0.6229	0.6173	0.6067
					1000	644	0.6239	0.6183	0.6077
1000	590	0.5695	0.5637	0.5530					



# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	645	0.6249	0.6193	0.6088	1000	699	0.6796	0.6742	0.6640
1000	646	0.6259	0.6203	0.6098					
1000	647	0.6269	0.6213	0.6108	1000	700	0.6806	0.6752	0.6650
1000	648	0.6279	0.6224	0.6118	1000	701	0.6817	0.6763	0.6661
1000	649	0.6289	0.6234	0.6128	1000	702	0.6827	0.6773	0.6671
					1000	703	0.6837	0.6783	0.6681
1000	650	0.6300	0.6244	0.6139	1000	704	0.6847	0.6793	0.6692
1000	651	0.6310	0.6254	0.6149					
1000	652	0.6320	0.6264	0.6159	1000	705	0.6857	0.6804	0.6702
1000	653	0.6330	0.6274	0.6169	1000	706	0.6867	0.6814	0.6712
1000	654	0.6340	0.6284	0.6179	1000	707	0.6878	0.6824	0.6722
					1000	708	0.6888	0.6834	0.6733
1000	655	0.6350	0.6295	0.6190	1000	709	0.6898	0.6844	0.6743
1000	656	0.6360	0.6305	0.6200					
1000	657	0.6370	0.6315	0.6210	1000	710	0.6908	0.6855	0.6753
1000	658	0.6381	0.6325	0.6220	1000	711	0.6918	0.6865	0.6764
1000	659	0.6391	0.6335	0.6230	1000	712	0.6928	0.6875	0.6774
					1000	713	0.6939	0.6885	0.6784
1000	660	0.6401	0.6345	0.6241	1000	714	0.6949	0.6896	0.6795
1000	661	0.6411	0.6356	0.6251					
1000	662	0.6421	0.6366	0.6261	1000	715	0.6959	0.6906	0.6805
1000	663	0.6431	0.6376	0.6271	1000	716	0.6969	0.6916	0.6815
1000	664	0.6441	0.6386	0.6282	1000	717	0.6979	0.6926	0.6825
					1000	718	0.6990	0.6936	0.6836
1000	665	0.6451	0.6396	0.6292	1000	719	0.7000	0.6947	0.6846
1000	666	0.6462	0.6406	0.6302					
1000	667	0.6472	0.6416	0.6312	1000	720	0.7010	0.6957	0.6856
1000	668	0.6482	0.6427	0.6322	1000	721	0.7020	0.6967	0.6867
1000	669	0.6492	0.6437	0.6333	1000	722	0.7030	0.6977	0.6877
					1000	723	0.7040	0.6988	0.6887
1000	670	0.6502	0.6447	0.6343	1000	724	0.7051	0.6998	0.6898
1000	671	0.6512	0.6457	0.6353					
1000	672	0.6522	0.6467	0.6363	1000	725	0.7061	0.7008	0.6908
1000	673	0.6533	0.6477	0.6374	1000	726	0.7071	0.7018	0.6918
1000	674	0.6543	0.6488	0.6384	1000	727	0.7081	0.7028	0.6929
					1000	728	0.7091	0.7039	0.6939
1000	675	0.6553	0.6498	0.6394	1000	729	0.7102	0.7049	0.6949
1000	676	0.6563	0.6508	0.6404					
1000	677	0.6573	0.6518	0.6414	1000	730	0.7112	0.7059	0.6960
1000	678	0.6583	0.6528	0.6425	1000	731	0.7122	0.7069	0.6970
1000	679	0.6593	0.6538	0.6435	1000	732	0.7132	0.7080	0.6980
					1000	733	0.7142	0.7090	0.6991
1000	680	0.6603	0.6549	0.6445	1000	734	0.7153	0.7100	0.7001
1000	681	0.6614	0.6559	0.6455					
1000	682	0.6624	0.6569	0.6466	1000	735	0.7163	0.7111	0.7011
1000	683	0.6634	0.6579	0.6476	1000	736	0.7173	0.7121	0.7022
1000	684	0.6644	0.6589	0.6486	1000	737	0.7183	0.7131	0.7032
					1000	738	0.7193	0.7141	0.7042
1000	685	0.6654	0.6600	0.6496	1000	739	0.7204	0.7152	0.7053
1000	686	0.6664	0.6610	0.6507					
1000	687	0.6674	0.6620	0.6517	1000	740	0.7214	0.7162	0.7063
1000	688	0.6685	0.6630	0.6527	1000	741	0.7224	0.7172	0.7073
1000	689	0.6695	0.6640	0.6537	1000	742	0.7234	0.7182	0.7084
					1000	743	0.7244	0.7193	0.7094
1000	690	0.6705	0.6650	0.6548	1000	744	0.7255	0.7203	0.7105
1000	691	0.6715	0.6661	0.6558					
1000	692	0.6725	0.6671	0.6568	1000	745	0.7265	0.7213	0.7115
1000	693	0.6735	0.6681	0.6578	1000	746	0.7275	0.7223	0.7125
1000	694	0.6746	0.6691	0.6589	1000	747	0.7285	0.7234	0.7136
					1000	748	0.7295	0.7244	0.7146
1000	695	0.6756	0.6701	0.6599	1000	749	0.7306	0.7254	0.7156
1000	696	0.6766	0.6712	0.6609					
1000	697	0.6776	0.6722	0.6619	1000	750	0.7316	0.7264	0.7167
1000	698	0.6786	0.6732	0.6630	1000	751	0.7326	0.7275	0.7177

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	752	0.7336	0.7285	0.7188	1000	806	0.7890	0.7843	0.7752
1000	753	0.7347	0.7295	0.7198	1000	807	0.7901	0.7853	0.7763
1000	754	0.7357	0.7306	0.7208	1000	808	0.7911	0.7864	0.7773
					1000	809	0.7921	0.7874	0.7784
1000	755	0.7367	0.7316	0.7219					
1000	756	0.7377	0.7326	0.7229	1000	810	0.7931	0.7884	0.7794
1000	757	0.7387	0.7337	0.7240	1000	811	0.7942	0.7895	0.7805
1000	758	0.7398	0.7347	0.7250	1000	812	0.7952	0.7905	0.7815
1000	759	0.7408	0.7357	0.7260	1000	813	0.7962	0.7915	0.7826
					1000	814	0.7973	0.7926	0.7836
1000	760	0.7418	0.7367	0.7271					
1000	761	0.7428	0.7378	0.7281	1000	815	0.7983	0.7936	0.7847
1000	762	0.7438	0.7388	0.7292	1000	816	0.7993	0.7947	0.7858
1000	763	0.7449	0.7398	0.7302	1000	817	0.8004	0.7957	0.7868
1000	764	0.7459	0.7409	0.7312	1000	818	0.8014	0.7967	0.7879
					1000	819	0.8024	0.7978	0.7889
1000	765	0.7469	0.7419	0.7323					
1000	766	0.7480	0.7429	0.7333	1000	820	0.8035	0.7988	0.7900
1000	767	0.7490	0.7439	0.7344	1000	821	0.8045	0.7999	0.7910
1000	768	0.7500	0.7450	0.7354	1000	822	0.8055	0.8009	0.7921
1000	769	0.7510	0.7460	0.7365	1000	823	0.8066	0.8019	0.7931
					1000	824	0.8076	0.8030	0.7942
1000	770	0.7521	0.7470	0.7375					
1000	771	0.7531	0.7481	0.7385	1000	825	0.8086	0.8040	0.7953
1000	772	0.7541	0.7491	0.7396	1000	826	0.8097	0.8051	0.7963
1000	773	0.7551	0.7501	0.7406	1000	827	0.8107	0.8061	0.7974
1000	774	0.7562	0.7512	0.7417	1000	828	0.8117	0.8072	0.7984
					1000	829	0.8128	0.8082	0.7995
1000	775	0.7572	0.7522	0.7427					
1000	776	0.7582	0.7532	0.7438	1000	830	0.8138	0.8092	0.8006
1000	777	0.7592	0.7542	0.7448	1000	831	0.8148	0.8103	0.8016
1000	778	0.7603	0.7553	0.7458	1000	832	0.8159	0.8113	0.8027
1000	779	0.7613	0.7563	0.7469	1000	833	0.8169	0.8124	0.8037
					1000	834	0.8179	0.8134	0.8048
1000	780	0.7623	0.7573	0.7479					
1000	781	0.7633	0.7584	0.7490	1000	835	0.8190	0.8145	0.8059
1000	782	0.7644	0.7594	0.7500	1000	836	0.8200	0.8155	0.8069
1000	783	0.7654	0.7605	0.7511	1000	837	0.8210	0.8166	0.8080
1000	784	0.7664	0.7615	0.7521	1000	838	0.8221	0.8176	0.8090
					1000	839	0.8231	0.8186	0.8101
1000	785	0.7674	0.7625	0.7532					
1000	786	0.7685	0.7636	0.7542	1000	840	0.8242	0.8197	0.8112
1000	787	0.7695	0.7646	0.7553	1000	841	0.8252	0.8207	0.8122
1000	788	0.7705	0.7656	0.7563	1000	842	0.8262	0.8218	0.8133
1000	789	0.7716	0.7667	0.7574	1000	843	0.8272	0.8228	0.8144
					1000	844	0.8283	0.8239	0.8155
1000	790	0.7726	0.7677	0.7584					
1000	791	0.7736	0.7687	0.7595	1000	845	0.8293	0.8249	0.8165
1000	792	0.7746	0.7698	0.7605	1000	846	0.8304	0.8260	0.8176
1000	793	0.7757	0.7708	0.7616	1000	847	0.8314	0.8270	0.8186
1000	794	0.7767	0.7718	0.7626	1000	848	0.8324	0.8281	0.8197
					1000	849	0.8335	0.8291	0.8207
1000	795	0.7777	0.7729	0.7636					
1000	796	0.7787	0.7739	0.7647	1000	850	0.8345	0.8302	0.8219
1000	797	0.7798	0.7749	0.7658	1000	851	0.8356	0.8312	0.8229
1000	798	0.7808	0.7760	0.7668	1000	852	0.8366	0.8323	0.8240
1000	799	0.7818	0.7770	0.7678	1000	853	0.8376	0.8333	0.8250
					1000	854	0.8387	0.8344	0.8261
1000	800	0.7829	0.7781	0.7689					
1000	801	0.7839	0.7791	0.7700	1000	855	0.8397	0.8354	0.8272
1000	802	0.7849	0.7801	0.7710	1000	856	0.8408	0.8365	0.8283
1000	803	0.7859	0.7812	0.7721	1000	857	0.8418	0.8375	0.8293
1000	804	0.7870	0.7822	0.7731	1000	858	0.8428	0.8386	0.8304
					1000	859	0.8439	0.8396	0.8315
1000	805	0.7880	0.7832	0.7742					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	860	0.8449	0.8407	0.8325	1000	914	0.9015	0.8980	0.8912
1000	861	0.8460	0.8417	0.8336	1000	915	0.9026	0.8991	0.8923
1000	862	0.8470	0.8428	0.8347	1000	916	0.9036	0.9001	0.8934
1000	863	0.8480	0.8438	0.8357	1000	917	0.9047	0.9012	0.8945
1000	864	0.8491	0.8449	0.8368	1000	918	0.9058	0.9023	0.8956
1000	865	0.8501	0.8459	0.8379	1000	919	0.9068	0.9034	0.8967
1000	866	0.8512	0.8470	0.8390	1000	920	0.9079	0.9045	0.8978
1000	867	0.8522	0.8480	0.8400	1000	921	0.9089	0.9055	0.8989
1000	868	0.8532	0.8491	0.8411	1000	922	0.9100	0.9066	0.9000
1000	869	0.8543	0.8501	0.8422	1000	923	0.9111	0.9077	0.9012
1000	870	0.8553	0.8512	0.8433	1000	924	0.9121	0.9088	0.9023
1000	871	0.8564	0.8523	0.8444	1000	925	0.9132	0.9098	0.9034
1000	872	0.8574	0.8533	0.8454	1000	926	0.9142	0.9109	0.9045
1000	873	0.8585	0.8544	0.8465	1000	927	0.9153	0.9120	0.9056
1000	874	0.8595	0.8554	0.8476	1000	928	0.9164	0.9131	0.9067
1000	875	0.8605	0.8565	0.8487	1000	929	0.9174	0.9142	0.9078
1000	876	0.8616	0.8575	0.8498	1000	930	0.9185	0.9153	0.9090
1000	877	0.8626	0.8586	0.8508	1000	931	0.9195	0.9163	0.9101
1000	878	0.8637	0.8596	0.8519	1000	932	0.9206	0.9174	0.9112
1000	879	0.8647	0.8607	0.8530	1000	933	0.9217	0.9185	0.9123
1000	880	0.8658	0.8618	0.8541	1000	934	0.9228	0.9196	0.9135
1000	881	0.8668	0.8628	0.8552	1000	935	0.9238	0.9207	0.9146
1000	882	0.8679	0.8639	0.8562	1000	936	0.9249	0.9218	0.9157
1000	883	0.8689	0.8649	0.8573	1000	937	0.9260	0.9229	0.9168
1000	884	0.8700	0.8660	0.8584	1000	938	0.9271	0.9240	0.9180
1000	885	0.8710	0.8671	0.8595	1000	939	0.9281	0.9251	0.9191
1000	886	0.8720	0.8681	0.8606	1000	940	0.9292	0.9262	0.9202
1000	887	0.8731	0.8692	0.8616	1000	941	0.9303	0.9272	0.9213
1000	888	0.8741	0.8702	0.8627	1000	942	0.9314	0.9283	0.9225
1000	889	0.8752	0.8713	0.8638	1000	943	0.9324	0.9294	0.9236
1000	890	0.8762	0.8724	0.8649	1000	944	0.9335	0.9305	0.9247
1000	891	0.8773	0.8734	0.8660	1000	945	0.9346	0.9316	0.9259
1000	892	0.8783	0.8745	0.8671	1000	946	0.9357	0.9327	0.9270
1000	893	0.8794	0.8756	0.8682	1000	947	0.9367	0.9338	0.9282
1000	894	0.8804	0.8766	0.8693	1000	948	0.9378	0.9349	0.9293
1000	895	0.8815	0.8777	0.8703	1000	949	0.9389	0.9360	0.9305
1000	896	0.8825	0.8787	0.8715	1000	950	0.9400	0.9371	0.9316
1000	897	0.8836	0.8798	0.8725	1000	951	0.9411	0.9382	0.9327
1000	898	0.8846	0.8809	0.8736	1000	952	0.9421	0.9393	0.9339
1000	899	0.8857	0.8820	0.8747	1000	953	0.9432	0.9405	0.9350
1000	900	0.8867	0.8830	0.8758	1000	954	0.9443	0.9416	0.9362
1000	901	0.8878	0.8841	0.8769	1000	955	0.9454	0.9427	0.9373
1000	902	0.8888	0.8851	0.8780	1000	956	0.9465	0.9438	0.9385
1000	903	0.8899	0.8862	0.8791	1000	957	0.9476	0.9449	0.9397
1000	904	0.8910	0.8873	0.8802	1000	958	0.9487	0.9460	0.9408
1000	905	0.8920	0.8883	0.8813	1000	959	0.9498	0.9471	0.9420
1000	906	0.8931	0.8894	0.8824	1000	960	0.9508	0.9482	0.9432
1000	907	0.8941	0.8905	0.8835	1000	961	0.9519	0.9494	0.9443
1000	908	0.8952	0.8916	0.8846	1000	962	0.9530	0.9505	0.9455
1000	909	0.8962	0.8926	0.8857	1000	963	0.9541	0.9516	0.9467
1000	910	0.8973	0.8937	0.8868	1000	964	0.9552	0.9527	0.9478
1000	911	0.8983	0.8948	0.8879	1000	965	0.9563	0.9539	0.9490
1000	912	0.8994	0.8958	0.8890	1000	966	0.9574	0.9550	0.9502
1000	913	0.9005	0.8969	0.8901					

# LOWER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL		
		90%	95%	99%
1000	967	0.9585	0.9561	0.9514
1000	968	0.9596	0.9573	0.9526
1000	969	0.9607	0.9584	0.9538
1000	970	0.9618	0.9595	0.9549
1000	971	0.9630	0.9607	0.9561
1000	972	0.9641	0.9618	0.9573
1000	973	0.9652	0.9630	0.9586
1000	974	0.9663	0.9641	0.9598
1000	975	0.9674	0.9653	0.9610
1000	976	0.9685	0.9664	0.9622
1000	977	0.9697	0.9676	0.9634
1000	978	0.9708	0.9687	0.9646
1000	979	0.9719	0.9699	0.9659
1000	980	0.9731	0.9711	0.9671
1000	981	0.9742	0.9722	0.9684
1000	982	0.9753	0.9734	0.9696
1000	983	0.9765	0.9746	0.9709
1000	984	0.9776	0.9758	0.9721
1000	985	0.9788	0.9770	0.9734
1000	986	0.9799	0.9782	0.9747
1000	987	0.9811	0.9794	0.9760
1000	988	0.9823	0.9806	0.9773
1000	989	0.9834	0.9819	0.9786
1000	990	0.9846	0.9831	0.9800
1000	991	0.9858	0.9843	0.9813
1000	992	0.9870	0.9856	0.9827
1000	993	0.9883	0.9869	0.9841
1000	994	0.9895	0.9882	0.9855
1000	995	0.9907	0.9895	0.9869
1000	996	0.9920	0.9909	0.9884
1000	997	0.9933	0.9923	0.9900
1000	998	0.9947	0.9937	0.9916
1000	999	0.9961	0.9953	0.9934
1000	1000	0.9977	0.9970	0.9954

(This page intentionally blank)

(This page intentionally blank)

TABLE 3.  
(Pages 283 through 370)

One-sided  
UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1	0	0.900	0.950	0.990	9	8	0.988	0.994	0.999
1	1	1.000	1.000	1.000	9	9	1.000	1.000	1.000
2	0	0.684	0.776	0.900	10	0	0.206	0.259	0.369
2	1	0.949	0.975	0.995	10	1	0.337	0.394	0.504
2	2	1.000	1.000	1.000	10	2	0.450	0.507	0.612
3	0	0.536	0.632	0.784	10	3	0.552	0.607	0.703
3	1	0.804	0.865	0.941	10	4	0.646	0.696	0.782
3	2	0.965	0.983	0.997	10	5	0.733	0.778	0.850
3	3	1.000	1.000	1.000	10	6	0.812	0.850	0.907
4	0	0.438	0.527	0.684	10	7	0.884	0.913	0.952
4	1	0.679	0.751	0.859	10	8	0.945	0.963	0.984
4	2	0.857	0.902	0.958	10	9	0.989	0.995	0.999
4	3	0.974	0.987	0.997	10	10	1.000	1.000	1.000
4	4	1.000	1.000	1.000	11	0	0.189	0.238	0.342
5	0	0.369	0.451	0.602	11	1	0.310	0.364	0.470
5	1	0.584	0.657	0.778	11	2	0.415	0.470	0.572
5	2	0.753	0.811	0.894	11	3	0.511	0.564	0.660
5	3	0.888	0.923	0.967	11	4	0.599	0.650	0.738
5	4	0.979	0.990	0.998	11	5	0.682	0.729	0.806
5	5	1.000	1.000	1.000	11	6	0.760	0.800	0.866
6	0	0.319	0.393	0.536	11	7	0.831	0.865	0.916
6	1	0.510	0.582	0.706	11	8	0.895	0.921	0.957
6	2	0.667	0.729	0.827	11	9	0.950	0.967	0.986
6	3	0.799	0.847	0.915	11	10	0.990	0.995	0.999
6	4	0.907	0.937	0.973	11	11	1.000	1.000	1.000
6	5	0.982	0.991	0.998	12	0	0.175	0.221	0.319
6	6	1.000	1.000	1.000	12	1	0.287	0.339	0.440
7	0	0.280	0.348	0.462	12	2	0.385	0.438	0.537
7	1	0.453	0.521	0.643	12	3	0.475	0.527	0.622
7	2	0.596	0.659	0.764	12	4	0.559	0.609	0.698
7	3	0.721	0.775	0.858	12	5	0.638	0.685	0.765
7	4	0.830	0.871	0.929	12	6	0.712	0.755	0.825
7	5	0.921	0.947	0.977	12	7	0.781	0.819	0.879
7	6	0.985	0.993	0.998	12	8	0.846	0.877	0.924
7	7	1.000	1.000	1.000	12	9	0.904	0.928	0.961
8	0	0.250	0.312	0.438	12	10	0.955	0.969	0.987
8	1	0.406	0.471	0.590	12	11	0.991	0.996	0.999
8	2	0.538	0.600	0.707	12	12	1.000	1.000	1.000
8	3	0.655	0.711	0.802	13	0	0.162	0.206	0.298
8	4	0.760	0.807	0.879	13	1	0.268	0.316	0.413
8	5	0.853	0.889	0.939	13	2	0.360	0.410	0.506
8	6	0.931	0.954	0.980	13	3	0.444	0.495	0.588
8	7	0.987	0.993	0.999	13	4	0.523	0.573	0.661
8	8	1.000	1.000	1.000	13	5	0.598	0.645	0.727
9	0	0.226	0.283	0.401	13	6	0.669	0.713	0.787
9	1	0.368	0.429	0.544	13	7	0.736	0.776	0.841
9	2	0.490	0.550	0.656	13	8	0.800	0.834	0.889
9	3	0.599	0.655	0.750	13	9	0.858	0.887	0.930
9	4	0.699	0.749	0.822	13	10	0.912	0.934	0.964
9	5	0.790	0.831	0.895	13	11	0.958	0.972	0.988
9	6	0.870	0.902	0.947	13	12	0.992	0.996	0.999
9	7	0.939	0.959	0.983	13	13	1.000	1.000	1.000

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
14	0	0.152	0.193	0.280	17	6	0.537	0.580	0.658
14	1	0.251	0.297	0.389	17	7	0.595	0.636	0.709
14	2	0.337	0.385	0.478	17	8	0.650	0.689	0.758
14	3	0.417	0.466	0.557	17	9	0.703	0.740	0.803
14	4	0.492	0.540	0.627	17	10	0.754	0.788	0.845
14	5	0.563	0.610	0.692	17	11	0.803	0.834	0.883
14	6	0.631	0.675	0.751	17	12	0.849	0.876	0.916
14	7	0.696	0.736	0.805	17	13	0.893	0.915	0.948
14	8	0.757	0.794	0.854	17	14	0.933	0.950	0.973
14	9	0.815	0.847	0.898	17	15	0.968	0.979	0.991
14	10	0.869	0.896	0.936	17	16	0.994	0.997	0.999
14	11	0.918	0.939	0.967	17	17	1.000	1.000	1.000
14	12	0.961	0.974	0.989	18	0	0.120	0.153	0.226
14	13	0.992	0.996	0.999	18	1	0.199	0.238	0.316
14	14	1.000	1.000	1.000	18	2	0.269	0.310	0.391
15	0	0.142	0.181	0.264	18	3	0.334	0.377	0.458
15	1	0.235	0.279	0.368	18	4	0.396	0.439	0.520
15	2	0.317	0.363	0.453	18	5	0.455	0.498	0.577
15	3	0.393	0.440	0.528	18	6	0.512	0.554	0.631
15	4	0.464	0.511	0.597	18	7	0.567	0.608	0.681
15	5	0.532	0.578	0.660	18	8	0.620	0.659	0.729
15	6	0.597	0.640	0.718	18	9	0.671	0.709	0.774
15	7	0.659	0.700	0.771	18	10	0.721	0.756	0.816
15	8	0.718	0.756	0.821	18	11	0.769	0.801	0.855
15	9	0.774	0.809	0.865	18	12	0.815	0.844	0.890
15	10	0.828	0.858	0.906	18	13	0.858	0.884	0.923
15	11	0.878	0.903	0.941	18	14	0.899	0.920	0.951
15	12	0.924	0.943	0.969	18	15	0.937	0.953	0.975
15	13	0.964	0.976	0.990	18	16	0.970	0.980	0.991
15	14	0.993	0.996	0.999	18	17	0.994	0.997	0.999
15	15	1.000	1.000	1.000	18	18	1.000	1.000	1.000
16	0	0.134	0.171	0.250	19	0	0.114	0.146	0.215
16	1	0.222	0.264	0.349	19	1	0.190	0.226	0.302
16	2	0.299	0.344	0.430	19	2	0.256	0.296	0.374
16	3	0.371	0.417	0.503	19	3	0.318	0.359	0.439
16	4	0.439	0.484	0.569	19	4	0.377	0.419	0.498
16	5	0.504	0.548	0.630	19	5	0.434	0.476	0.554
16	6	0.566	0.609	0.687	19	6	0.489	0.530	0.606
16	7	0.625	0.667	0.739	19	7	0.541	0.582	0.655
16	8	0.682	0.721	0.788	19	8	0.593	0.632	0.702
16	9	0.737	0.773	0.834	19	9	0.642	0.680	0.746
16	10	0.790	0.822	0.875	19	10	0.690	0.726	0.788
16	11	0.839	0.868	0.912	19	11	0.737	0.770	0.827
16	12	0.886	0.910	0.945	19	12	0.782	0.813	0.863
16	13	0.929	0.947	0.971	19	13	0.825	0.853	0.897
16	14	0.966	0.977	0.990	19	14	0.866	0.890	0.927
16	15	0.993	0.997	0.999	19	15	0.905	0.925	0.954
16	16	1.000	1.000	1.000	19	16	0.940	0.955	0.976
17	0	0.127	0.161	0.237	19	17	0.972	0.981	0.992
17	1	0.210	0.250	0.332	19	18	0.994	0.997	0.999
17	2	0.284	0.326	0.410	19	19	1.000	1.000	1.000
17	3	0.352	0.396	0.480	20	0	0.109	0.139	0.206
17	4	0.416	0.461	0.543	20	1	0.181	0.216	0.289
17	5	0.478	0.522	0.603	20	2	0.245	0.283	0.358
					20	3	0.304	0.344	0.421



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
20	4	0.361	0.401	0.478	22	15	0.813	0.840	0.884
					22	16	0.850	0.874	0.912
20	5	0.415	0.456	0.532	22	17	0.885	0.906	0.938
20	6	0.467	0.508	0.583	22	18	0.918	0.935	0.960
20	7	0.518	0.558	0.631	22	19	0.949	0.962	0.979
20	8	0.567	0.606	0.677					
20	9	0.615	0.653	0.720	22	20	0.975	0.984	0.993
					22	21	0.995	0.998	0.999
20	10	0.662	0.698	0.761	22	22	1.000	1.000	1.000
20	11	0.707	0.741	0.800					
20	12	0.751	0.783	0.837	23	0	0.095	0.122	0.181
20	13	0.793	0.823	0.871	23	1	0.159	0.190	0.256
20	14	0.834	0.860	0.903	23	2	0.215	0.249	0.318
					23	3	0.268	0.304	0.374
20	15	0.873	0.896	0.931	23	4	0.318	0.355	0.427
20	16	0.910	0.929	0.956					
20	17	0.943	0.958	0.977	23	5	0.366	0.404	0.476
20	18	0.973	0.982	0.992	23	6	0.413	0.451	0.522
20	19	0.995	0.997	0.999	23	7	0.459	0.497	0.567
					23	8	0.503	0.541	0.609
20	20	1.000	1.000	1.000	23	9	0.546	0.583	0.650
21	0	0.104	0.133	0.197	23	10	0.589	0.625	0.689
21	1	0.173	0.207	0.277	23	11	0.630	0.665	0.727
21	2	0.234	0.270	0.344	23	12	0.670	0.704	0.763
21	3	0.291	0.329	0.404	23	13	0.710	0.742	0.797
21	4	0.345	0.384	0.460	23	14	0.748	0.778	0.830
21	5	0.397	0.437	0.512	23	15	0.786	0.814	0.860
21	6	0.448	0.487	0.561	23	16	0.822	0.848	0.889
21	7	0.497	0.536	0.608	23	17	0.857	0.880	0.916
21	8	0.544	0.583	0.653	23	18	0.890	0.910	0.941
21	9	0.591	0.628	0.695	23	19	0.922	0.938	0.962
21	10	0.636	0.672	0.736	23	20	0.951	0.963	0.980
21	11	0.680	0.714	0.774	23	21	0.977	0.984	0.993
21	12	0.722	0.755	0.811	23	22	0.995	0.998	0.999
21	13	0.764	0.794	0.845	23	23	1.000	1.000	1.000
21	14	0.804	0.832	0.878					
					24	0	0.091	0.117	0.175
21	15	0.843	0.868	0.908	24	1	0.153	0.183	0.246
21	16	0.879	0.901	0.935	24	2	0.207	0.240	0.307
21	17	0.914	0.932	0.958	24	3	0.257	0.292	0.361
21	18	0.946	0.960	0.978	24	4	0.306	0.342	0.412
21	19	0.974	0.983	0.993					
					24	5	0.353	0.389	0.460
21	20	0.995	0.997	0.999	24	6	0.398	0.435	0.505
21	21	1.000	1.000	1.000	24	7	0.442	0.479	0.548
					24	8	0.485	0.521	0.590
22	0	0.099	0.127	0.189	24	9	0.526	0.563	0.630
22	1	0.166	0.198	0.266					
22	2	0.224	0.259	0.330	24	10	0.567	0.603	0.668
22	3	0.279	0.316	0.389	24	11	0.608	0.642	0.705
22	4	0.331	0.369	0.443	24	12	0.647	0.681	0.740
					24	13	0.685	0.718	0.774
22	5	0.381	0.420	0.493	24	14	0.723	0.754	0.807
22	6	0.430	0.469	0.541					
22	7	0.477	0.516	0.587	24	15	0.759	0.788	0.838
22	8	0.523	0.561	0.630	24	16	0.795	0.822	0.867
22	9	0.568	0.605	0.672	24	17	0.830	0.854	0.894
					24	18	0.863	0.885	0.920
22	10	0.611	0.648	0.712	24	19	0.895	0.914	0.943
22	11	0.654	0.689	0.750					
22	12	0.695	0.729	0.786	24	20	0.925	0.941	0.964
22	13	0.736	0.767	0.821	24	21	0.953	0.965	0.981
22	14	0.775	0.804	0.853	24	22	0.978	0.985	0.994

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
24	23	0.996	0.998	0.999	27	0	0.082	0.105	0.157
24	24	1.000	1.000	1.000	27	1	0.136	0.164	0.222
25	0	0.088	0.113	0.168	27	2	0.185	0.215	0.277
25	1	0.147	0.176	0.237	27	3	0.231	0.263	0.326
25	2	0.199	0.231	0.296	27	4	0.274	0.308	0.373
25	3	0.248	0.282	0.349	27	5	0.317	0.351	0.417
25	4	0.295	0.330	0.398	27	6	0.358	0.392	0.456
25	5	0.340	0.375	0.444	27	7	0.397	0.432	0.499
25	6	0.383	0.420	0.488	27	8	0.436	0.471	0.537
25	7	0.426	0.462	0.531	27	9	0.475	0.510	0.574
25	8	0.467	0.504	0.571	27	10	0.512	0.547	0.610
25	9	0.508	0.544	0.610	27	11	0.549	0.583	0.645
25	10	0.548	0.583	0.648	27	12	0.585	0.618	0.679
25	11	0.587	0.621	0.684	27	13	0.620	0.653	0.711
25	12	0.625	0.659	0.719	27	14	0.655	0.687	0.743
25	13	0.662	0.695	0.752	27	15	0.689	0.720	0.773
25	14	0.699	0.730	0.784	27	16	0.723	0.752	0.802
25	15	0.735	0.764	0.815	27	17	0.756	0.783	0.831
25	16	0.770	0.798	0.845	27	18	0.788	0.814	0.857
25	17	0.804	0.830	0.873	27	19	0.819	0.843	0.883
25	18	0.837	0.861	0.899	27	20	0.850	0.872	0.907
25	19	0.869	0.890	0.924	27	21	0.879	0.899	0.930
25	20	0.899	0.918	0.946	27	22	0.907	0.924	0.950
25	21	0.928	0.943	0.965	27	23	0.934	0.948	0.968
25	22	0.955	0.966	0.982	27	24	0.956	0.969	0.983
25	23	0.978	0.985	0.994	27	25	0.980	0.987	0.994
25	24	0.996	0.998	0.999	27	26	0.996	0.998	1.000
25	25	1.000	1.000	1.000	27	27	1.000	1.000	1.000
26	0	0.085	0.109	0.162	28	0	0.079	0.101	0.152
26	1	0.141	0.170	0.229	28	1	0.132	0.158	0.214
26	2	0.192	0.223	0.286	28	2	0.179	0.208	0.268
26	3	0.239	0.272	0.337	28	3	0.223	0.254	0.316
26	4	0.284	0.318	0.385	28	4	0.265	0.298	0.361
26	5	0.328	0.363	0.430	28	5	0.306	0.339	0.404
26	6	0.370	0.405	0.473	28	6	0.346	0.380	0.445
26	7	0.411	0.447	0.514	28	7	0.385	0.419	0.484
26	8	0.451	0.487	0.554	28	8	0.422	0.457	0.521
26	9	0.491	0.526	0.592	28	9	0.460	0.494	0.558
26	10	0.529	0.564	0.628	28	10	0.496	0.530	0.593
26	11	0.567	0.602	0.664	28	11	0.532	0.565	0.627
26	12	0.604	0.638	0.698	28	12	0.567	0.600	0.660
26	13	0.641	0.673	0.731	28	13	0.601	0.634	0.692
26	14	0.676	0.708	0.763	28	14	0.635	0.667	0.723
26	15	0.711	0.742	0.794	28	15	0.669	0.699	0.753
26	16	0.746	0.774	0.823	28	16	0.701	0.731	0.782
26	17	0.779	0.806	0.851	28	17	0.734	0.762	0.810
26	18	0.812	0.837	0.878	28	18	0.765	0.792	0.837
26	19	0.843	0.866	0.903	28	19	0.796	0.821	0.863
26	20	0.874	0.894	0.927	28	20	0.826	0.849	0.888
26	21	0.903	0.921	0.948	28	21	0.855	0.876	0.911
26	22	0.931	0.946	0.967	28	22	0.883	0.902	0.932
26	23	0.957	0.968	0.983	28	23	0.911	0.927	0.952
26	24	0.979	0.986	0.994	28	24	0.936	0.950	0.969
26	25	0.996	0.998	0.999	28	25	0.960	0.970	0.984
26	26	1.000	1.000	1.000	28	26	0.981	0.987	0.995
					28	27	0.996	0.998	1.000

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
28	28	1.000	1.000	1.000	30	24	0.891	0.909	0.937
29	0	0.076	0.098	0.147	30	25	0.917	0.932	0.955
29	1	0.128	0.153	0.208	30	26	0.940	0.953	0.971
29	2	0.173	0.201	0.260	30	27	0.963	0.972	0.985
29	3	0.216	0.246	0.307	30	28	0.982	0.988	0.995
29	4	0.257	0.288	0.350	30	29	0.996	0.998	1.000
29	5	0.297	0.329	0.392	30	30	1.000	1.000	1.000
29	6	0.335	0.368	0.432	31	0	0.071	0.092	0.138
29	7	0.373	0.406	0.470	31	1	0.120	0.144	0.196
29	8	0.409	0.443	0.507	31	2	0.163	0.189	0.245
29	9	0.445	0.479	0.542	31	3	0.203	0.231	0.289
29	10	0.481	0.514	0.577	31	4	0.241	0.271	0.331
29	11	0.515	0.549	0.610	31	5	0.279	0.310	0.370
29	12	0.550	0.583	0.643	31	6	0.315	0.347	0.408
29	13	0.583	0.616	0.674	31	7	0.351	0.383	0.444
29	14	0.616	0.648	0.705	31	8	0.385	0.418	0.479
29	15	0.649	0.680	0.734	31	9	0.419	0.452	0.513
29	16	0.681	0.711	0.763	31	10	0.453	0.485	0.547
29	17	0.712	0.741	0.791	31	11	0.486	0.518	0.579
29	18	0.743	0.771	0.818	31	12	0.518	0.551	0.610
29	19	0.774	0.800	0.844	31	13	0.550	0.582	0.640
29	20	0.803	0.828	0.868	31	14	0.582	0.613	0.670
29	21	0.832	0.855	0.892	31	15	0.613	0.643	0.699
29	22	0.860	0.881	0.914	31	16	0.643	0.673	0.727
29	23	0.888	0.906	0.935	31	17	0.673	0.703	0.754
29	24	0.914	0.930	0.954	31	18	0.703	0.731	0.780
29	25	0.938	0.951	0.970	31	19	0.732	0.759	0.806
29	26	0.961	0.971	0.984	31	20	0.761	0.787	0.831
29	27	0.981	0.988	0.995	31	21	0.789	0.813	0.855
29	28	0.996	0.998	1.000	31	22	0.817	0.839	0.878
29	29	1.000	1.000	1.000	31	23	0.844	0.865	0.899
30	0	0.074	0.095	0.142	31	24	0.870	0.889	0.920
30	1	0.123	0.149	0.202	31	25	0.895	0.912	0.939
30	2	0.168	0.195	0.252	31	26	0.919	0.934	0.957
30	3	0.209	0.239	0.298	31	27	0.942	0.955	0.972
30	4	0.249	0.280	0.340	31	28	0.964	0.973	0.985
30	5	0.287	0.319	0.381	31	29	0.983	0.988	0.995
30	6	0.325	0.357	0.420	31	30	0.996	0.998	1.000
30	7	0.361	0.394	0.457	31	31	1.000	1.000	1.000
30	8	0.397	0.430	0.493	32	0	0.069	0.089	0.134
30	9	0.432	0.465	0.528	32	1	0.116	0.140	0.190
30	10	0.466	0.500	0.561	32	2	0.158	0.184	0.238
30	11	0.500	0.533	0.594	32	3	0.197	0.225	0.281
30	12	0.534	0.566	0.626	32	4	0.234	0.264	0.322
30	13	0.566	0.598	0.657	32	5	0.271	0.301	0.360
30	14	0.599	0.630	0.687	32	6	0.306	0.337	0.397
30	15	0.630	0.661	0.716	32	7	0.340	0.372	0.433
30	16	0.662	0.692	0.745	32	8	0.374	0.406	0.467
30	17	0.692	0.721	0.772	32	9	0.407	0.440	0.500
30	18	0.723	0.751	0.799	32	10	0.440	0.472	0.533
30	19	0.752	0.779	0.825	32	11	0.472	0.504	0.564
30	20	0.782	0.807	0.849	32	12	0.504	0.536	0.595
30	21	0.810	0.834	0.873	32	13	0.535	0.567	0.624
30	22	0.838	0.860	0.896	32	14	0.566	0.597	0.654
30	23	0.865	0.885	0.917					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
32	15	0.596	0.627	0.682	34	4	0.221	0.249	0.305
32	16	0.626	0.656	0.710	34	5	0.256	0.285	0.342
32	17	0.655	0.685	0.737	34	6	0.289	0.319	0.377
32	18	0.684	0.713	0.763	34	7	0.322	0.352	0.411
32	19	0.713	0.740	0.788	34	8	0.354	0.385	0.444
32	20	0.741	0.767	0.813	34	9	0.386	0.417	0.475
32	21	0.769	0.794	0.837	34	10	0.417	0.446	0.506
32	22	0.796	0.820	0.860	34	11	0.447	0.478	0.537
32	23	0.823	0.845	0.882	34	12	0.477	0.508	0.566
32	24	0.849	0.869	0.903	34	13	0.507	0.538	0.595
32	25	0.874	0.893	0.923	34	14	0.536	0.567	0.623
32	26	0.898	0.915	0.941	34	15	0.565	0.595	0.651
32	27	0.922	0.936	0.958	34	16	0.594	0.623	0.677
32	28	0.944	0.956	0.973	34	17	0.622	0.651	0.704
32	29	0.965	0.974	0.986	34	18	0.650	0.678	0.729
32	30	0.983	0.989	0.995	34	19	0.677	0.705	0.754
32	31	0.997	0.998	1.000	34	20	0.704	0.731	0.778
32	32	1.000	1.000	1.000	34	21	0.731	0.757	0.802
33	0	0.067	0.087	0.130	34	22	0.757	0.782	0.825
33	1	0.113	0.136	0.185	34	23	0.783	0.807	0.847
33	2	0.153	0.179	0.231	34	24	0.809	0.831	0.869
33	3	0.191	0.218	0.273	34	25	0.834	0.854	0.889
33	4	0.228	0.256	0.313	34	26	0.858	0.877	0.909
33	5	0.263	0.293	0.351	34	27	0.882	0.899	0.927
33	6	0.297	0.328	0.387	34	28	0.905	0.920	0.945
33	7	0.331	0.362	0.421	34	29	0.927	0.940	0.961
33	8	0.364	0.395	0.455	34	30	0.948	0.959	0.975
33	9	0.396	0.428	0.488	34	31	0.967	0.975	0.987
33	10	0.428	0.460	0.519	34	32	0.984	0.989	0.995
33	11	0.459	0.491	0.550	34	33	0.997	0.998	1.000
33	12	0.490	0.522	0.580	34	34	1.000	1.000	1.000
33	13	0.521	0.552	0.609	35	0	0.064	0.082	0.123
33	14	0.551	0.582	0.638	35	1	0.107	0.128	0.175
33	15	0.580	0.611	0.666	35	2	0.145	0.169	0.219
33	16	0.609	0.639	0.693	35	3	0.181	0.207	0.259
33	17	0.638	0.667	0.720	35	4	0.215	0.243	0.297
33	18	0.667	0.695	0.746	35	5	0.249	0.277	0.333
33	19	0.695	0.722	0.771	35	6	0.282	0.311	0.367
33	20	0.722	0.749	0.795	35	7	0.313	0.343	0.401
33	21	0.750	0.775	0.819	35	8	0.345	0.375	0.433
33	22	0.776	0.801	0.842	35	9	0.375	0.406	0.464
33	23	0.803	0.826	0.864	35	10	0.406	0.436	0.494
33	24	0.828	0.850	0.886	35	11	0.435	0.466	0.524
33	25	0.853	0.873	0.906	35	12	0.465	0.496	0.553
33	26	0.878	0.896	0.925	35	13	0.494	0.524	0.581
33	27	0.902	0.918	0.943	35	14	0.523	0.553	0.609
33	28	0.924	0.938	0.960	35	15	0.551	0.581	0.636
33	29	0.946	0.957	0.974	35	16	0.579	0.608	0.662
33	30	0.966	0.975	0.986	35	17	0.606	0.635	0.688
33	31	0.984	0.989	0.995	35	18	0.634	0.662	0.713
33	32	0.997	0.998	1.000	35	19	0.661	0.688	0.738
33	33	1.000	1.000	1.000	35	20	0.687	0.714	0.762
34	0	0.065	0.084	0.127	35	21	0.713	0.740	0.785
34	1	0.110	0.132	0.180	35	22	0.739	0.764	0.808
34	2	0.149	0.174	0.225	35	23	0.765	0.789	0.830
34	3	0.186	0.212	0.266	35	24	0.790	0.813	0.852

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
35	25	0.814	0.836	0.873	37	7	0.298	0.326	0.382
35	26	0.839	0.859	0.893	37	8	0.327	0.357	0.413
35	27	0.862	0.881	0.912	37	9	0.357	0.386	0.442
35	28	0.885	0.902	0.930	37	10	0.386	0.415	0.472
35	29	0.907	0.923	0.947	37	11	0.414	0.444	0.500
35	30	0.929	0.942	0.962	37	12	0.442	0.472	0.528
35	31	0.949	0.960	0.976	37	13	0.470	0.500	0.555
35	32	0.968	0.976	0.987	37	14	0.497	0.527	0.582
35	33	0.985	0.990	0.996	37	15	0.524	0.554	0.608
35	34	0.997	0.998	1.000	37	16	0.551	0.580	0.634
35	35	1.000	1.000	1.000	37	17	0.577	0.606	0.659
36	0	0.062	0.080	0.120	37	18	0.604	0.632	0.683
36	1	0.104	0.125	0.171	37	19	0.629	0.657	0.707
36	2	0.141	0.165	0.214	37	20	0.655	0.682	0.731
36	3	0.176	0.201	0.253	37	21	0.680	0.707	0.754
36	4	0.210	0.236	0.290	37	22	0.705	0.731	0.776
36	5	0.243	0.270	0.325	37	23	0.730	0.755	0.798
36	6	0.274	0.303	0.359	37	24	0.754	0.778	0.820
36	7	0.305	0.334	0.391	37	25	0.778	0.801	0.841
36	8	0.336	0.365	0.422	37	26	0.802	0.824	0.861
36	9	0.366	0.396	0.453	37	27	0.825	0.845	0.880
36	10	0.395	0.426	0.483	37	28	0.848	0.867	0.899
36	11	0.424	0.455	0.512	37	29	0.870	0.888	0.917
36	12	0.453	0.483	0.540	37	30	0.892	0.908	0.934
36	13	0.482	0.512	0.568	37	31	0.913	0.927	0.950
36	14	0.510	0.540	0.595	37	32	0.933	0.945	0.964
36	15	0.537	0.567	0.622	37	33	0.952	0.962	0.977
36	16	0.565	0.594	0.648	37	34	0.970	0.977	0.988
36	17	0.592	0.621	0.673	37	35	0.985	0.990	0.996
36	18	0.618	0.647	0.698	37	36	0.997	0.998	1.000
36	19	0.645	0.673	0.722	37	37	1.000	1.000	1.000
36	20	0.671	0.698	0.746	38	0	0.059	0.076	0.114
36	21	0.696	0.723	0.769	38	1	0.098	0.119	0.162
36	22	0.722	0.747	0.792	38	2	0.134	0.156	0.203
36	23	0.747	0.772	0.814	38	3	0.167	0.192	0.241
36	24	0.772	0.795	0.836	38	4	0.199	0.225	0.276
36	25	0.796	0.818	0.856	38	5	0.231	0.257	0.310
36	26	0.820	0.841	0.877	38	6	0.261	0.288	0.342
36	27	0.843	0.863	0.896	38	7	0.290	0.318	0.373
36	28	0.866	0.884	0.914	38	8	0.319	0.348	0.403
36	29	0.888	0.905	0.932	38	9	0.348	0.377	0.432
36	30	0.910	0.925	0.948	38	10	0.376	0.405	0.461
36	31	0.931	0.944	0.963	38	11	0.404	0.433	0.489
36	32	0.951	0.961	0.976	38	12	0.431	0.461	0.516
36	33	0.969	0.977	0.988	38	13	0.459	0.488	0.543
36	34	0.985	0.990	0.996	38	14	0.485	0.515	0.569
36	35	0.997	0.998	1.000	38	15	0.512	0.541	0.595
36	36	1.000	1.000	1.000	38	16	0.538	0.567	0.620
37	0	0.060	0.078	0.117	38	17	0.564	0.593	0.645
37	1	0.101	0.122	0.166	38	18	0.590	0.618	0.669
37	2	0.137	0.160	0.208	38	19	0.615	0.643	0.693
37	3	0.172	0.196	0.247	38	20	0.640	0.667	0.716
37	4	0.204	0.230	0.283	38	21	0.665	0.691	0.739
37	5	0.236	0.263	0.317	38	22	0.689	0.715	0.761
37	6	0.267	0.295	0.350	38	23	0.713	0.739	0.783
					38	24	0.737	0.762	0.804

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
38	25	0.761	0.784	0.825	40	3	0.159	0.183	0.230
38	26	0.784	0.807	0.845	40	4	0.190	0.214	0.264
38	27	0.807	0.828	0.865					
38	28	0.830	0.850	0.884	40	5	0.220	0.245	0.296
38	29	0.852	0.871	0.902	40	6	0.249	0.275	0.327
					40	7	0.277	0.304	0.357
38	30	0.873	0.891	0.919	40	8	0.305	0.332	0.386
38	31	0.894	0.910	0.936	40	9	0.332	0.360	0.414
38	32	0.915	0.929	0.951					
38	33	0.935	0.947	0.965	40	10	0.359	0.387	0.441
38	34	0.953	0.963	0.978	40	11	0.385	0.414	0.468
					40	12	0.412	0.440	0.495
38	35	0.971	0.978	0.988	40	13	0.438	0.466	0.520
38	36	0.986	0.990	0.996	40	14	0.463	0.492	0.546
38	37	0.997	0.999	1.000					
38	38	1.000	1.000	1.000	40	15	0.489	0.517	0.571
					40	16	0.514	0.542	0.595
39	0	0.057	0.074	0.111	40	17	0.539	0.567	0.619
39	1	0.096	0.116	0.158	40	18	0.563	0.591	0.642
39	2	0.131	0.153	0.198	40	19	0.588	0.615	0.665
39	3	0.163	0.187	0.235					
39	4	0.195	0.219	0.270	40	20	0.612	0.639	0.688
					40	21	0.636	0.662	0.710
39	5	0.225	0.251	0.303	40	22	0.659	0.685	0.732
39	6	0.255	0.281	0.334	40	23	0.683	0.708	0.754
39	7	0.283	0.311	0.365	40	24	0.706	0.731	0.775
39	8	0.312	0.340	0.394					
39	9	0.340	0.368	0.423	40	25	0.729	0.753	0.795
					40	26	0.751	0.775	0.815
39	10	0.367	0.396	0.451	40	27	0.774	0.796	0.835
39	11	0.394	0.423	0.478	40	28	0.796	0.817	0.854
39	12	0.421	0.450	0.505	40	29	0.817	0.838	0.872
39	13	0.448	0.477	0.532					
39	14	0.474	0.503	0.557	40	30	0.839	0.858	0.890
					40	31	0.859	0.877	0.907
39	15	0.500	0.529	0.583	40	32	0.880	0.896	0.923
39	16	0.526	0.554	0.607	40	33	0.900	0.915	0.939
39	17	0.551	0.579	0.632	40	34	0.919	0.933	0.953
39	18	0.576	0.604	0.656					
39	19	0.601	0.629	0.679	40	35	0.938	0.949	0.967
					40	36	0.956	0.965	0.979
39	20	0.626	0.653	0.702	40	37	0.972	0.979	0.989
39	21	0.650	0.677	0.724	40	38	0.987	0.991	0.996
39	22	0.674	0.700	0.746	40	39	0.997	0.999	1.000
39	23	0.698	0.723	0.768					
39	24	0.721	0.746	0.789	40	40	1.000	1.000	1.000
39	25	0.745	0.768	0.810	41	0	0.055	0.070	0.106
39	26	0.767	0.790	0.830	41	1	0.091	0.110	0.151
39	27	0.790	0.812	0.849	41	2	0.125	0.146	0.190
39	28	0.812	0.833	0.868	41	3	0.156	0.178	0.225
39	29	0.834	0.854	0.887	41	4	0.185	0.209	0.258
39	30	0.856	0.874	0.904	41	5	0.215	0.240	0.289
39	31	0.877	0.894	0.921	41	6	0.243	0.269	0.320
39	32	0.897	0.913	0.937	41	7	0.270	0.297	0.349
39	33	0.917	0.931	0.952	41	8	0.298	0.325	0.377
39	34	0.936	0.948	0.966	41	9	0.324	0.352	0.405
39	35	0.954	0.964	0.978	41	10	0.351	0.379	0.432
39	36	0.971	0.979	0.988	41	11	0.377	0.405	0.458
39	37	0.986	0.991	0.996	41	12	0.402	0.431	0.484
39	38	0.997	0.999	1.000	41	13	0.428	0.456	0.510
39	39	1.000	1.000	1.000	41	14	0.453	0.481	0.535
40	0	0.056	0.072	0.109	41	15	0.478	0.506	0.559
40	1	0.094	0.113	0.155	41	16	0.502	0.531	0.583
40	2	0.128	0.149	0.194	41	17	0.527	0.555	0.607

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
41	18	0.551	0.579	0.630	42	31	0.826	0.846	0.878
41	19	0.575	0.602	0.653	42	32	0.847	0.865	0.895
41	20	0.599	0.626	0.675	42	33	0.866	0.883	0.912
41	21	0.622	0.649	0.697	42	34	0.886	0.902	0.927
41	22	0.645	0.671	0.718	42	35	0.905	0.919	0.942
41	23	0.668	0.694	0.740	42	36	0.923	0.936	0.956
41	24	0.691	0.716	0.760	42	37	0.941	0.952	0.969
41	25	0.713	0.738	0.781	42	38	0.958	0.967	0.980
41	26	0.736	0.759	0.801	42	39	0.973	0.980	0.989
41	27	0.758	0.780	0.820	42	40	0.987	0.991	0.996
41	28	0.779	0.801	0.839	42	41	0.997	0.999	1.000
41	29	0.801	0.822	0.857	42	42	1.000	1.000	1.000
41	30	0.822	0.842	0.875	43	0	0.052	0.067	0.101
41	31	0.843	0.861	0.893	43	1	0.087	0.106	0.145
41	32	0.863	0.880	0.909	43	2	0.119	0.139	0.181
41	33	0.883	0.899	0.925	43	3	0.149	0.170	0.215
41	34	0.902	0.917	0.940	43	4	0.177	0.200	0.247
41	35	0.921	0.934	0.955	43	5	0.205	0.229	0.277
41	36	0.940	0.951	0.968	43	6	0.232	0.257	0.306
41	37	0.957	0.966	0.979	43	7	0.259	0.284	0.334
41	38	0.973	0.980	0.989	43	8	0.285	0.311	0.362
41	39	0.987	0.991	0.996	43	9	0.310	0.337	0.388
41	40	0.997	0.999	1.000	43	10	0.336	0.363	0.414
41	41	1.000	1.000	1.000	43	11	0.360	0.388	0.440
42	0	0.053	0.069	0.104	43	12	0.385	0.413	0.465
42	1	0.089	0.108	0.148	43	13	0.410	0.437	0.489
42	2	0.122	0.142	0.185	43	14	0.434	0.461	0.514
42	3	0.152	0.174	0.220	43	15	0.458	0.485	0.537
42	4	0.181	0.205	0.252	43	16	0.481	0.509	0.560
42	5	0.210	0.234	0.283	43	17	0.505	0.532	0.583
42	6	0.237	0.263	0.313	43	18	0.528	0.555	0.606
42	7	0.264	0.290	0.341	43	19	0.551	0.578	0.628
42	8	0.291	0.318	0.369	43	20	0.574	0.601	0.650
42	9	0.317	0.344	0.397	43	21	0.596	0.623	0.671
42	10	0.343	0.370	0.423	43	22	0.619	0.645	0.692
42	11	0.368	0.396	0.449	43	23	0.641	0.667	0.713
42	12	0.394	0.422	0.474	43	24	0.663	0.688	0.733
42	13	0.419	0.447	0.499	43	25	0.685	0.709	0.753
42	14	0.443	0.471	0.524	43	26	0.706	0.730	0.773
42	15	0.467	0.496	0.548	43	27	0.728	0.751	0.792
42	16	0.492	0.520	0.572	43	28	0.749	0.771	0.811
42	17	0.516	0.543	0.595	43	29	0.770	0.791	0.829
42	18	0.539	0.567	0.618	43	30	0.790	0.811	0.847
42	19	0.563	0.590	0.640	43	31	0.810	0.830	0.865
42	20	0.586	0.613	0.662	43	32	0.831	0.849	0.882
42	21	0.609	0.636	0.684	43	33	0.850	0.868	0.898
42	22	0.632	0.658	0.705	43	34	0.870	0.886	0.914
42	23	0.654	0.680	0.726	43	35	0.889	0.904	0.929
42	24	0.677	0.702	0.747	43	36	0.907	0.921	0.943
42	25	0.699	0.723	0.767	43	37	0.925	0.937	0.957
42	26	0.721	0.744	0.786	43	38	0.942	0.953	0.969
42	27	0.742	0.765	0.806	43	39	0.959	0.968	0.980
42	28	0.764	0.786	0.825	43	40	0.974	0.981	0.990
42	29	0.785	0.806	0.843	43	41	0.987	0.992	0.996
42	30	0.806	0.826	0.861	43	42	0.997	0.999	1.000
					43	43	1.000	1.000	1.000

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
44	0	0.051	0.066	0.099	45	12	0.369	0.396	0.447
44	1	0.085	0.103	0.141	45	13	0.393	0.420	0.471
44	2	0.116	0.136	0.178	45	14	0.416	0.443	0.494
44	3	0.145	0.167	0.211	45	15	0.439	0.466	0.517
44	4	0.173	0.196	0.242	45	16	0.462	0.489	0.539
44	5	0.201	0.224	0.271	45	17	0.484	0.511	0.562
44	6	0.227	0.252	0.300	45	18	0.507	0.534	0.583
44	7	0.253	0.278	0.328	45	19	0.529	0.556	0.605
44	8	0.279	0.304	0.354	45	20	0.551	0.577	0.626
44	9	0.304	0.330	0.381	45	21	0.573	0.599	0.647
44	10	0.328	0.355	0.406	45	22	0.594	0.620	0.667
44	11	0.353	0.380	0.431	45	23	0.616	0.641	0.688
44	12	0.377	0.404	0.456	45	24	0.637	0.662	0.708
44	13	0.401	0.428	0.480	45	25	0.658	0.683	0.727
44	14	0.425	0.452	0.504	45	26	0.679	0.703	0.746
44	15	0.448	0.475	0.527	45	27	0.700	0.723	0.765
44	16	0.471	0.499	0.550	45	28	0.720	0.743	0.784
44	17	0.494	0.522	0.572	45	29	0.740	0.763	0.802
44	18	0.517	0.544	0.594	45	30	0.760	0.782	0.820
44	19	0.540	0.567	0.616	45	31	0.780	0.801	0.837
44	20	0.562	0.589	0.638	45	32	0.800	0.820	0.854
44	21	0.584	0.611	0.659	45	33	0.819	0.838	0.871
44	22	0.606	0.632	0.680	45	34	0.838	0.857	0.887
44	23	0.628	0.654	0.700	45	35	0.857	0.874	0.903
44	24	0.650	0.675	0.720	45	36	0.876	0.892	0.918
44	25	0.671	0.696	0.740	45	37	0.894	0.908	0.932
44	26	0.692	0.716	0.759	45	38	0.911	0.925	0.946
44	27	0.713	0.737	0.778	45	39	0.928	0.940	0.959
44	28	0.734	0.757	0.797	45	40	0.945	0.955	0.971
44	29	0.755	0.777	0.815	45	41	0.961	0.969	0.981
44	30	0.775	0.796	0.833	45	42	0.975	0.981	0.990
44	31	0.795	0.816	0.851	45	43	0.988	0.992	0.997
44	32	0.815	0.835	0.868	45	44	0.998	0.999	1.000
44	33	0.835	0.853	0.884	45	45	1.000	1.000	1.000
44	34	0.854	0.871	0.900	46	0	0.049	0.063	0.095
44	35	0.873	0.889	0.916	46	1	0.082	0.099	0.136
44	36	0.891	0.906	0.931	46	2	0.111	0.131	0.170
44	37	0.909	0.923	0.945	46	3	0.139	0.160	0.202
44	38	0.927	0.939	0.958	46	4	0.166	0.188	0.232
44	39	0.944	0.954	0.970	46	5	0.192	0.215	0.261
44	40	0.960	0.968	0.981	46	6	0.218	0.241	0.288
44	41	0.975	0.981	0.990	46	7	0.243	0.267	0.315
44	42	0.988	0.992	0.996	46	8	0.267	0.292	0.341
44	43	0.997	0.999	1.000	46	9	0.291	0.317	0.366
44	44	1.000	1.000	1.000	46	10	0.315	0.341	0.391
45	0	0.050	0.064	0.097	46	11	0.339	0.365	0.415
45	1	0.084	0.101	0.139	46	12	0.362	0.388	0.439
45	2	0.114	0.133	0.174	46	13	0.385	0.411	0.462
45	3	0.142	0.163	0.206	46	14	0.408	0.434	0.485
45	4	0.170	0.192	0.237	46	15	0.430	0.457	0.507
45	5	0.196	0.220	0.266	46	16	0.452	0.479	0.530
45	6	0.222	0.246	0.294	46	17	0.475	0.501	0.551
45	7	0.248	0.272	0.321	46	18	0.497	0.523	0.573
45	8	0.273	0.298	0.347	46	19	0.518	0.545	0.594
45	9	0.297	0.323	0.373	46	20	0.540	0.566	0.615
45	10	0.322	0.348	0.398	46	21	0.561	0.588	0.636
45	11	0.346	0.372	0.423					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
46	22	0.583	0.609	0.656	47	30	0.733	0.755	0.794
46	23	0.604	0.629	0.676	47	31	0.752	0.774	0.811
46	24	0.625	0.650	0.695	47	32	0.771	0.792	0.828
					47	33	0.790	0.810	0.845
46	25	0.645	0.670	0.715	47	34	0.809	0.828	0.861
46	26	0.666	0.690	0.734					
46	27	0.686	0.710	0.753	47	35	0.827	0.845	0.877
46	28	0.706	0.730	0.771	47	36	0.845	0.863	0.892
46	29	0.726	0.749	0.789	47	37	0.863	0.881	0.907
					47	38	0.881	0.898	0.922
46	30	0.746	0.768	0.807	47	39	0.898	0.912	0.935
46	31	0.766	0.787	0.824					
46	32	0.785	0.806	0.841	47	40	0.915	0.928	0.948
46	33	0.804	0.824	0.858	47	41	0.932	0.943	0.961
46	34	0.823	0.842	0.874	47	42	0.947	0.957	0.972
					47	43	0.962	0.970	0.982
46	35	0.842	0.860	0.890	47	44	0.976	0.982	0.990
46	36	0.860	0.877	0.905					
46	37	0.878	0.894	0.920	47	45	0.989	0.992	0.997
46	38	0.896	0.910	0.934	47	46	0.993	0.999	1.000
46	39	0.913	0.926	0.947	47	47	1.000	1.000	1.000
46	40	0.930	0.942	0.960	48	0	0.047	0.060	0.091
46	41	0.946	0.956	0.971	48	1	0.079	0.095	0.130
46	42	0.961	0.970	0.982	48	2	0.107	0.125	0.164
46	43	0.976	0.982	0.990	48	3	0.134	0.154	0.194
46	44	0.988	0.992	0.997	48	4	0.160	0.181	0.223
46	45	0.998	0.999	1.000	48	5	0.185	0.207	0.251
46	46	1.000	1.000	1.000	48	6	0.209	0.232	0.277
					48	7	0.233	0.257	0.303
47	0	0.048	0.062	0.093	48	8	0.257	0.281	0.328
47	1	0.080	0.097	0.133	48	9	0.280	0.304	0.352
47	2	0.109	0.128	0.167					
47	3	0.137	0.157	0.198	48	10	0.303	0.328	0.376
47	4	0.163	0.184	0.228	48	11	0.325	0.351	0.400
					48	12	0.348	0.373	0.423
47	5	0.188	0.211	0.256	48	13	0.370	0.396	0.445
47	6	0.213	0.237	0.283	48	14	0.392	0.418	0.467
47	7	0.238	0.262	0.309					
47	8	0.262	0.286	0.334	48	15	0.414	0.440	0.489
47	9	0.285	0.310	0.359	48	16	0.435	0.461	0.511
					48	17	0.456	0.483	0.532
47	10	0.309	0.334	0.383	48	18	0.478	0.504	0.553
47	11	0.332	0.358	0.407	48	19	0.499	0.525	0.573
47	12	0.355	0.381	0.430					
47	13	0.377	0.403	0.453	48	20	0.520	0.546	0.594
47	14	0.400	0.426	0.476	48	21	0.540	0.566	0.614
					48	22	0.561	0.586	0.633
47	15	0.422	0.448	0.498	48	23	0.581	0.607	0.653
47	16	0.444	0.470	0.520	48	24	0.601	0.626	0.672
47	17	0.465	0.492	0.541					
47	18	0.487	0.513	0.563	48	25	0.621	0.646	0.691
47	19	0.508	0.535	0.584	48	26	0.641	0.666	0.710
					48	27	0.661	0.685	0.728
47	20	0.530	0.556	0.604	48	28	0.681	0.704	0.746
47	21	0.551	0.577	0.624	48	29	0.700	0.723	0.764
47	22	0.572	0.597	0.644					
47	23	0.592	0.618	0.664	48	30	0.719	0.742	0.781
47	24	0.613	0.638	0.684	48	31	0.738	0.760	0.799
					48	32	0.757	0.779	0.816
47	25	0.633	0.658	0.703	48	33	0.776	0.797	0.832
47	26	0.653	0.678	0.722	48	34	0.795	0.814	0.848
47	27	0.673	0.697	0.740					
47	28	0.693	0.717	0.758	48	35	0.813	0.832	0.864
47	29	0.713	0.736	0.776	48	36	0.831	0.849	0.880

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
48	37	0.849	0.866	0.895	49	43	0.934	0.945	0.962
48	38	0.866	0.882	0.909	49	44	0.950	0.959	0.973
48	39	0.884	0.899	0.923	49	45	0.964	0.972	0.983
48	40	0.901	0.914	0.937	49	46	0.977	0.983	0.991
48	41	0.917	0.930	0.950	49	47	0.989	0.993	0.997
48	42	0.933	0.944	0.962	49	48	0.998	0.999	1.000
48	43	0.949	0.958	0.973	49	49	1.000	1.000	1.000
48	44	0.963	0.971	0.982	50	0	0.045	0.058	0.086
48	45	0.977	0.983	0.991	50	1	0.075	0.091	0.125
48	46	0.989	0.992	0.997	50	2	0.103	0.121	0.158
48	47	0.998	0.999	1.000	50	3	0.129	0.148	0.187
48	48	1.000	1.000	1.000	50	4	0.153	0.174	0.215
49	0	0.046	0.059	0.090	50	5	0.178	0.199	0.242
49	1	0.077	0.093	0.128	50	6	0.201	0.223	0.267
49	2	0.105	0.123	0.161	50	7	0.224	0.247	0.292
49	3	0.131	0.151	0.191	50	8	0.247	0.270	0.316
49	4	0.156	0.177	0.219	50	9	0.269	0.293	0.340
49	5	0.181	0.203	0.246	50	10	0.291	0.316	0.363
49	6	0.205	0.228	0.272	50	11	0.313	0.338	0.385
49	7	0.229	0.252	0.297	50	12	0.335	0.360	0.408
49	8	0.252	0.275	0.322	50	13	0.356	0.381	0.430
49	9	0.274	0.299	0.346	50	14	0.377	0.403	0.451
49	10	0.297	0.322	0.369	50	15	0.398	0.424	0.472
49	11	0.319	0.344	0.392	50	16	0.419	0.445	0.493
49	12	0.341	0.366	0.415	50	17	0.440	0.465	0.514
49	13	0.363	0.388	0.437	50	18	0.460	0.486	0.534
49	14	0.384	0.410	0.459	50	19	0.480	0.506	0.554
49	15	0.406	0.432	0.481	50	20	0.501	0.526	0.574
49	16	0.427	0.453	0.502	50	21	0.521	0.546	0.593
49	17	0.448	0.474	0.523	50	22	0.540	0.566	0.612
49	18	0.469	0.495	0.543	50	23	0.560	0.585	0.631
49	19	0.489	0.515	0.564	50	24	0.580	0.605	0.650
49	20	0.510	0.536	0.584	50	25	0.599	0.624	0.669
49	21	0.530	0.556	0.603	50	26	0.619	0.643	0.687
49	22	0.550	0.576	0.623	50	27	0.638	0.662	0.705
49	23	0.570	0.596	0.642	50	28	0.657	0.680	0.723
49	24	0.590	0.615	0.661	50	29	0.676	0.699	0.740
49	25	0.610	0.635	0.680	50	30	0.694	0.717	0.757
49	26	0.630	0.654	0.698	50	31	0.713	0.735	0.774
49	27	0.649	0.673	0.716	50	32	0.731	0.753	0.791
49	28	0.668	0.692	0.734	50	33	0.749	0.771	0.807
49	29	0.688	0.711	0.752	50	34	0.768	0.788	0.824
49	30	0.707	0.729	0.769	50	35	0.785	0.805	0.839
49	31	0.725	0.747	0.786	50	36	0.803	0.822	0.855
49	32	0.744	0.766	0.803	50	37	0.821	0.839	0.870
49	33	0.763	0.783	0.820	50	38	0.838	0.855	0.885
49	34	0.781	0.801	0.836	50	39	0.855	0.871	0.899
49	35	0.799	0.818	0.852	50	40	0.872	0.887	0.913
49	36	0.817	0.835	0.867	50	41	0.888	0.903	0.926
49	37	0.835	0.852	0.882	50	42	0.905	0.918	0.939
49	38	0.852	0.869	0.897	50	43	0.920	0.932	0.952
49	39	0.869	0.885	0.911	50	44	0.936	0.946	0.963
49	40	0.886	0.901	0.925	50	45	0.951	0.960	0.974
49	41	0.903	0.916	0.938	50	46	0.965	0.972	0.983
49	42	0.919	0.931	0.951	50	47	0.976	0.983	0.991

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
50	48	0.989	0.993	0.997	52	0	0.043	0.056	0.085
50	49	0.998	0.999	1.000	52	1	0.073	0.088	0.121
50	50	1.000	1.000	1.000	52	2	0.099	0.116	0.152
51	0	0.044	0.057	0.086	52	3	0.124	0.142	0.180
51	1	0.074	0.090	0.123	52	4	0.148	0.167	0.207
51	2	0.101	0.116	0.155	52	5	0.171	0.192	0.233
51	3	0.126	0.145	0.184	52	6	0.194	0.215	0.258
51	4	0.151	0.170	0.211	52	7	0.216	0.238	0.282
51	5	0.174	0.195	0.237	52	8	0.238	0.261	0.305
51	6	0.197	0.219	0.262	52	9	0.259	0.283	0.328
51	7	0.220	0.242	0.287	52	10	0.281	0.304	0.350
51	8	0.242	0.265	0.311	52	11	0.302	0.326	0.372
51	9	0.264	0.288	0.334	52	12	0.323	0.347	0.394
51	10	0.286	0.310	0.357	52	13	0.343	0.368	0.415
51	11	0.307	0.332	0.379	52	14	0.364	0.389	0.436
51	12	0.329	0.353	0.401	52	15	0.384	0.409	0.456
51	13	0.350	0.374	0.422	52	16	0.404	0.429	0.477
51	14	0.370	0.395	0.443	52	17	0.424	0.449	0.497
51	15	0.391	0.416	0.464	52	18	0.444	0.469	0.516
51	16	0.411	0.437	0.485	52	19	0.463	0.489	0.536
51	17	0.432	0.457	0.505	52	20	0.483	0.508	0.555
51	18	0.452	0.477	0.525	52	21	0.502	0.527	0.574
51	19	0.472	0.497	0.545	52	22	0.522	0.547	0.593
51	20	0.492	0.517	0.564	52	23	0.541	0.565	0.611
51	21	0.511	0.537	0.583	52	24	0.560	0.584	0.630
51	22	0.531	0.556	0.602	52	25	0.578	0.603	0.648
51	23	0.550	0.575	0.621	52	26	0.597	0.621	0.665
51	24	0.570	0.594	0.640	52	27	0.616	0.640	0.683
51	25	0.589	0.613	0.658	52	28	0.634	0.658	0.700
51	26	0.608	0.632	0.676	52	29	0.653	0.676	0.718
51	27	0.627	0.650	0.694	52	30	0.671	0.694	0.734
51	28	0.645	0.669	0.711	52	31	0.689	0.711	0.751
51	29	0.664	0.687	0.729	52	32	0.707	0.729	0.768
51	30	0.682	0.705	0.746	52	33	0.724	0.746	0.784
51	31	0.701	0.723	0.763	52	34	0.742	0.763	0.800
51	32	0.719	0.741	0.779	52	35	0.760	0.780	0.815
51	33	0.737	0.758	0.795	52	36	0.777	0.797	0.831
51	34	0.755	0.775	0.812	52	37	0.794	0.813	0.846
51	35	0.772	0.792	0.827	52	38	0.811	0.829	0.861
51	36	0.790	0.809	0.843	52	39	0.828	0.845	0.875
51	37	0.807	0.826	0.858	52	40	0.844	0.861	0.889
51	38	0.824	0.842	0.873	52	41	0.861	0.877	0.903
51	39	0.841	0.858	0.887	52	42	0.877	0.892	0.917
51	40	0.858	0.874	0.901	52	43	0.893	0.907	0.929
51	41	0.874	0.890	0.915	52	44	0.908	0.921	0.942
51	42	0.891	0.905	0.928	52	45	0.924	0.935	0.954
51	43	0.907	0.920	0.941	52	46	0.938	0.949	0.965
51	44	0.922	0.934	0.953	52	47	0.953	0.961	0.975
51	45	0.937	0.948	0.964	52	48	0.966	0.973	0.984
51	46	0.952	0.961	0.974	52	49	0.979	0.984	0.991
51	47	0.965	0.973	0.983	52	50	0.990	0.993	0.997
51	48	0.978	0.984	0.991	52	51	0.998	0.999	1.000
51	49	0.989	0.993	0.997	52	52	1.000	1.000	1.000
51	50	0.998	0.999	1.000	53	0	0.042	0.055	0.083
51	51	1.000	1.000	1.000	53	1	0.071	0.086	0.119
					53	2	0.097	0.114	0.149

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
53	3	0.122	0.140	0.177	54	5	0.165	0.185	0.225
53	4	0.145	0.164	0.204	54	6	0.187	0.208	0.249
53	5	0.168	0.188	0.229	54	7	0.208	0.230	0.272
53	6	0.190	0.211	0.253	54	8	0.230	0.252	0.295
53	7	0.212	0.234	0.277	54	9	0.250	0.273	0.317
53	8	0.234	0.256	0.300	54	10	0.271	0.294	0.339
53	9	0.255	0.278	0.322	54	11	0.291	0.315	0.360
53	10	0.276	0.299	0.344	54	12	0.311	0.335	0.381
53	11	0.296	0.320	0.366	54	13	0.331	0.355	0.401
53	12	0.317	0.341	0.387	54	14	0.351	0.375	0.422
53	13	0.337	0.361	0.408	54	15	0.371	0.395	0.442
53	14	0.357	0.382	0.429	54	16	0.390	0.415	0.461
53	15	0.377	0.402	0.449	54	17	0.409	0.434	0.481
53	16	0.397	0.422	0.469	54	18	0.429	0.453	0.500
53	17	0.417	0.442	0.489	54	19	0.448	0.472	0.519
53	18	0.436	0.461	0.508	54	20	0.466	0.491	0.537
53	19	0.455	0.480	0.527	54	21	0.485	0.510	0.556
53	20	0.475	0.500	0.546	54	22	0.504	0.528	0.574
53	21	0.494	0.519	0.565	54	23	0.522	0.547	0.592
53	22	0.513	0.537	0.583	54	24	0.541	0.565	0.610
53	23	0.531	0.556	0.602	54	25	0.559	0.583	0.628
53	24	0.550	0.575	0.620	54	26	0.577	0.601	0.645
53	25	0.569	0.593	0.638	54	27	0.595	0.619	0.662
53	26	0.587	0.611	0.655	54	28	0.613	0.637	0.679
53	27	0.605	0.629	0.673	54	29	0.631	0.654	0.696
53	28	0.623	0.647	0.690	54	30	0.649	0.671	0.713
53	29	0.642	0.665	0.707	54	31	0.666	0.689	0.729
53	30	0.659	0.682	0.723	54	32	0.684	0.706	0.745
53	31	0.677	0.700	0.740	54	33	0.701	0.723	0.761
53	32	0.695	0.717	0.756	54	34	0.718	0.739	0.777
53	33	0.713	0.734	0.772	54	35	0.735	0.756	0.793
53	34	0.730	0.751	0.788	54	36	0.752	0.772	0.808
53	35	0.747	0.768	0.804	54	37	0.769	0.789	0.823
53	36	0.764	0.784	0.819	54	38	0.786	0.805	0.838
53	37	0.781	0.801	0.834	54	39	0.802	0.820	0.852
53	38	0.798	0.817	0.849	54	40	0.818	0.836	0.866
53	39	0.815	0.833	0.864	54	41	0.834	0.851	0.880
53	40	0.831	0.848	0.878	54	42	0.850	0.867	0.894
53	41	0.847	0.864	0.892	54	43	0.866	0.881	0.907
53	42	0.864	0.879	0.905	54	44	0.882	0.896	0.920
53	43	0.879	0.894	0.918	54	45	0.897	0.910	0.932
53	44	0.895	0.908	0.931	54	46	0.912	0.924	0.944
53	45	0.910	0.923	0.943	54	47	0.926	0.938	0.955
53	46	0.925	0.936	0.954	54	48	0.941	0.951	0.966
53	47	0.939	0.950	0.965	54	49	0.954	0.963	0.976
53	48	0.953	0.962	0.975	54	50	0.967	0.974	0.984
53	49	0.967	0.974	0.984	54	51	0.979	0.985	0.992
53	50	0.979	0.984	0.992	54	52	0.990	0.993	0.997
53	51	0.990	0.993	0.997	54	53	0.998	0.999	1.000
53	52	0.998	0.999	1.000	54	54	1.000	1.000	1.000
53	53	1.000	1.000	1.000	55	0	0.041	0.053	0.080
54	0	0.042	0.054	0.082	55	1	0.069	0.083	0.115
54	1	0.070	0.085	0.117	55	2	0.094	0.110	0.144
54	2	0.095	0.112	0.147	55	3	0.117	0.135	0.171
54	3	0.119	0.137	0.174	55	4	0.140	0.159	0.197
54	4	0.143	0.161	0.200	55	5	0.162	0.182	0.221

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
55	6	0.184	0.204	0.245	56	7	0.201	0.222	0.263
55	7	0.205	0.226	0.268	56	8	0.222	0.243	0.285
55	8	0.226	0.247	0.290	56	9	0.242	0.264	0.307
55	9	0.246	0.268	0.312	56	10	0.262	0.284	0.328
55	10	0.266	0.289	0.333	56	11	0.281	0.304	0.348
55	11	0.286	0.309	0.354	56	12	0.301	0.324	0.369
55	12	0.306	0.329	0.375	56	13	0.320	0.344	0.389
55	13	0.326	0.349	0.395	56	14	0.339	0.363	0.408
55	14	0.345	0.369	0.415	56	15	0.358	0.382	0.428
55	15	0.364	0.389	0.435	56	16	0.377	0.401	0.447
55	16	0.384	0.408	0.454	56	17	0.396	0.420	0.466
55	17	0.403	0.427	0.473	56	18	0.414	0.439	0.484
55	18	0.421	0.446	0.492	56	19	0.433	0.457	0.503
55	19	0.440	0.465	0.511	56	20	0.451	0.475	0.521
55	20	0.459	0.483	0.529	56	21	0.469	0.494	0.539
55	21	0.477	0.502	0.547	56	22	0.487	0.512	0.557
55	22	0.495	0.520	0.565	56	23	0.505	0.529	0.574
55	23	0.514	0.538	0.583	56	24	0.523	0.547	0.592
55	24	0.532	0.556	0.601	56	25	0.541	0.565	0.609
55	25	0.550	0.574	0.618	56	26	0.558	0.582	0.626
55	26	0.568	0.592	0.635	56	27	0.576	0.600	0.643
55	27	0.585	0.609	0.652	56	28	0.593	0.617	0.659
55	28	0.603	0.627	0.669	56	29	0.611	0.634	0.676
55	29	0.621	0.644	0.686	56	30	0.628	0.651	0.692
55	30	0.638	0.661	0.702	56	31	0.645	0.668	0.708
55	31	0.655	0.678	0.719	56	32	0.662	0.684	0.724
55	32	0.673	0.695	0.735	56	33	0.679	0.701	0.740
55	33	0.690	0.711	0.750	56	34	0.696	0.717	0.755
55	34	0.707	0.728	0.766	56	35	0.712	0.733	0.771
55	35	0.724	0.744	0.781	56	36	0.729	0.749	0.786
55	36	0.740	0.761	0.797	56	37	0.745	0.765	0.801
55	37	0.757	0.777	0.812	56	38	0.761	0.781	0.815
55	38	0.773	0.793	0.826	56	39	0.778	0.797	0.830
55	39	0.790	0.808	0.841	56	40	0.794	0.812	0.844
55	40	0.806	0.824	0.855	56	41	0.809	0.827	0.858
55	41	0.822	0.839	0.869	56	42	0.825	0.842	0.871
55	42	0.838	0.854	0.883	56	43	0.841	0.857	0.885
55	43	0.853	0.869	0.896	56	44	0.856	0.871	0.898
55	44	0.869	0.884	0.909	56	45	0.871	0.886	0.911
55	45	0.884	0.898	0.921	56	46	0.886	0.900	0.923
55	46	0.899	0.912	0.933	56	47	0.901	0.914	0.935
55	47	0.913	0.926	0.945	56	48	0.915	0.927	0.946
55	48	0.928	0.939	0.956	56	49	0.929	0.940	0.957
55	49	0.942	0.951	0.967	56	50	0.943	0.952	0.967
55	50	0.955	0.964	0.976	56	51	0.956	0.964	0.977
55	51	0.968	0.975	0.985	56	52	0.968	0.975	0.985
55	52	0.980	0.985	0.992	56	53	0.980	0.985	0.992
55	53	0.990	0.993	0.997	56	54	0.990	0.994	0.997
55	54	0.998	0.999	1.000	56	55	0.998	0.999	1.000
55	55	1.000	1.000	1.000	56	56	1.000	1.000	1.000
56	0	0.040	0.052	0.079	57	0	0.040	0.051	0.078
56	1	0.068	0.082	0.113	57	1	0.066	0.080	0.111
56	2	0.092	0.108	0.142	57	2	0.091	0.106	0.139
56	3	0.115	0.133	0.168	57	3	0.113	0.130	0.166
56	4	0.138	0.156	0.193	57	4	0.135	0.153	0.190
56	5	0.159	0.179	0.218	57	5	0.157	0.176	0.214
56	6	0.181	0.201	0.241	57	6	0.178	0.197	0.237

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
57	7	0.198	0.218	0.259	58	6	0.175	0.194	0.233
57	8	0.218	0.239	0.281	58	7	0.195	0.215	0.255
57	9	0.238	0.259	0.302	58	8	0.214	0.235	0.276
					58	9	0.234	0.255	0.297
57	10	0.257	0.279	0.323	58	10	0.253	0.275	0.316
57	11	0.277	0.299	0.343	58	11	0.272	0.294	0.338
57	12	0.296	0.319	0.363	58	12	0.291	0.314	0.357
57	13	0.315	0.338	0.383	58	13	0.310	0.333	0.377
57	14	0.334	0.357	0.402	58	14	0.328	0.351	0.396
					58	15	0.347	0.370	0.415
57	15	0.352	0.376	0.421	58	16	0.365	0.388	0.433
57	16	0.371	0.395	0.440	58	17	0.383	0.407	0.452
57	17	0.389	0.413	0.459	58	18	0.401	0.425	0.470
57	18	0.408	0.432	0.477	58	19	0.419	0.443	0.486
57	19	0.426	0.450	0.495					
					58	20	0.437	0.461	0.505
57	20	0.444	0.468	0.513	58	21	0.454	0.478	0.523
57	21	0.462	0.486	0.531	58	22	0.472	0.496	0.540
57	22	0.479	0.504	0.548	58	23	0.489	0.513	0.557
57	23	0.497	0.521	0.566	58	24	0.507	0.530	0.574
57	24	0.515	0.539	0.583					
					58	25	0.524	0.547	0.591
57	25	0.532	0.556	0.600	58	26	0.541	0.564	0.608
57	26	0.550	0.573	0.617	58	27	0.558	0.581	0.624
57	27	0.567	0.590	0.633	58	28	0.575	0.596	0.641
57	28	0.584	0.607	0.650	58	29	0.592	0.615	0.657
57	29	0.601	0.624	0.666					
					58	30	0.608	0.631	0.673
57	30	0.618	0.641	0.682	58	31	0.625	0.648	0.688
57	31	0.635	0.657	0.698	58	32	0.642	0.664	0.704
57	32	0.652	0.674	0.714	58	33	0.658	0.680	0.719
57	33	0.668	0.690	0.730	58	34	0.674	0.696	0.735
57	34	0.685	0.706	0.745					
					58	35	0.691	0.712	0.750
57	35	0.701	0.722	0.760	58	36	0.707	0.727	0.765
57	36	0.718	0.738	0.775	58	37	0.723	0.743	0.779
57	37	0.734	0.754	0.790	58	38	0.739	0.758	0.794
57	38	0.750	0.770	0.804	58	39	0.754	0.774	0.808
57	39	0.766	0.785	0.819					
					58	40	0.770	0.789	0.822
57	40	0.782	0.800	0.833	58	41	0.786	0.804	0.836
57	41	0.797	0.815	0.847	58	42	0.801	0.819	0.850
57	42	0.813	0.830	0.860	58	43	0.816	0.833	0.863
57	43	0.828	0.845	0.874	58	44	0.831	0.848	0.876
57	44	0.843	0.860	0.887					
					58	45	0.846	0.862	0.889
57	45	0.859	0.874	0.900	58	46	0.861	0.876	0.902
57	46	0.873	0.888	0.912	58	47	0.876	0.890	0.914
57	47	0.888	0.902	0.924	58	48	0.890	0.903	0.926
57	48	0.902	0.915	0.936	58	49	0.904	0.917	0.937
57	49	0.917	0.928	0.947					
					58	50	0.918	0.930	0.948
57	50	0.930	0.941	0.958	58	51	0.932	0.942	0.959
57	51	0.944	0.953	0.968	58	52	0.945	0.954	0.968
57	52	0.957	0.965	0.977	58	53	0.958	0.965	0.977
57	53	0.969	0.976	0.985	58	54	0.969	0.976	0.985
57	54	0.980	0.985	0.992					
					58	55	0.981	0.986	0.992
57	55	0.991	0.994	0.997	58	56	0.991	0.994	0.997
57	56	0.998	0.999	1.000	58	57	0.996	0.999	1.000
57	57	1.000	1.000	1.000	58	58	1.000	1.000	1.000
58	0	0.039	0.050	0.076	59	0	0.038	0.049	0.075
58	1	0.065	0.079	0.109	59	1	0.064	0.078	0.107
58	2	0.089	0.105	0.137	59	2	0.088	0.103	0.135
58	3	0.111	0.128	0.163	59	3	0.110	0.126	0.160
58	4	0.133	0.151	0.187	59	4	0.131	0.148	0.184
58	5	0.154	0.173	0.211					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
59	5	0.152	0.170	0.207	60	3	0.108	0.124	0.158
59	6	0.172	0.191	0.230	60	4	0.129	0.146	0.181
59	7	0.192	0.211	0.251					
59	8	0.211	0.231	0.272	60	5	0.149	0.167	0.204
59	9	0.230	0.251	0.293	60	6	0.169	0.188	0.226
					60	7	0.188	0.208	0.247
59	10	0.249	0.271	0.313	60	8	0.208	0.228	0.268
59	11	0.268	0.290	0.332	60	9	0.227	0.247	0.288
59	12	0.286	0.309	0.352					
59	13	0.305	0.327	0.371	60	10	0.245	0.266	0.308
59	14	0.323	0.346	0.390	60	11	0.264	0.285	0.327
					60	12	0.282	0.304	0.346
59	15	0.341	0.364	0.408	60	13	0.300	0.322	0.365
59	16	0.359	0.382	0.427	60	14	0.318	0.341	0.384
59	17	0.377	0.400	0.445					
59	18	0.395	0.418	0.463	60	15	0.336	0.359	0.402
59	19	0.412	0.436	0.480	60	16	0.354	0.376	0.420
					60	17	0.371	0.394	0.438
59	20	0.430	0.453	0.498	60	18	0.389	0.412	0.456
59	21	0.447	0.471	0.515	60	19	0.406	0.429	0.473
59	22	0.464	0.488	0.532					
59	23	0.482	0.505	0.549	60	20	0.423	0.447	0.491
59	24	0.499	0.522	0.566	60	21	0.440	0.464	0.508
					60	22	0.457	0.481	0.525
59	25	0.516	0.539	0.583	60	23	0.474	0.498	0.541
59	26	0.533	0.556	0.599	60	24	0.491	0.514	0.558
59	27	0.549	0.573	0.615					
59	28	0.566	0.589	0.632	60	25	0.508	0.531	0.574
59	29	0.583	0.605	0.647	60	26	0.524	0.548	0.591
					60	27	0.541	0.564	0.607
59	30	0.599	0.622	0.663	60	28	0.557	0.580	0.623
59	31	0.615	0.638	0.679	60	29	0.574	0.597	0.638
59	32	0.632	0.654	0.694					
59	33	0.648	0.670	0.710	60	30	0.590	0.613	0.654
59	34	0.664	0.686	0.725	60	31	0.606	0.629	0.670
					60	32	0.622	0.644	0.685
59	35	0.680	0.701	0.740	60	33	0.638	0.660	0.700
59	36	0.696	0.717	0.754	60	34	0.654	0.676	0.715
59	37	0.712	0.732	0.769					
59	38	0.728	0.748	0.783	60	35	0.670	0.691	0.730
59	39	0.743	0.763	0.798	60	36	0.686	0.707	0.744
					60	37	0.701	0.722	0.759
59	40	0.759	0.778	0.812	60	38	0.717	0.737	0.773
59	41	0.774	0.793	0.825	60	39	0.732	0.752	0.787
59	42	0.789	0.807	0.839					
59	43	0.804	0.822	0.852	60	40	0.748	0.767	0.801
59	44	0.819	0.836	0.865	60	41	0.763	0.782	0.815
					60	42	0.778	0.796	0.829
59	45	0.834	0.851	0.878	60	43	0.793	0.811	0.842
59	46	0.849	0.865	0.891	60	44	0.808	0.825	0.855
59	47	0.863	0.878	0.903					
59	48	0.878	0.892	0.915	60	45	0.823	0.839	0.868
59	49	0.892	0.905	0.927	60	46	0.837	0.853	0.881
					60	47	0.852	0.867	0.893
59	50	0.906	0.918	0.938	60	48	0.866	0.880	0.905
59	51	0.919	0.931	0.949	60	49	0.880	0.894	0.917
59	52	0.933	0.943	0.959					
59	53	0.946	0.955	0.969	60	50	0.894	0.907	0.928
59	54	0.958	0.966	0.978	60	51	0.907	0.920	0.939
					60	52	0.921	0.932	0.950
59	55	0.970	0.976	0.986	60	53	0.934	0.944	0.960
59	56	0.981	0.986	0.992	60	54	0.947	0.956	0.969
59	57	0.991	0.994	0.997					
59	58	0.998	0.999	1.000	60	55	0.959	0.967	0.978
59	59	1.000	1.000	1.000	60	56	0.971	0.977	0.986
					60	57	0.981	0.986	0.993
60	0	0.038	0.049	0.074	60	58	0.991	0.994	0.997
60	1	0.063	0.077	0.105	60	59	0.998	0.999	1.000
60	2	0.086	0.101	0.133					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
60	60	1.000	1.000	1.000	61	54	0.935	0.945	0.961
61	0	0.037	0.048	0.073	61	55	0.948	0.956	0.970
61	1	0.062	0.075	0.104	61	56	0.960	0.967	0.979
61	2	0.085	0.100	0.131	61	57	0.971	0.977	0.986
61	3	0.106	0.122	0.155	61	58	0.982	0.986	0.993
61	4	0.127	0.144	0.179	61	59	0.991	0.994	0.997
61	5	0.147	0.165	0.201	61	60	0.998	0.999	1.000
61	6	0.166	0.185	0.223	61	61	1.000	1.000	1.000
61	7	0.185	0.205	0.243	62	0	0.036	0.047	0.071
61	8	0.204	0.224	0.264	62	1	0.061	0.074	0.102
61	9	0.223	0.243	0.284	62	2	0.083	0.098	0.129
61	10	0.241	0.262	0.303	62	3	0.104	0.120	0.153
61	11	0.260	0.281	0.322	62	4	0.125	0.141	0.176
61	12	0.278	0.299	0.341	62	5	0.145	0.162	0.198
61	13	0.295	0.317	0.360	62	6	0.164	0.182	0.219
61	14	0.313	0.335	0.378	62	7	0.183	0.202	0.240
61	15	0.331	0.353	0.396	62	8	0.201	0.221	0.260
61	16	0.348	0.371	0.414	62	9	0.220	0.240	0.280
61	17	0.365	0.388	0.432	62	10	0.238	0.258	0.299
61	18	0.383	0.406	0.449	62	11	0.256	0.277	0.316
61	19	0.400	0.423	0.467	62	12	0.273	0.295	0.336
61	20	0.417	0.440	0.484	62	13	0.291	0.313	0.355
61	21	0.434	0.457	0.501	62	14	0.308	0.330	0.373
61	22	0.450	0.474	0.517	62	15	0.326	0.348	0.391
61	23	0.467	0.490	0.534	62	16	0.343	0.365	0.408
61	24	0.484	0.507	0.550	62	17	0.360	0.383	0.426
61	25	0.500	0.523	0.566	62	18	0.377	0.400	0.443
61	26	0.516	0.540	0.582	62	19	0.394	0.417	0.460
61	27	0.533	0.556	0.598	62	20	0.410	0.433	0.477
61	28	0.549	0.572	0.614	62	21	0.427	0.450	0.494
61	29	0.565	0.588	0.630	62	22	0.444	0.467	0.510
61	30	0.581	0.604	0.645	62	23	0.460	0.483	0.526
61	31	0.597	0.620	0.660	62	24	0.476	0.499	0.543
61	32	0.613	0.635	0.676	62	25	0.493	0.516	0.559
61	33	0.629	0.651	0.691	62	26	0.509	0.532	0.574
61	34	0.645	0.666	0.705	62	27	0.525	0.548	0.590
61	35	0.660	0.682	0.720	62	28	0.541	0.564	0.606
61	36	0.676	0.697	0.735	62	29	0.557	0.579	0.621
61	37	0.691	0.712	0.749	62	30	0.573	0.595	0.636
61	38	0.707	0.727	0.763	62	31	0.588	0.611	0.652
61	39	0.722	0.742	0.777	62	32	0.604	0.626	0.667
61	40	0.737	0.756	0.791	62	33	0.620	0.642	0.681
61	41	0.752	0.771	0.805	62	34	0.635	0.657	0.696
61	42	0.767	0.786	0.818	62	35	0.651	0.672	0.711
61	43	0.782	0.800	0.832	62	36	0.666	0.687	0.725
61	44	0.797	0.814	0.845	62	37	0.681	0.702	0.739
61	45	0.811	0.828	0.858	62	38	0.696	0.717	0.753
61	46	0.826	0.842	0.870	62	39	0.712	0.732	0.767
61	47	0.840	0.856	0.883	62	40	0.727	0.746	0.781
61	48	0.854	0.869	0.895	62	41	0.741	0.761	0.795
61	49	0.868	0.882	0.907	62	42	0.756	0.775	0.808
61	50	0.882	0.896	0.918	62	43	0.771	0.789	0.821
61	51	0.896	0.908	0.929	62	44	0.785	0.803	0.834
61	52	0.909	0.921	0.940	62	45	0.800	0.817	0.847
61	53	0.922	0.933	0.951					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
62	46	0.814	0.831	0.860	63	39	0.702	0.722	0.758
62	47	0.828	0.845	0.872	63	40	0.716	0.736	0.771
62	48	0.843	0.858	0.885	63	41	0.731	0.750	0.785
62	49	0.857	0.871	0.897	63	42	0.746	0.765	0.798
62	50	0.870	0.884	0.908	63	43	0.760	0.779	0.811
62	51	0.884	0.897	0.920	63	44	0.775	0.793	0.824
62	52	0.897	0.910	0.931	63	45	0.789	0.807	0.837
62	53	0.911	0.922	0.941	63	46	0.803	0.820	0.850
62	54	0.923	0.934	0.952	63	47	0.817	0.834	0.862
62	55	0.936	0.946	0.961	63	48	0.831	0.847	0.875
62	56	0.948	0.957	0.970	63	49	0.845	0.860	0.887
62	57	0.960	0.968	0.979	63	50	0.859	0.873	0.898
62	58	0.971	0.978	0.986	63	51	0.872	0.886	0.910
62	59	0.982	0.987	0.993	63	52	0.886	0.899	0.921
62	60	0.991	0.994	0.997	63	53	0.899	0.911	0.932
62	61	0.998	0.999	1.000	63	54	0.912	0.923	0.942
62	62	1.000	1.000	1.000	63	55	0.925	0.935	0.952
63	0	0.036	0.046	0.070	63	56	0.937	0.947	0.962
63	1	0.060	0.073	0.101	63	57	0.949	0.958	0.971
63	2	0.082	0.096	0.127	63	58	0.961	0.968	0.979
63	3	0.103	0.118	0.151	63	59	0.972	0.978	0.987
63	4	0.123	0.139	0.173	63	60	0.982	0.987	0.993
63	5	0.142	0.160	0.195	63	61	0.991	0.994	0.998
63	6	0.161	0.179	0.216	63	62	0.998	0.999	1.000
63	7	0.180	0.199	0.236	63	63	1.000	1.000	1.000
63	8	0.198	0.218	0.256	64	0	0.035	0.046	0.069
63	9	0.216	0.236	0.275	64	1	0.059	0.072	0.099
63	10	0.234	0.254	0.294	64	2	0.081	0.095	0.125
63	11	0.252	0.272	0.313	64	3	0.101	0.117	0.148
63	12	0.269	0.290	0.332	64	4	0.121	0.137	0.171
63	13	0.287	0.308	0.350	64	5	0.140	0.157	0.192
63	14	0.304	0.325	0.367	64	6	0.159	0.177	0.213
63	15	0.321	0.343	0.385	64	7	0.177	0.196	0.233
63	16	0.338	0.360	0.403	64	8	0.195	0.214	0.252
63	17	0.354	0.377	0.420	64	9	0.213	0.233	0.272
63	18	0.371	0.394	0.437	64	10	0.231	0.251	0.290
63	19	0.388	0.410	0.454	64	11	0.248	0.268	0.309
63	20	0.404	0.427	0.470	64	12	0.265	0.286	0.327
63	21	0.421	0.444	0.487	64	13	0.282	0.303	0.345
63	22	0.437	0.460	0.503	64	14	0.299	0.321	0.362
63	23	0.453	0.476	0.519	64	15	0.316	0.338	0.380
63	24	0.469	0.492	0.535	64	16	0.333	0.355	0.397
63	25	0.485	0.508	0.551	64	17	0.349	0.371	0.414
63	26	0.501	0.524	0.567	64	18	0.366	0.388	0.431
63	27	0.517	0.540	0.582	64	19	0.382	0.405	0.447
63	28	0.533	0.556	0.598	64	20	0.398	0.421	0.464
63	29	0.549	0.571	0.613	64	21	0.415	0.437	0.480
63	30	0.564	0.587	0.628	64	22	0.431	0.453	0.496
63	31	0.580	0.602	0.643	64	23	0.447	0.469	0.512
63	32	0.595	0.617	0.658	64	24	0.463	0.485	0.528
63	33	0.611	0.633	0.673	64	25	0.478	0.501	0.544
63	34	0.626	0.648	0.687	64	26	0.494	0.517	0.559
63	35	0.641	0.663	0.701	64	27	0.510	0.532	0.574
63	36	0.657	0.678	0.716	64	28	0.525	0.548	0.590
63	37	0.672	0.692	0.730	64	29	0.541	0.563	0.605
63	38	0.687	0.707	0.744					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
64	30	0.556	0.579	0.620	65	22	0.424	0.447	0.489
64	31	0.572	0.594	0.635	65	23	0.440	0.463	0.505
64	32	0.587	0.609	0.649	65	24	0.456	0.478	0.521
64	33	0.602	0.624	0.664	65	25	0.472	0.494	0.536
64	34	0.617	0.639	0.678	65	26	0.487	0.510	0.552
64	35	0.632	0.654	0.693	65	27	0.503	0.525	0.567
64	36	0.647	0.668	0.707	65	28	0.518	0.540	0.582
64	37	0.662	0.683	0.721	65	29	0.533	0.556	0.597
64	38	0.677	0.698	0.735	65	30	0.548	0.571	0.612
64	39	0.692	0.712	0.748	65	31	0.564	0.586	0.626
64	40	0.706	0.726	0.762	65	32	0.579	0.601	0.641
64	41	0.721	0.740	0.775	65	33	0.594	0.615	0.655
64	42	0.735	0.755	0.789	65	34	0.609	0.630	0.670
64	43	0.750	0.769	0.802	65	35	0.624	0.645	0.684
64	44	0.764	0.782	0.815	65	36	0.638	0.659	0.698
64	45	0.778	0.796	0.827	65	37	0.653	0.674	0.712
64	46	0.792	0.810	0.840	65	38	0.668	0.688	0.725
64	47	0.806	0.823	0.852	65	39	0.682	0.703	0.739
64	48	0.820	0.837	0.865	65	40	0.697	0.717	0.752
64	49	0.834	0.850	0.877	65	41	0.711	0.731	0.766
64	50	0.848	0.863	0.888	65	42	0.725	0.745	0.779
64	51	0.861	0.876	0.900	65	43	0.740	0.759	0.792
64	52	0.874	0.888	0.911	65	44	0.754	0.772	0.805
64	53	0.888	0.901	0.922	65	45	0.768	0.786	0.818
64	54	0.901	0.913	0.933	65	46	0.782	0.799	0.830
64	55	0.913	0.925	0.943	65	47	0.796	0.813	0.843
64	56	0.926	0.936	0.953	65	48	0.809	0.826	0.855
64	57	0.938	0.948	0.963	65	49	0.823	0.839	0.867
64	58	0.950	0.958	0.971	65	50	0.837	0.852	0.879
64	59	0.962	0.969	0.980	65	51	0.850	0.865	0.890
64	60	0.972	0.978	0.987	65	52	0.863	0.877	0.902
64	61	0.983	0.987	0.993	65	53	0.876	0.890	0.913
64	62	0.992	0.994	0.998	65	54	0.889	0.902	0.923
64	63	0.998	0.999	1.000	65	55	0.902	0.914	0.934
64	64	1.000	1.000	1.000	65	56	0.915	0.926	0.944
65	0	0.035	0.045	0.068	65	57	0.927	0.937	0.954
65	1	0.058	0.071	0.098	65	58	0.939	0.948	0.963
65	2	0.080	0.094	0.123	65	59	0.951	0.959	0.972
65	3	0.100	0.115	0.146	65	60	0.962	0.969	0.980
65	4	0.119	0.135	0.168	65	61	0.973	0.979	0.987
65	5	0.138	0.155	0.189	65	62	0.983	0.987	0.993
65	6	0.156	0.174	0.210	65	63	0.992	0.994	0.998
65	7	0.175	0.193	0.230	65	64	0.998	0.999	1.000
65	8	0.192	0.211	0.249	65	65	1.000	1.000	1.000
65	9	0.210	0.229	0.268	66	0	0.034	0.044	0.067
65	10	0.227	0.247	0.286	66	1	0.058	0.070	0.096
65	11	0.244	0.265	0.304	66	2	0.079	0.092	0.121
65	12	0.261	0.282	0.322	66	3	0.098	0.113	0.144
65	13	0.278	0.299	0.340	66	4	0.117	0.133	0.166
65	14	0.295	0.316	0.357	66	5	0.136	0.153	0.187
65	15	0.311	0.333	0.374	66	6	0.154	0.172	0.207
65	16	0.328	0.350	0.391	66	7	0.172	0.190	0.226
65	17	0.344	0.366	0.408	66	8	0.189	0.208	0.245
65	18	0.360	0.383	0.425	66	9	0.207	0.226	0.264
65	19	0.377	0.399	0.441	66	10	0.224	0.244	0.282
65	20	0.393	0.415	0.457	66	11	0.241	0.261	0.300
65	21	0.409	0.431	0.473					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
66	12	0.258	0.278	0.318	67	0	0.034	0.044	0.066
66	13	0.274	0.295	0.335	67	1	0.057	0.069	0.095
66	14	0.291	0.312	0.352	67	2	0.077	0.091	0.120
					67	3	0.097	0.112	0.142
66	15	0.307	0.328	0.369	67	4	0.116	0.131	0.164
66	16	0.323	0.345	0.386					
66	17	0.339	0.361	0.403	67	5	0.134	0.151	0.184
66	18	0.355	0.377	0.419	67	6	0.152	0.169	0.204
66	19	0.371	0.393	0.435	67	7	0.170	0.187	0.223
					67	8	0.187	0.205	0.242
66	20	0.387	0.409	0.451	67	9	0.204	0.223	0.260
66	21	0.403	0.425	0.467					
66	22	0.418	0.441	0.483	67	10	0.221	0.240	0.278
66	23	0.434	0.456	0.498	67	11	0.237	0.257	0.296
66	24	0.450	0.472	0.514	67	12	0.254	0.274	0.313
					67	13	0.270	0.291	0.331
66	25	0.465	0.487	0.529	67	14	0.286	0.307	0.348
66	26	0.480	0.503	0.544					
66	27	0.496	0.518	0.559	67	15	0.303	0.324	0.364
66	28	0.511	0.533	0.574	67	16	0.319	0.340	0.381
66	29	0.526	0.548	0.589	67	17	0.335	0.356	0.397
					67	18	0.350	0.372	0.413
66	30	0.541	0.563	0.604	67	19	0.366	0.388	0.429
66	31	0.556	0.578	0.618					
66	32	0.571	0.593	0.633	67	20	0.382	0.404	0.445
66	33	0.586	0.607	0.647	67	21	0.397	0.419	0.461
66	34	0.600	0.622	0.661	67	22	0.413	0.435	0.477
					67	23	0.428	0.450	0.492
66	35	0.615	0.636	0.675	67	24	0.443	0.465	0.507
66	36	0.630	0.651	0.689					
66	37	0.644	0.665	0.703	67	25	0.458	0.481	0.522
66	38	0.659	0.679	0.716	67	26	0.474	0.496	0.537
66	39	0.673	0.693	0.730	67	27	0.489	0.511	0.552
					67	28	0.504	0.526	0.567
66	40	0.687	0.707	0.743	67	29	0.519	0.541	0.582
66	41	0.702	0.721	0.757					
66	42	0.716	0.735	0.770	67	30	0.533	0.555	0.596
66	43	0.730	0.749	0.783	67	31	0.548	0.570	0.610
66	44	0.744	0.762	0.795	67	32	0.563	0.585	0.625
					67	33	0.578	0.599	0.639
66	45	0.758	0.776	0.808	67	34	0.592	0.614	0.653
66	46	0.772	0.789	0.821					
66	47	0.785	0.803	0.833	67	35	0.607	0.628	0.667
66	48	0.799	0.816	0.845	67	36	0.621	0.642	0.681
66	49	0.812	0.829	0.857	67	37	0.635	0.656	0.694
					67	38	0.650	0.670	0.708
66	50	0.826	0.842	0.869	67	39	0.664	0.684	0.721
66	51	0.839	0.854	0.881					
66	52	0.852	0.867	0.892	67	40	0.678	0.698	0.734
66	53	0.865	0.879	0.903	67	41	0.692	0.712	0.748
66	54	0.878	0.892	0.914	67	42	0.706	0.726	0.761
					67	43	0.720	0.739	0.773
66	55	0.891	0.904	0.925	67	44	0.734	0.753	0.786
66	56	0.904	0.915	0.935					
66	57	0.916	0.927	0.945	67	45	0.748	0.766	0.799
66	58	0.928	0.938	0.955	67	46	0.762	0.779	0.811
66	59	0.940	0.949	0.964	67	47	0.775	0.793	0.824
					67	48	0.789	0.806	0.836
66	60	0.952	0.960	0.972	67	49	0.802	0.819	0.848
66	61	0.963	0.970	0.980					
66	62	0.973	0.979	0.987	67	50	0.815	0.831	0.859
66	63	0.983	0.987	0.993	67	51	0.829	0.844	0.871
66	64	0.992	0.994	0.998	67	52	0.842	0.857	0.882
					67	53	0.855	0.869	0.894
66	65	0.998	0.999	1.000	67	54	0.868	0.881	0.905
66	66	1.000	1.000	1.000					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
67	55	0.880	0.893	0.915	68	43	0.711	0.730	0.764
67	56	0.893	0.905	0.926	68	44	0.725	0.743	0.777
67	57	0.905	0.917	0.936					
67	58	0.917	0.928	0.946	68	45	0.738	0.757	0.790
67	59	0.929	0.939	0.955	68	46	0.752	0.770	0.802
					68	47	0.765	0.783	0.814
67	60	0.941	0.950	0.964	68	48	0.779	0.796	0.826
67	61	0.952	0.960	0.973	68	49	0.792	0.809	0.838
67	62	0.963	0.970	0.981					
67	63	0.974	0.979	0.987	68	50	0.805	0.821	0.850
67	64	0.983	0.988	0.993	68	51	0.818	0.834	0.862
					68	52	0.831	0.847	0.873
67	65	0.992	0.995	0.998	68	53	0.844	0.859	0.884
67	66	0.998	0.999	1.000	68	54	0.857	0.871	0.895
67	67	1.000	1.000	1.000					
					68	55	0.870	0.883	0.906
68	0	0.033	0.043	0.065	68	56	0.882	0.895	0.917
68	1	0.056	0.068	0.094	68	57	0.894	0.907	0.927
68	2	0.076	0.090	0.118	68	58	0.907	0.918	0.937
68	3	0.096	0.110	0.140	68	59	0.919	0.929	0.947
68	4	0.114	0.129	0.161					
					68	60	0.930	0.940	0.956
68	5	0.132	0.148	0.182	68	61	0.942	0.951	0.965
68	6	0.150	0.167	0.201	68	62	0.953	0.961	0.973
68	7	0.167	0.185	0.220	68	63	0.964	0.971	0.981
68	8	0.184	0.202	0.239	68	64	0.974	0.980	0.988
68	9	0.201	0.220	0.257					
					68	65	0.984	0.988	0.993
68	10	0.218	0.237	0.275	68	66	0.992	0.995	0.998
68	11	0.234	0.254	0.292	68	67	0.998	0.999	1.000
68	12	0.250	0.270	0.309	68	68	1.000	1.000	1.000
68	13	0.266	0.287	0.326					
68	14	0.282	0.303	0.343	69	0	0.033	0.042	0.064
					69	1	0.055	0.067	0.092
68	15	0.298	0.319	0.359	69	2	0.075	0.088	0.116
68	16	0.314	0.335	0.376	69	3	0.094	0.108	0.138
68	17	0.330	0.351	0.392	69	4	0.112	0.128	0.159
68	18	0.345	0.367	0.408					
68	19	0.361	0.383	0.424	69	5	0.130	0.146	0.179
					69	6	0.148	0.164	0.198
68	20	0.376	0.398	0.439	69	7	0.165	0.182	0.217
68	21	0.392	0.414	0.455	69	8	0.182	0.200	0.235
68	22	0.407	0.429	0.470	69	9	0.198	0.217	0.253
68	23	0.422	0.444	0.486					
68	24	0.437	0.459	0.501	69	10	0.215	0.233	0.271
					69	11	0.231	0.250	0.288
68	25	0.452	0.474	0.516	69	12	0.247	0.267	0.305
68	26	0.467	0.489	0.530	69	13	0.263	0.283	0.322
68	27	0.482	0.504	0.545	69	14	0.279	0.299	0.338
68	28	0.497	0.519	0.560					
68	29	0.512	0.533	0.574	69	15	0.294	0.315	0.355
					69	16	0.310	0.331	0.371
68	30	0.526	0.548	0.589	69	17	0.325	0.346	0.387
68	31	0.541	0.563	0.603	69	18	0.341	0.362	0.403
68	32	0.555	0.577	0.617	69	19	0.356	0.377	0.418
68	33	0.570	0.591	0.631					
68	34	0.584	0.606	0.645	69	20	0.371	0.393	0.434
					69	21	0.386	0.408	0.449
68	35	0.599	0.620	0.659	69	22	0.401	0.423	0.464
68	36	0.613	0.634	0.672	69	23	0.416	0.438	0.479
68	37	0.627	0.648	0.686	69	24	0.431	0.453	0.494
68	38	0.641	0.662	0.699					
68	39	0.655	0.676	0.712	69	25	0.446	0.468	0.509
					69	26	0.461	0.483	0.524
68	40	0.669	0.689	0.726	69	27	0.476	0.497	0.538
68	41	0.683	0.703	0.739	69	28	0.490	0.512	0.553
68	42	0.697	0.717	0.752	69	29	0.505	0.526	0.567

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
69	30	0.519	0.541	0.581	70	17	0.321	0.342	0.382
69	31	0.534	0.555	0.595	70	18	0.336	0.357	0.397
69	32	0.548	0.569	0.609	70	19	0.351	0.372	0.413
69	33	0.562	0.584	0.623	70	20	0.366	0.388	0.428
69	34	0.576	0.598	0.637	70	21	0.381	0.403	0.443
69	35	0.591	0.612	0.651	70	22	0.396	0.418	0.458
69	36	0.605	0.626	0.664	70	23	0.411	0.432	0.473
69	37	0.619	0.640	0.677	70	24	0.426	0.447	0.488
69	38	0.633	0.653	0.691	70	25	0.440	0.462	0.503
69	39	0.647	0.667	0.704	70	26	0.455	0.476	0.517
69	40	0.661	0.681	0.717	70	27	0.469	0.491	0.532
69	41	0.674	0.694	0.730	70	28	0.484	0.505	0.546
69	42	0.688	0.708	0.743	70	29	0.498	0.520	0.560
69	43	0.702	0.721	0.755	70	30	0.512	0.534	0.574
69	44	0.715	0.734	0.768	70	31	0.527	0.548	0.588
69	45	0.729	0.747	0.781	70	32	0.541	0.562	0.602
69	46	0.742	0.760	0.793	70	33	0.555	0.576	0.616
69	47	0.755	0.773	0.805	70	34	0.569	0.590	0.629
69	48	0.769	0.786	0.817	70	35	0.583	0.604	0.643
69	49	0.782	0.799	0.829	70	36	0.597	0.618	0.656
69	50	0.795	0.812	0.841	70	37	0.611	0.631	0.669
69	51	0.808	0.824	0.852	70	38	0.625	0.645	0.683
69	52	0.821	0.837	0.864	70	39	0.638	0.659	0.696
69	53	0.834	0.849	0.875	70	40	0.652	0.672	0.709
69	54	0.846	0.861	0.886	70	41	0.666	0.685	0.721
69	55	0.859	0.873	0.897	70	42	0.679	0.699	0.734
69	56	0.871	0.885	0.908	70	43	0.693	0.712	0.747
69	57	0.884	0.897	0.918	70	44	0.706	0.725	0.759
69	58	0.896	0.908	0.928	70	45	0.719	0.738	0.772
69	59	0.908	0.919	0.938	70	46	0.733	0.751	0.784
69	60	0.920	0.930	0.947	70	47	0.746	0.764	0.796
69	61	0.931	0.941	0.957	70	48	0.759	0.777	0.808
69	62	0.943	0.951	0.965	70	49	0.772	0.789	0.820
69	63	0.954	0.961	0.974	70	50	0.785	0.802	0.832
69	64	0.964	0.971	0.981	70	51	0.798	0.814	0.843
69	65	0.974	0.980	0.988	70	52	0.811	0.827	0.855
69	66	0.984	0.988	0.994	70	53	0.824	0.839	0.866
69	67	0.992	0.995	0.998	70	54	0.836	0.851	0.877
69	68	0.998	0.999	1.000	70	55	0.849	0.863	0.888
69	69	1.000	1.000	1.000	70	56	0.861	0.875	0.898
70	0	0.032	0.042	0.064	70	57	0.873	0.887	0.909
70	1	0.054	0.066	0.091	70	58	0.885	0.898	0.919
70	2	0.074	0.087	0.115	70	59	0.897	0.909	0.929
70	3	0.093	0.107	0.136	70	60	0.909	0.920	0.939
70	4	0.111	0.126	0.157	70	61	0.921	0.931	0.948
70	5	0.129	0.144	0.177	70	62	0.932	0.942	0.957
70	6	0.146	0.162	0.196	70	63	0.944	0.952	0.966
70	7	0.162	0.180	0.214	70	64	0.954	0.962	0.974
70	8	0.179	0.197	0.232	70	65	0.965	0.971	0.981
70	9	0.195	0.214	0.250	70	66	0.975	0.980	0.988
70	10	0.212	0.230	0.267	70	67	0.984	0.988	0.994
70	11	0.228	0.247	0.284	70	68	0.992	0.995	0.998
70	12	0.243	0.263	0.301	70	69	0.998	0.999	1.000
70	13	0.259	0.279	0.318	70	70	1.000	1.000	1.000
70	14	0.275	0.295	0.334	71	0	0.032	0.041	0.063
70	15	0.290	0.311	0.350	71	1	0.054	0.065	0.090
70	16	0.306	0.326	0.366					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
71	2	0.073	0.086	0.113	71	58	0.875	0.888	0.910
71	3	0.092	0.106	0.135	71	59	0.887	0.900	0.920
71	4	0.109	0.124	0.155	71	60	0.899	0.911	0.930
71	5	0.127	0.142	0.174	71	61	0.911	0.922	0.940
71	6	0.144	0.160	0.193	71	62	0.922	0.932	0.949
71	7	0.160	0.177	0.211	71	63	0.933	0.943	0.958
71	8	0.177	0.194	0.229	71	64	0.944	0.953	0.966
71	9	0.193	0.211	0.247	71	65	0.955	0.963	0.974
71	10	0.209	0.227	0.264	71	66	0.965	0.972	0.982
71	11	0.225	0.243	0.281	71	67	0.975	0.980	0.988
71	12	0.240	0.259	0.297	71	68	0.984	0.988	0.994
71	13	0.256	0.275	0.314	71	69	0.992	0.995	0.998
71	14	0.271	0.291	0.330	71	70	0.998	0.999	1.000
71	15	0.286	0.307	0.346	71	71	1.000	1.000	1.000
71	16	0.302	0.322	0.361	72	0	0.031	0.041	0.062
71	17	0.317	0.337	0.377	72	1	0.053	0.064	0.089
71	18	0.332	0.352	0.392	72	2	0.072	0.085	0.112
71	19	0.347	0.368	0.408	72	3	0.090	0.104	0.133
71	20	0.361	0.383	0.423	72	4	0.108	0.123	0.153
71	21	0.376	0.397	0.438	72	5	0.125	0.141	0.172
71	22	0.391	0.412	0.453	72	6	0.142	0.158	0.191
71	23	0.405	0.427	0.467	72	7	0.158	0.175	0.209
71	24	0.420	0.441	0.482	72	8	0.174	0.192	0.226
71	25	0.434	0.456	0.496	72	9	0.190	0.208	0.243
71	26	0.449	0.470	0.511	72	10	0.206	0.224	0.260
71	27	0.463	0.485	0.525	72	11	0.222	0.240	0.277
71	28	0.477	0.499	0.539	72	12	0.237	0.256	0.293
71	29	0.492	0.513	0.553	72	13	0.252	0.272	0.310
71	30	0.506	0.527	0.567	72	14	0.268	0.287	0.326
71	31	0.520	0.541	0.581	72	15	0.283	0.303	0.341
71	32	0.534	0.555	0.595	72	16	0.298	0.318	0.357
71	33	0.548	0.569	0.608	72	17	0.312	0.333	0.372
71	34	0.562	0.583	0.622	72	18	0.327	0.348	0.388
71	35	0.575	0.596	0.635	72	19	0.342	0.363	0.403
71	36	0.589	0.610	0.648	72	20	0.357	0.378	0.418
71	37	0.603	0.624	0.661	72	21	0.371	0.392	0.432
71	38	0.617	0.637	0.675	72	22	0.386	0.407	0.447
71	39	0.630	0.650	0.688	72	23	0.400	0.421	0.462
71	40	0.644	0.664	0.700	72	24	0.414	0.436	0.476
71	41	0.657	0.677	0.713	72	25	0.429	0.450	0.490
71	42	0.671	0.690	0.726	72	26	0.443	0.464	0.505
71	43	0.684	0.703	0.738	72	27	0.457	0.478	0.519
71	44	0.697	0.716	0.751	72	28	0.471	0.493	0.533
71	45	0.710	0.729	0.763	72	29	0.485	0.507	0.547
71	46	0.724	0.742	0.775	72	30	0.499	0.520	0.560
71	47	0.737	0.755	0.787	72	31	0.513	0.534	0.574
71	48	0.750	0.767	0.799	72	32	0.527	0.548	0.588
71	49	0.763	0.780	0.811	72	33	0.541	0.562	0.601
71	50	0.776	0.793	0.823	72	34	0.554	0.575	0.614
71	51	0.788	0.805	0.834	72	35	0.568	0.589	0.628
71	52	0.801	0.817	0.846	72	36	0.582	0.602	0.641
71	53	0.814	0.829	0.857	72	37	0.595	0.616	0.654
71	54	0.826	0.841	0.868	72	38	0.609	0.629	0.667
71	55	0.839	0.853	0.879	72	39	0.622	0.643	0.680
71	56	0.851	0.865	0.889	72	40	0.636	0.656	0.692
71	57	0.863	0.877	0.900					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
72	41	0.649	0.669	0.705	73	25	0.423	0.444	0.484
72	42	0.662	0.682	0.717	73	26	0.437	0.458	0.498
72	43	0.675	0.695	0.730	73	27	0.451	0.472	0.512
72	44	0.689	0.708	0.742	73	28	0.465	0.486	0.526
					73	29	0.479	0.500	0.540
72	45	0.702	0.721	0.754					
72	46	0.715	0.733	0.767	73	30	0.493	0.514	0.554
72	47	0.728	0.746	0.779	73	31	0.507	0.528	0.567
72	48	0.740	0.756	0.790	73	32	0.520	0.541	0.581
72	49	0.753	0.771	0.802	73	33	0.534	0.555	0.594
					73	34	0.547	0.568	0.607
72	50	0.766	0.783	0.814					
72	51	0.779	0.796	0.825	73	35	0.561	0.582	0.620
72	52	0.791	0.808	0.837	73	36	0.574	0.595	0.633
72	53	0.804	0.820	0.848	73	37	0.588	0.608	0.646
72	54	0.816	0.832	0.859	73	38	0.601	0.622	0.659
					73	39	0.614	0.635	0.672
72	55	0.829	0.844	0.870					
72	56	0.841	0.855	0.881	73	40	0.628	0.648	0.684
72	57	0.853	0.867	0.891	73	41	0.641	0.661	0.697
72	58	0.865	0.878	0.901	73	42	0.654	0.674	0.709
72	59	0.877	0.890	0.912	73	43	0.667	0.687	0.722
					73	44	0.680	0.699	0.734
72	60	0.889	0.901	0.922					
72	61	0.900	0.912	0.931	73	45	0.693	0.712	0.746
72	62	0.912	0.923	0.941	73	46	0.706	0.725	0.758
72	63	0.923	0.933	0.950	73	47	0.719	0.737	0.770
72	64	0.934	0.944	0.958	73	48	0.732	0.750	0.782
					73	49	0.744	0.762	0.793
72	65	0.945	0.954	0.967					
72	66	0.956	0.963	0.975	73	50	0.757	0.774	0.805
72	67	0.966	0.972	0.982	73	51	0.769	0.786	0.816
72	68	0.975	0.981	0.988	73	52	0.782	0.799	0.828
72	69	0.984	0.988	0.994	73	53	0.794	0.811	0.839
					73	54	0.807	0.822	0.850
72	70	0.992	0.995	0.998					
72	71	0.998	0.999	1.000	73	55	0.819	0.834	0.861
72	72	1.000	1.000	1.000	73	56	0.831	0.846	0.872
					73	57	0.843	0.857	0.882
73	0	0.031	0.040	0.061	73	58	0.855	0.869	0.893
73	1	0.052	0.063	0.087	73	59	0.867	0.880	0.903
73	2	0.071	0.084	0.110					
73	3	0.089	0.103	0.131	73	60	0.879	0.891	0.913
73	4	0.106	0.121	0.151	73	61	0.890	0.902	0.923
					73	62	0.902	0.913	0.932
73	5	0.123	0.139	0.170	73	63	0.913	0.924	0.941
73	6	0.140	0.156	0.188	73	64	0.924	0.934	0.950
73	7	0.156	0.173	0.206					
73	8	0.172	0.189	0.223	73	65	0.935	0.944	0.959
73	9	0.188	0.205	0.240	73	66	0.946	0.954	0.967
					73	67	0.956	0.964	0.975
73	10	0.203	0.221	0.257	73	68	0.966	0.973	0.982
73	11	0.219	0.237	0.274	73	69	0.976	0.981	0.988
73	12	0.234	0.253	0.290					
73	13	0.249	0.268	0.306	73	70	0.985	0.989	0.994
73	14	0.264	0.284	0.321	73	71	0.993	0.995	0.998
					73	72	0.998	0.999	1.000
73	15	0.279	0.299	0.337	73	73	1.000	1.000	1.000
73	16	0.294	0.314	0.352					
73	17	0.308	0.329	0.368	74	0	0.031	0.040	0.060
73	18	0.323	0.343	0.383	74	1	0.051	0.062	0.086
73	19	0.338	0.358	0.398	74	2	0.070	0.083	0.109
					74	3	0.088	0.101	0.129
73	20	0.352	0.373	0.412	74	4	0.105	0.119	0.149
73	21	0.366	0.387	0.427					
73	22	0.381	0.402	0.442	74	5	0.122	0.137	0.168
73	23	0.395	0.416	0.456	74	6	0.138	0.154	0.186
73	24	0.409	0.430	0.470	74	7	0.154	0.170	0.203

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
74	8	0.170	0.187	0.221	74	63	0.903	0.914	0.933
74	9	0.185	0.203	0.237	74	64	0.914	0.925	0.942
74	10	0.201	0.219	0.254	74	65	0.925	0.935	0.951
74	11	0.216	0.234	0.270	74	66	0.936	0.945	0.960
74	12	0.231	0.250	0.286	74	67	0.947	0.955	0.968
74	13	0.246	0.265	0.302	74	68	0.957	0.964	0.975
74	14	0.261	0.280	0.317	74	69	0.967	0.973	0.982
74	15	0.275	0.295	0.333	74	70	0.976	0.981	0.989
74	16	0.290	0.310	0.348	74	71	0.985	0.989	0.994
74	17	0.304	0.324	0.363	74	72	0.993	0.995	0.998
74	18	0.319	0.339	0.378	74	73	0.998	0.999	1.000
74	19	0.333	0.354	0.393	74	74	1.000	1.000	1.000
74	20	0.348	0.368	0.407	75	0	0.030	0.039	0.059
74	21	0.362	0.382	0.422	75	1	0.051	0.062	0.085
74	22	0.376	0.397	0.436	75	2	0.069	0.081	0.107
74	23	0.390	0.411	0.451	75	3	0.087	0.100	0.128
74	24	0.404	0.425	0.465	75	4	0.104	0.118	0.147
74	25	0.418	0.439	0.479	75	5	0.120	0.135	0.166
74	26	0.432	0.453	0.493	75	6	0.136	0.152	0.183
74	27	0.446	0.467	0.506	75	7	0.152	0.168	0.201
74	28	0.459	0.480	0.520	75	8	0.168	0.184	0.218
74	29	0.473	0.494	0.534	75	9	0.183	0.200	0.234
74	30	0.487	0.508	0.547	75	10	0.198	0.216	0.251
74	31	0.500	0.521	0.560	75	11	0.213	0.231	0.267
74	32	0.514	0.535	0.574	75	12	0.228	0.246	0.283
74	33	0.527	0.548	0.587	75	13	0.243	0.261	0.298
74	34	0.541	0.561	0.600	75	14	0.257	0.276	0.314
74	35	0.554	0.575	0.613	75	15	0.272	0.291	0.329
74	36	0.567	0.588	0.626	75	16	0.286	0.306	0.344
74	37	0.581	0.601	0.639	75	17	0.301	0.320	0.359
74	38	0.594	0.614	0.652	75	18	0.315	0.335	0.373
74	39	0.607	0.627	0.664	75	19	0.329	0.349	0.388
74	40	0.620	0.640	0.677	75	20	0.343	0.364	0.403
74	41	0.633	0.653	0.689	75	21	0.357	0.378	0.417
74	42	0.646	0.666	0.701	75	22	0.371	0.392	0.431
74	43	0.659	0.678	0.714	75	23	0.385	0.406	0.445
74	44	0.672	0.691	0.726	75	24	0.399	0.420	0.459
74	45	0.685	0.704	0.738	75	25	0.413	0.433	0.473
74	46	0.697	0.716	0.750	75	26	0.426	0.447	0.487
74	47	0.710	0.729	0.762	75	27	0.440	0.461	0.500
74	48	0.723	0.741	0.773	75	28	0.454	0.475	0.514
74	49	0.735	0.753	0.785	75	29	0.467	0.488	0.527
74	50	0.748	0.765	0.796	75	30	0.481	0.502	0.541
74	51	0.760	0.777	0.808	75	31	0.494	0.515	0.554
74	52	0.773	0.789	0.819	75	32	0.507	0.528	0.567
74	53	0.785	0.801	0.830	75	33	0.521	0.542	0.580
74	54	0.797	0.813	0.841	75	34	0.534	0.555	0.593
74	55	0.809	0.825	0.852	75	35	0.547	0.568	0.606
74	56	0.821	0.837	0.863	75	36	0.560	0.581	0.619
74	57	0.833	0.848	0.873	75	37	0.573	0.594	0.632
74	58	0.845	0.859	0.884	75	38	0.586	0.607	0.644
74	59	0.857	0.871	0.894	75	39	0.599	0.620	0.657
74	60	0.869	0.882	0.904	75	40	0.612	0.632	0.669
74	61	0.880	0.893	0.914	75	41	0.625	0.645	0.681
74	62	0.892	0.904	0.924	75	42	0.638	0.658	0.694



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
75	43	0.651	0.670	0.706	76	23	0.380	0.401	0.440
75	44	0.664	0.683	0.718	76	24	0.394	0.415	0.454
75	45	0.676	0.695	0.730	76	25	0.408	0.428	0.467
75	46	0.689	0.708	0.742	76	26	0.421	0.442	0.481
75	47	0.702	0.720	0.753	76	27	0.435	0.455	0.495
75	48	0.714	0.732	0.765	76	28	0.448	0.469	0.508
75	49	0.727	0.745	0.777	76	29	0.461	0.482	0.521
75	50	0.739	0.757	0.788	76	30	0.475	0.496	0.535
75	51	0.751	0.769	0.799	76	31	0.488	0.509	0.548
75	52	0.764	0.781	0.811	76	32	0.501	0.522	0.561
75	53	0.776	0.792	0.822	76	33	0.514	0.535	0.574
75	54	0.788	0.804	0.833	76	34	0.527	0.548	0.586
75	55	0.800	0.816	0.844	76	35	0.540	0.561	0.599
75	56	0.812	0.827	0.854	76	36	0.554	0.574	0.612
75	57	0.824	0.839	0.865	76	37	0.566	0.587	0.624
75	58	0.836	0.850	0.875	76	38	0.579	0.600	0.637
75	59	0.847	0.861	0.886	76	39	0.592	0.612	0.649
75	60	0.859	0.873	0.896	76	40	0.605	0.625	0.662
75	61	0.871	0.884	0.906	76	41	0.618	0.636	0.674
75	62	0.882	0.894	0.915	76	42	0.631	0.650	0.686
75	63	0.893	0.905	0.925	76	43	0.643	0.663	0.698
75	64	0.904	0.916	0.934	76	44	0.656	0.675	0.710
75	65	0.915	0.926	0.943	76	45	0.668	0.687	0.722
75	66	0.926	0.936	0.952	76	46	0.681	0.700	0.734
75	67	0.937	0.946	0.960	76	47	0.693	0.712	0.745
75	68	0.947	0.955	0.968	76	48	0.706	0.724	0.757
75	69	0.957	0.965	0.976	76	49	0.718	0.736	0.768
75	70	0.967	0.973	0.983	76	50	0.730	0.748	0.780
75	71	0.976	0.981	0.989	76	51	0.743	0.760	0.791
75	72	0.985	0.989	0.994	76	52	0.755	0.772	0.802
75	73	0.993	0.995	0.998	76	53	0.767	0.784	0.813
75	74	0.998	0.999	1.000	76	54	0.779	0.795	0.824
75	75	1.000	1.000	1.000	76	55	0.791	0.807	0.835
76	0	0.030	0.039	0.059	76	56	0.803	0.818	0.846
76	1	0.050	0.061	0.084	76	57	0.815	0.830	0.856
76	2	0.068	0.080	0.106	76	58	0.826	0.841	0.867
76	3	0.086	0.099	0.126	76	59	0.838	0.852	0.877
76	4	0.102	0.116	0.145	76	60	0.849	0.863	0.887
76	5	0.119	0.133	0.164	76	61	0.861	0.874	0.897
76	6	0.135	0.150	0.181	76	62	0.872	0.885	0.907
76	7	0.150	0.166	0.198	76	63	0.884	0.896	0.916
76	8	0.165	0.182	0.215	76	64	0.895	0.906	0.926
76	9	0.181	0.198	0.232	76	65	0.906	0.917	0.935
76	10	0.196	0.213	0.248	76	66	0.917	0.927	0.944
76	11	0.210	0.228	0.264	76	67	0.927	0.937	0.952
76	12	0.225	0.243	0.279	76	68	0.938	0.947	0.961
76	13	0.240	0.258	0.295	76	69	0.948	0.956	0.969
76	14	0.254	0.273	0.310	76	70	0.958	0.965	0.976
76	15	0.268	0.288	0.325	76	71	0.968	0.974	0.983
76	16	0.283	0.302	0.340	76	72	0.977	0.982	0.989
76	17	0.297	0.316	0.354	76	73	0.985	0.989	0.994
76	18	0.311	0.331	0.369	76	74	0.993	0.995	0.998
76	19	0.325	0.345	0.383	76	75	0.998	0.999	1.000
76	20	0.339	0.359	0.398	76	76	1.000	1.000	1.000
76	21	0.353	0.373	0.412	77	0	0.029	0.038	0.058
76	22	0.367	0.387	0.426	77	1	0.049	0.060	0.083

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
77	2	0.068	0.079	0.105	77	58	0.817	0.832	0.858
77	3	0.085	0.098	0.125	77	59	0.829	0.843	0.869
77	4	0.101	0.115	0.143	77	60	0.840	0.854	0.879
77	5	0.117	0.132	0.162	77	61	0.852	0.865	0.889
77	6	0.133	0.148	0.179	77	62	0.863	0.876	0.898
77	7	0.148	0.164	0.196	77	63	0.874	0.887	0.908
77	8	0.163	0.180	0.212	77	64	0.885	0.897	0.918
77	9	0.178	0.195	0.229	77	65	0.896	0.908	0.927
77	10	0.193	0.210	0.245	77	66	0.907	0.918	0.936
77	11	0.208	0.225	0.260	77	67	0.918	0.928	0.945
77	12	0.222	0.240	0.276	77	68	0.928	0.938	0.953
77	13	0.237	0.255	0.291	77	69	0.939	0.947	0.961
77	14	0.251	0.270	0.306	77	70	0.949	0.957	0.969
77	15	0.265	0.284	0.321	77	71	0.959	0.966	0.976
77	16	0.279	0.298	0.336	77	72	0.968	0.974	0.983
77	17	0.293	0.313	0.350	77	73	0.977	0.982	0.989
77	18	0.307	0.327	0.365	77	74	0.986	0.989	0.994
77	19	0.321	0.341	0.379	77	75	0.993	0.995	0.998
77	20	0.335	0.355	0.393	77	76	0.999	0.999	1.000
77	21	0.348	0.369	0.407	77	77	1.000	1.000	1.000
77	22	0.362	0.382	0.421	78	0	0.029	0.038	0.057
77	23	0.376	0.396	0.435	78	1	0.049	0.059	0.082
77	24	0.389	0.410	0.448	78	2	0.067	0.078	0.103
77	25	0.403	0.423	0.462	78	3	0.084	0.096	0.123
77	26	0.416	0.437	0.476	78	4	0.100	0.113	0.142
77	27	0.429	0.450	0.489	78	5	0.116	0.130	0.160
77	28	0.443	0.463	0.502	78	6	0.131	0.146	0.177
77	29	0.456	0.476	0.515	78	7	0.146	0.162	0.194
77	30	0.469	0.490	0.528	78	8	0.161	0.178	0.210
77	31	0.482	0.503	0.541	78	9	0.176	0.193	0.226
77	32	0.495	0.516	0.554	78	10	0.191	0.208	0.242
77	33	0.508	0.529	0.567	78	11	0.205	0.223	0.257
77	34	0.521	0.542	0.580	78	12	0.219	0.237	0.273
77	35	0.534	0.555	0.593	78	13	0.234	0.252	0.288
77	36	0.547	0.567	0.605	78	14	0.248	0.266	0.302
77	37	0.560	0.580	0.618	78	15	0.262	0.281	0.317
77	38	0.572	0.593	0.630	78	16	0.276	0.295	0.332
77	39	0.585	0.605	0.642	78	17	0.290	0.309	0.346
77	40	0.598	0.618	0.654	78	18	0.303	0.323	0.360
77	41	0.610	0.630	0.667	78	19	0.317	0.337	0.375
77	42	0.623	0.643	0.679	78	20	0.331	0.350	0.388
77	43	0.636	0.655	0.691	78	21	0.344	0.364	0.402
77	44	0.648	0.667	0.702	78	22	0.358	0.378	0.416
77	45	0.661	0.680	0.714	78	23	0.371	0.391	0.430
77	46	0.673	0.692	0.726	78	24	0.384	0.405	0.443
77	47	0.685	0.704	0.737	78	25	0.398	0.418	0.457
77	48	0.697	0.716	0.749	78	26	0.411	0.431	0.470
77	49	0.710	0.728	0.760	78	27	0.424	0.445	0.483
77	50	0.722	0.740	0.772	78	28	0.437	0.458	0.496
77	51	0.734	0.752	0.783	78	29	0.450	0.471	0.510
77	52	0.746	0.763	0.794	78	30	0.463	0.484	0.522
77	53	0.758	0.775	0.805	78	31	0.476	0.497	0.535
77	54	0.770	0.787	0.816	78	32	0.489	0.510	0.548
77	55	0.782	0.798	0.827	78	33	0.502	0.523	0.561
77	56	0.794	0.809	0.837	78	34	0.515	0.535	0.573
77	57	0.805	0.821	0.848					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
78	35	0.528	0.548	0.586	79	14	0.245	0.263	0.299
78	36	0.540	0.561	0.598	79	15	0.259	0.277	0.313
78	37	0.553	0.573	0.611	79	16	0.272	0.291	0.328
78	38	0.566	0.586	0.623	79	17	0.286	0.305	0.342
78	39	0.578	0.598	0.635	79	18	0.300	0.319	0.356
78	40	0.591	0.611	0.647	79	19	0.313	0.333	0.370
78	41	0.603	0.623	0.659	79	20	0.327	0.346	0.384
78	42	0.616	0.635	0.671	79	21	0.340	0.360	0.398
78	43	0.628	0.648	0.683	79	22	0.353	0.373	0.411
78	44	0.641	0.660	0.695	79	23	0.367	0.387	0.425
78	45	0.653	0.672	0.707	79	24	0.380	0.400	0.438
78	46	0.665	0.684	0.718	79	25	0.393	0.413	0.452
78	47	0.677	0.696	0.730	79	26	0.406	0.426	0.465
78	48	0.689	0.708	0.741	79	27	0.419	0.439	0.478
78	49	0.702	0.720	0.752	79	28	0.432	0.452	0.491
78	50	0.714	0.732	0.764	79	29	0.445	0.465	0.504
78	51	0.726	0.743	0.775	79	30	0.458	0.478	0.517
78	52	0.738	0.755	0.786	79	31	0.471	0.491	0.529
78	53	0.749	0.766	0.797	79	32	0.483	0.504	0.542
78	54	0.761	0.778	0.808	79	33	0.496	0.517	0.555
78	55	0.773	0.789	0.818	79	34	0.509	0.529	0.567
78	56	0.785	0.801	0.829	79	35	0.521	0.542	0.580
78	57	0.796	0.812	0.840	79	36	0.534	0.554	0.592
78	58	0.808	0.823	0.850	79	37	0.547	0.567	0.604
78	59	0.819	0.834	0.860	79	38	0.559	0.579	0.616
78	60	0.831	0.845	0.870	79	39	0.572	0.592	0.628
78	61	0.842	0.856	0.880	79	40	0.584	0.604	0.640
78	62	0.853	0.867	0.890	79	41	0.596	0.616	0.652
78	63	0.865	0.878	0.900	79	42	0.609	0.628	0.664
78	64	0.876	0.888	0.909	79	43	0.621	0.640	0.676
78	65	0.887	0.899	0.919	79	44	0.633	0.652	0.688
78	66	0.898	0.909	0.928	79	45	0.645	0.664	0.699
78	67	0.908	0.919	0.937	79	46	0.657	0.676	0.711
78	68	0.919	0.929	0.945	79	47	0.670	0.688	0.722
78	69	0.929	0.939	0.954	79	48	0.682	0.700	0.733
78	70	0.939	0.948	0.962	79	49	0.694	0.712	0.745
78	71	0.949	0.957	0.969	79	50	0.706	0.723	0.756
78	72	0.959	0.966	0.977	79	51	0.717	0.735	0.767
78	73	0.969	0.974	0.983	79	52	0.729	0.747	0.778
78	74	0.977	0.982	0.989	79	53	0.741	0.758	0.789
78	75	0.986	0.989	0.994	79	54	0.753	0.770	0.800
78	76	0.993	0.995	0.998	79	55	0.764	0.781	0.810
78	77	0.999	0.999	1.000	79	56	0.776	0.792	0.821
78	78	1.000	1.000	1.000	79	57	0.788	0.803	0.831
79	0	0.029	0.037	0.057	79	58	0.799	0.815	0.842
79	1	0.048	0.059	0.081	79	59	0.810	0.826	0.852
79	2	0.066	0.077	0.102	79	60	0.822	0.836	0.862
79	3	0.083	0.095	0.122	79	61	0.833	0.847	0.872
79	4	0.099	0.112	0.140	79	62	0.844	0.858	0.882
79	5	0.114	0.129	0.158	79	63	0.855	0.869	0.892
79	6	0.130	0.144	0.175	79	64	0.866	0.879	0.901
79	7	0.145	0.160	0.191	79	65	0.877	0.890	0.911
79	8	0.159	0.175	0.207	79	66	0.888	0.900	0.920
79	9	0.174	0.190	0.223	79	67	0.899	0.910	0.929
79	10	0.188	0.205	0.239	79	68	0.909	0.920	0.938
79	11	0.203	0.220	0.254	79	69	0.920	0.930	0.946
79	12	0.217	0.235	0.269	79	70	0.930	0.939	0.954
79	13	0.231	0.249	0.284					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
79	71	0.940	0.949	0.962	80	47	0.662	0.681	0.715
79	72	0.950	0.958	0.970	80	48	0.674	0.692	0.726
79	73	0.960	0.966	0.977	80	49	0.686	0.704	0.737
79	74	0.969	0.975	0.984	80	50	0.698	0.716	0.748
79	75	0.978	0.982	0.989	80	51	0.709	0.727	0.759
79	76	0.986	0.989	0.994	80	52	0.721	0.739	0.770
79	77	0.993	0.995	0.998	80	53	0.733	0.750	0.781
79	78	0.999	0.999	1.000	80	54	0.744	0.761	0.792
79	79	1.000	1.000	1.000	80	55	0.756	0.773	0.802
80	0	0.028	0.037	0.056	80	56	0.767	0.784	0.813
80	1	0.048	0.058	0.080	80	57	0.779	0.795	0.823
80	2	0.065	0.077	0.101	80	58	0.790	0.806	0.834
80	3	0.082	0.094	0.120	80	59	0.802	0.817	0.844
80	4	0.097	0.111	0.138	80	60	0.813	0.828	0.854
80	5	0.113	0.127	0.156	80	61	0.824	0.839	0.864
80	6	0.128	0.143	0.173	80	62	0.835	0.849	0.874
80	7	0.143	0.158	0.189	80	63	0.846	0.860	0.883
80	8	0.157	0.173	0.205	80	64	0.857	0.870	0.893
80	9	0.172	0.188	0.221	80	65	0.868	0.881	0.902
80	10	0.186	0.203	0.236	80	66	0.879	0.891	0.912
80	11	0.200	0.217	0.251	80	67	0.890	0.901	0.921
80	12	0.214	0.232	0.266	80	68	0.900	0.911	0.930
80	13	0.228	0.246	0.281	80	69	0.911	0.921	0.938
80	14	0.242	0.260	0.295	80	70	0.921	0.931	0.947
80	15	0.256	0.274	0.310	80	71	0.931	0.940	0.955
80	16	0.269	0.288	0.324	80	72	0.941	0.949	0.963
80	17	0.283	0.302	0.338	80	73	0.951	0.958	0.970
80	18	0.296	0.315	0.352	80	74	0.960	0.967	0.977
80	19	0.309	0.329	0.366	80	75	0.969	0.975	0.984
80	20	0.323	0.342	0.380	80	76	0.978	0.983	0.989
80	21	0.336	0.356	0.393	80	77	0.986	0.990	0.994
80	22	0.349	0.369	0.407	80	78	0.993	0.995	0.998
80	23	0.362	0.382	0.420	80	79	0.999	0.999	1.000
80	24	0.375	0.395	0.433	80	80	1.000	1.000	1.000
80	25	0.388	0.408	0.447	81	0	0.028	0.036	0.055
80	26	0.401	0.421	0.460	81	1	0.047	0.057	0.079
80	27	0.414	0.434	0.473	81	2	0.064	0.076	0.100
80	28	0.427	0.447	0.485	81	3	0.081	0.093	0.119
80	29	0.440	0.460	0.498	81	4	0.096	0.109	0.137
80	30	0.452	0.473	0.511	81	5	0.112	0.125	0.154
80	31	0.465	0.485	0.524	81	6	0.126	0.141	0.171
80	32	0.478	0.498	0.536	81	7	0.141	0.156	0.187
80	33	0.490	0.511	0.549	81	8	0.156	0.171	0.203
80	34	0.503	0.523	0.561	81	9	0.170	0.186	0.216
80	35	0.515	0.536	0.573	81	10	0.184	0.200	0.233
80	36	0.528	0.548	0.585	81	11	0.198	0.215	0.248
80	37	0.540	0.560	0.598	81	12	0.212	0.229	0.263
80	38	0.553	0.573	0.610	81	13	0.225	0.243	0.278
80	39	0.565	0.585	0.622	81	14	0.239	0.257	0.292
80	40	0.577	0.597	0.633	81	15	0.253	0.271	0.306
80	41	0.589	0.609	0.645	81	16	0.266	0.284	0.320
80	42	0.602	0.621	0.657	81	17	0.279	0.298	0.334
80	43	0.614	0.633	0.669	81	18	0.293	0.312	0.348
80	44	0.626	0.645	0.680	81	19	0.306	0.325	0.362
80	45	0.638	0.657	0.692	81	20	0.319	0.338	0.375
80	46	0.650	0.669	0.703					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
81	21	0.332	0.352	0.389	81	76	0.970	0.975	0.984
81	22	0.345	0.365	0.402	81	77	0.978	0.983	0.990
81	23	0.358	0.378	0.415	81	78	0.986	0.990	0.994
81	24	0.371	0.391	0.429	81	79	0.993	0.995	0.998
81	25	0.384	0.404	0.442	81	80	0.999	0.999	1.000
81	26	0.397	0.417	0.455	81	81	1.000	1.000	1.000
81	27	0.409	0.429	0.467	82	0	0.028	0.036	0.055
81	28	0.422	0.442	0.480	82	1	0.047	0.056	0.078
81	29	0.435	0.455	0.493	82	2	0.064	0.075	0.098
81	30	0.447	0.467	0.505	82	3	0.080	0.092	0.117
81	31	0.460	0.480	0.518	82	4	0.095	0.108	0.135
81	32	0.472	0.492	0.530	82	5	0.110	0.124	0.152
81	33	0.485	0.505	0.543	82	6	0.125	0.139	0.169
81	34	0.497	0.517	0.555	82	7	0.139	0.154	0.185
81	35	0.510	0.530	0.567	82	8	0.154	0.169	0.200
81	36	0.522	0.542	0.579	82	9	0.168	0.184	0.216
81	37	0.534	0.554	0.591	82	10	0.182	0.198	0.231
81	38	0.546	0.566	0.603	82	11	0.196	0.212	0.246
81	39	0.559	0.578	0.615	82	12	0.209	0.226	0.260
81	40	0.571	0.590	0.627	82	13	0.223	0.240	0.275
81	41	0.583	0.602	0.639	82	14	0.236	0.254	0.289
81	42	0.595	0.614	0.650	82	15	0.250	0.268	0.303
81	43	0.607	0.626	0.662	82	16	0.263	0.281	0.317
81	44	0.619	0.638	0.673	82	17	0.276	0.295	0.331
81	45	0.631	0.650	0.685	82	18	0.289	0.308	0.344
81	46	0.643	0.662	0.696	82	19	0.302	0.321	0.358
81	47	0.655	0.673	0.707	82	20	0.315	0.334	0.371
81	48	0.666	0.685	0.718	82	21	0.328	0.348	0.385
81	49	0.678	0.696	0.730	82	22	0.341	0.361	0.398
81	50	0.690	0.708	0.741	82	23	0.354	0.373	0.411
81	51	0.701	0.719	0.751	82	24	0.367	0.386	0.424
81	52	0.713	0.731	0.762	82	25	0.379	0.399	0.437
81	53	0.725	0.742	0.773	82	26	0.392	0.412	0.450
81	54	0.736	0.753	0.784	82	27	0.405	0.425	0.462
81	55	0.748	0.764	0.794	82	28	0.417	0.437	0.475
81	56	0.759	0.776	0.805	82	29	0.430	0.450	0.487
81	57	0.770	0.787	0.815	82	30	0.442	0.462	0.500
81	58	0.782	0.798	0.826	82	31	0.455	0.475	0.512
81	59	0.793	0.808	0.836	82	32	0.467	0.487	0.525
81	60	0.804	0.819	0.846	82	33	0.479	0.499	0.537
81	61	0.815	0.830	0.856	82	34	0.491	0.512	0.549
81	62	0.826	0.841	0.866	82	35	0.504	0.524	0.561
81	63	0.837	0.851	0.875	82	36	0.516	0.536	0.573
81	64	0.848	0.862	0.885	82	37	0.528	0.548	0.585
81	65	0.859	0.872	0.894	82	38	0.540	0.560	0.597
81	66	0.870	0.882	0.904	82	39	0.552	0.572	0.609
81	67	0.880	0.892	0.913	82	40	0.564	0.584	0.620
81	68	0.891	0.902	0.922	82	41	0.576	0.596	0.632
81	69	0.901	0.912	0.931	82	42	0.588	0.608	0.643
81	70	0.912	0.922	0.939	82	43	0.600	0.619	0.655
81	71	0.922	0.932	0.947	82	44	0.612	0.631	0.666
81	72	0.932	0.941	0.955	82	45	0.624	0.643	0.678
81	73	0.942	0.950	0.963	82	46	0.636	0.654	0.689
81	74	0.951	0.959	0.971	82	47	0.647	0.666	0.700
81	75	0.961	0.967	0.978	82	48	0.659	0.677	0.711

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
82	49	0.671	0.689	0.722	83	23	0.350	0.369	0.406
82	50	0.682	0.700	0.733	83	24	0.362	0.382	0.419
82	51	0.694	0.712	0.744	83	25	0.375	0.395	0.432
82	52	0.705	0.723	0.755	83	26	0.388	0.407	0.445
82	53	0.717	0.734	0.765	83	27	0.400	0.420	0.457
82	54	0.728	0.745	0.776	83	28	0.412	0.432	0.470
82	55	0.740	0.756	0.787	83	29	0.425	0.445	0.482
82	56	0.751	0.767	0.797	83	30	0.437	0.457	0.495
82	57	0.762	0.778	0.807	83	31	0.449	0.469	0.507
82	58	0.773	0.789	0.818	83	32	0.462	0.482	0.519
82	59	0.785	0.800	0.828	83	33	0.474	0.494	0.531
82	60	0.796	0.811	0.838	83	34	0.486	0.506	0.543
82	61	0.807	0.822	0.848	83	35	0.498	0.518	0.555
82	62	0.818	0.832	0.858	83	36	0.510	0.530	0.567
82	63	0.829	0.843	0.867	83	37	0.522	0.542	0.579
82	64	0.839	0.853	0.877	83	38	0.534	0.554	0.591
82	65	0.850	0.863	0.886	83	39	0.546	0.566	0.602
82	66	0.861	0.874	0.896	83	40	0.558	0.578	0.614
82	67	0.871	0.884	0.905	83	41	0.570	0.589	0.625
82	68	0.882	0.894	0.914	83	42	0.582	0.601	0.637
82	69	0.892	0.904	0.923	83	43	0.593	0.613	0.648
82	70	0.903	0.913	0.931	83	44	0.605	0.624	0.659
82	71	0.913	0.923	0.940	83	45	0.617	0.636	0.671
82	72	0.923	0.932	0.948	83	46	0.629	0.647	0.682
82	73	0.933	0.942	0.956	83	47	0.640	0.659	0.693
82	74	0.942	0.951	0.964	83	48	0.652	0.670	0.704
82	75	0.952	0.959	0.971	83	49	0.663	0.682	0.715
82	76	0.961	0.968	0.978	83	50	0.675	0.693	0.726
82	77	0.970	0.976	0.984	83	51	0.686	0.704	0.737
82	78	0.978	0.983	0.990	83	52	0.698	0.715	0.747
82	79	0.986	0.990	0.995	83	53	0.709	0.726	0.758
82	80	0.993	0.996	0.998	83	54	0.720	0.738	0.769
82	81	0.999	0.999	1.000	83	55	0.732	0.749	0.779
82	82	1.000	1.000	1.000	83	56	0.743	0.760	0.789
83	0	0.027	0.035	0.054	83	57	0.754	0.770	0.800
83	1	0.046	0.056	0.077	83	58	0.765	0.781	0.810
83	2	0.063	0.074	0.097	83	59	0.776	0.792	0.820
83	3	0.079	0.091	0.116	83	60	0.787	0.803	0.830
83	4	0.094	0.107	0.133	83	61	0.798	0.813	0.840
83	5	0.109	0.123	0.150	83	62	0.809	0.824	0.850
83	6	0.124	0.138	0.167	83	63	0.820	0.834	0.859
83	7	0.138	0.153	0.183	83	64	0.831	0.845	0.869
83	8	0.152	0.167	0.198	83	65	0.841	0.855	0.879
83	9	0.166	0.182	0.213	83	66	0.852	0.865	0.888
83	10	0.180	0.196	0.228	83	67	0.863	0.875	0.897
83	11	0.193	0.210	0.243	83	68	0.873	0.885	0.906
83	12	0.207	0.224	0.257	83	69	0.883	0.895	0.915
83	13	0.220	0.238	0.272	83	70	0.894	0.905	0.924
83	14	0.233	0.251	0.286	83	71	0.904	0.914	0.932
83	15	0.247	0.265	0.300	83	72	0.914	0.924	0.941
83	16	0.260	0.278	0.313	83	73	0.924	0.933	0.949
83	17	0.273	0.291	0.327	83	74	0.934	0.942	0.957
83	18	0.286	0.305	0.340	83	75	0.943	0.951	0.964
83	19	0.299	0.318	0.354	83	76	0.953	0.960	0.971
83	20	0.312	0.331	0.367	83	77	0.962	0.968	0.978
83	21	0.324	0.344	0.380	83	78	0.970	0.976	0.984
83	22	0.337	0.356	0.393	83	79	0.979	0.983	0.990

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
83	80	0.987	0.990	0.995	84	52	0.690	0.708	0.740
83	81	0.993	0.996	0.998	84	53	0.701	0.719	0.751
83	82	0.999	0.999	1.000	84	54	0.713	0.730	0.761
83	83	1.000	1.000	1.000	84	55	0.724	0.741	0.771
84	0	0.027	0.035	0.053	84	56	0.735	0.752	0.782
84	1	0.045	0.055	0.076	84	57	0.746	0.763	0.792
84	2	0.062	0.073	0.096	84	58	0.757	0.773	0.802
84	3	0.078	0.090	0.115	84	59	0.766	0.784	0.812
84	4	0.093	0.106	0.132	84	60	0.779	0.795	0.822
84	5	0.108	0.121	0.149	84	61	0.790	0.805	0.832
84	6	0.122	0.136	0.165	84	62	0.801	0.816	0.842
84	7	0.136	0.151	0.181	84	63	0.811	0.826	0.852
84	8	0.150	0.165	0.196	84	64	0.822	0.836	0.861
84	9	0.164	0.180	0.211	84	65	0.833	0.847	0.871
84	10	0.178	0.194	0.226	84	66	0.843	0.857	0.880
84	11	0.191	0.208	0.240	84	67	0.854	0.867	0.889
84	12	0.204	0.221	0.254	84	68	0.864	0.877	0.898
84	13	0.218	0.235	0.269	84	69	0.875	0.887	0.907
84	14	0.231	0.248	0.282	84	70	0.885	0.896	0.916
84	15	0.244	0.262	0.296	84	71	0.895	0.906	0.925
84	16	0.257	0.275	0.310	84	72	0.905	0.916	0.933
84	17	0.270	0.288	0.323	84	73	0.915	0.925	0.941
84	18	0.283	0.301	0.337	84	74	0.925	0.934	0.949
84	19	0.295	0.314	0.350	84	75	0.934	0.943	0.957
84	20	0.308	0.327	0.363	84	76	0.944	0.952	0.965
84	21	0.321	0.340	0.376	84	77	0.953	0.960	0.972
84	22	0.333	0.352	0.389	84	78	0.962	0.968	0.978
84	23	0.346	0.365	0.402	84	79	0.971	0.976	0.985
84	24	0.358	0.378	0.415	84	80	0.979	0.983	0.990
84	25	0.371	0.390	0.427	84	81	0.987	0.990	0.995
84	26	0.383	0.403	0.440	84	82	0.994	0.996	0.998
84	27	0.396	0.415	0.452	84	83	0.999	0.999	1.000
84	28	0.408	0.427	0.465	84	84	1.000	1.000	1.000
84	29	0.420	0.440	0.477	85	0	0.027	0.035	0.053
84	30	0.432	0.452	0.489	85	1	0.045	0.055	0.075
84	31	0.444	0.464	0.501	85	2	0.061	0.072	0.095
84	32	0.456	0.476	0.514	85	3	0.077	0.089	0.113
84	33	0.469	0.488	0.526	85	4	0.092	0.104	0.130
84	34	0.481	0.500	0.537	85	5	0.106	0.120	0.147
84	35	0.493	0.512	0.549	85	6	0.121	0.135	0.163
84	36	0.504	0.524	0.561	85	7	0.135	0.149	0.178
84	37	0.516	0.536	0.573	85	8	0.148	0.163	0.194
84	38	0.528	0.548	0.584	85	9	0.162	0.178	0.208
84	39	0.540	0.560	0.596	85	10	0.176	0.191	0.223
84	40	0.552	0.571	0.607	85	11	0.189	0.205	0.237
84	41	0.564	0.583	0.619	85	12	0.202	0.219	0.252
84	42	0.575	0.595	0.630	85	13	0.215	0.232	0.266
84	43	0.587	0.606	0.642	85	14	0.228	0.246	0.279
84	44	0.599	0.618	0.653	85	15	0.241	0.259	0.293
84	45	0.610	0.629	0.664	85	16	0.254	0.272	0.307
84	46	0.622	0.641	0.675	85	17	0.267	0.285	0.320
84	47	0.633	0.652	0.686	85	18	0.279	0.298	0.333
84	48	0.645	0.663	0.697	85	19	0.292	0.311	0.346
84	49	0.656	0.674	0.708	85	20	0.305	0.323	0.359
84	50	0.667	0.686	0.719	85	21	0.317	0.336	0.372
84	51	0.679	0.697	0.729	85	22	0.330	0.349	0.385

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
85	23	0.342	0.361	0.398	85	78	0.954	0.961	0.972
85	24	0.354	0.374	0.410	85	79	0.963	0.969	0.979
85	25	0.367	0.386	0.423	85	80	0.974	0.977	0.985
85	26	0.379	0.398	0.435	85	81	0.979	0.984	0.990
85	27	0.391	0.411	0.448	85	82	0.987	0.990	0.995
85	28	0.403	0.423	0.460	85	83	0.994	0.996	0.998
85	29	0.415	0.435	0.472	85	84	0.999	0.999	1.000
85	30	0.427	0.447	0.484	85	85	1.000	1.000	1.000
85	31	0.439	0.459	0.496	86	0	0.026	0.034	0.052
85	32	0.451	0.471	0.508	86	1	0.044	0.054	0.075
85	33	0.463	0.483	0.520	86	2	0.061	0.071	0.094
85	34	0.475	0.495	0.532	86	3	0.076	0.088	0.112
85	35	0.487	0.507	0.544	86	4	0.091	0.103	0.129
85	36	0.499	0.519	0.555	86	5	0.105	0.118	0.145
85	37	0.511	0.530	0.567	86	6	0.119	0.133	0.161
85	38	0.522	0.542	0.578	86	7	0.133	0.148	0.177
85	39	0.534	0.554	0.590	86	8	0.147	0.162	0.192
85	40	0.546	0.565	0.601	86	9	0.160	0.176	0.206
85	41	0.557	0.577	0.613	86	10	0.174	0.189	0.221
85	42	0.569	0.588	0.624	86	11	0.187	0.203	0.235
85	43	0.581	0.600	0.635	86	12	0.200	0.216	0.249
85	44	0.592	0.611	0.646	86	13	0.213	0.230	0.263
85	45	0.604	0.623	0.657	86	14	0.226	0.243	0.276
85	46	0.615	0.634	0.668	86	15	0.238	0.256	0.290
85	47	0.626	0.645	0.679	86	16	0.251	0.269	0.303
85	48	0.638	0.656	0.690	86	17	0.264	0.282	0.316
85	49	0.649	0.667	0.701	86	18	0.276	0.294	0.330
85	50	0.660	0.679	0.712	86	19	0.289	0.307	0.343
85	51	0.672	0.690	0.722	86	20	0.301	0.320	0.355
85	52	0.683	0.701	0.733	86	21	0.314	0.332	0.368
85	53	0.694	0.712	0.743	86	22	0.326	0.345	0.381
85	54	0.705	0.722	0.754	86	23	0.338	0.357	0.393
85	55	0.716	0.733	0.764	86	24	0.350	0.370	0.406
85	56	0.727	0.744	0.774	86	25	0.363	0.382	0.418
85	57	0.738	0.755	0.785	86	26	0.375	0.394	0.431
85	58	0.749	0.765	0.795	86	27	0.387	0.406	0.443
85	59	0.760	0.776	0.805	86	28	0.399	0.418	0.455
85	60	0.771	0.787	0.815	86	29	0.411	0.430	0.467
85	61	0.782	0.797	0.825	86	30	0.423	0.442	0.479
85	62	0.792	0.808	0.834	86	31	0.435	0.454	0.491
85	63	0.803	0.818	0.844	86	32	0.446	0.466	0.503
85	64	0.814	0.828	0.854	86	33	0.458	0.478	0.515
85	65	0.824	0.838	0.863	86	34	0.470	0.490	0.526
85	66	0.835	0.848	0.872	86	35	0.482	0.501	0.538
85	67	0.845	0.858	0.882	86	36	0.494	0.513	0.550
85	68	0.856	0.868	0.891	86	37	0.505	0.525	0.561
85	69	0.866	0.878	0.900	86	38	0.517	0.536	0.573
85	70	0.876	0.888	0.908	86	39	0.528	0.548	0.584
85	71	0.886	0.898	0.917	86	40	0.540	0.559	0.595
85	72	0.896	0.907	0.926	86	41	0.551	0.571	0.606
85	73	0.906	0.917	0.934	86	42	0.563	0.582	0.618
85	74	0.916	0.926	0.942	86	43	0.574	0.593	0.629
85	75	0.926	0.935	0.950	86	44	0.586	0.605	0.640
85	76	0.935	0.944	0.958	86	45	0.597	0.616	0.651
85	77	0.944	0.952	0.965					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
86	46	0.608	0.627	0.662	87	17	0.261	0.279	0.313
86	47	0.620	0.638	0.673	87	18	0.273	0.291	0.326
86	48	0.631	0.649	0.683	87	19	0.286	0.304	0.339
86	49	0.642	0.661	0.694	87	20	0.298	0.316	0.352
86	50	0.653	0.672	0.705	87	21	0.310	0.329	0.364
86	51	0.665	0.683	0.715	87	22	0.322	0.341	0.377
86	52	0.676	0.693	0.726	87	23	0.335	0.353	0.389
86	53	0.687	0.704	0.736	87	24	0.347	0.366	0.402
86	54	0.698	0.715	0.747	87	25	0.359	0.378	0.414
86	55	0.709	0.726	0.757	87	26	0.371	0.390	0.426
86	56	0.720	0.737	0.767	87	27	0.383	0.402	0.438
86	57	0.730	0.747	0.777	87	28	0.394	0.414	0.450
86	58	0.741	0.758	0.787	87	29	0.406	0.426	0.462
86	59	0.752	0.768	0.797	87	30	0.418	0.438	0.474
86	60	0.763	0.779	0.807	87	31	0.430	0.449	0.486
86	61	0.774	0.789	0.817	87	32	0.442	0.461	0.498
86	62	0.784	0.800	0.827	87	33	0.453	0.473	0.509
86	63	0.795	0.810	0.836	87	34	0.465	0.485	0.521
86	64	0.805	0.820	0.846	87	35	0.477	0.496	0.533
86	65	0.816	0.830	0.855	87	36	0.488	0.508	0.544
86	66	0.826	0.840	0.865	87	37	0.500	0.519	0.555
86	67	0.837	0.850	0.874	87	38	0.511	0.531	0.567
86	68	0.847	0.860	0.883	87	39	0.523	0.542	0.578
86	69	0.857	0.870	0.892	87	40	0.534	0.553	0.589
86	70	0.867	0.880	0.901	87	41	0.546	0.565	0.600
86	71	0.878	0.889	0.910	87	42	0.557	0.576	0.611
86	72	0.888	0.899	0.918	87	43	0.568	0.587	0.623
86	73	0.897	0.908	0.927	87	44	0.580	0.599	0.633
86	74	0.907	0.918	0.935	87	45	0.591	0.610	0.644
86	75	0.917	0.927	0.943	87	46	0.602	0.621	0.655
86	76	0.926	0.936	0.951	87	47	0.613	0.632	0.666
86	77	0.936	0.944	0.958	87	48	0.624	0.643	0.677
86	78	0.945	0.953	0.965	87	49	0.635	0.654	0.687
86	79	0.954	0.961	0.972	87	50	0.647	0.665	0.698
86	80	0.963	0.969	0.979	87	51	0.658	0.676	0.708
86	81	0.971	0.977	0.985	87	52	0.669	0.686	0.719
86	82	0.979	0.984	0.990	87	53	0.680	0.697	0.729
86	83	0.987	0.990	0.995	87	54	0.690	0.708	0.739
86	84	0.994	0.996	0.998	87	55	0.701	0.719	0.750
86	85	0.999	0.999	1.000	87	56	0.712	0.729	0.760
86	86	1.000	1.000	1.000	87	57	0.723	0.740	0.770
87	0	0.026	0.034	0.051	87	58	0.734	0.750	0.780
87	1	0.044	0.053	0.074	87	59	0.744	0.761	0.790
87	2	0.060	0.071	0.093	87	60	0.755	0.771	0.800
87	3	0.075	0.087	0.111	87	61	0.766	0.781	0.809
87	4	0.090	0.102	0.128	87	62	0.776	0.792	0.819
87	5	0.104	0.117	0.144	87	63	0.787	0.802	0.829
87	6	0.118	0.132	0.159	87	64	0.797	0.812	0.838
87	7	0.132	0.146	0.175	87	65	0.808	0.822	0.848
87	8	0.145	0.160	0.189	87	66	0.818	0.832	0.857
87	9	0.158	0.174	0.204	87	67	0.828	0.842	0.866
87	10	0.172	0.187	0.218	87	68	0.839	0.852	0.875
87	11	0.185	0.201	0.232	87	69	0.849	0.862	0.884
87	12	0.198	0.214	0.246	87	70	0.859	0.872	0.893
87	13	0.210	0.227	0.260	87	71	0.869	0.881	0.902
87	14	0.223	0.240	0.273	87	72	0.879	0.891	0.911
87	15	0.236	0.253	0.287	87	73	0.889	0.900	0.919
87	16	0.248	0.266	0.300	87	74	0.899	0.909	0.927

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
87	75	0.908	0.918	0.936	88	44	0.573	0.592	0.627
87	76	0.918	0.927	0.943	88	45	0.585	0.603	0.638
87	77	0.927	0.936	0.951	88	46	0.596	0.614	0.649
87	78	0.937	0.945	0.959	88	47	0.607	0.625	0.659
87	79	0.946	0.953	0.966	88	48	0.618	0.636	0.670
87	80	0.955	0.962	0.973	88	49	0.629	0.647	0.681
87	81	0.963	0.970	0.979	88	50	0.640	0.658	0.691
87	82	0.972	0.977	0.985	88	51	0.651	0.669	0.702
87	83	0.980	0.984	0.990	88	52	0.662	0.679	0.712
87	84	0.987	0.990	0.995	88	53	0.672	0.690	0.722
87	85	0.994	0.996	0.998	88	54	0.683	0.701	0.732
87	86	0.999	0.999	1.000	88	55	0.694	0.711	0.743
87	87	1.000	1.000	1.000	88	56	0.705	0.722	0.753
88	0	0.026	0.033	0.051	88	57	0.716	0.732	0.763
88	1	0.043	0.053	0.073	88	58	0.726	0.743	0.773
88	2	0.059	0.070	0.092	88	59	0.737	0.753	0.783
88	3	0.074	0.086	0.110	88	60	0.747	0.764	0.792
88	4	0.089	0.101	0.126	88	61	0.758	0.774	0.802
88	5	0.103	0.116	0.142	88	62	0.768	0.784	0.812
88	6	0.117	0.130	0.158	88	63	0.779	0.794	0.821
88	7	0.130	0.144	0.173	88	64	0.789	0.804	0.831
88	8	0.144	0.158	0.187	88	65	0.800	0.814	0.840
88	9	0.157	0.172	0.202	88	66	0.810	0.824	0.850
88	10	0.170	0.185	0.216	88	67	0.820	0.834	0.859
88	11	0.183	0.198	0.230	88	68	0.830	0.844	0.868
88	12	0.195	0.212	0.244	88	69	0.841	0.854	0.877
88	13	0.208	0.225	0.257	88	70	0.851	0.863	0.886
88	14	0.221	0.238	0.271	88	71	0.861	0.873	0.895
88	15	0.233	0.250	0.284	88	72	0.871	0.883	0.903
88	16	0.246	0.263	0.297	88	73	0.880	0.892	0.912
88	17	0.258	0.276	0.310	88	74	0.890	0.901	0.920
88	18	0.270	0.288	0.323	88	75	0.900	0.910	0.928
88	19	0.283	0.301	0.335	88	76	0.909	0.919	0.936
88	20	0.295	0.313	0.348	88	77	0.919	0.928	0.944
88	21	0.307	0.325	0.361	88	78	0.928	0.937	0.952
88	22	0.319	0.337	0.373	88	79	0.937	0.946	0.959
88	23	0.331	0.350	0.385	88	80	0.946	0.954	0.966
88	24	0.343	0.362	0.398	88	81	0.955	0.962	0.973
88	25	0.355	0.374	0.410	88	82	0.964	0.970	0.979
88	26	0.367	0.386	0.422	88	83	0.972	0.977	0.985
88	27	0.378	0.398	0.434	88	84	0.980	0.984	0.990
88	28	0.390	0.409	0.446	88	85	0.987	0.991	0.995
88	29	0.402	0.421	0.458	88	86	0.994	0.996	0.998
88	30	0.414	0.433	0.469	88	87	0.999	0.999	1.000
88	31	0.425	0.445	0.481	88	88	1.000	1.000	1.000
88	32	0.437	0.456	0.493	89	0	0.025	0.033	0.050
88	33	0.449	0.468	0.504	89	1	0.043	0.052	0.072
88	34	0.460	0.479	0.516	89	2	0.059	0.069	0.091
88	35	0.472	0.491	0.527	89	3	0.073	0.085	0.108
88	36	0.483	0.502	0.539	89	4	0.088	0.100	0.125
88	37	0.494	0.514	0.550	89	5	0.102	0.115	0.141
88	38	0.506	0.525	0.561	89	6	0.115	0.129	0.156
88	39	0.517	0.536	0.572	89	7	0.129	0.143	0.171
88	40	0.529	0.548	0.583	89	8	0.142	0.156	0.185
88	41	0.540	0.559	0.594	89	9	0.155	0.170	0.200
88	42	0.551	0.570	0.605	89	10	0.168	0.183	0.214
88	43	0.562	0.581	0.616					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
89	11	0.181	0.196	0.227	89	67	0.812	0.826	0.851
89	12	0.193	0.209	0.241	89	68	0.822	0.836	0.860
89	13	0.206	0.222	0.254	89	69	0.832	0.846	0.869
89	14	0.218	0.235	0.268	89	70	0.842	0.856	0.878
89	15	0.231	0.248	0.281	89	71	0.852	0.865	0.887
89	16	0.243	0.260	0.294	89	72	0.862	0.875	0.896
89	17	0.255	0.273	0.307	89	73	0.872	0.884	0.904
89	18	0.267	0.285	0.319	89	74	0.882	0.893	0.913
89	19	0.280	0.297	0.332	89	75	0.891	0.902	0.921
89	20	0.292	0.310	0.344	89	76	0.901	0.911	0.929
89	21	0.304	0.322	0.357	89	77	0.910	0.920	0.937
89	22	0.315	0.334	0.369	89	78	0.920	0.929	0.945
89	23	0.327	0.346	0.381	89	79	0.929	0.938	0.952
89	24	0.339	0.358	0.394	89	80	0.938	0.946	0.960
89	25	0.351	0.370	0.406	89	81	0.947	0.955	0.967
89	26	0.363	0.382	0.418	89	82	0.956	0.963	0.973
89	27	0.374	0.393	0.429	89	83	0.964	0.970	0.980
89	28	0.386	0.405	0.441	89	84	0.972	0.978	0.985
89	29	0.398	0.417	0.453	89	85	0.980	0.984	0.991
89	30	0.409	0.428	0.465	89	86	0.987	0.991	0.995
89	31	0.421	0.440	0.476	89	87	0.994	0.996	0.998
89	32	0.432	0.452	0.488	89	88	0.999	0.999	1.000
89	33	0.444	0.463	0.499	89	89	1.000	1.000	1.000
89	34	0.455	0.474	0.511	90	0	0.025	0.033	0.050
89	35	0.467	0.486	0.522	90	1	0.042	0.052	0.071
89	36	0.478	0.497	0.533	90	2	0.058	0.068	0.090
89	37	0.489	0.508	0.544	90	3	0.073	0.084	0.107
89	38	0.501	0.520	0.556	90	4	0.087	0.099	0.123
89	39	0.512	0.531	0.567	90	5	0.101	0.113	0.139
89	40	0.523	0.542	0.578	90	6	0.114	0.127	0.154
89	41	0.534	0.553	0.589	90	7	0.127	0.141	0.169
89	42	0.545	0.564	0.600	90	8	0.140	0.155	0.183
89	43	0.556	0.575	0.610	90	9	0.153	0.168	0.198
89	44	0.567	0.586	0.621	90	10	0.166	0.181	0.211
89	45	0.579	0.597	0.632	90	11	0.179	0.194	0.225
89	46	0.590	0.608	0.643	90	12	0.191	0.207	0.239
89	47	0.601	0.619	0.653	90	13	0.204	0.220	0.252
89	48	0.611	0.630	0.664	90	14	0.216	0.233	0.265
89	49	0.622	0.641	0.674	90	15	0.228	0.245	0.278
89	50	0.633	0.651	0.685	90	16	0.240	0.257	0.291
89	51	0.644	0.662	0.695	90	17	0.253	0.270	0.303
89	52	0.655	0.673	0.705	90	18	0.265	0.282	0.316
89	53	0.666	0.683	0.715	90	19	0.277	0.294	0.329
89	54	0.676	0.694	0.726	90	20	0.288	0.306	0.341
89	55	0.687	0.704	0.736	90	21	0.300	0.318	0.353
89	56	0.698	0.715	0.746	90	22	0.312	0.330	0.365
89	57	0.708	0.725	0.756	90	23	0.324	0.342	0.378
89	58	0.719	0.736	0.766	90	24	0.336	0.354	0.390
89	59	0.729	0.746	0.775	90	25	0.347	0.366	0.401
89	60	0.740	0.756	0.785	90	26	0.359	0.378	0.413
89	61	0.750	0.766	0.795	90	27	0.371	0.389	0.425
89	62	0.761	0.777	0.805	90	28	0.382	0.401	0.437
89	63	0.771	0.787	0.814	90	29	0.394	0.413	0.448
89	64	0.782	0.797	0.824	90	30	0.405	0.424	0.460
89	65	0.792	0.807	0.833	90	31	0.416	0.435	0.472
89	66	0.802	0.817	0.842	90	32	0.428	0.447	0.483

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
90	33	0.439	0.458	0.494	90	88	0.994	0.996	0.998
90	34	0.450	0.470	0.506	90	89	0.999	0.999	1.000
90	35	0.462	0.481	0.517	90	90	1.000	1.000	1.000
90	36	0.473	0.492	0.528	91	0	0.025	0.032	0.049
90	37	0.484	0.503	0.539	91	1	0.042	0.051	0.071
90	38	0.495	0.514	0.550	91	2	0.057	0.067	0.089
90	39	0.506	0.526	0.561	91	3	0.072	0.083	0.106
90	40	0.518	0.537	0.572	91	4	0.086	0.098	0.122
90	41	0.529	0.548	0.583	91	5	0.100	0.112	0.138
90	42	0.540	0.559	0.594	91	6	0.113	0.126	0.153
90	43	0.551	0.570	0.605	91	7	0.126	0.140	0.167
90	44	0.562	0.580	0.615	91	8	0.139	0.153	0.182
90	45	0.573	0.591	0.626	91	9	0.152	0.166	0.196
90	46	0.583	0.602	0.636	91	10	0.164	0.179	0.209
90	47	0.594	0.613	0.647	91	11	0.177	0.192	0.223
90	48	0.605	0.624	0.657	91	12	0.189	0.205	0.236
90	49	0.616	0.634	0.668	91	13	0.201	0.218	0.249
90	50	0.627	0.645	0.678	91	14	0.214	0.230	0.262
90	51	0.638	0.656	0.688	91	15	0.226	0.242	0.275
90	52	0.648	0.666	0.699	91	16	0.238	0.255	0.288
90	53	0.659	0.677	0.709	91	17	0.250	0.267	0.300
90	54	0.670	0.687	0.719	91	18	0.262	0.279	0.313
90	55	0.680	0.697	0.729	91	19	0.274	0.291	0.325
90	56	0.691	0.708	0.739	91	20	0.285	0.303	0.337
90	57	0.701	0.718	0.749	91	21	0.297	0.315	0.350
90	58	0.712	0.728	0.759	91	22	0.309	0.327	0.362
90	59	0.722	0.739	0.768	91	23	0.321	0.339	0.374
90	60	0.733	0.749	0.778	91	24	0.332	0.350	0.386
90	61	0.743	0.759	0.788	91	25	0.344	0.362	0.397
90	62	0.753	0.769	0.797	91	26	0.355	0.374	0.409
90	63	0.764	0.779	0.807	91	27	0.367	0.385	0.421
90	64	0.774	0.789	0.816	91	28	0.378	0.397	0.432
90	65	0.784	0.799	0.826	91	29	0.389	0.408	0.444
90	66	0.794	0.809	0.835	91	30	0.401	0.420	0.455
90	67	0.804	0.819	0.844	91	31	0.412	0.431	0.467
90	68	0.814	0.828	0.853	91	32	0.423	0.442	0.478
90	69	0.824	0.838	0.862	91	33	0.435	0.454	0.489
90	70	0.834	0.848	0.871	91	34	0.446	0.465	0.501
90	71	0.844	0.857	0.880	91	35	0.457	0.476	0.512
90	72	0.854	0.867	0.888	91	36	0.468	0.487	0.523
90	73	0.864	0.876	0.897	91	37	0.479	0.498	0.534
90	74	0.873	0.885	0.905	91	38	0.490	0.509	0.545
90	75	0.883	0.894	0.914	91	39	0.501	0.520	0.556
90	76	0.893	0.903	0.922	91	40	0.512	0.531	0.567
90	77	0.902	0.912	0.930	91	41	0.523	0.542	0.577
90	78	0.911	0.921	0.938	91	42	0.534	0.553	0.588
90	79	0.921	0.930	0.945	91	43	0.545	0.564	0.599
90	80	0.930	0.939	0.953	91	44	0.556	0.575	0.609
90	81	0.939	0.947	0.960	91	45	0.567	0.585	0.620
90	82	0.948	0.955	0.967	91	46	0.578	0.596	0.630
90	83	0.956	0.963	0.974	91	47	0.588	0.607	0.641
90	84	0.965	0.971	0.980	91	48	0.599	0.617	0.651
90	85	0.973	0.978	0.986	91	49	0.610	0.628	0.662
90	86	0.980	0.985	0.991	91	50	0.620	0.639	0.672
90	87	0.988	0.991	0.995					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
91	51	0.631	0.649	0.682	92	17	0.247	0.264	0.297
91	52	0.642	0.660	0.692	92	18	0.259	0.276	0.310
91	53	0.652	0.670	0.702	92	19	0.271	0.288	0.322
91	54	0.663	0.680	0.712					
					92	20	0.282	0.300	0.334
91	55	0.673	0.691	0.722	92	21	0.294	0.312	0.346
91	56	0.684	0.701	0.732	92	22	0.306	0.324	0.358
91	57	0.694	0.711	0.742	92	23	0.317	0.335	0.370
91	58	0.705	0.721	0.752	92	24	0.329	0.347	0.382
91	59	0.715	0.732	0.762					
					92	25	0.340	0.358	0.394
91	60	0.725	0.742	0.771	92	26	0.352	0.370	0.405
91	61	0.736	0.752	0.781	92	27	0.363	0.381	0.417
91	62	0.746	0.762	0.790	92	28	0.374	0.393	0.428
91	63	0.756	0.772	0.800	92	29	0.385	0.404	0.440
91	64	0.766	0.782	0.809					
					92	30	0.397	0.415	0.451
91	65	0.776	0.792	0.818	92	31	0.408	0.427	0.462
91	66	0.786	0.801	0.828	92	32	0.419	0.438	0.474
91	67	0.797	0.811	0.837	92	33	0.430	0.449	0.485
91	68	0.807	0.821	0.846	92	34	0.441	0.460	0.496
91	69	0.816	0.830	0.855					
					92	35	0.452	0.471	0.507
91	70	0.826	0.840	0.864	92	36	0.463	0.482	0.518
91	71	0.836	0.849	0.872	92	37	0.474	0.493	0.529
91	72	0.846	0.859	0.881	92	38	0.485	0.504	0.540
91	73	0.856	0.868	0.890	92	39	0.496	0.515	0.550
91	74	0.865	0.877	0.898					
					92	40	0.507	0.526	0.561
91	75	0.875	0.887	0.907	92	41	0.518	0.537	0.572
91	76	0.884	0.896	0.915	92	42	0.529	0.548	0.582
91	77	0.894	0.905	0.923	92	43	0.540	0.558	0.593
91	78	0.903	0.913	0.931	92	44	0.550	0.569	0.604
91	79	0.912	0.922	0.938					
					92	45	0.561	0.580	0.614
91	80	0.922	0.931	0.946	92	46	0.572	0.590	0.624
91	81	0.931	0.939	0.953	92	47	0.582	0.601	0.635
91	82	0.939	0.947	0.961	92	48	0.593	0.611	0.645
91	83	0.948	0.956	0.967	92	49	0.604	0.622	0.655
91	84	0.957	0.963	0.974					
					92	50	0.614	0.632	0.666
91	85	0.965	0.971	0.980	92	51	0.625	0.643	0.676
91	86	0.973	0.978	0.986	92	52	0.635	0.653	0.686
91	87	0.981	0.985	0.991	92	53	0.646	0.663	0.696
91	88	0.988	0.991	0.995	92	54	0.656	0.674	0.706
91	89	0.994	0.996	0.998					
					92	55	0.667	0.684	0.716
91	90	0.999	0.999	1.000	92	56	0.677	0.694	0.726
91	91	1.000	1.000	1.000	92	57	0.687	0.704	0.735
					92	58	0.698	0.715	0.745
92	0	0.025	0.032	0.049	92	59	0.708	0.725	0.755
92	1	0.042	0.050	0.070					
92	2	0.057	0.067	0.088	92	60	0.718	0.735	0.764
92	3	0.071	0.082	0.105	92	61	0.728	0.745	0.774
92	4	0.085	0.097	0.121	92	62	0.739	0.755	0.783
					92	63	0.749	0.764	0.793
92	5	0.099	0.111	0.136	92	64	0.759	0.774	0.802
92	6	0.112	0.125	0.151					
92	7	0.125	0.138	0.166	92	65	0.769	0.784	0.811
92	8	0.137	0.151	0.180	92	66	0.779	0.794	0.820
92	9	0.150	0.165	0.194	92	67	0.789	0.804	0.830
					92	68	0.799	0.813	0.839
92	10	0.163	0.177	0.207	92	69	0.809	0.823	0.848
92	11	0.175	0.190	0.220					
92	12	0.187	0.203	0.234	92	70	0.819	0.832	0.856
92	13	0.199	0.215	0.247	92	71	0.828	0.842	0.865
92	14	0.211	0.228	0.260	92	72	0.838	0.851	0.874
					92	73	0.848	0.860	0.882
92	15	0.223	0.240	0.272	92	74	0.857	0.870	0.891
92	16	0.235	0.252	0.285					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
92	75	0.867	0.879	0.899	93	39	0.491	0.510	0.545
92	76	0.876	0.888	0.908	93	40	0.502	0.521	0.556
92	77	0.886	0.897	0.916	93	41	0.513	0.531	0.566
92	78	0.895	0.906	0.924	93	42	0.523	0.542	0.577
92	79	0.904	0.914	0.931	93	43	0.534	0.553	0.587
92	80	0.913	0.923	0.939	93	44	0.545	0.563	0.598
92	81	0.922	0.932	0.947	93	45	0.555	0.574	0.608
92	82	0.931	0.940	0.954	93	46	0.566	0.585	0.619
92	83	0.940	0.948	0.961	93	47	0.577	0.595	0.629
92	84	0.949	0.956	0.968	93	48	0.587	0.605	0.639
92	85	0.957	0.964	0.974	93	49	0.598	0.616	0.649
92	86	0.965	0.971	0.980	93	50	0.608	0.626	0.659
92	87	0.973	0.978	0.986	93	51	0.619	0.637	0.669
92	88	0.981	0.985	0.991	93	52	0.629	0.647	0.680
92	89	0.988	0.991	0.995	93	53	0.639	0.657	0.689
92	90	0.994	0.996	0.998	93	54	0.650	0.667	0.699
92	91	0.999	0.999	1.000	93	55	0.660	0.678	0.709
92	92	1.000	1.000	1.000	93	56	0.670	0.688	0.719
93	0	0.024	0.032	0.048	93	57	0.681	0.698	0.729
93	1	0.041	0.050	0.069	93	58	0.691	0.708	0.738
93	2	0.056	0.066	0.087	93	59	0.701	0.718	0.748
93	3	0.070	0.081	0.104	93	60	0.711	0.728	0.758
93	4	0.084	0.096	0.120	93	61	0.721	0.738	0.767
93	5	0.098	0.110	0.135	93	62	0.731	0.748	0.776
93	6	0.111	0.123	0.150	93	63	0.742	0.757	0.786
93	7	0.123	0.137	0.164	93	64	0.752	0.767	0.795
93	8	0.136	0.150	0.178	93	65	0.762	0.777	0.804
93	9	0.149	0.163	0.192	93	66	0.771	0.787	0.813
93	10	0.161	0.176	0.205	93	67	0.781	0.796	0.823
93	11	0.173	0.188	0.218	93	68	0.791	0.806	0.832
93	12	0.185	0.201	0.231	93	69	0.801	0.815	0.840
93	13	0.197	0.213	0.244	93	70	0.811	0.825	0.849
93	14	0.209	0.225	0.257	93	71	0.821	0.834	0.858
93	15	0.221	0.238	0.270	93	72	0.830	0.843	0.867
93	16	0.233	0.250	0.282	93	73	0.840	0.853	0.875
93	17	0.245	0.262	0.294	93	74	0.849	0.862	0.884
93	18	0.256	0.273	0.307	93	75	0.859	0.871	0.892
93	19	0.268	0.285	0.319	93	76	0.868	0.880	0.900
93	20	0.280	0.297	0.331	93	77	0.878	0.889	0.909
93	21	0.291	0.309	0.343	93	78	0.887	0.898	0.917
93	22	0.303	0.320	0.355	93	79	0.896	0.907	0.925
93	23	0.314	0.332	0.366	93	80	0.905	0.915	0.932
93	24	0.325	0.343	0.378	93	81	0		93 25 0.337 0.355
93	26	0.348	0.366	0.401	93	83	0.932	0.941	0.954
93	27	0.359	0.378	0.413	93	84	0.941	0.949	0.961
93	28	0.370	0.389	0.424	93	85	0.949	0.957	0.968
93	29	0.382	0.400	0.435	93	86	0.958	0.964	0.974
93	30	0.393	0.411	0.447	93	87	0.966	0.972	0.981
93	31	0.404	0.422	0.458	93	88	0.974	0.979	0.986
93	32	0.415	0.434	0.469	93	89	0.981	0.985	0.991
93	33	0.426	0.445	0.480	93	90	0.988	0.991	0.995
93	34	0.437	0.456	0.491	93	91	0.994	0.996	0.998
93	35	0.448	0.467	0.502	93	92	0.999	0.999	1.000
93	36	0.459	0.477	0.513	93	93	1.000	1.000	1.000
93	37	0.470	0.488	0.524	94	0	0.024	0.031	0.048
93	38	0.480	0.499	0.534					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
94	1	0.041	0.049	0.068	94	58	0.684	0.701	0.732
94	2	0.056	0.065	0.086	94	59	0.694	0.711	0.741
94	3	0.070	0.080	0.103	94	60	0.704	0.721	0.751
94	4	0.083	0.095	0.118	94	61	0.714	0.731	0.760
94	5	0.096	0.109	0.134	94	62	0.724	0.741	0.770
94	6	0.109	0.122	0.148	94	63	0.734	0.750	0.779
94	7	0.122	0.135	0.162	94	64	0.744	0.760	0.788
94	8	0.135	0.148	0.176	94	65	0.754	0.770	0.797
94	9	0.147	0.161	0.190	94	66	0.764	0.779	0.807
94	10	0.159	0.174	0.203	94	67	0.774	0.789	0.816
94	11	0.171	0.186	0.216	94	68	0.784	0.798	0.825
94	12	0.183	0.199	0.229	94	69	0.794	0.808	0.833
94	13	0.195	0.211	0.242	94	70	0.803	0.817	0.842
94	14	0.207	0.223	0.254	94	71	0.813	0.827	0.851
94	15	0.219	0.235	0.267	94	72	0.822	0.836	0.860
94	16	0.231	0.247	0.279	94	73	0.832	0.845	0.868
94	17	0.242	0.259	0.291	94	74	0.842	0.854	0.877
94	18	0.254	0.271	0.304	94	75	0.851	0.863	0.885
94	19	0.265	0.282	0.316	94	76	0.860	0.872	0.893
94	20	0.277	0.294	0.328	94	77	0.870	0.881	0.902
94	21	0.288	0.306	0.339	94	78	0.879	0.890	0.910
94	22	0.299	0.317	0.351	94	79	0.888	0.899	0.918
94	23	0.311	0.329	0.363	94	80	0.897	0.908	0.925
94	24	0.322	0.340	0.374	94	81	0.906	0.916	0.933
94	25	0.333	0.351	0.386	94	82	0.915	0.925	0.940
94	26	0.344	0.363	0.397	94	83	0.924	0.933	0.948
94	27	0.356	0.374	0.409	94	84	0.933	0.941	0.955
94	28	0.367	0.385	0.420	94	85	0.941	0.949	0.962
94	29	0.378	0.396	0.431	94	86	0.950	0.957	0.968
94	30	0.389	0.407	0.442	94	87	0.958	0.965	0.975
94	31	0.400	0.418	0.453	94	88	0.966	0.972	0.981
94	32	0.411	0.429	0.464	94	89	0.974	0.979	0.986
94	33	0.422	0.440	0.475	94	90	0.981	0.985	0.991
94	34	0.432	0.451	0.486	94	91	0.988	0.991	0.995
94	35	0.443	0.462	0.497	94	92	0.994	0.996	0.998
94	36	0.454	0.473	0.508	94	93	0.999	0.999	1.000
94	37	0.465	0.484	0.519	94	94	1.000	1.000	1.000
94	38	0.476	0.494	0.529	95	0	0.024	0.031	0.047
94	39	0.486	0.505	0.540	95	1	0.040	0.049	0.068
94	40	0.497	0.516	0.551	95	2	0.055	0.065	0.085
94	41	0.508	0.526	0.561	95	3	0.069	0.080	0.102
94	42	0.518	0.537	0.572	95	4	0.082	0.094	0.117
94	43	0.529	0.547	0.582	95	5	0.096	0.108	0.132
94	44	0.539	0.558	0.592	95	6	0.108	0.121	0.147
94	45	0.550	0.568	0.603	95	7	0.121	0.134	0.161
94	46	0.560	0.579	0.613	95	8	0.133	0.147	0.174
94	47	0.571	0.589	0.623	95	9	0.145	0.160	0.188
94	48	0.581	0.600	0.633	95	10	0.158	0.172	0.201
94	49	0.592	0.610	0.643	95	11	0.170	0.184	0.214
94	50	0.602	0.620	0.653	95	12	0.181	0.197	0.227
94	51	0.613	0.630	0.663	95	13	0.193	0.209	0.239
94	52	0.623	0.641	0.673	95	14	0.205	0.221	0.252
94	53	0.633	0.651	0.683	95	15	0.217	0.233	0.264
94	54	0.643	0.661	0.693	95	16	0.228	0.245	0.276
94	55	0.654	0.671	0.703	95	17	0.240	0.256	0.289
94	56	0.664	0.681	0.713	95	18	0.251	0.268	0.301
94	57	0.674	0.691	0.722	95	19	0.263	0.280	0.313

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL 99%	N	K	CONFIDENCE		LEVEL 99%
		90%	95%				90%	95%	
95	20	0.274	0.291	0.324	95	76	0.853	0.865	0.886
95	21	0.285	0.303	0.336	95	77	0.862	0.874	0.895
95	22	0.296	0.314	0.348	95	78	0.871	0.883	0.903
95	23	0.308	0.325	0.359	95	79	0.880	0.891	0.911
95	24	0.319	0.337	0.371					
95	25	0.330	0.348	0.382	95	80	0.889	0.900	0.918
95	26	0.341	0.359	0.393	95	81	0.898	0.909	0.926
95	27	0.352	0.370	0.405	95	82	0.907	0.917	0.934
95	28	0.363	0.381	0.416	95	83	0.916	0.926	0.941
95	29	0.374	0.392	0.427	95	84	0.925	0.934	0.948
95	30	0.385	0.403	0.438	95	85	0.934	0.942	0.955
95	31	0.396	0.414	0.449	95	86	0.942	0.950	0.962
95	32	0.407	0.425	0.460	95	87	0.950	0.957	0.969
95	33	0.417	0.436	0.471	95	88	0.959	0.965	0.975
95	34	0.428	0.447	0.482	95	89	0.967	0.972	0.981
95	35	0.439	0.457	0.492	95	90	0.974	0.979	0.986
95	36	0.450	0.468	0.503	95	91	0.981	0.985	0.991
95	37	0.460	0.479	0.514	95	92	0.988	0.991	0.995
95	38	0.471	0.490	0.524	95	93	0.994	0.996	0.998
95	39	0.481	0.500	0.535	95	94	0.999	0.999	1.000
95	40	0.492	0.511	0.545	95	95	1.000	1.000	1.000
95	41	0.503	0.521	0.556	96	0	0.024	0.031	0.047
95	42	0.513	0.532	0.566	96	1	0.040	0.048	0.067
95	43	0.524	0.542	0.577	96	2	0.054	0.064	0.085
95	44	0.534	0.553	0.587	96	3	0.068	0.079	0.101
95	45	0.545	0.563	0.597	96	4	0.081	0.093	0.116
95	46	0.555	0.573	0.607	96	5	0.095	0.106	0.131
95	47	0.565	0.584	0.617	96	6	0.107	0.120	0.145
95	48	0.576	0.594	0.627	96	7	0.120	0.133	0.159
95	49	0.586	0.604	0.638	96	8	0.132	0.145	0.173
95	50	0.596	0.614	0.647	96	9	0.144	0.158	0.186
95	51	0.607	0.625	0.657	96	10	0.156	0.170	0.199
95	52	0.617	0.635	0.667	96	11	0.168	0.183	0.212
95	53	0.627	0.645	0.677	96	12	0.180	0.195	0.224
95	54	0.637	0.655	0.687	96	13	0.191	0.207	0.237
95	55	0.647	0.665	0.697	96	14	0.203	0.219	0.249
95	56	0.658	0.675	0.706	96	15	0.214	0.230	0.262
95	57	0.668	0.685	0.716	96	16	0.226	0.242	0.274
95	58	0.678	0.695	0.725	96	17	0.237	0.254	0.286
95	59	0.688	0.704	0.735	96	18	0.249	0.265	0.298
95	60	0.698	0.714	0.744	96	19	0.260	0.277	0.309
95	61	0.708	0.724	0.754	96	20	0.271	0.288	0.321
95	62	0.718	0.734	0.763	96	21	0.282	0.300	0.333
95	63	0.727	0.743	0.772	96	22	0.293	0.311	0.344
95	64	0.737	0.753	0.781	96	23	0.305	0.322	0.356
95	65	0.747	0.763	0.791	96	24	0.316	0.333	0.367
95	66	0.757	0.772	0.800	96	25	0.327	0.344	0.378
95	67	0.767	0.782	0.809	96	26	0.338	0.355	0.390
95	68	0.776	0.791	0.818	96	27	0.348	0.366	0.401
95	69	0.786	0.801	0.827	96	28	0.359	0.377	0.412
95	70	0.796	0.810	0.835	96	29	0.370	0.388	0.423
95	71	0.805	0.819	0.844	96	30	0.381	0.399	0.434
95	72	0.815	0.829	0.853	96	31	0.392	0.410	0.445
95	73	0.824	0.838	0.861	96	32	0.402	0.421	0.456
95	74	0.834	0.847	0.870	96	33	0.413	0.432	0.466
95	75	0.843	0.856	0.878	96	34	0.424	0.442	0.477



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
96	35	0.435	0.453	0.488	96	90	0.967	0.972	0.981
96	36	0.445	0.464	0.499	96	91	0.974	0.979	0.987
96	37	0.456	0.474	0.509	96	92	0.982	0.986	0.991
96	38	0.466	0.485	0.520	96	93	0.988	0.991	0.995
96	39	0.477	0.495	0.530	96	94	0.994	0.996	0.998
96	40	0.487	0.506	0.540	96	95	0.999	0.999	1.000
96	41	0.498	0.516	0.551	96	96	1.000	1.000	1.000
96	42	0.508	0.527	0.561	97	0	0.023	0.030	0.046
96	43	0.519	0.537	0.571	97	1	0.039	0.048	0.066
96	44	0.529	0.547	0.582	97	2	0.054	0.063	0.084
96	45	0.539	0.558	0.592	97	3	0.067	0.078	0.100
96	46	0.550	0.568	0.602	97	4	0.081	0.092	0.115
96	47	0.560	0.578	0.612	97	5	0.094	0.105	0.130
96	48	0.570	0.588	0.622	97	6	0.106	0.118	0.144
96	49	0.580	0.598	0.632	97	7	0.118	0.131	0.157
96	50	0.591	0.609	0.642	97	8	0.131	0.144	0.171
96	51	0.601	0.619	0.652	97	9	0.143	0.156	0.184
96	52	0.611	0.629	0.661	97	10	0.154	0.169	0.197
96	53	0.621	0.639	0.671	97	11	0.166	0.181	0.210
96	54	0.631	0.649	0.681	97	12	0.178	0.193	0.222
96	55	0.641	0.659	0.690	97	13	0.189	0.205	0.235
96	56	0.651	0.668	0.700	97	14	0.201	0.216	0.247
96	57	0.661	0.678	0.710	97	15	0.212	0.228	0.259
96	58	0.671	0.688	0.719	97	16	0.224	0.240	0.271
96	59	0.681	0.698	0.728	97	17	0.235	0.251	0.283
96	60	0.691	0.708	0.738	97	18	0.246	0.263	0.295
96	61	0.701	0.717	0.747	97	19	0.257	0.274	0.307
96	62	0.711	0.727	0.756	97	20	0.268	0.285	0.318
96	63	0.721	0.737	0.766	97	21	0.280	0.297	0.330
96	64	0.730	0.746	0.775	97	22	0.291	0.308	0.341
96	65	0.740	0.756	0.784	97	23	0.302	0.319	0.352
96	66	0.750	0.765	0.793	97	24	0.312	0.330	0.364
96	67	0.760	0.775	0.802	97	25	0.323	0.341	0.375
96	68	0.769	0.784	0.811	97	26	0.334	0.352	0.386
96	69	0.779	0.794	0.820	97	27	0.345	0.363	0.397
96	70	0.788	0.803	0.828	97	28	0.356	0.374	0.408
96	71	0.798	0.812	0.837	97	29	0.367	0.385	0.419
96	72	0.807	0.821	0.846	97	30	0.377	0.395	0.430
96	73	0.817	0.830	0.854	97	31	0.388	0.406	0.441
96	74	0.826	0.840	0.863	97	32	0.399	0.417	0.451
96	75	0.836	0.849	0.871	97	33	0.409	0.427	0.462
96	76	0.845	0.858	0.879	97	34	0.420	0.438	0.473
96	77	0.854	0.866	0.888	97	35	0.430	0.449	0.483
96	78	0.863	0.875	0.896	97	36	0.441	0.459	0.494
96	79	0.873	0.884	0.904	97	37	0.451	0.470	0.504
96	80	0.882	0.893	0.912	97	38	0.462	0.480	0.515
96	81	0.891	0.901	0.919	97	39	0.472	0.491	0.525
96	82	0.899	0.910	0.927	97	40	0.483	0.501	0.535
96	83	0.908	0.918	0.934	97	41	0.493	0.511	0.546
96	84	0.917	0.926	0.942	97	42	0.503	0.522	0.556
96	85	0.926	0.934	0.949	97	43	0.514	0.532	0.566
96	86	0.934	0.942	0.956	97	44	0.524	0.542	0.576
96	87	0.943	0.950	0.963	97	45	0.534	0.552	0.586
96	88	0.951	0.958	0.969	97	46	0.544	0.563	0.596
96	89	0.959	0.965	0.975					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
97	47	0.555	0.573	0.606	98	7	0.117	0.130	0.156
97	48	0.565	0.583	0.616	98	8	0.129	0.143	0.169
97	49	0.575	0.593	0.626	98	9	0.141	0.155	0.182
97	50	0.585	0.603	0.636	98	10	0.153	0.167	0.195
97	51	0.595	0.613	0.646	98	11	0.165	0.179	0.208
97	52	0.605	0.623	0.655	98	12	0.176	0.191	0.220
97	53	0.615	0.633	0.665	98	13	0.188	0.203	0.232
97	54	0.625	0.643	0.675	98	14	0.199	0.214	0.245
97	55	0.635	0.653	0.684	98	15	0.210	0.226	0.257
97	56	0.645	0.662	0.694	98	16	0.221	0.237	0.269
97	57	0.655	0.672	0.703	98	17	0.233	0.249	0.280
97	58	0.665	0.682	0.713	98	18	0.244	0.260	0.292
97	59	0.675	0.692	0.722	98	19	0.255	0.271	0.304
97	60	0.685	0.701	0.731	98	20	0.266	0.283	0.315
97	61	0.694	0.711	0.741	98	21	0.277	0.294	0.327
97	62	0.704	0.720	0.750	98	22	0.288	0.305	0.338
97	63	0.714	0.730	0.759	98	23	0.299	0.316	0.349
97	64	0.724	0.740	0.768	98	24	0.309	0.327	0.360
97	65	0.733	0.749	0.777	98	25	0.320	0.338	0.371
97	66	0.743	0.758	0.786	98	26	0.331	0.349	0.382
97	67	0.753	0.768	0.795	98	27	0.342	0.359	0.393
97	68	0.762	0.777	0.804	98	28	0.352	0.370	0.404
97	69	0.772	0.786	0.813	98	29	0.363	0.381	0.415
97	70	0.781	0.796	0.822	98	30	0.374	0.392	0.426
97	71	0.791	0.805	0.830	98	31	0.384	0.402	0.437
97	72	0.800	0.814	0.839	98	32	0.395	0.413	0.447
97	73	0.809	0.823	0.847	98	33	0.405	0.423	0.458
97	74	0.819	0.832	0.856	98	34	0.416	0.434	0.468
97	75	0.828	0.841	0.864	98	35	0.426	0.444	0.479
97	76	0.837	0.850	0.873	98	36	0.437	0.455	0.489
97	77	0.847	0.859	0.881	98	37	0.447	0.465	0.500
97	78	0.856	0.868	0.889	98	38	0.457	0.476	0.510
97	79	0.865	0.877	0.897	98	39	0.468	0.486	0.520
97	80	0.874	0.885	0.905	98	40	0.478	0.496	0.531
97	81	0.883	0.894	0.913	98	41	0.488	0.507	0.541
97	82	0.892	0.902	0.920	98	42	0.498	0.517	0.551
97	83	0.901	0.911	0.928	98	43	0.509	0.527	0.561
97	84	0.909	0.919	0.935	98	44	0.519	0.537	0.571
97	85	0.918	0.927	0.942	98	45	0.529	0.547	0.581
97	86	0.927	0.935	0.949	98	46	0.539	0.557	0.591
97	87	0.935	0.943	0.956	98	47	0.549	0.567	0.601
97	88	0.943	0.951	0.963	98	48	0.559	0.577	0.611
97	89	0.951	0.958	0.969	98	49	0.569	0.587	0.621
97	90	0.959	0.966	0.976	98	50	0.579	0.597	0.630
97	91	0.967	0.973	0.981	98	51	0.589	0.607	0.640
97	92	0.975	0.980	0.987	98	52	0.599	0.617	0.650
97	93	0.982	0.986	0.991	98	53	0.609	0.627	0.659
97	94	0.988	0.991	0.995	98	54	0.619	0.637	0.669
97	95	0.994	0.996	0.998	98	55	0.629	0.647	0.678
97	96	0.999	0.999	1.000	98	56	0.639	0.656	0.688
97	97	1.000	1.000	1.000	98	57	0.649	0.666	0.697
98	0	0.023	0.030	0.046	98	58	0.659	0.676	0.707
98	1	0.039	0.047	0.066	98	59	0.668	0.685	0.716
98	2	0.053	0.063	0.083	98	60	0.678	0.695	0.725
98	3	0.067	0.077	0.099	98	61	0.688	0.704	0.734
98	4	0.080	0.091	0.114	98	62	0.698	0.714	0.744
98	5	0.093	0.104	0.128	98	63	0.707	0.723	0.753
98	6	0.105	0.117	0.142	98	64	0.717	0.733	0.762

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
98	65	0.727	0.742	0.771	99	24	0.306	0.324	0.357
98	66	0.736	0.752	0.780	99	25	0.317	0.335	0.368
98	67	0.746	0.761	0.789	99	26	0.328	0.345	0.379
98	68	0.755	0.770	0.797	99	27	0.338	0.356	0.390
98	69	0.765	0.780	0.806	99	28	0.349	0.367	0.401
98	70	0.774	0.789	0.815	99	29	0.360	0.377	0.411
98	71	0.784	0.798	0.824	99	30	0.370	0.388	0.422
98	72	0.793	0.807	0.832	99	31	0.380	0.398	0.433
98	73	0.802	0.816	0.841	99	32	0.391	0.409	0.443
98	74	0.811	0.825	0.849	99	33	0.401	0.419	0.454
98	75	0.821	0.834	0.857	99	34	0.412	0.430	0.464
98	76	0.830	0.843	0.866	99	35	0.422	0.440	0.475
98	77	0.839	0.852	0.874	99	36	0.432	0.451	0.485
98	78	0.848	0.861	0.882	99	37	0.443	0.461	0.495
98	79	0.857	0.869	0.890	99	38	0.453	0.471	0.505
98	80	0.866	0.878	0.898	99	39	0.463	0.481	0.516
98	81	0.875	0.886	0.906	99	40	0.473	0.492	0.526
98	82	0.884	0.895	0.913	99	41	0.484	0.502	0.536
98	83	0.893	0.903	0.921	99	42	0.494	0.512	0.546
98	84	0.902	0.912	0.929	99	43	0.504	0.522	0.556
98	85	0.910	0.920	0.936	99	44	0.514	0.532	0.566
98	86	0.919	0.928	0.943	99	45	0.524	0.542	0.576
98	87	0.927	0.936	0.950	99	46	0.534	0.552	0.586
98	88	0.936	0.944	0.957	99	47	0.544	0.562	0.596
98	89	0.944	0.951	0.963	99	48	0.554	0.572	0.605
98	90	0.952	0.959	0.970	99	49	0.564	0.582	0.615
98	91	0.960	0.966	0.976	99	50	0.574	0.592	0.625
98	92	0.968	0.973	0.982	99	51	0.584	0.602	0.634
98	93	0.975	0.980	0.987	99	52	0.594	0.611	0.644
98	94	0.982	0.986	0.991	99	53	0.604	0.621	0.654
98	95	0.989	0.992	0.995	99	54	0.613	0.631	0.663
98	96	0.994	0.996	0.998	99	55	0.623	0.641	0.673
98	97	0.999	0.999	1.000	99	56	0.633	0.650	0.682
98	98	1.000	1.000	1.000	99	57	0.643	0.660	0.691
99	0	0.023	0.030	0.045	99	58	0.653	0.670	0.701
99	1	0.039	0.047	0.065	99	59	0.662	0.679	0.710
99	2	0.053	0.062	0.082	99	60	0.672	0.689	0.719
99	3	0.066	0.076	0.098	99	61	0.682	0.698	0.728
99	4	0.079	0.090	0.113	99	62	0.691	0.708	0.737
99	5	0.092	0.103	0.127	99	63	0.701	0.717	0.746
99	6	0.104	0.116	0.141	99	64	0.710	0.726	0.755
99	7	0.116	0.129	0.154	99	65	0.720	0.736	0.764
99	8	0.128	0.141	0.168	99	66	0.729	0.745	0.773
99	9	0.140	0.153	0.181	99	67	0.739	0.754	0.782
99	10	0.151	0.165	0.193	99	68	0.748	0.764	0.791
99	11	0.163	0.177	0.206	99	69	0.758	0.773	0.800
99	12	0.174	0.189	0.218	99	70	0.767	0.782	0.808
99	13	0.186	0.201	0.230	99	71	0.776	0.791	0.817
99	14	0.197	0.212	0.242	99	72	0.786	0.800	0.825
99	15	0.208	0.224	0.254	99	73	0.795	0.809	0.834
99	16	0.219	0.235	0.266	99	74	0.804	0.818	0.842
99	17	0.230	0.246	0.278	99	75	0.813	0.827	0.851
99	18	0.241	0.258	0.289	99	76	0.823	0.836	0.859
99	19	0.252	0.269	0.301	99	77	0.832	0.845	0.867
99	20	0.263	0.280	0.312	99	78	0.841	0.853	0.875
99	21	0.274	0.291	0.323	99	79	0.850	0.862	0.883
99	22	0.285	0.302	0.335	99	80	0.859	0.871	0.891
99	23	0.296	0.313	0.346					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
99	81	0.868	0.879	0.899	100	39	0.459	0.477	0.511
99	82	0.876	0.888	0.907					
99	83	0.885	0.896	0.914	100	40	0.469	0.487	0.521
99	84	0.894	0.904	0.922	100	41	0.479	0.497	0.531
					100	42	0.489	0.507	0.541
99	85	0.903	0.912	0.929	100	43	0.499	0.517	0.551
99	86	0.911	0.921	0.936	100	44	0.509	0.527	0.561
99	87	0.920	0.929	0.944					
99	88	0.928	0.936	0.951	100	45	0.519	0.537	0.571
99	89	0.936	0.944	0.957	100	46	0.529	0.547	0.581
					100	47	0.539	0.557	0.590
99	90	0.944	0.952	0.964	100	48	0.549	0.567	0.600
99	91	0.952	0.959	0.970	100	49	0.559	0.577	0.610
99	92	0.960	0.966	0.976					
99	93	0.968	0.973	0.982	100	50	0.569	0.586	0.619
99	94	0.975	0.980	0.987	100	51	0.576	0.596	0.629
					100	52	0.588	0.606	0.638
99	95	0.982	0.986	0.991	100	53	0.598	0.616	0.648
99	96	0.989	0.992	0.995	100	54	0.608	0.625	0.657
99	97	0.995	0.996	0.998					
99	98	0.999	0.999	1.000	100	55	0.618	0.635	0.667
99	99	1.000	1.000	1.000	100	56	0.627	0.644	0.676
					100	57	0.637	0.654	0.685
100	0	0.023	0.029	0.045	100	58	0.647	0.664	0.695
100	1	0.038	0.046	0.064	100	59	0.656	0.673	0.704
100	2	0.052	0.062	0.081					
100	3	0.065	0.076	0.097	100	60	0.666	0.683	0.713
100	4	0.078	0.089	0.112	100	61	0.675	0.692	0.722
					100	62	0.685	0.701	0.731
100	5	0.091	0.102	0.126	100	63	0.694	0.711	0.740
100	6	0.103	0.115	0.140	100	64	0.704	0.720	0.749
100	7	0.115	0.128	0.153					
100	8	0.127	0.140	0.166	100	65	0.713	0.729	0.758
100	9	0.138	0.152	0.179	100	66	0.723	0.739	0.767
					100	67	0.732	0.748	0.776
100	10	0.150	0.164	0.191	100	68	0.742	0.757	0.784
100	11	0.161	0.176	0.204	100	69	0.751	0.766	0.793
100	12	0.173	0.187	0.216					
100	13	0.184	0.199	0.228	100	70	0.760	0.775	0.802
100	14	0.195	0.210	0.240	100	71	0.770	0.784	0.810
					100	72	0.779	0.793	0.819
100	15	0.206	0.222	0.252	100	73	0.788	0.802	0.827
100	16	0.217	0.233	0.264	100	74	0.797	0.811	0.836
100	17	0.228	0.244	0.275					
100	18	0.239	0.255	0.287	100	75	0.806	0.820	0.844
100	19	0.250	0.266	0.298	100	76	0.815	0.829	0.852
					100	77	0.824	0.837	0.860
100	20	0.261	0.277	0.309	100	78	0.833	0.846	0.869
100	21	0.272	0.288	0.320	100	79	0.842	0.855	0.877
100	22	0.282	0.299	0.332					
100	23	0.293	0.310	0.343	100	80	0.851	0.863	0.884
100	24	0.304	0.321	0.354	100	81	0.860	0.872	0.892
					100	82	0.869	0.880	0.900
100	25	0.314	0.331	0.365	100	83	0.878	0.889	0.908
100	26	0.325	0.342	0.375	100	84	0.886	0.897	0.915
100	27	0.335	0.353	0.386					
100	28	0.346	0.363	0.397	100	85	0.895	0.905	0.923
100	29	0.356	0.374	0.408	100	86	0.904	0.913	0.930
					100	87	0.912	0.921	0.937
100	30	0.366	0.384	0.418	100	88	0.920	0.929	0.944
100	31	0.377	0.395	0.429	100	89	0.929	0.937	0.951
100	32	0.387	0.405	0.439					
100	33	0.398	0.416	0.450	100	90	0.937	0.945	0.958
100	34	0.408	0.426	0.460	100	91	0.945	0.952	0.964
					100	92	0.953	0.960	0.970
100	35	0.418	0.436	0.470	100	93	0.961	0.967	0.976
100	36	0.428	0.446	0.481	100	94	0.968	0.974	0.982
100	37	0.438	0.457	0.491					
100	38	0.449	0.467	0.501	100	95	0.976	0.980	0.987

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
100	96	0.982	0.986	0.992	105	52	0.562	0.580	0.612
100	97	0.989	0.992	0.996	105	53	0.572	0.589	0.621
100	98	0.995	0.996	0.999	105	54	0.581	0.598	0.630
100	99	0.999	0.999	1.000	105	55	0.590	0.607	0.639
100	100	1.000	1.000	1.000	105	56	0.600	0.617	0.648
105	0	0.022	0.028	0.043	105	57	0.609	0.626	0.657
105	1	0.037	0.044	0.062	105	58	0.618	0.635	0.666
105	2	0.050	0.059	0.078	105	59	0.627	0.644	0.675
105	3	0.063	0.072	0.093	105	60	0.637	0.653	0.684
105	4	0.075	0.085	0.107	105	61	0.646	0.662	0.693
105	5	0.087	0.098	0.120	105	62	0.655	0.671	0.702
105	6	0.098	0.110	0.133	105	63	0.664	0.680	0.710
105	7	0.110	0.122	0.146	105	64	0.673	0.689	0.719
105	8	0.121	0.133	0.158	105	65	0.682	0.698	0.728
105	9	0.132	0.145	0.171	105	66	0.691	0.707	0.736
105	10	0.143	0.156	0.183	105	67	0.701	0.716	0.745
105	11	0.154	0.167	0.195	105	68	0.710	0.725	0.753
105	12	0.165	0.179	0.206	105	69	0.719	0.734	0.762
105	13	0.175	0.190	0.218	105	70	0.728	0.743	0.770
105	14	0.186	0.201	0.229	105	71	0.736	0.752	0.779
105	15	0.197	0.211	0.240	105	72	0.745	0.760	0.787
105	16	0.207	0.222	0.252	105	73	0.754	0.769	0.795
105	17	0.218	0.233	0.263	105	74	0.763	0.778	0.804
105	18	0.228	0.244	0.274	105	75	0.772	0.786	0.812
105	19	0.238	0.254	0.285	105	76	0.781	0.795	0.820
105	20	0.249	0.265	0.295	105	77	0.790	0.803	0.828
105	21	0.259	0.275	0.306	105	78	0.798	0.812	0.836
105	22	0.269	0.285	0.317	105	79	0.807	0.820	0.844
105	23	0.279	0.296	0.327	105	80	0.816	0.829	0.852
105	24	0.290	0.306	0.338	105	81	0.824	0.837	0.860
105	25	0.300	0.316	0.348	105	82	0.833	0.845	0.867
105	26	0.310	0.327	0.359	105	83	0.842	0.854	0.875
105	27	0.320	0.337	0.369	105	84	0.850	0.862	0.883
105	28	0.330	0.347	0.379	105	85	0.858	0.870	0.890
105	29	0.340	0.357	0.390	105	86	0.867	0.878	0.898
105	30	0.350	0.367	0.400	105	87	0.875	0.886	0.905
105	31	0.360	0.377	0.410	105	88	0.884	0.894	0.912
105	32	0.370	0.387	0.420	105	89	0.892	0.902	0.919
105	33	0.379	0.397	0.430	105	90	0.900	0.910	0.926
105	34	0.389	0.407	0.440	105	91	0.908	0.918	0.933
105	35	0.399	0.417	0.450	105	92	0.916	0.925	0.940
105	36	0.409	0.426	0.460	105	93	0.924	0.933	0.947
105	37	0.419	0.436	0.470	105	94	0.932	0.940	0.953
105	38	0.428	0.446	0.479	105	95	0.940	0.947	0.960
105	39	0.438	0.456	0.489	105	96	0.948	0.955	0.966
105	40	0.448	0.465	0.499	105	97	0.955	0.962	0.972
105	41	0.457	0.475	0.508	105	98	0.963	0.968	0.977
105	42	0.467	0.485	0.518	105	99	0.970	0.975	0.983
105	43	0.477	0.494	0.528	105	100	0.977	0.981	0.988
105	44	0.486	0.504	0.537	105	101	0.983	0.987	0.992
105	45	0.496	0.514	0.547	105	102	0.989	0.992	0.996
105	46	0.505	0.523	0.556	105	103	0.995	0.997	0.999
105	47	0.515	0.533	0.565	105	104	0.999	1.000	1.000
105	48	0.524	0.542	0.575	105	105	1.000	1.000	1.000
105	49	0.534	0.551	0.584	110	0	0.021	0.027	0.041
105	50	0.543	0.561	0.593	110	1	0.035	0.042	0.059
105	51	0.553	0.570	0.603	110	2	0.048	0.056	0.074

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
110	3	0.060	0.069	0.088	110	60	0.610	0.626	0.657
110	4	0.071	0.081	0.102	110	61	0.619	0.635	0.666
110	5	0.083	0.093	0.115	110	62	0.627	0.644	0.674
110	6	0.094	0.105	0.127	110	63	0.636	0.653	0.683
110	7	0.105	0.116	0.140	110	64	0.645	0.661	0.691
110	8	0.115	0.127	0.152	110	65	0.654	0.670	0.699
110	9	0.126	0.138	0.163	110	66	0.663	0.679	0.708
110	10	0.137	0.149	0.175	110	67	0.671	0.687	0.716
110	11	0.147	0.160	0.186	110	68	0.680	0.696	0.724
110	12	0.157	0.171	0.197	110	69	0.689	0.704	0.733
110	13	0.168	0.181	0.208	110	70	0.697	0.713	0.741
110	14	0.178	0.192	0.219	110	71	0.706	0.721	0.749
110	15	0.188	0.202	0.230	110	72	0.715	0.730	0.757
110	16	0.198	0.213	0.241	110	73	0.723	0.738	0.765
110	17	0.208	0.223	0.252	110	74	0.732	0.747	0.773
110	18	0.218	0.233	0.262	110	75	0.740	0.755	0.781
110	19	0.228	0.243	0.273	110	76	0.749	0.763	0.789
110	20	0.238	0.253	0.283	110	77	0.757	0.772	0.797
110	21	0.248	0.263	0.293	110	78	0.766	0.780	0.805
110	22	0.257	0.273	0.303	110	79	0.774	0.788	0.813
110	23	0.267	0.283	0.314	110	80	0.783	0.796	0.821
110	24	0.277	0.293	0.324	110	81	0.791	0.805	0.828
110	25	0.287	0.303	0.334	110	82	0.799	0.813	0.836
110	26	0.296	0.313	0.344	110	83	0.808	0.821	0.844
110	27	0.306	0.322	0.354	110	84	0.816	0.829	0.851
110	28	0.315	0.332	0.364	110	85	0.824	0.837	0.859
110	29	0.325	0.342	0.373	110	86	0.833	0.845	0.866
110	30	0.335	0.351	0.383	110	87	0.841	0.853	0.874
110	31	0.344	0.361	0.393	110	88	0.849	0.861	0.881
110	32	0.354	0.370	0.403	110	89	0.857	0.868	0.888
110	33	0.363	0.380	0.412	110	90	0.865	0.876	0.895
110	34	0.372	0.389	0.422	110	91	0.873	0.884	0.902
110	35	0.382	0.399	0.431	110	92	0.881	0.891	0.909
110	36	0.391	0.408	0.441	110	93	0.889	0.899	0.916
110	37	0.401	0.418	0.450	110	94	0.897	0.907	0.923
110	38	0.410	0.427	0.460	110	95	0.905	0.914	0.930
110	39	0.419	0.436	0.469	110	96	0.912	0.921	0.937
110	40	0.428	0.446	0.478	110	97	0.920	0.929	0.943
110	41	0.438	0.455	0.488	110	98	0.928	0.936	0.949
110	42	0.447	0.464	0.497	110	99	0.935	0.943	0.956
110	43	0.456	0.474	0.506	110	100	0.943	0.950	0.962
110	44	0.465	0.483	0.515	110	101	0.950	0.957	0.967
110	45	0.475	0.492	0.524	110	102	0.957	0.963	0.973
110	46	0.484	0.501	0.533	110	103	0.964	0.970	0.978
110	47	0.493	0.510	0.543	110	104	0.971	0.976	0.984
110	48	0.502	0.519	0.552	110	105	0.978	0.982	0.988
110	49	0.511	0.528	0.561	110	106	0.984	0.987	0.992
110	50	0.520	0.537	0.569	110	107	0.990	0.993	0.996
110	51	0.529	0.546	0.578	110	108	0.995	0.997	0.999
110	52	0.538	0.555	0.587	110	109	0.999	1.000	1.000
110	53	0.547	0.564	0.596	110	110	1.000	1.000	1.000
110	54	0.556	0.573	0.605	115	0	0.020	0.026	0.039
110	55	0.565	0.582	0.614	115	1	0.033	0.041	0.056
110	56	0.574	0.591	0.622	115	2	0.046	0.054	0.071
110	57	0.583	0.600	0.631	115	3	0.057	0.066	0.085
110	58	0.592	0.609	0.640	115	4	0.068	0.078	0.098
110	59	0.601	0.618	0.648					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
115	5	0.079	0.089	0.110	115	62	0.602	0.618	0.649
115	6	0.090	0.100	0.122	115	63	0.611	0.627	0.657
115	7	0.100	0.111	0.134	115	64	0.619	0.635	0.665
115	8	0.111	0.122	0.145	115	65	0.628	0.644	0.673
115	9	0.121	0.133	0.156	115	66	0.636	0.652	0.681
115	10	0.131	0.143	0.168	115	67	0.644	0.660	0.689
115	11	0.141	0.153	0.178	115	68	0.653	0.669	0.697
115	12	0.151	0.164	0.189	115	69	0.661	0.677	0.705
115	13	0.161	0.174	0.200	115	70	0.670	0.685	0.713
115	14	0.170	0.184	0.210	115	71	0.678	0.693	0.721
115	15	0.180	0.194	0.221	115	72	0.686	0.701	0.729
115	16	0.190	0.204	0.231	115	73	0.694	0.710	0.737
115	17	0.199	0.213	0.241	115	74	0.703	0.718	0.745
115	18	0.209	0.223	0.251	115	75	0.711	0.726	0.753
115	19	0.218	0.233	0.261	115	76	0.719	0.734	0.761
115	20	0.228	0.243	0.271	115	77	0.728	0.742	0.768
115	21	0.237	0.252	0.281	115	78	0.736	0.750	0.776
115	22	0.247	0.262	0.291	115	79	0.744	0.758	0.784
115	23	0.256	0.271	0.301	115	80	0.752	0.766	0.791
115	24	0.265	0.281	0.311	115	81	0.760	0.774	0.799
115	25	0.275	0.290	0.320	115	82	0.768	0.782	0.807
115	26	0.284	0.300	0.330	115	83	0.776	0.790	0.814
115	27	0.293	0.309	0.339	115	84	0.784	0.798	0.822
115	28	0.302	0.318	0.349	115	85	0.792	0.806	0.829
115	29	0.311	0.328	0.358	115	86	0.800	0.813	0.836
115	30	0.321	0.337	0.368	115	87	0.808	0.821	0.844
115	31	0.330	0.346	0.377	115	88	0.816	0.829	0.851
115	32	0.339	0.355	0.386	115	89	0.824	0.836	0.858
115	33	0.348	0.364	0.396	115	90	0.832	0.844	0.865
115	34	0.357	0.373	0.405	115	91	0.840	0.852	0.872
115	35	0.366	0.383	0.414	115	92	0.848	0.859	0.879
115	36	0.375	0.392	0.423	115	93	0.856	0.867	0.886
115	37	0.384	0.401	0.432	115	94	0.863	0.874	0.893
115	38	0.393	0.410	0.441	115	95	0.871	0.882	0.900
115	39	0.402	0.419	0.450	115	96	0.879	0.889	0.907
115	40	0.411	0.428	0.459	115	97	0.886	0.896	0.914
115	41	0.420	0.437	0.468	115	98	0.894	0.904	0.920
115	42	0.429	0.445	0.477	115	99	0.901	0.911	0.927
115	43	0.437	0.454	0.486	115	100	0.909	0.918	0.933
115	44	0.446	0.463	0.495	115	101	0.916	0.925	0.939
115	45	0.455	0.472	0.504	115	102	0.924	0.932	0.946
115	46	0.464	0.481	0.513	115	103	0.931	0.939	0.952
115	47	0.473	0.490	0.521	115	104	0.938	0.945	0.958
115	48	0.481	0.498	0.530	115	105	0.945	0.952	0.963
115	49	0.490	0.507	0.539	115	106	0.952	0.959	0.969
115	50	0.499	0.516	0.547	115	107	0.959	0.965	0.974
115	51	0.508	0.524	0.556	115	108	0.966	0.971	0.979
115	52	0.516	0.533	0.565	115	109	0.972	0.977	0.984
115	53	0.525	0.542	0.573	115	110	0.979	0.983	0.989
115	54	0.534	0.550	0.582	115	111	0.985	0.988	0.993
115	55	0.542	0.559	0.590	115	112	0.990	0.993	0.996
115	56	0.551	0.568	0.599	115	113	0.995	0.997	0.999
115	57	0.559	0.576	0.607	115	114	0.999	1.000	1.000
115	58	0.568	0.585	0.615	115	115	1.000	1.000	1.000
115	59	0.577	0.593	0.624	120	0	0.019	0.025	0.038
115	60	0.585	0.602	0.632	120	1	0.032	0.039	0.054
115	61	0.594	0.610	0.640					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
120	2	0.044	0.052	0.068	120	59	0.554	0.570	0.601
120	3	0.055	0.063	0.081	120	60	0.562	0.579	0.609
120	4	0.066	0.075	0.094	120	61	0.571	0.587	0.617
120	5	0.076	0.086	0.106	120	62	0.579	0.595	0.625
120	6	0.086	0.096	0.117	120	63	0.587	0.603	0.633
120	7	0.096	0.107	0.128	120	64	0.595	0.611	0.641
120	8	0.106	0.117	0.139	120	65	0.603	0.619	0.649
120	9	0.116	0.127	0.150	120	66	0.611	0.627	0.657
120	10	0.125	0.137	0.161	120	67	0.619	0.635	0.664
120	11	0.135	0.147	0.171	120	68	0.628	0.643	0.672
120	12	0.145	0.157	0.182	120	69	0.636	0.651	0.680
120	13	0.154	0.167	0.192	120	70	0.644	0.659	0.688
120	14	0.163	0.176	0.202	120	71	0.652	0.667	0.696
120	15	0.173	0.186	0.212	120	72	0.660	0.675	0.703
120	16	0.182	0.195	0.222	120	73	0.668	0.683	0.711
120	17	0.191	0.205	0.232	120	74	0.676	0.691	0.719
120	18	0.200	0.214	0.241	120	75	0.684	0.699	0.726
120	19	0.210	0.224	0.251	120	76	0.692	0.707	0.734
120	20	0.219	0.233	0.261	120	77	0.700	0.715	0.741
120	21	0.228	0.242	0.270	120	78	0.708	0.722	0.749
120	22	0.237	0.251	0.280	120	79	0.716	0.730	0.756
120	23	0.246	0.260	0.289	120	80	0.724	0.738	0.764
120	24	0.255	0.270	0.298	120	81	0.731	0.746	0.771
120	25	0.264	0.279	0.308	120	82	0.739	0.753	0.779
120	26	0.272	0.288	0.317	120	83	0.747	0.761	0.786
120	27	0.281	0.297	0.326	120	84	0.755	0.769	0.793
120	28	0.290	0.306	0.335	120	85	0.763	0.776	0.801
120	29	0.299	0.315	0.344	120	86	0.770	0.784	0.808
120	30	0.308	0.323	0.354	120	87	0.778	0.791	0.815
120	31	0.317	0.332	0.363	120	88	0.786	0.799	0.822
120	32	0.325	0.341	0.372	120	89	0.794	0.806	0.829
120	33	0.334	0.350	0.380	120	90	0.801	0.814	0.836
120	34	0.343	0.359	0.389	120	91	0.809	0.821	0.843
120	35	0.351	0.368	0.398	120	92	0.817	0.829	0.850
120	36	0.360	0.376	0.407	120	93	0.824	0.836	0.857
120	37	0.369	0.385	0.416	120	94	0.832	0.844	0.864
120	38	0.377	0.394	0.425	120	95	0.839	0.851	0.871
120	39	0.386	0.402	0.433	120	96	0.847	0.858	0.878
120	40	0.394	0.411	0.442	120	97	0.854	0.865	0.885
120	41	0.403	0.419	0.451	120	98	0.862	0.873	0.891
120	42	0.412	0.428	0.459	120	99	0.869	0.880	0.898
120	43	0.420	0.437	0.468	120	100	0.877	0.887	0.904
120	44	0.429	0.445	0.476	120	101	0.884	0.894	0.911
120	45	0.437	0.454	0.485	120	102	0.891	0.901	0.917
120	46	0.446	0.462	0.493	120	103	0.898	0.908	0.924
120	47	0.454	0.471	0.502	120	104	0.906	0.915	0.930
120	48	0.462	0.479	0.510	120	105	0.913	0.921	0.936
120	49	0.471	0.487	0.519	120	106	0.920	0.928	0.942
120	50	0.479	0.496	0.527	120	107	0.927	0.935	0.948
120	51	0.488	0.504	0.535	120	108	0.934	0.941	0.954
120	52	0.496	0.513	0.543	120	109	0.941	0.948	0.959
120	53	0.504	0.521	0.552	120	110	0.948	0.954	0.965
120	54	0.513	0.529	0.560	120	111	0.954	0.960	0.970
120	55	0.521	0.537	0.568	120	112	0.961	0.966	0.975
120	56	0.529	0.546	0.576	120	113	0.967	0.972	0.980
120	57	0.538	0.554	0.585	120	114	0.974	0.978	0.985
120	58	0.546	0.562	0.593					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
120	115	0.980	0.983	0.989	125	52	0.477	0.493	0.524
120	116	0.985	0.989	0.993	125	53	0.485	0.501	0.532
120	117	0.991	0.993	0.996	125	54	0.493	0.510	0.540
120	118	0.996	0.997	0.999	125	55	0.501	0.518	0.548
120	119	0.999	1.000	1.000	125	56	0.509	0.525	0.556
120	120	1.000	1.000	1.000	125	57	0.517	0.533	0.564
125	0	0.018	0.024	0.036	125	58	0.525	0.541	0.572
125	1	0.031	0.037	0.052	125	59	0.533	0.549	0.579
125	2	0.042	0.050	0.066	125	60	0.541	0.557	0.587
125	3	0.053	0.061	0.078	125	61	0.549	0.565	0.595
125	4	0.063	0.072	0.090	125	62	0.557	0.573	0.603
125	5	0.073	0.082	0.102	125	63	0.565	0.581	0.610
125	6	0.083	0.093	0.113	125	64	0.573	0.589	0.618
125	7	0.092	0.103	0.123	125	65	0.581	0.597	0.626
125	8	0.102	0.113	0.134	125	66	0.589	0.604	0.634
125	9	0.111	0.122	0.144	125	67	0.596	0.612	0.641
125	10	0.121	0.132	0.155	125	68	0.604	0.620	0.649
125	11	0.130	0.141	0.165	125	69	0.612	0.628	0.656
125	12	0.139	0.151	0.175	125	70	0.620	0.635	0.664
125	13	0.148	0.160	0.185	125	71	0.628	0.643	0.671
125	14	0.157	0.170	0.194	125	72	0.635	0.651	0.679
125	15	0.166	0.179	0.204	125	73	0.643	0.658	0.686
125	16	0.175	0.188	0.213	125	74	0.651	0.666	0.694
125	17	0.184	0.197	0.223	125	75	0.659	0.674	0.701
125	18	0.193	0.206	0.232	125	76	0.666	0.681	0.709
125	19	0.201	0.215	0.242	125	77	0.674	0.689	0.716
125	20	0.210	0.224	0.251	125	78	0.682	0.696	0.723
125	21	0.219	0.233	0.260	125	79	0.689	0.704	0.731
125	22	0.228	0.242	0.269	125	80	0.697	0.712	0.738
125	23	0.236	0.250	0.278	125	81	0.705	0.719	0.745
125	24	0.245	0.259	0.287	125	82	0.712	0.727	0.752
125	25	0.253	0.268	0.296	125	83	0.720	0.734	0.760
125	26	0.262	0.277	0.305	125	84	0.727	0.741	0.767
125	27	0.270	0.285	0.314	125	85	0.735	0.749	0.774
125	28	0.279	0.294	0.323	125	86	0.742	0.756	0.781
125	29	0.287	0.303	0.332	125	87	0.750	0.764	0.788
125	30	0.296	0.311	0.340	125	88	0.758	0.771	0.795
125	31	0.304	0.320	0.349	125	89	0.765	0.778	0.802
125	32	0.313	0.328	0.358	125	90	0.772	0.786	0.809
125	33	0.321	0.337	0.366	125	91	0.780	0.793	0.816
125	34	0.330	0.345	0.375	125	92	0.787	0.800	0.823
125	35	0.338	0.354	0.383	125	93	0.795	0.807	0.830
125	36	0.346	0.362	0.392	125	94	0.802	0.814	0.837
125	37	0.355	0.370	0.400	125	95	0.809	0.822	0.843
125	38	0.363	0.379	0.409	125	96	0.817	0.829	0.850
125	39	0.371	0.387	0.417	125	97	0.824	0.836	0.857
125	40	0.379	0.395	0.426	125	98	0.831	0.843	0.863
125	41	0.388	0.404	0.434	125	99	0.839	0.850	0.870
125	42	0.396	0.412	0.442	125	100	0.846	0.857	0.876
125	43	0.404	0.420	0.451	125	101	0.853	0.864	0.883
125	44	0.412	0.428	0.459	125	102	0.860	0.871	0.889
125	45	0.420	0.437	0.467	125	103	0.867	0.878	0.896
125	46	0.429	0.445	0.475	125	104	0.875	0.885	0.902
125	47	0.437	0.453	0.483	125	105	0.882	0.891	0.908
125	48	0.445	0.461	0.492	125	106	0.889	0.898	0.915
125	49	0.453	0.469	0.500	125	107	0.896	0.905	0.921
125	50	0.461	0.477	0.508	125	108	0.903	0.911	0.927
125	51	0.469	0.485	0.516	125	109	0.909	0.918	0.933

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
125	110	0.916	0.925	0.939	130	42	0.361	0.397	0.427
125	111	0.923	0.931	0.944	130	43	0.389	0.405	0.435
125	112	0.930	0.937	0.950	130	44	0.397	0.413	0.443
125	113	0.937	0.944	0.956					
125	114	0.943	0.950	0.961	130	45	0.405	0.421	0.451
					130	46	0.413	0.429	0.459
125	115	0.950	0.956	0.966	130	47	0.421	0.437	0.466
125	116	0.956	0.962	0.971	130	48	0.429	0.444	0.474
125	117	0.962	0.968	0.976	130	49	0.436	0.452	0.482
125	118	0.969	0.973	0.981					
125	119	0.975	0.979	0.986	130	50	0.444	0.460	0.490
					130	51	0.452	0.468	0.498
125	120	0.980	0.984	0.990	130	52	0.460	0.476	0.506
125	121	0.986	0.989	0.993	130	53	0.468	0.483	0.513
125	122	0.991	0.993	0.996	130	54	0.475	0.491	0.521
125	123	0.996	0.997	0.999					
125	124	0.999	1.000	1.000	130	55	0.483	0.499	0.529
					130	56	0.491	0.507	0.536
125	125	1.000	1.000	1.000	130	57	0.498	0.514	0.544
					130	58	0.506	0.522	0.552
					130	59	0.514	0.530	0.559
130	0	0.018	0.023	0.035					
130	1	0.030	0.036	0.050	130	60	0.522	0.537	0.567
130	2	0.040	0.048	0.063	130	61	0.529	0.545	0.575
130	3	0.051	0.059	0.075	130	62	0.537	0.553	0.582
130	4	0.061	0.069	0.087	130	63	0.544	0.560	0.590
					130	64	0.552	0.568	0.597
130	5	0.070	0.079	0.098					
130	6	0.080	0.089	0.108	130	65	0.560	0.575	0.604
130	7	0.089	0.099	0.119	130	66	0.567	0.583	0.612
130	8	0.098	0.108	0.129	130	67	0.575	0.590	0.619
130	9	0.107	0.118	0.139	130	68	0.582	0.598	0.627
					130	69	0.590	0.606	0.634
130	10	0.116	0.127	0.149					
130	11	0.125	0.136	0.159	130	70	0.598	0.613	0.641
130	12	0.134	0.145	0.168	130	71	0.605	0.620	0.649
130	13	0.142	0.154	0.178	130	72	0.613	0.628	0.656
130	14	0.151	0.163	0.187	130	73	0.620	0.635	0.663
					130	74	0.628	0.643	0.671
130	15	0.160	0.172	0.196					
130	16	0.168	0.181	0.206	130	75	0.635	0.650	0.678
130	17	0.177	0.190	0.215	130	76	0.643	0.658	0.685
130	18	0.185	0.198	0.224	130	77	0.650	0.665	0.692
130	19	0.194	0.207	0.233	130	78	0.657	0.672	0.699
					130	79	0.665	0.680	0.706
130	20	0.202	0.216	0.242					
130	21	0.211	0.224	0.251	130	80	0.672	0.687	0.714
130	22	0.219	0.233	0.259	130	81	0.680	0.694	0.721
130	23	0.227	0.241	0.268	130	82	0.687	0.701	0.728
130	24	0.236	0.250	0.277	130	83	0.694	0.709	0.735
					130	84	0.702	0.716	0.742
130	25	0.244	0.258	0.286					
130	26	0.252	0.267	0.294	130	85	0.709	0.723	0.749
130	27	0.260	0.275	0.303	130	86	0.716	0.730	0.756
130	28	0.269	0.283	0.311	130	87	0.724	0.737	0.763
130	29	0.277	0.291	0.320	130	88	0.731	0.745	0.769
					130	89	0.738	0.752	0.776
130	30	0.285	0.300	0.328					
130	31	0.293	0.308	0.337	130	90	0.745	0.759	0.783
130	32	0.301	0.316	0.345	130	91	0.753	0.766	0.790
130	33	0.309	0.324	0.353	130	92	0.760	0.773	0.797
130	34	0.317	0.333	0.362	130	93	0.767	0.780	0.803
					130	94	0.774	0.787	0.810
130	35	0.325	0.341	0.370					
130	36	0.333	0.349	0.378	130	95	0.781	0.794	0.817
130	37	0.341	0.357	0.386	130	96	0.789	0.801	0.823
130	38	0.349	0.365	0.394	130	97	0.796	0.808	0.830
130	39	0.357	0.373	0.403	130	98	0.803	0.815	0.837
					130	99	0.810	0.822	0.843
130	40	0.365	0.381	0.411					
130	41	0.373	0.389	0.419					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
130	100	0.817	0.829	0.850	135	28	0.259	0.273	0.300
130	101	0.824	0.836	0.856	135	29	0.267	0.281	0.309
130	102	0.831	0.842	0.862	135	30	0.275	0.289	0.317
130	103	0.838	0.849	0.869	135	31	0.283	0.297	0.325
130	104	0.845	0.856	0.875	135	32	0.290	0.305	0.333
130	105	0.852	0.863	0.881	135	33	0.298	0.313	0.341
130	106	0.859	0.869	0.888	135	34	0.306	0.321	0.349
130	107	0.866	0.876	0.894	135	35	0.314	0.329	0.357
130	108	0.873	0.883	0.900	135	36	0.322	0.336	0.365
130	109	0.879	0.889	0.906	135	37	0.329	0.344	0.373
130	110	0.886	0.896	0.912	135	38	0.337	0.352	0.381
130	111	0.893	0.902	0.918	135	39	0.345	0.360	0.389
130	112	0.900	0.909	0.924	135	40	0.352	0.368	0.397
130	113	0.903	0.915	0.930	135	41	0.360	0.375	0.404
130	114	0.913	0.921	0.935	135	42	0.368	0.383	0.412
130	115	0.920	0.928	0.941	135	43	0.375	0.391	0.420
130	116	0.926	0.934	0.947	135	44	0.383	0.398	0.428
130	117	0.933	0.940	0.952	135	45	0.391	0.406	0.435
130	118	0.939	0.946	0.957	135	46	0.398	0.414	0.443
130	119	0.945	0.952	0.963	135	47	0.406	0.421	0.451
130	120	0.952	0.958	0.968	135	48	0.413	0.429	0.458
130	121	0.958	0.963	0.973	135	49	0.421	0.437	0.466
130	122	0.964	0.969	0.977	135	50	0.429	0.444	0.473
130	123	0.970	0.974	0.982	135	51	0.436	0.452	0.481
130	124	0.976	0.980	0.986	135	52	0.444	0.459	0.489
130	125	0.981	0.985	0.990	135	53	0.451	0.467	0.496
130	126	0.987	0.989	0.994	135	54	0.459	0.474	0.504
130	127	0.991	0.994	0.997	135	55	0.466	0.482	0.511
130	128	0.996	0.997	0.999	135	56	0.474	0.489	0.518
130	129	0.999	1.000	1.000	135	57	0.481	0.497	0.526
130	130	1.000	1.000	1.000	135	58	0.488	0.504	0.533
135	0	0.017	0.022	0.034	135	59	0.496	0.511	0.541
135	1	0.029	0.035	0.048	135	60	0.503	0.519	0.548
135	2	0.039	0.046	0.061	135	61	0.511	0.526	0.555
135	3	0.049	0.056	0.072	135	62	0.518	0.534	0.563
135	4	0.058	0.067	0.084	135	63	0.525	0.541	0.570
135	5	0.068	0.076	0.094	135	64	0.533	0.548	0.577
135	6	0.077	0.086	0.105	135	65	0.540	0.556	0.584
135	7	0.086	0.095	0.115	135	66	0.548	0.563	0.592
135	8	0.094	0.104	0.124	135	67	0.555	0.570	0.599
135	9	0.103	0.113	0.134	135	68	0.562	0.578	0.606
135	10	0.112	0.122	0.144	135	69	0.570	0.585	0.613
135	11	0.120	0.131	0.153	135	70	0.577	0.592	0.620
135	12	0.129	0.140	0.162	135	71	0.584	0.599	0.628
135	13	0.137	0.149	0.171	135	72	0.591	0.607	0.635
135	14	0.146	0.157	0.181	135	73	0.599	0.614	0.642
135	15	0.154	0.166	0.190	135	74	0.606	0.621	0.649
135	16	0.162	0.174	0.198	135	75	0.613	0.628	0.656
135	17	0.171	0.183	0.207	135	76	0.620	0.635	0.663
135	18	0.179	0.191	0.216	135	77	0.628	0.642	0.670
135	19	0.187	0.200	0.225	135	78	0.635	0.650	0.677
135	20	0.195	0.208	0.233	135	79	0.642	0.657	0.684
135	21	0.203	0.216	0.242	135	80	0.649	0.664	0.691
135	22	0.211	0.224	0.250	135	81	0.656	0.671	0.698
135	23	0.219	0.233	0.259	135	82	0.663	0.678	0.704
135	24	0.227	0.241	0.267	135	83	0.671	0.685	0.711
135	25	0.235	0.249	0.276	135	84	0.678	0.692	0.718
135	26	0.243	0.257	0.284	135	85	0.685	0.699	0.725
135	27	0.251	0.265	0.292	135	86	0.692	0.706	0.732

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
135	87	0.699	0.713	0.738	140	11	0.116	0.127	0.148
135	88	0.706	0.720	0.745	140	12	0.124	0.135	0.157
135	89	0.713	0.727	0.752	140	13	0.133	0.144	0.166
					140	14	0.141	0.152	0.174
135	90	0.720	0.734	0.759	140	15	0.149	0.160	0.183
135	91	0.727	0.741	0.765	140	16	0.157	0.168	0.192
135	92	0.734	0.748	0.772	140	17	0.165	0.177	0.200
135	93	0.741	0.754	0.778	140	18	0.173	0.185	0.209
135	94	0.748	0.761	0.785	140	19	0.180	0.193	0.217
135	95	0.755	0.768	0.792	140	20	0.188	0.201	0.225
135	96	0.762	0.775	0.798	140	21	0.196	0.209	0.234
135	97	0.769	0.782	0.805	140	22	0.204	0.217	0.242
135	98	0.776	0.789	0.811	140	23	0.212	0.225	0.250
135	99	0.783	0.795	0.817	140	24	0.219	0.233	0.256
135	100	0.790	0.802	0.824	140	25	0.227	0.240	0.266
135	101	0.797	0.809	0.830	140	26	0.235	0.248	0.274
135	102	0.804	0.815	0.837	140	27	0.242	0.256	0.282
135	103	0.810	0.822	0.843	140	28	0.250	0.264	0.290
135	104	0.817	0.829	0.849	140	29	0.258	0.272	0.298
135	105	0.824	0.835	0.855	140	30	0.265	0.279	0.306
135	106	0.831	0.842	0.862	140	31	0.273	0.287	0.314
135	107	0.837	0.848	0.868	140	32	0.280	0.295	0.322
135	108	0.844	0.855	0.874	140	33	0.288	0.302	0.330
135	109	0.851	0.861	0.880	140	34	0.295	0.310	0.337
135	110	0.858	0.868	0.886	140	35	0.303	0.317	0.345
135	111	0.864	0.874	0.892	140	36	0.311	0.325	0.353
135	112	0.871	0.881	0.898	140	37	0.318	0.333	0.361
135	113	0.877	0.887	0.904	140	38	0.325	0.340	0.368
135	114	0.884	0.893	0.910	140	39	0.333	0.348	0.376
135	115	0.891	0.900	0.915	140	40	0.340	0.355	0.383
135	116	0.897	0.906	0.921	140	41	0.348	0.363	0.391
135	117	0.903	0.912	0.927	140	42	0.355	0.370	0.398
135	118	0.910	0.918	0.932	140	43	0.363	0.378	0.406
135	119	0.916	0.924	0.938	140	44	0.370	0.385	0.414
135	120	0.923	0.930	0.943	140	45	0.377	0.392	0.421
135	121	0.929	0.936	0.949	140	46	0.385	0.400	0.428
135	122	0.935	0.942	0.954	140	47	0.392	0.407	0.436
135	123	0.941	0.948	0.959	140	48	0.399	0.414	0.443
135	124	0.947	0.954	0.964	140	49	0.407	0.422	0.451
135	125	0.953	0.959	0.969	140	50	0.414	0.429	0.458
135	126	0.959	0.965	0.974	140	51	0.421	0.436	0.465
135	127	0.965	0.970	0.978	140	52	0.428	0.444	0.473
135	128	0.971	0.975	0.982	140	53	0.436	0.451	0.480
135	129	0.976	0.980	0.987	140	54	0.443	0.458	0.487
135	130	0.982	0.985	0.990	140	55	0.450	0.466	0.494
135	131	0.987	0.990	0.994	140	56	0.457	0.473	0.502
135	132	0.992	0.994	0.997	140	57	0.465	0.480	0.509
135	133	0.996	0.997	0.999	140	58	0.472	0.487	0.516
135	134	0.999	1.000	1.000	140	59	0.479	0.494	0.523
135	135	1.000	1.000	1.000	140	60	0.486	0.502	0.530
140	0	0.016	0.021	0.032	140	61	0.493	0.509	0.537
140	1	0.027	0.033	0.046	140	62	0.501	0.516	0.545
140	2	0.038	0.044	0.059	140	63	0.508	0.523	0.552
140	3	0.047	0.054	0.070	140	64	0.515	0.530	0.559
140	4	0.056	0.064	0.081	140	65	0.522	0.537	0.566
140	5	0.065	0.074	0.091	140	66	0.529	0.544	0.573
140	6	0.074	0.083	0.101	140	67	0.536	0.551	0.580
140	7	0.083	0.092	0.111	140	68	0.543	0.558	0.587
140	8	0.091	0.101	0.120	140	69	0.550	0.566	0.594
140	9	0.100	0.109	0.130	140	70	0.557	0.573	0.601
140	10	0.108	0.118	0.139	140	71	0.564	0.580	0.608

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
140	72	0.572	0.587	0.614	140	127	0.937	0.944	0.955
140	73	0.579	0.594	0.621	140	128	0.943	0.950	0.960
140	74	0.586	0.601	0.628	140	129	0.949	0.955	0.965
140	75	0.593	0.608	0.635	140	130	0.955	0.961	0.970
140	76	0.600	0.614	0.642	140	131	0.961	0.966	0.975
140	77	0.607	0.621	0.649	140	132	0.966	0.971	0.979
140	78	0.614	0.626	0.656	140	133	0.972	0.976	0.983
140	79	0.621	0.635	0.662	140	134	0.977	0.981	0.987
140	80	0.628	0.642	0.669	140	135	0.983	0.986	0.991
140	81	0.634	0.649	0.676	140	136	0.987	0.990	0.994
140	82	0.641	0.656	0.682	140	137	0.992	0.994	0.997
140	83	0.648	0.663	0.689	140	138	0.996	0.997	0.999
140	84	0.655	0.670	0.696	140	139	0.999	1.000	1.000
140	85	0.662	0.676	0.702	140	140	1.000	1.000	1.000
140	86	0.669	0.683	0.709	145	0	0.016	0.020	0.031
140	87	0.676	0.690	0.716	145	1	0.027	0.032	0.045
140	88	0.683	0.697	0.722	145	2	0.036	0.043	0.057
140	89	0.690	0.704	0.729	145	3	0.045	0.053	0.068
140	90	0.696	0.710	0.735	145	4	0.054	0.062	0.078
140	91	0.703	0.717	0.742	145	5	0.063	0.071	0.088
140	92	0.710	0.724	0.748	145	6	0.072	0.080	0.098
140	93	0.717	0.730	0.755	145	7	0.080	0.089	0.107
140	94	0.724	0.737	0.761	145	8	0.088	0.097	0.116
140	95	0.731	0.744	0.768	145	9	0.096	0.106	0.125
140	96	0.737	0.750	0.774	145	10	0.104	0.114	0.134
140	97	0.744	0.757	0.780	145	11	0.112	0.122	0.143
140	98	0.751	0.764	0.787	145	12	0.120	0.131	0.152
140	99	0.757	0.770	0.793	145	13	0.128	0.139	0.160
140	100	0.764	0.777	0.799	145	14	0.136	0.147	0.169
140	101	0.771	0.783	0.806	145	15	0.144	0.155	0.177
140	102	0.778	0.790	0.812	145	16	0.151	0.163	0.185
140	103	0.784	0.796	0.818	145	17	0.159	0.171	0.194
140	104	0.791	0.803	0.824	145	18	0.167	0.179	0.202
140	105	0.798	0.809	0.830	145	19	0.174	0.186	0.210
140	106	0.804	0.816	0.837	145	20	0.182	0.194	0.218
140	107	0.811	0.822	0.843	145	21	0.189	0.202	0.226
140	108	0.817	0.829	0.849	145	22	0.197	0.210	0.234
140	109	0.824	0.835	0.855	145	23	0.205	0.217	0.242
140	110	0.830	0.841	0.861	145	24	0.212	0.225	0.250
140	111	0.837	0.848	0.867	145	25	0.219	0.232	0.258
140	112	0.843	0.854	0.873	145	26	0.227	0.240	0.265
140	113	0.850	0.860	0.879	145	27	0.234	0.248	0.273
140	114	0.856	0.866	0.884	145	28	0.242	0.255	0.281
140	115	0.863	0.873	0.890	145	29	0.249	0.263	0.289
140	116	0.869	0.879	0.896	145	30	0.256	0.270	0.296
140	117	0.876	0.885	0.902	145	31	0.264	0.277	0.304
140	118	0.882	0.891	0.907	145	32	0.271	0.285	0.311
140	119	0.888	0.897	0.913	145	33	0.278	0.292	0.319
140	120	0.895	0.903	0.918	145	34	0.286	0.300	0.326
140	121	0.901	0.909	0.924	145	35	0.293	0.307	0.334
140	122	0.907	0.915	0.929	145	36	0.300	0.314	0.341
140	123	0.913	0.921	0.935	145	37	0.307	0.322	0.349
140	124	0.919	0.927	0.940	145	38	0.315	0.329	0.356
140	125	0.925	0.933	0.945	145	39	0.322	0.336	0.364
140	126	0.931	0.939	0.950					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE			LEVEL	N	K	CONFIDENCE			LEVEL
		90%	95%	99%				90%	95%	99%	
145	40	0.329	0.343	0.371		145	97	0.720	0.734	0.758	
145	41	0.336	0.351	0.378		145	98	0.727	0.740	0.764	
145	42	0.343	0.358	0.386		145	99	0.734	0.747	0.770	
145	43	0.351	0.365	0.393							
145	44	0.358	0.372	0.400		145	100	0.740	0.753	0.776	
						145	101	0.747	0.759	0.782	
145	45	0.365	0.380	0.408		145	102	0.753	0.766	0.788	
145	46	0.372	0.387	0.415		145	103	0.760	0.772	0.795	
145	47	0.379	0.394	0.422		145	104	0.766	0.778	0.801	
145	48	0.386	0.401	0.429							
145	49	0.393	0.408	0.436		145	105	0.773	0.785	0.807	
						145	106	0.779	0.791	0.813	
145	50	0.400	0.415	0.443		145	107	0.785	0.797	0.819	
145	51	0.407	0.422	0.451		145	108	0.792	0.804	0.825	
145	52	0.414	0.429	0.458		145	109	0.798	0.810	0.831	
145	53	0.421	0.436	0.465							
145	54	0.428	0.443	0.472		145	110	0.805	0.816	0.837	
						145	111	0.811	0.822	0.842	
145	55	0.435	0.450	0.479		145	112	0.817	0.829	0.848	
145	56	0.442	0.457	0.486		145	113	0.824	0.835	0.854	
145	57	0.449	0.464	0.493		145	114	0.830	0.841	0.860	
145	58	0.456	0.471	0.500							
145	59	0.463	0.478	0.507		145	115	0.836	0.847	0.866	
						145	116	0.843	0.853	0.872	
145	60	0.470	0.485	0.514		145	117	0.849	0.859	0.877	
145	61	0.477	0.492	0.521		145	118	0.855	0.865	0.883	
145	62	0.484	0.499	0.528		145	119	0.861	0.871	0.889	
145	63	0.491	0.506	0.534							
145	64	0.498	0.513	0.541		145	120	0.868	0.877	0.894	
						145	121	0.874	0.883	0.900	
145	65	0.505	0.520	0.548		145	122	0.880	0.889	0.905	
145	66	0.512	0.527	0.555		145	123	0.886	0.895	0.911	
145	67	0.519	0.534	0.562		145	124	0.892	0.901	0.916	
145	68	0.526	0.541	0.569							
145	69	0.532	0.547	0.575		145	125	0.898	0.907	0.921	
						145	126	0.904	0.912	0.927	
145	70	0.539	0.554	0.582		145	127	0.910	0.918	0.932	
145	71	0.546	0.561	0.589		145	128	0.916	0.924	0.937	
145	72	0.553	0.568	0.596		145	129	0.922	0.930	0.942	
145	73	0.560	0.575	0.602							
145	74	0.567	0.581	0.609		145	130	0.928	0.935	0.947	
						145	131	0.934	0.941	0.952	
145	75	0.573	0.588	0.616		145	132	0.940	0.946	0.957	
145	76	0.580	0.595	0.622		145	133	0.945	0.952	0.962	
145	77	0.587	0.602	0.629		145	134	0.951	0.957	0.966	
145	78	0.594	0.608	0.635							
145	79	0.601	0.615	0.642		145	135	0.957	0.962	0.971	
						145	136	0.962	0.967	0.975	
145	80	0.607	0.622	0.649		145	137	0.968	0.972	0.980	
145	81	0.614	0.629	0.655		145	138	0.973	0.977	0.984	
145	82	0.621	0.635	0.662		145	139	0.978	0.982	0.988	
145	83	0.627	0.642	0.668							
145	84	0.634	0.648	0.675		145	140	0.983	0.986	0.991	
						145	141	0.988	0.991	0.994	
145	85	0.641	0.655	0.681		145	142	0.992	0.994	0.997	
145	86	0.648	0.662	0.688		145	143	0.996	0.998	0.999	
145	87	0.654	0.668	0.694		145	144	0.999	1.000	1.000	
145	88	0.661	0.675	0.701							
145	89	0.668	0.682	0.707		145	145	1.000	1.000	1.000	
145	90	0.674	0.688	0.713		150	0	0.015	0.020	0.030	
145	91	0.681	0.695	0.720		150	1	0.026	0.031	0.043	
145	92	0.688	0.701	0.726		150	2	0.035	0.041	0.055	
145	93	0.694	0.708	0.732		150	3	0.044	0.051	0.065	
145	94	0.701	0.714	0.739		150	4	0.053	0.060	0.075	
145	95	0.707	0.721	0.745		150	5	0.061	0.069	0.085	
145	96	0.714	0.727	0.751		150	6	0.069	0.077	0.094	

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
150	7	0.077	0.086	0.103	150	65	0.489	0.504	0.532
150	8	0.085	0.094	0.112	150	66	0.496	0.510	0.538
150	9	0.093	0.102	0.121	150	67	0.502	0.517	0.545
					150	68	0.509	0.524	0.551
150	10	0.101	0.110	0.130	150	69	0.516	0.530	0.558
150	11	0.109	0.118	0.138					
150	12	0.116	0.126	0.147	150	70	0.522	0.537	0.565
150	13	0.124	0.134	0.155	150	71	0.529	0.544	0.571
150	14	0.131	0.142	0.163	150	72	0.536	0.550	0.578
					150	73	0.542	0.557	0.584
150	15	0.139	0.150	0.171	150	74	0.549	0.563	0.591
150	16	0.146	0.157	0.179					
150	17	0.154	0.165	0.187	150	75	0.555	0.570	0.597
150	18	0.161	0.173	0.195	150	76	0.562	0.577	0.604
150	19	0.169	0.180	0.203	150	77	0.569	0.583	0.610
					150	78	0.575	0.590	0.617
150	20	0.176	0.188	0.211	150	79	0.582	0.596	0.623
150	21	0.183	0.195	0.219					
150	22	0.191	0.203	0.227	150	80	0.588	0.603	0.629
150	23	0.198	0.210	0.234	150	81	0.595	0.609	0.636
150	24	0.205	0.218	0.242	150	82	0.601	0.616	0.642
					150	83	0.608	0.622	0.649
150	25	0.212	0.225	0.249	150	84	0.614	0.629	0.655
150	26	0.220	0.232	0.257					
150	27	0.227	0.240	0.265	150	85	0.621	0.635	0.661
150	28	0.234	0.247	0.272	150	86	0.627	0.642	0.668
150	29	0.241	0.254	0.279	150	87	0.634	0.648	0.674
					150	88	0.640	0.654	0.680
150	30	0.248	0.261	0.287	150	89	0.647	0.661	0.686
150	31	0.255	0.269	0.294					
150	32	0.262	0.276	0.302	150	90	0.653	0.667	0.693
150	33	0.269	0.283	0.309	150	91	0.660	0.674	0.699
150	34	0.276	0.290	0.316	150	92	0.666	0.680	0.705
					150	93	0.673	0.686	0.711
150	35	0.283	0.297	0.324	150	94	0.679	0.693	0.717
150	36	0.291	0.304	0.331					
150	37	0.298	0.311	0.338	150	95	0.685	0.699	0.724
150	38	0.305	0.318	0.345	150	96	0.692	0.705	0.730
150	39	0.312	0.326	0.352	150	97	0.698	0.712	0.736
					150	98	0.705	0.718	0.742
150	40	0.318	0.333	0.360	150	99	0.711	0.724	0.748
150	41	0.325	0.340	0.367					
150	42	0.332	0.347	0.374	150	100	0.717	0.730	0.754
150	43	0.339	0.354	0.381	150	101	0.724	0.737	0.760
150	44	0.346	0.361	0.388	150	102	0.730	0.743	0.766
					150	103	0.736	0.749	0.772
150	45	0.353	0.368	0.395	150	104	0.743	0.755	0.778
150	46	0.360	0.374	0.402					
150	47	0.367	0.381	0.409	150	105	0.749	0.761	0.784
150	48	0.374	0.388	0.416	150	106	0.755	0.768	0.790
150	49	0.381	0.395	0.423	150	107	0.762	0.774	0.796
					150	108	0.768	0.780	0.802
150	50	0.387	0.402	0.430	150	109	0.774	0.786	0.808
150	51	0.394	0.409	0.437					
150	52	0.401	0.416	0.444	150	110	0.780	0.792	0.813
150	53	0.408	0.423	0.450	150	111	0.787	0.798	0.819
150	54	0.415	0.429	0.457	150	112	0.793	0.804	0.825
					150	113	0.799	0.810	0.831
150	55	0.422	0.436	0.464	150	114	0.805	0.816	0.837
150	56	0.428	0.443	0.471					
150	57	0.435	0.450	0.478	150	115	0.811	0.822	0.842
150	58	0.442	0.457	0.485	150	116	0.817	0.828	0.848
150	59	0.449	0.463	0.491	150	117	0.824	0.834	0.854
					150	118	0.830	0.840	0.859
150	60	0.455	0.470	0.498	150	119	0.836	0.846	0.865
150	61	0.462	0.477	0.505					
150	62	0.469	0.484	0.511	150	120	0.842	0.852	0.870
150	63	0.476	0.490	0.518	150	121	0.848	0.858	0.876
150	64	0.482	0.497	0.525	150	122	0.854	0.864	0.881

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
150	123	0.860	0.870	0.887	155	31	0.247	0.260	0.285
150	124	0.866	0.876	0.892	155	32	0.254	0.267	0.292
					155	33	0.261	0.274	0.300
150	125	0.872	0.881	0.898	155	34	0.268	0.281	0.307
150	126	0.878	0.887	0.903					
150	127	0.884	0.893	0.908	155	35	0.275	0.288	0.314
150	128	0.890	0.899	0.914	155	36	0.281	0.295	0.321
150	129	0.896	0.904	0.919	155	37	0.288	0.302	0.328
					155	38	0.295	0.309	0.335
150	130	0.902	0.910	0.924	155	39	0.302	0.315	0.342
150	131	0.907	0.915	0.929					
150	132	0.913	0.921	0.934	155	40	0.309	0.322	0.349
150	133	0.919	0.926	0.939	155	41	0.315	0.329	0.356
150	134	0.925	0.932	0.944	155	42	0.322	0.336	0.362
					155	43	0.329	0.343	0.369
150	135	0.930	0.937	0.949	155	44	0.335	0.349	0.376
150	136	0.936	0.943	0.954					
150	137	0.942	0.948	0.959	155	45	0.342	0.356	0.383
150	138	0.947	0.953	0.963	155	46	0.349	0.363	0.390
150	139	0.953	0.958	0.968	155	47	0.356	0.370	0.397
					155	48	0.362	0.376	0.403
150	140	0.958	0.963	0.972	155	49	0.369	0.383	0.410
150	141	0.963	0.968	0.976					
150	142	0.969	0.973	0.980	155	50	0.375	0.390	0.417
150	143	0.974	0.978	0.984	155	51	0.382	0.396	0.424
150	144	0.979	0.982	0.988	155	52	0.389	0.403	0.430
					155	53	0.395	0.410	0.437
150	145	0.984	0.987	0.991	155	54	0.402	0.416	0.444
150	146	0.988	0.991	0.994					
150	147	0.993	0.995	0.997	155	55	0.409	0.423	0.450
150	148	0.996	0.998	0.999	155	56	0.415	0.430	0.457
150	149	0.999	1.000	1.000	155	57	0.422	0.436	0.464
					155	58	0.428	0.443	0.470
150	150	1.000	1.000	1.000	155	59	0.435	0.449	0.477
155	0	0.015	0.019	0.029	155	60	0.441	0.456	0.483
155	1	0.025	0.030	0.042	155	61	0.448	0.462	0.490
155	2	0.034	0.040	0.053	155	62	0.454	0.469	0.496
155	3	0.043	0.049	0.063	155	63	0.461	0.476	0.503
155	4	0.051	0.058	0.073	155	64	0.467	0.482	0.509
155	5	0.059	0.067	0.082	155	65	0.474	0.489	0.516
155	6	0.067	0.075	0.091	155	66	0.480	0.495	0.522
155	7	0.075	0.083	0.100	155	67	0.487	0.501	0.529
155	8	0.082	0.091	0.109	155	68	0.493	0.508	0.535
155	9	0.090	0.099	0.117	155	69	0.500	0.514	0.542
155	10	0.098	0.107	0.126	155	70	0.506	0.521	0.548
155	11	0.105	0.115	0.134	155	71	0.513	0.527	0.554
155	12	0.113	0.122	0.142	155	72	0.519	0.534	0.561
155	13	0.120	0.130	0.150	155	73	0.526	0.540	0.567
155	14	0.127	0.138	0.158	155	74	0.532	0.547	0.574
155	15	0.135	0.145	0.166	155	75	0.538	0.553	0.580
155	16	0.142	0.153	0.174	155	76	0.545	0.559	0.586
155	17	0.149	0.160	0.182	155	77	0.551	0.566	0.592
155	18	0.156	0.167	0.189	155	78	0.558	0.572	0.599
155	19	0.163	0.175	0.197	155	79	0.564	0.578	0.605
155	20	0.170	0.182	0.205	155	80	0.570	0.585	0.611
155	21	0.178	0.189	0.212	155	81	0.577	0.591	0.618
155	22	0.185	0.196	0.220	155	82	0.583	0.597	0.624
155	23	0.192	0.204	0.227	155	83	0.589	0.604	0.630
155	24	0.199	0.211	0.234	155	84	0.596	0.610	0.636
155	25	0.206	0.218	0.242	155	85	0.602	0.616	0.642
155	26	0.213	0.225	0.249	155	86	0.608	0.622	0.648
155	27	0.220	0.232	0.256	155	87	0.615	0.629	0.655
155	28	0.227	0.239	0.264	155	88	0.621	0.635	0.661
155	29	0.233	0.246	0.271	155	89	0.627	0.641	0.667
155	30	0.240	0.253	0.278	155	90	0.634	0.647	0.673



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
155	91	0.640	0.654	0.679	155	146	0.965	0.969	0.977
155	92	0.646	0.660	0.685	155	147	0.970	0.974	0.981
155	93	0.652	0.666	0.691	155	148	0.975	0.979	0.985
155	94	0.659	0.672	0.697	155	149	0.980	0.983	0.988
155	95	0.665	0.678	0.703	155	150	0.984	0.987	0.992
155	96	0.671	0.685	0.709	155	151	0.989	0.991	0.995
155	97	0.677	0.691	0.715	155	152	0.993	0.995	0.997
155	98	0.684	0.697	0.721	155	153	0.997	0.998	0.999
155	99	0.690	0.703	0.727	155	154	0.999	1.000	1.000
155	100	0.696	0.709	0.733	155	155	1.000	1.000	1.000
155	101	0.702	0.715	0.739	160	0	0.014	0.019	0.028
155	102	0.708	0.721	0.745	160	1	0.024	0.029	0.041
155	103	0.715	0.727	0.751	160	2	0.033	0.039	0.051
155	104	0.721	0.733	0.757	160	3	0.041	0.048	0.061
155	105	0.727	0.739	0.762	160	4	0.049	0.056	0.071
155	106	0.733	0.745	0.768	160	5	0.057	0.065	0.080
155	107	0.739	0.751	0.774	160	6	0.065	0.073	0.089
155	108	0.745	0.757	0.780	160	7	0.072	0.081	0.097
155	109	0.751	0.763	0.786	160	8	0.080	0.088	0.106
155	110	0.757	0.769	0.791	160	9	0.087	0.096	0.114
155	111	0.763	0.775	0.797	160	10	0.095	0.104	0.122
155	112	0.769	0.781	0.803	160	11	0.102	0.111	0.130
155	113	0.776	0.787	0.808	160	12	0.109	0.119	0.138
155	114	0.782	0.793	0.814	160	13	0.116	0.126	0.146
155	115	0.788	0.799	0.820	160	14	0.123	0.133	0.153
155	116	0.794	0.805	0.825	160	15	0.130	0.141	0.161
155	117	0.800	0.811	0.831	160	16	0.137	0.148	0.169
155	118	0.806	0.817	0.837	160	17	0.144	0.155	0.176
155	119	0.812	0.823	0.842	160	18	0.151	0.162	0.184
155	120	0.818	0.828	0.848	160	19	0.158	0.169	0.191
155	121	0.824	0.834	0.853	160	20	0.165	0.176	0.198
155	122	0.829	0.840	0.859	160	21	0.172	0.183	0.206
155	123	0.835	0.846	0.864	160	22	0.179	0.190	0.213
155	124	0.841	0.851	0.869	160	23	0.186	0.197	0.220
155	125	0.847	0.857	0.875	160	24	0.193	0.204	0.227
155	126	0.853	0.863	0.880	160	25	0.199	0.211	0.235
155	127	0.859	0.868	0.885	160	26	0.206	0.218	0.242
155	128	0.865	0.874	0.891	160	27	0.213	0.225	0.249
155	129	0.870	0.880	0.896	160	28	0.220	0.232	0.256
155	130	0.876	0.885	0.901	160	29	0.226	0.239	0.263
155	131	0.882	0.891	0.906	160	30	0.233	0.246	0.270
155	132	0.888	0.896	0.911	160	31	0.240	0.252	0.277
155	133	0.894	0.902	0.917	160	32	0.246	0.259	0.284
155	134	0.899	0.907	0.922	160	33	0.253	0.266	0.291
155	135	0.905	0.913	0.927	160	34	0.260	0.273	0.298
155	136	0.911	0.918	0.932	160	35	0.266	0.279	0.304
155	137	0.916	0.924	0.936	160	36	0.273	0.286	0.311
155	138	0.922	0.929	0.941	160	37	0.280	0.293	0.318
155	139	0.927	0.934	0.946	160	38	0.286	0.299	0.325
155	140	0.933	0.939	0.951	160	39	0.293	0.306	0.332
155	141	0.938	0.945	0.955	160	40	0.299	0.313	0.338
155	142	0.944	0.950	0.960	160	41	0.306	0.319	0.345
155	143	0.949	0.955	0.964	160	42	0.312	0.326	0.352
155	144	0.954	0.960	0.969	160	43	0.319	0.332	0.359
155	145	0.959	0.965	0.973	160	44	0.325	0.339	0.365

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
160	45	0.332	0.346	0.372	160	103	0.694	0.707	0.730
160	46	0.338	0.352	0.378	160	104	0.700	0.713	0.736
160	47	0.345	0.359	0.385	160	105	0.706	0.719	0.742
160	48	0.351	0.365	0.392	160	106	0.712	0.724	0.748
160	49	0.358	0.372	0.398	160	107	0.718	0.730	0.753
160	50	0.364	0.378	0.405	160	108	0.724	0.736	0.759
160	51	0.371	0.385	0.411	160	109	0.730	0.742	0.765
160	52	0.377	0.391	0.418	160	110	0.736	0.748	0.770
160	53	0.383	0.398	0.424	160	111	0.742	0.754	0.776
160	54	0.390	0.404	0.431	160	112	0.747	0.760	0.781
160	55	0.396	0.410	0.437	160	113	0.753	0.765	0.787
160	56	0.403	0.417	0.444	160	114	0.759	0.771	0.793
160	57	0.409	0.423	0.450	160	115	0.765	0.777	0.798
160	58	0.415	0.430	0.457	160	116	0.771	0.783	0.804
160	59	0.422	0.436	0.463	160	117	0.777	0.788	0.809
160	60	0.428	0.442	0.469	160	118	0.783	0.794	0.815
160	61	0.434	0.449	0.476	160	119	0.789	0.800	0.820
160	62	0.441	0.455	0.482	160	120	0.794	0.806	0.826
160	63	0.447	0.462	0.488	160	121	0.800	0.811	0.831
160	64	0.453	0.468	0.495	160	122	0.806	0.817	0.836
160	65	0.460	0.474	0.501	160	123	0.812	0.823	0.842
160	66	0.466	0.480	0.507	160	124	0.818	0.828	0.847
160	67	0.472	0.487	0.514	160	125	0.823	0.834	0.853
160	68	0.479	0.493	0.520	160	126	0.829	0.839	0.858
160	69	0.485	0.499	0.526	160	127	0.835	0.845	0.863
160	70	0.491	0.506	0.532	160	128	0.841	0.851	0.868
160	71	0.498	0.512	0.539	160	129	0.846	0.856	0.874
160	72	0.504	0.518	0.545	160	130	0.852	0.862	0.879
160	73	0.510	0.524	0.551	160	131	0.858	0.867	0.884
160	74	0.516	0.531	0.557	160	132	0.863	0.873	0.889
160	75	0.522	0.537	0.563	160	133	0.869	0.878	0.894
160	76	0.529	0.543	0.570	160	134	0.875	0.884	0.899
160	77	0.535	0.549	0.576	160	135	0.880	0.889	0.904
160	78	0.541	0.555	0.582	160	136	0.886	0.894	0.909
160	79	0.547	0.562	0.588	160	137	0.891	0.900	0.914
160	80	0.554	0.568	0.594	160	138	0.897	0.905	0.919
160	81	0.560	0.574	0.600	160	139	0.902	0.910	0.924
160	82	0.566	0.580	0.606	160	140	0.908	0.916	0.929
160	83	0.572	0.586	0.612	160	141	0.913	0.921	0.934
160	84	0.578	0.592	0.618	160	142	0.919	0.926	0.938
160	85	0.584	0.598	0.624	160	143	0.924	0.931	0.943
160	86	0.591	0.605	0.630	160	144	0.930	0.936	0.948
160	87	0.597	0.611	0.636	160	145	0.935	0.941	0.952
160	88	0.603	0.617	0.642	160	146	0.940	0.946	0.957
160	89	0.609	0.623	0.648	160	147	0.945	0.951	0.961
160	90	0.615	0.629	0.654	160	148	0.951	0.956	0.965
160	91	0.621	0.635	0.660	160	149	0.956	0.961	0.970
160	92	0.627	0.641	0.666	160	150	0.961	0.966	0.974
160	93	0.633	0.647	0.672	160	151	0.966	0.970	0.978
160	94	0.639	0.653	0.678	160	152	0.971	0.975	0.982
160	95	0.646	0.659	0.684	160	153	0.975	0.979	0.985
160	96	0.652	0.665	0.690	160	154	0.980	0.984	0.989
160	97	0.658	0.671	0.696	160	155	0.985	0.988	0.992
160	98	0.664	0.677	0.701	160	156	0.989	0.991	0.995
160	99	0.670	0.683	0.707	160	157	0.993	0.995	0.997
160	100	0.676	0.689	0.713	160	158	0.997	0.998	0.999
160	101	0.682	0.695	0.719	160	159	0.999	1.000	1.000
160	102	0.688	0.701	0.725					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
160	160	1.000	1.000	1.000	165	58	0.403	0.417	0.444
					165	59	0.410	0.424	0.450
165	0	0.014	0.018	0.028	165	60	0.416	0.430	0.456
165	1	0.023	0.028	0.040	165	61	0.422	0.436	0.462
165	2	0.032	0.038	0.050	165	62	0.428	0.442	0.469
165	3	0.040	0.046	0.060	165	63	0.434	0.448	0.475
165	4	0.048	0.055	0.069	165	64	0.440	0.454	0.481
165	5	0.055	0.063	0.078	165	65	0.446	0.461	0.487
165	6	0.063	0.071	0.086	165	66	0.453	0.467	0.493
165	7	0.070	0.078	0.094	165	67	0.459	0.473	0.499
165	8	0.078	0.086	0.102	165	68	0.465	0.479	0.506
165	9	0.085	0.093	0.110	165	69	0.471	0.485	0.512
165	10	0.092	0.101	0.118	165	70	0.477	0.491	0.518
165	11	0.099	0.108	0.126	165	71	0.483	0.497	0.524
165	12	0.106	0.115	0.134	165	72	0.489	0.503	0.530
165	13	0.113	0.122	0.141	165	73	0.495	0.509	0.536
165	14	0.120	0.129	0.149	165	74	0.501	0.516	0.542
165	15	0.127	0.137	0.156	165	75	0.507	0.522	0.548
165	16	0.133	0.144	0.164	165	76	0.513	0.528	0.554
165	17	0.140	0.151	0.171	165	77	0.520	0.534	0.560
165	18	0.147	0.157	0.178	165	78	0.526	0.540	0.566
165	19	0.154	0.164	0.185	165	79	0.532	0.546	0.572
165	20	0.160	0.171	0.193	165	80	0.538	0.552	0.578
165	21	0.167	0.178	0.200	165	81	0.544	0.558	0.584
165	22	0.174	0.185	0.207	165	82	0.550	0.564	0.590
165	23	0.180	0.192	0.214	165	83	0.556	0.570	0.596
165	24	0.187	0.198	0.221	165	84	0.562	0.576	0.601
165	25	0.194	0.205	0.226	165	85	0.568	0.582	0.607
165	26	0.200	0.212	0.235	165	86	0.574	0.588	0.613
165	27	0.207	0.219	0.242	165	87	0.580	0.593	0.619
165	28	0.213	0.225	0.248	165	88	0.586	0.599	0.625
165	29	0.220	0.232	0.255	165	89	0.592	0.605	0.631
165	30	0.226	0.238	0.262	165	90	0.598	0.611	0.637
165	31	0.233	0.245	0.269	165	91	0.603	0.617	0.642
165	32	0.239	0.252	0.276	165	92	0.609	0.623	0.648
165	33	0.246	0.258	0.282	165	93	0.615	0.629	0.654
165	34	0.252	0.265	0.289	165	94	0.621	0.635	0.660
165	35	0.258	0.271	0.296	165	95	0.627	0.641	0.665
165	36	0.265	0.278	0.302	165	96	0.633	0.647	0.671
165	37	0.271	0.284	0.309	165	97	0.639	0.652	0.677
165	38	0.278	0.291	0.316	165	98	0.645	0.658	0.683
165	39	0.284	0.297	0.322	165	99	0.651	0.664	0.688
165	40	0.290	0.304	0.329	165	100	0.657	0.670	0.694
165	41	0.297	0.310	0.335	165	101	0.663	0.676	0.700
165	42	0.303	0.316	0.342	165	102	0.668	0.681	0.705
165	43	0.309	0.323	0.348	165	103	0.674	0.687	0.711
165	44	0.316	0.329	0.355	165	104	0.680	0.693	0.717
165	45	0.322	0.336	0.361	165	105	0.686	0.699	0.722
165	46	0.328	0.342	0.368	165	106	0.692	0.705	0.728
165	47	0.335	0.348	0.374	165	107	0.698	0.710	0.733
165	48	0.341	0.355	0.381	165	108	0.703	0.716	0.739
165	49	0.347	0.361	0.387	165	109	0.709	0.722	0.745
165	50	0.354	0.367	0.393	165	110	0.715	0.727	0.750
165	51	0.360	0.374	0.400	165	111	0.721	0.733	0.756
165	52	0.366	0.380	0.406	165	112	0.727	0.739	0.761
165	53	0.372	0.386	0.412	165	113	0.732	0.744	0.767
165	54	0.379	0.392	0.419	165	114	0.738	0.750	0.772
165	55	0.385	0.399	0.425	165	115	0.744	0.756	0.778
165	56	0.391	0.405	0.431	165	116	0.750	0.761	0.783
165	57	0.397	0.411	0.438					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
165	117	0.755	0.767	0.788	170	12	0.103	0.112	0.130
165	118	0.761	0.773	0.794	170	13	0.110	0.119	0.137
165	119	0.767	0.778	0.799	170	14	0.116	0.126	0.145
165	120	0.772	0.784	0.805	170	15	0.123	0.133	0.152
165	121	0.778	0.789	0.810	170	16	0.130	0.139	0.159
165	122	0.784	0.795	0.815	170	17	0.136	0.146	0.166
165	123	0.789	0.801	0.821	170	18	0.143	0.153	0.173
165	124	0.795	0.806	0.826	170	19	0.149	0.160	0.180
165	125	0.801	0.812	0.831	170	20	0.156	0.166	0.187
165	126	0.806	0.817	0.836	170	21	0.162	0.173	0.194
165	127	0.812	0.823	0.842	170	22	0.169	0.180	0.201
165	128	0.818	0.828	0.847	170	23	0.175	0.186	0.208
165	129	0.823	0.834	0.852	170	24	0.182	0.193	0.215
165	130	0.829	0.839	0.857	170	25	0.188	0.199	0.221
165	131	0.834	0.844	0.862	170	26	0.194	0.206	0.228
165	132	0.840	0.850	0.867	170	27	0.201	0.212	0.235
165	133	0.846	0.855	0.873	170	28	0.207	0.219	0.242
165	134	0.851	0.861	0.878	170	29	0.213	0.225	0.248
165	135	0.857	0.866	0.883	170	30	0.220	0.232	0.255
165	136	0.862	0.871	0.888	170	31	0.226	0.238	0.261
165	137	0.868	0.877	0.893	170	32	0.232	0.244	0.268
165	138	0.873	0.882	0.898	170	33	0.239	0.251	0.274
165	139	0.878	0.887	0.902	170	34	0.245	0.257	0.281
165	140	0.884	0.892	0.907	170	35	0.251	0.264	0.288
165	141	0.889	0.898	0.912	170	36	0.257	0.270	0.294
165	142	0.895	0.903	0.917	170	37	0.264	0.276	0.300
165	143	0.900	0.908	0.922	170	38	0.270	0.282	0.307
165	144	0.905	0.913	0.926	170	39	0.276	0.289	0.313
165	145	0.911	0.918	0.931	170	40	0.282	0.295	0.320
165	146	0.916	0.923	0.936	170	41	0.288	0.301	0.326
165	147	0.921	0.928	0.940	170	42	0.295	0.308	0.332
165	148	0.927	0.933	0.945	170	43	0.301	0.314	0.339
165	149	0.932	0.938	0.949	170	44	0.307	0.320	0.345
165	150	0.937	0.943	0.954	170	45	0.313	0.326	0.351
165	151	0.942	0.948	0.958	170	46	0.319	0.332	0.358
165	152	0.947	0.953	0.962	170	47	0.325	0.339	0.364
165	153	0.952	0.958	0.967	170	48	0.331	0.345	0.370
165	154	0.957	0.962	0.971	170	49	0.337	0.351	0.376
165	155	0.962	0.967	0.975	170	50	0.344	0.357	0.383
165	156	0.967	0.971	0.978	170	51	0.350	0.363	0.389
165	157	0.972	0.976	0.982	170	52	0.356	0.369	0.395
165	158	0.976	0.980	0.986	170	53	0.362	0.375	0.401
165	159	0.981	0.984	0.989	170	54	0.368	0.381	0.407
165	160	0.985	0.988	0.992	170	55	0.374	0.387	0.413
165	161	0.989	0.992	0.995	170	56	0.380	0.394	0.420
165	162	0.993	0.995	0.997	170	57	0.386	0.400	0.426
165	163	0.997	0.998	0.999	170	58	0.392	0.406	0.432
165	164	0.999	1.000	1.000	170	59	0.398	0.412	0.438
165	165	1.000	1.000	1.000	170	60	0.404	0.418	0.444
170	0	0.013	0.017	0.027	170	61	0.410	0.424	0.450
170	1	0.023	0.028	0.038	170	62	0.416	0.430	0.456
170	2	0.031	0.037	0.049	170	63	0.422	0.436	0.462
170	3	0.039	0.045	0.058	170	64	0.428	0.442	0.468
170	4	0.046	0.053	0.067	170	65	0.434	0.448	0.474
170	5	0.054	0.061	0.075	170	66	0.440	0.454	0.480
170	6	0.061	0.068	0.084	170	67	0.446	0.460	0.486
170	7	0.068	0.076	0.092	170	68	0.452	0.466	0.492
170	8	0.075	0.083	0.100	170	69	0.458	0.472	0.498
170	9	0.082	0.091	0.107	170	70	0.464	0.478	0.504
170	10	0.089	0.098	0.115	170	71	0.470	0.484	0.510
170	11	0.096	0.105	0.123	170	72	0.476	0.489	0.516
170					170	73	0.481	0.495	0.521

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
170	74	0.487	0.501	0.527	170	131	0.812	0.823	0.841
170	75	0.493	0.507	0.533	170	132	0.818	0.828	0.846
170	76	0.499	0.513	0.539	170	133	0.823	0.833	0.852
170	77	0.505	0.519	0.545	170	134	0.829	0.839	0.857
170	78	0.511	0.525	0.551	170	135	0.834	0.844	0.862
170	79	0.517	0.531	0.557	170	136	0.839	0.849	0.867
170	80	0.523	0.537	0.562	170	137	0.845	0.854	0.871
170	81	0.528	0.542	0.568	170	138	0.850	0.860	0.876
170	82	0.534	0.548	0.574	170	139	0.856	0.865	0.881
170	83	0.540	0.554	0.580	170	140	0.861	0.870	0.886
170	84	0.546	0.560	0.586	170	141	0.866	0.875	0.891
170	85	0.552	0.566	0.591	170	142	0.872	0.880	0.896
170	86	0.558	0.571	0.597	170	143	0.877	0.885	0.901
170	87	0.564	0.577	0.603	170	144	0.882	0.891	0.905
170	88	0.569	0.583	0.608	170	145	0.887	0.896	0.910
170	89	0.575	0.589	0.614	170	146	0.893	0.901	0.915
170	90	0.581	0.595	0.620	170	147	0.898	0.906	0.919
170	91	0.587	0.600	0.625	170	148	0.903	0.911	0.924
170	92	0.593	0.606	0.631	170	149	0.908	0.916	0.929
170	93	0.598	0.612	0.637	170	150	0.913	0.921	0.933
170	94	0.604	0.618	0.642	170	151	0.919	0.926	0.938
170	95	0.610	0.623	0.648	170	152	0.924	0.930	0.942
170	96	0.616	0.629	0.654	170	153	0.929	0.935	0.947
170	97	0.621	0.635	0.659	170	154	0.934	0.940	0.951
170	98	0.627	0.640	0.665	170	155	0.939	0.945	0.955
170	99	0.633	0.646	0.670	170	156	0.944	0.950	0.959
170	100	0.639	0.652	0.676	170	157	0.949	0.954	0.963
170	101	0.644	0.657	0.682	170	158	0.954	0.959	0.968
170	102	0.650	0.663	0.687	170	159	0.958	0.963	0.971
170	103	0.656	0.669	0.693	170	160	0.963	0.968	0.975
170	104	0.661	0.674	0.698	170	161	0.968	0.972	0.979
170	105	0.667	0.680	0.704	170	162	0.972	0.976	0.983
170	106	0.673	0.686	0.709	170	163	0.977	0.981	0.986
170	107	0.678	0.691	0.715	170	164	0.981	0.985	0.989
170	108	0.684	0.697	0.720	170	165	0.986	0.988	0.992
170	109	0.690	0.702	0.726	170	166	0.990	0.992	0.995
170	110	0.695	0.708	0.731	170	167	0.993	0.995	0.997
170	111	0.701	0.714	0.736	170	168	0.997	0.998	0.999
170	112	0.707	0.719	0.742	170	169	0.999	1.000	1.000
170	113	0.712	0.725	0.747	170	170	1.000	1.000	1.000
170	114	0.718	0.730	0.752	175	0	0.013	0.017	0.026
170	115	0.724	0.736	0.758	175	1	0.022	0.027	0.037
170	116	0.729	0.741	0.763	175	2	0.030	0.036	0.047
170	117	0.735	0.747	0.769	175	3	0.038	0.044	0.056
170	118	0.740	0.752	0.774	175	4	0.045	0.052	0.065
170	119	0.746	0.758	0.779	175	5	0.052	0.059	0.073
170	120	0.752	0.763	0.784	175	6	0.059	0.067	0.081
170	121	0.757	0.769	0.790	175	7	0.066	0.074	0.089
170	122	0.763	0.774	0.795	175	8	0.073	0.081	0.097
170	123	0.768	0.780	0.800	175	9	0.080	0.088	0.104
170	124	0.774	0.785	0.805	175	10	0.087	0.095	0.112
170	125	0.779	0.790	0.811	175	11	0.093	0.102	0.119
170	126	0.785	0.796	0.816	175	12	0.100	0.109	0.126
170	127	0.790	0.801	0.821	175	13	0.106	0.116	0.134
170	128	0.796	0.807	0.826	175	14	0.113	0.122	0.141
170	129	0.801	0.812	0.831	175	15	0.119	0.129	0.148
170	130	0.807	0.817	0.836	175	16	0.126	0.136	0.155

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
175	17	0.132	0.142	0.162	175	76	0.486	0.499	0.525
175	18	0.139	0.149	0.168	175	77	0.491	0.505	0.531
175	19	0.145	0.155	0.175	175	78	0.497	0.511	0.536
					175	79	0.503	0.516	0.542
175	20	0.151	0.162	0.182					
175	21	0.158	0.168	0.189	175	80	0.508	0.522	0.548
175	22	0.164	0.175	0.195	175	81	0.514	0.528	0.553
175	23	0.170	0.181	0.202	175	82	0.520	0.534	0.559
175	24	0.176	0.187	0.209	175	83	0.526	0.539	0.565
					175	84	0.531	0.545	0.570
175	25	0.183	0.194	0.215					
175	26	0.189	0.200	0.222	175	85	0.537	0.551	0.576
175	27	0.195	0.206	0.228	175	86	0.543	0.556	0.582
175	28	0.201	0.213	0.235	175	87	0.548	0.562	0.587
175	29	0.207	0.219	0.241	175	88	0.554	0.567	0.593
					175	89	0.560	0.573	0.598
175	30	0.214	0.225	0.248					
175	31	0.220	0.231	0.254	175	90	0.565	0.579	0.604
175	32	0.226	0.238	0.261	175	91	0.571	0.584	0.609
175	33	0.232	0.244	0.267	175	92	0.577	0.590	0.615
175	34	0.238	0.250	0.273	175	93	0.582	0.596	0.620
					175	94	0.588	0.601	0.626
175	35	0.244	0.256	0.280					
175	36	0.250	0.262	0.286	175	95	0.593	0.607	0.631
175	37	0.256	0.269	0.292	175	96	0.599	0.612	0.637
175	38	0.262	0.275	0.299	175	97	0.605	0.618	0.642
175	39	0.268	0.281	0.305	175	98	0.610	0.623	0.648
					175	99	0.616	0.629	0.653
175	40	0.274	0.287	0.311					
175	41	0.280	0.293	0.317	175	100	0.621	0.635	0.659
175	42	0.286	0.299	0.323	175	101	0.627	0.640	0.664
175	43	0.292	0.305	0.330	175	102	0.633	0.646	0.670
175	44	0.298	0.311	0.336	175	103	0.638	0.651	0.675
					175	104	0.644	0.657	0.680
175	45	0.304	0.317	0.342					
175	46	0.310	0.323	0.348	175	105	0.649	0.662	0.686
175	47	0.316	0.329	0.354	175	106	0.655	0.668	0.691
175	48	0.322	0.335	0.360	175	107	0.660	0.673	0.697
175	49	0.328	0.341	0.366	175	108	0.666	0.679	0.702
					175	109	0.671	0.684	0.707
175	50	0.334	0.347	0.372					
175	51	0.340	0.353	0.378	175	110	0.677	0.690	0.713
175	52	0.346	0.359	0.384	175	111	0.682	0.695	0.718
175	53	0.352	0.365	0.390	175	112	0.688	0.700	0.723
175	54	0.358	0.371	0.396	175	113	0.693	0.706	0.729
					175	114	0.699	0.711	0.734
175	55	0.364	0.377	0.402					
175	56	0.369	0.383	0.408	175	115	0.704	0.717	0.739
175	57	0.375	0.389	0.414	175	116	0.710	0.722	0.744
175	58	0.381	0.395	0.420	175	117	0.715	0.727	0.750
175	59	0.387	0.401	0.426	175	118	0.721	0.733	0.755
					175	119	0.726	0.738	0.760
175	60	0.393	0.406	0.432					
175	61	0.399	0.412	0.438	175	120	0.732	0.744	0.765
175	62	0.405	0.418	0.444	175	121	0.737	0.749	0.770
175	63	0.410	0.424	0.450	175	122	0.743	0.754	0.775
175	64	0.416	0.430	0.456	175	123	0.748	0.760	0.781
					175	124	0.753	0.765	0.786
175	65	0.422	0.436	0.461					
175	66	0.428	0.442	0.467	175	125	0.759	0.770	0.791
175	67	0.434	0.447	0.473	175	126	0.764	0.776	0.796
175	68	0.439	0.453	0.479	175	127	0.770	0.781	0.801
175	69	0.445	0.459	0.485	175	128	0.775	0.786	0.806
					175	129	0.780	0.791	0.811
175	70	0.451	0.465	0.491					
175	71	0.457	0.470	0.496	175	130	0.786	0.797	0.816
175	72	0.463	0.476	0.502	175	131	0.791	0.802	0.821
175	73	0.468	0.482	0.508	175	132	0.796	0.807	0.826
175	74	0.474	0.488	0.514	175	133	0.802	0.812	0.831
					175	134	0.807	0.818	0.836
175	75	0.480	0.494	0.519					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
175	135	0.812	0.823	0.841	180	20	0.147	0.157	0.177
175	136	0.818	0.828	0.846	180	21	0.153	0.164	0.184
175	137	0.823	0.833	0.851	180	22	0.160	0.170	0.190
175	138	0.828	0.838	0.856	180	23	0.166	0.176	0.197
175	139	0.834	0.843	0.861	180	24	0.172	0.182	0.203
175	140	0.839	0.848	0.866	180	25	0.178	0.189	0.210
175	141	0.844	0.854	0.870	180	26	0.184	0.195	0.216
175	142	0.849	0.859	0.875	180	27	0.190	0.201	0.222
175	143	0.855	0.864	0.880	180	28	0.196	0.207	0.229
175	144	0.860	0.869	0.885	180	29	0.202	0.213	0.235
175	145	0.865	0.874	0.890	180	30	0.208	0.219	0.241
175	146	0.870	0.879	0.894	180	31	0.214	0.225	0.248
175	147	0.875	0.884	0.899	180	32	0.220	0.231	0.254
175	148	0.880	0.889	0.904	180	33	0.226	0.237	0.260
175	149	0.886	0.894	0.908	180	34	0.232	0.243	0.266
175	150	0.891	0.899	0.913	180	35	0.238	0.249	0.272
175	151	0.896	0.904	0.917	180	36	0.243	0.255	0.278
175	152	0.901	0.908	0.922	180	37	0.249	0.261	0.285
175	153	0.906	0.913	0.926	180	38	0.255	0.267	0.291
175	154	0.911	0.918	0.931	180	39	0.261	0.273	0.297
175	155	0.916	0.923	0.935	180	40	0.267	0.279	0.303
175	156	0.921	0.928	0.940	180	41	0.273	0.285	0.309
175	157	0.926	0.932	0.944	180	42	0.279	0.291	0.315
175	158	0.931	0.937	0.948	180	43	0.284	0.297	0.321
175	159	0.936	0.942	0.952	180	44	0.290	0.303	0.327
175	160	0.941	0.946	0.956	180	45	0.296	0.309	0.333
175	161	0.945	0.951	0.961	180	46	0.302	0.315	0.339
175	162	0.950	0.956	0.965	180	47	0.308	0.320	0.345
175	163	0.955	0.960	0.968	180	48	0.314	0.326	0.351
175	164	0.960	0.964	0.972	180	49	0.319	0.332	0.357
175	165	0.964	0.969	0.976	180	50	0.325	0.338	0.363
175	166	0.969	0.973	0.980	180	51	0.331	0.344	0.368
175	167	0.973	0.977	0.983	180	52	0.337	0.350	0.374
175	168	0.978	0.981	0.987	180	53	0.342	0.355	0.380
175	169	0.982	0.985	0.990	180	54	0.348	0.361	0.386
175	170	0.986	0.989	0.993	180	55	0.354	0.367	0.392
175	171	0.990	0.992	0.995	180	56	0.360	0.373	0.398
175	172	0.994	0.995	0.997	180	57	0.365	0.378	0.404
175	173	0.997	0.998	0.999	180	58	0.371	0.384	0.409
175	174	0.999	1.000	1.000	180	59	0.377	0.390	0.415
175	175	1.000	1.000	1.000	180	60	0.382	0.396	0.421
180	0	0.013	0.017	0.025	180	61	0.388	0.401	0.427
180	1	0.021	0.026	0.036	180	62	0.394	0.407	0.432
180	2	0.029	0.035	0.046	180	63	0.399	0.413	0.438
180	3	0.037	0.043	0.055	180	64	0.405	0.419	0.444
180	4	0.044	0.050	0.063	180	65	0.411	0.424	0.450
180	5	0.051	0.058	0.071	180	66	0.416	0.430	0.455
180	6	0.058	0.065	0.079	180	67	0.422	0.436	0.461
180	7	0.065	0.072	0.087	180	68	0.428	0.441	0.467
180	8	0.071	0.079	0.094	180	69	0.433	0.447	0.472
180	9	0.078	0.086	0.102	180	70	0.439	0.452	0.478
180	10	0.084	0.092	0.109	180	71	0.445	0.458	0.484
180	11	0.091	0.099	0.116	180	72	0.450	0.464	0.489
180	12	0.097	0.106	0.123	180	73	0.456	0.469	0.495
180	13	0.104	0.112	0.130	180	74	0.461	0.475	0.500
180	14	0.110	0.119	0.137	180	75	0.467	0.481	0.506
180	15	0.116	0.125	0.144	180	76	0.473	0.486	0.512
180	16	0.122	0.132	0.151	180	77	0.478	0.492	0.517
180	17	0.129	0.138	0.157	180	78	0.484	0.497	0.523
180	18	0.135	0.145	0.164	180	79	0.489	0.503	0.528
180	19	0.141	0.151	0.171	180	80	0.495	0.508	0.534

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
180	81	0.501	0.514	0.539	180	138	0.807	0.818	0.836
180	82	0.506	0.520	0.545	180	139	0.813	0.823	0.841
180	83	0.512	0.525	0.550	180	140	0.818	0.828	0.846
180	84	0.517	0.531	0.556	180	141	0.823	0.833	0.851
180	85	0.523	0.536	0.561	180	142	0.828	0.838	0.855
180	86	0.528	0.542	0.567	180	143	0.833	0.843	0.860
180	87	0.534	0.547	0.572	180	144	0.838	0.848	0.865
180	88	0.539	0.553	0.578	180	145	0.843	0.853	0.869
180	89	0.545	0.558	0.583	180	146	0.849	0.858	0.874
180	90	0.550	0.564	0.589	180	147	0.854	0.863	0.879
180	91	0.556	0.569	0.594	180	148	0.859	0.868	0.883
180	92	0.561	0.575	0.599	180	149	0.864	0.873	0.888
180	93	0.567	0.580	0.605	180	150	0.869	0.877	0.893
180	94	0.572	0.586	0.610	180	151	0.874	0.882	0.897
180	95	0.578	0.591	0.616	180	152	0.879	0.887	0.902
180	96	0.583	0.597	0.621	180	153	0.884	0.892	0.906
180	97	0.589	0.602	0.626	180	154	0.889	0.897	0.911
180	98	0.594	0.607	0.632	180	155	0.894	0.902	0.915
180	99	0.600	0.613	0.637	180	156	0.899	0.906	0.920
180	100	0.605	0.618	0.642	180	157	0.904	0.911	0.924
180	101	0.611	0.624	0.648	180	158	0.909	0.916	0.928
180	102	0.616	0.629	0.653	180	159	0.913	0.920	0.932
180	103	0.621	0.634	0.658	180	160	0.918	0.925	0.937
180	104	0.627	0.640	0.664	180	161	0.923	0.930	0.941
180	105	0.632	0.645	0.669	180	162	0.928	0.934	0.945
180	106	0.638	0.651	0.674	180	163	0.933	0.939	0.950
180	107	0.643	0.656	0.679	180	164	0.937	0.943	0.954
180	108	0.649	0.661	0.685	180	165	0.942	0.948	0.958
180	109	0.654	0.667	0.690	180	166	0.947	0.952	0.962
180	110	0.659	0.672	0.695	180	167	0.952	0.957	0.966
180	111	0.665	0.677	0.700	180	168	0.956	0.961	0.969
180	112	0.670	0.683	0.706	180	169	0.961	0.965	0.973
180	113	0.675	0.688	0.711	180	170	0.965	0.970	0.977
180	114	0.681	0.693	0.716	180	171	0.970	0.974	0.980
180	115	0.686	0.698	0.721	180	172	0.974	0.978	0.984
180	116	0.692	0.704	0.726	180	173	0.978	0.982	0.987
180	117	0.697	0.709	0.731	180	174	0.982	0.985	0.990
180	118	0.702	0.714	0.736	180	175	0.986	0.989	0.993
180	119	0.708	0.720	0.742	180	176	0.990	0.992	0.995
180	120	0.713	0.725	0.747	180	177	0.994	0.995	0.998
180	121	0.718	0.730	0.752	180	178	0.997	0.998	0.999
180	122	0.724	0.735	0.757	180	179	0.999	1.000	1.000
180	123	0.729	0.741	0.762	180	180	1.000	1.000	1.000
180	124	0.734	0.746	0.767	185	0	0.012	0.016	0.025
180	125	0.739	0.751	0.772	185	1	0.021	0.025	0.035
180	126	0.745	0.756	0.777	185	2	0.029	0.034	0.045
180	127	0.750	0.761	0.782	185	3	0.036	0.041	0.053
180	128	0.755	0.767	0.787	185	4	0.043	0.049	0.061
180	129	0.760	0.772	0.792	185	5	0.050	0.056	0.069
180	130	0.766	0.777	0.797	185	6	0.056	0.063	0.077
180	131	0.771	0.782	0.802	185	7	0.063	0.070	0.084
180	132	0.776	0.787	0.807	185	8	0.069	0.077	0.092
180	133	0.781	0.792	0.812	185	9	0.076	0.083	0.099
180	134	0.787	0.797	0.817	185	10	0.082	0.090	0.106
180	135	0.792	0.802	0.822	185	11	0.088	0.096	0.113
180	136	0.797	0.808	0.826	185	12	0.095	0.103	0.120
180	137	0.802	0.813	0.831					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
185	13	0.101	0.109	0.127	185	72	0.439	0.452	0.477
185	14	0.107	0.116	0.133	185	73	0.444	0.457	0.482
					185	74	0.450	0.463	0.488
185	15	0.113	0.122	0.140	185	75	0.455	0.468	0.493
185	16	0.119	0.128	0.147	185	76	0.460	0.474	0.499
185	17	0.125	0.135	0.153	185	77	0.466	0.479	0.504
185	18	0.131	0.141	0.160	185	78	0.471	0.485	0.510
185	19	0.137	0.147	0.166	185	79	0.477	0.490	0.515
185	20	0.143	0.153	0.173	185	80	0.482	0.496	0.521
185	21	0.149	0.159	0.179	185	81	0.488	0.501	0.526
185	22	0.155	0.165	0.185	185	82	0.493	0.506	0.531
185	23	0.161	0.172	0.192	185	83	0.498	0.512	0.537
185	24	0.167	0.178	0.198	185	84	0.504	0.517	0.542
185	25	0.173	0.184	0.204	185	85	0.509	0.523	0.548
185	26	0.179	0.190	0.210	185	86	0.515	0.528	0.553
185	27	0.185	0.196	0.217	185	87	0.520	0.533	0.558
185	28	0.191	0.202	0.223	185	88	0.525	0.539	0.564
185	29	0.197	0.208	0.229	185	89	0.531	0.544	0.569
185	30	0.202	0.213	0.235	185	90	0.536	0.549	0.574
185	31	0.208	0.219	0.241	185	91	0.542	0.555	0.579
185	32	0.214	0.225	0.247	185	92	0.547	0.560	0.585
185	33	0.220	0.231	0.253	185	93	0.552	0.565	0.590
185	34	0.226	0.237	0.259	185	94	0.558	0.571	0.595
185	35	0.231	0.243	0.265	185	95	0.563	0.576	0.601
185	36	0.237	0.249	0.271	185	96	0.568	0.581	0.606
185	37	0.243	0.255	0.277	185	97	0.574	0.587	0.611
185	38	0.249	0.260	0.283	185	98	0.579	0.592	0.616
185	39	0.254	0.266	0.289	185	99	0.584	0.597	0.622
185	40	0.260	0.272	0.295	185	100	0.590	0.603	0.627
185	41	0.266	0.278	0.301	185	101	0.595	0.608	0.632
185	42	0.271	0.284	0.307	185	102	0.600	0.613	0.637
185	43	0.277	0.289	0.313	185	103	0.606	0.619	0.642
185	44	0.283	0.295	0.319	185	104	0.611	0.624	0.648
185	45	0.288	0.301	0.324	185	105	0.616	0.629	0.653
185	46	0.294	0.306	0.330	185	106	0.621	0.634	0.658
185	47	0.300	0.312	0.336	185	107	0.627	0.640	0.663
185	48	0.305	0.318	0.342	185	108	0.632	0.645	0.668
185	49	0.311	0.324	0.348	185	109	0.637	0.650	0.673
185	50	0.317	0.329	0.353	185	110	0.643	0.655	0.678
185	51	0.322	0.335	0.359	185	111	0.648	0.660	0.684
185	52	0.328	0.341	0.365	185	112	0.653	0.666	0.689
185	53	0.333	0.346	0.371	185	113	0.658	0.671	0.694
185	54	0.339	0.352	0.376	185	114	0.664	0.676	0.699
185	55	0.345	0.357	0.382	185	115	0.669	0.681	0.704
185	56	0.350	0.363	0.388	185	116	0.674	0.686	0.709
185	57	0.356	0.369	0.393	185	117	0.679	0.692	0.714
185	58	0.361	0.374	0.399	185	118	0.685	0.697	0.719
185	59	0.367	0.380	0.405	185	119	0.690	0.702	0.724
185	60	0.372	0.385	0.410	185	120	0.695	0.707	0.729
185	61	0.378	0.391	0.416	185	121	0.700	0.712	0.734
185	62	0.384	0.397	0.422	185	122	0.705	0.717	0.739
185	63	0.389	0.402	0.427	185	123	0.711	0.722	0.744
185	64	0.395	0.408	0.433	185	124	0.716	0.727	0.749
185	65	0.400	0.413	0.438	185	125	0.721	0.733	0.754
185	66	0.406	0.419	0.444	185	126	0.726	0.738	0.759
185	67	0.411	0.424	0.449	185	127	0.731	0.743	0.764
185	68	0.417	0.430	0.455	185	128	0.736	0.748	0.769
185	69	0.422	0.435	0.460	185	129	0.742	0.753	0.774
185	70	0.428	0.441	0.466	185	130	0.747	0.758	0.778
185	71	0.433	0.446	0.471					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
185	131	0.752	0.763	0.783	190	0	0.012	0.016	0.024
185	132	0.757	0.768	0.788	190	1	0.020	0.025	0.034
185	133	0.762	0.773	0.793	190	2	0.028	0.033	0.044
185	134	0.767	0.778	0.798	190	3	0.035	0.040	0.052
					190	4	0.042	0.048	0.060
185	135	0.772	0.783	0.803					
185	136	0.777	0.788	0.808	190	5	0.048	0.055	0.068
185	137	0.782	0.793	0.812	190	6	0.055	0.061	0.075
185	138	0.787	0.798	0.817	190	7	0.061	0.068	0.082
185	139	0.793	0.803	0.822	190	8	0.067	0.075	0.089
					190	9	0.074	0.081	0.096
185	140	0.798	0.808	0.827					
185	141	0.803	0.813	0.831	190	10	0.080	0.088	0.103
185	142	0.808	0.818	0.836	190	11	0.086	0.094	0.110
185	143	0.813	0.823	0.841	190	12	0.092	0.100	0.117
185	144	0.818	0.828	0.845	190	13	0.098	0.107	0.123
					190	14	0.104	0.113	0.130
185	145	0.823	0.833	0.850					
185	146	0.828	0.837	0.855	190	15	0.110	0.119	0.136
185	147	0.833	0.842	0.859	190	16	0.116	0.125	0.143
185	148	0.838	0.847	0.864	190	17	0.122	0.131	0.149
185	149	0.843	0.852	0.869	190	18	0.128	0.137	0.156
					190	19	0.134	0.143	0.162
185	150	0.848	0.857	0.873					
185	151	0.853	0.862	0.878	190	20	0.140	0.149	0.168
185	152	0.858	0.866	0.882	190	21	0.146	0.155	0.174
185	153	0.863	0.871	0.887	190	22	0.151	0.161	0.181
185	154	0.867	0.876	0.891	190	23	0.157	0.167	0.187
					190	24	0.163	0.173	0.193
185	155	0.872	0.881	0.896					
185	156	0.877	0.886	0.900	190	25	0.169	0.179	0.199
185	157	0.882	0.890	0.905	190	26	0.174	0.185	0.205
185	158	0.887	0.895	0.909	190	27	0.180	0.191	0.211
185	159	0.892	0.900	0.913	190	28	0.186	0.196	0.217
					190	29	0.191	0.202	0.223
185	160	0.897	0.904	0.918					
185	161	0.901	0.909	0.922	190	30	0.197	0.208	0.229
185	162	0.906	0.914	0.926	190	31	0.203	0.214	0.235
185	163	0.911	0.918	0.930	190	32	0.208	0.220	0.241
185	164	0.916	0.923	0.935	190	33	0.214	0.225	0.247
					190	34	0.220	0.231	0.253
185	165	0.920	0.927	0.939					
185	166	0.925	0.932	0.943	190	35	0.225	0.237	0.259
185	167	0.930	0.936	0.947	190	36	0.231	0.242	0.265
185	168	0.935	0.941	0.951	190	37	0.237	0.248	0.270
185	169	0.939	0.945	0.955	190	38	0.242	0.254	0.276
					190	39	0.248	0.259	0.282
185	170	0.944	0.949	0.959					
185	171	0.948	0.954	0.963	190	40	0.253	0.265	0.288
185	172	0.953	0.958	0.966	190	41	0.259	0.271	0.293
185	173	0.957	0.962	0.970	190	42	0.264	0.276	0.299
185	174	0.962	0.966	0.974	190	43	0.270	0.282	0.305
					190	44	0.275	0.288	0.311
185	175	0.966	0.970	0.977					
185	176	0.970	0.974	0.981	190	45	0.281	0.293	0.316
185	177	0.975	0.978	0.984	190	46	0.287	0.299	0.322
185	178	0.979	0.982	0.987	190	47	0.292	0.304	0.328
185	179	0.983	0.986	0.990	190	48	0.298	0.310	0.333
					190	49	0.303	0.315	0.339
185	180	0.987	0.989	0.993					
185	181	0.991	0.993	0.996	190	50	0.308	0.321	0.345
185	182	0.994	0.996	0.998	190	51	0.314	0.326	0.350
185	183	0.997	0.998	0.999	190	52	0.319	0.332	0.356
185	184	0.999	1.000	1.000	190	53	0.325	0.337	0.361
					190	54	0.330	0.343	0.367
185	185	1.000	1.000	1.000					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
190	55	0.336	0.348	0.373	190	113	0.642	0.655	0.677
190	56	0.341	0.354	0.378	190	114	0.647	0.660	0.682
190	57	0.347	0.359	0.384					
190	58	0.352	0.365	0.389	190	115	0.652	0.665	0.687
190	59	0.358	0.370	0.395	190	116	0.657	0.670	0.692
					190	117	0.663	0.675	0.697
190	60	0.363	0.376	0.400	190	118	0.668	0.680	0.702
190	61	0.368	0.381	0.406	190	119	0.673	0.685	0.707
190	62	0.374	0.387	0.411					
190	63	0.379	0.392	0.417	190	120	0.678	0.690	0.712
190	64	0.385	0.398	0.422	190	121	0.683	0.695	0.717
					190	122	0.688	0.700	0.722
190	65	0.390	0.403	0.427	190	123	0.693	0.705	0.727
190	66	0.395	0.408	0.433	190	124	0.698	0.710	0.732
190	67	0.401	0.414	0.438					
190	68	0.406	0.419	0.444	190	125	0.703	0.715	0.737
190	69	0.411	0.424	0.449	190	126	0.708	0.720	0.741
					190	127	0.713	0.725	0.746
190	70	0.417	0.430	0.455	190	128	0.718	0.730	0.751
190	71	0.422	0.435	0.460	190	129	0.723	0.735	0.756
190	72	0.427	0.441	0.465					
190	73	0.433	0.446	0.471	190	130	0.728	0.740	0.761
190	74	0.438	0.451	0.476	190	131	0.733	0.745	0.765
					190	132	0.738	0.750	0.770
190	75	0.443	0.457	0.481	190	133	0.743	0.755	0.775
190	76	0.449	0.462	0.487	190	134	0.748	0.760	0.780
190	77	0.454	0.467	0.492					
190	78	0.459	0.473	0.497	190	135	0.753	0.765	0.785
190	79	0.465	0.478	0.503	190	136	0.758	0.769	0.789
					190	137	0.763	0.774	0.794
190	80	0.470	0.483	0.508	190	138	0.768	0.779	0.799
190	81	0.475	0.489	0.513	190	139	0.773	0.784	0.803
190	82	0.481	0.494	0.519					
190	83	0.486	0.499	0.524	190	140	0.778	0.789	0.808
190	84	0.491	0.504	0.529	190	141	0.783	0.794	0.813
					190	142	0.788	0.799	0.817
190	85	0.496	0.510	0.534	190	143	0.793	0.804	0.822
190	86	0.502	0.515	0.540	190	144	0.798	0.808	0.827
190	87	0.507	0.520	0.545					
190	88	0.512	0.525	0.550	190	145	0.803	0.813	0.831
190	89	0.518	0.531	0.555	190	146	0.808	0.818	0.836
					190	147	0.813	0.823	0.841
190	90	0.523	0.536	0.560	190	148	0.818	0.828	0.845
190	91	0.528	0.541	0.566	190	149	0.823	0.832	0.850
190	92	0.533	0.546	0.571					
190	93	0.538	0.552	0.576	190	150	0.828	0.837	0.854
190	94	0.544	0.557	0.581	190	151	0.832	0.842	0.859
					190	152	0.837	0.847	0.863
190	95	0.549	0.562	0.586	190	153	0.842	0.851	0.868
190	96	0.554	0.567	0.591	190	154	0.847	0.856	0.872
190	97	0.559	0.572	0.597					
190	98	0.565	0.578	0.602	190	155	0.852	0.861	0.877
190	99	0.570	0.583	0.607	190	156	0.857	0.865	0.881
					190	157	0.861	0.870	0.885
190	100	0.575	0.588	0.612	190	158	0.866	0.875	0.890
190	101	0.580	0.593	0.617	190	159	0.871	0.879	0.894
190	102	0.585	0.598	0.622					
190	103	0.591	0.603	0.627	190	160	0.876	0.884	0.899
190	104	0.596	0.609	0.632	190	161	0.881	0.889	0.903
					190	162	0.885	0.893	0.907
190	105	0.601	0.614	0.637	190	163	0.890	0.898	0.911
190	106	0.606	0.619	0.642	190	164	0.895	0.902	0.916
190	107	0.611	0.624	0.647					
190	108	0.616	0.629	0.652	190	165	0.899	0.907	0.920
190	109	0.622	0.634	0.657	190	166	0.904	0.911	0.924
					190	167	0.909	0.916	0.928
190	110	0.627	0.639	0.662	190	168	0.913	0.920	0.932
190	111	0.632	0.644	0.668	190	169	0.918	0.925	0.936
190	112	0.637	0.649	0.672					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
190	170	0.923	0.929	0.940	195	39	0.242	0.253	0.275
190	171	0.927	0.934	0.944	195	40	0.247	0.258	0.281
190	172	0.932	0.938	0.948	195	41	0.252	0.264	0.286
190	173	0.936	0.942	0.952	195	42	0.258	0.269	0.292
190	174	0.941	0.946	0.956	195	43	0.263	0.275	0.298
190	175	0.945	0.951	0.960	195	44	0.269	0.280	0.303
190	176	0.950	0.955	0.964	195	45	0.274	0.286	0.309
190	177	0.954	0.959	0.967	195	46	0.279	0.291	0.314
190	178	0.958	0.963	0.971	195	47	0.285	0.297	0.320
190	179	0.963	0.967	0.975	195	48	0.290	0.302	0.325
190	180	0.967	0.971	0.978	195	49	0.295	0.308	0.331
190	181	0.971	0.975	0.981	195	50	0.301	0.313	0.336
190	182	0.975	0.979	0.985	195	51	0.306	0.318	0.342
190	183	0.979	0.983	0.988	195	52	0.312	0.324	0.347
190	184	0.983	0.986	0.991	195	53	0.317	0.329	0.353
190	185	0.987	0.990	0.993	195	54	0.322	0.335	0.358
190	186	0.991	0.993	0.996	195	55	0.327	0.340	0.364
190	187	0.994	0.996	0.998	195	56	0.333	0.345	0.369
190	188	0.997	0.998	0.999	195	57	0.338	0.351	0.374
190	189	0.999	1.000	1.000	195	58	0.343	0.356	0.380
190	190	1.000	1.000	1.000	195	59	0.349	0.361	0.385
195	0	0.012	0.015	0.023	195	60	0.354	0.367	0.391
195	1	0.020	0.024	0.034	195	61	0.359	0.372	0.396
195	2	0.027	0.032	0.042	195	62	0.365	0.377	0.401
195	3	0.034	0.039	0.051	195	63	0.370	0.382	0.407
195	4	0.041	0.046	0.058	195	64	0.375	0.388	0.412
195	5	0.047	0.053	0.066	195	65	0.380	0.393	0.417
195	6	0.053	0.060	0.073	195	66	0.386	0.398	0.423
195	7	0.060	0.066	0.080	195	67	0.391	0.404	0.428
195	8	0.066	0.073	0.087	195	68	0.396	0.409	0.433
195	9	0.072	0.079	0.094	195	69	0.401	0.414	0.438
195	10	0.078	0.085	0.101	195	70	0.407	0.419	0.444
195	11	0.084	0.092	0.107	195	71	0.412	0.425	0.449
195	12	0.090	0.098	0.114	195	72	0.417	0.430	0.454
195	13	0.096	0.104	0.120	195	73	0.422	0.435	0.459
195	14	0.102	0.110	0.127	195	74	0.427	0.440	0.465
195	15	0.107	0.116	0.133	195	75	0.433	0.446	0.470
195	16	0.113	0.122	0.139	195	76	0.438	0.451	0.475
195	17	0.119	0.128	0.146	195	77	0.443	0.456	0.480
195	18	0.125	0.134	0.152	195	78	0.448	0.461	0.486
195	19	0.130	0.140	0.158	195	79	0.453	0.466	0.491
195	20	0.136	0.146	0.164	195	80	0.458	0.471	0.496
195	21	0.142	0.151	0.170	195	81	0.464	0.477	0.501
195	22	0.147	0.157	0.176	195	82	0.469	0.482	0.506
195	23	0.153	0.163	0.182	195	83	0.474	0.487	0.511
195	24	0.159	0.169	0.188	195	84	0.479	0.492	0.517
195	25	0.164	0.174	0.194	195	85	0.484	0.497	0.522
195	26	0.170	0.180	0.200	195	86	0.489	0.502	0.527
195	27	0.176	0.186	0.206	195	87	0.495	0.508	0.532
195	28	0.181	0.192	0.212	195	88	0.500	0.513	0.537
195	29	0.187	0.197	0.218	195	89	0.505	0.518	0.542
195	30	0.192	0.203	0.224	195	90	0.510	0.523	0.547
195	31	0.198	0.208	0.229	195	91	0.515	0.528	0.552
195	32	0.203	0.214	0.235	195	92	0.520	0.533	0.557
195	33	0.209	0.220	0.241	195	93	0.525	0.538	0.562
195	34	0.214	0.225	0.247	195	94	0.530	0.543	0.567
195	35	0.220	0.231	0.252	195	95	0.536	0.548	0.573
195	36	0.225	0.236	0.258	195	96	0.541	0.554	0.578
195	37	0.231	0.242	0.264	195	97	0.546	0.559	0.583
195	38	0.236	0.247	0.269	195	98	0.551	0.564	0.588

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
195	99	0.556	0.569	0.593	195	155	0.832	0.841	0.858
195	100	0.561	0.574	0.598	195	156	0.837	0.846	0.862
195	101	0.566	0.579	0.603	195	157	0.842	0.851	0.867
195	102	0.571	0.584	0.608	195	158	0.846	0.855	0.871
195	103	0.576	0.589	0.613	195	159	0.851	0.860	0.876
195	104	0.581	0.594	0.618	195	160	0.856	0.864	0.880
195	105	0.586	0.599	0.623	195	161	0.860	0.869	0.884
195	106	0.591	0.604	0.627	195	162	0.865	0.873	0.888
195	107	0.596	0.609	0.632	195	163	0.870	0.878	0.893
195	108	0.601	0.614	0.637	195	164	0.874	0.883	0.897
195	109	0.606	0.619	0.642	195	165	0.879	0.887	0.901
195	110	0.612	0.624	0.647	195	166	0.884	0.892	0.905
195	111	0.617	0.629	0.652	195	167	0.888	0.896	0.910
195	112	0.622	0.634	0.657	195	168	0.893	0.900	0.914
195	113	0.627	0.639	0.662	195	169	0.897	0.905	0.918
195	114	0.632	0.644	0.667	195	170	0.902	0.909	0.922
195	115	0.637	0.649	0.672	195	171	0.907	0.914	0.926
195	116	0.642	0.654	0.677	195	172	0.911	0.918	0.930
195	117	0.647	0.659	0.681	195	173	0.916	0.922	0.934
195	118	0.652	0.664	0.686	195	174	0.920	0.927	0.938
195	119	0.657	0.669	0.691	195	175	0.925	0.931	0.942
195	120	0.662	0.674	0.696	195	176	0.929	0.935	0.946
195	121	0.667	0.679	0.701	195	177	0.934	0.939	0.950
195	122	0.671	0.683	0.706	195	178	0.938	0.944	0.954
195	123	0.676	0.688	0.710	195	179	0.942	0.948	0.957
195	124	0.681	0.693	0.715	195	180	0.947	0.952	0.961
195	125	0.686	0.698	0.720	195	181	0.951	0.956	0.965
195	126	0.691	0.703	0.725	195	182	0.955	0.960	0.968
195	127	0.696	0.708	0.729	195	183	0.960	0.964	0.972
195	128	0.701	0.713	0.734	195	184	0.964	0.968	0.975
195	129	0.706	0.718	0.739	195	185	0.968	0.972	0.979
195	130	0.711	0.723	0.744	195	186	0.972	0.976	0.982
195	131	0.716	0.727	0.748	195	187	0.976	0.979	0.985
195	132	0.721	0.732	0.753	195	188	0.980	0.983	0.988
195	133	0.726	0.737	0.758	195	189	0.984	0.987	0.991
195	134	0.731	0.742	0.762	195	190	0.987	0.990	0.993
195	135	0.736	0.747	0.767	195	191	0.991	0.993	0.996
195	136	0.740	0.752	0.772	195	192	0.994	0.996	0.998
195	137	0.745	0.756	0.776	195	193	0.997	0.998	0.999
195	138	0.750	0.761	0.781	195	194	0.999	1.000	1.000
195	139	0.755	0.766	0.786	195	195	1.000	1.000	1.000
195	140	0.760	0.771	0.790					
195	141	0.765	0.776	0.795					
195	142	0.770	0.780	0.800					
195	143	0.775	0.785	0.804					
195	144	0.779	0.790	0.809					
195	145	0.784	0.795	0.813					
195	146	0.789	0.799	0.818					
195	147	0.794	0.804	0.822					
195	148	0.799	0.809	0.827					
195	149	0.803	0.813	0.831					
195	150	0.808	0.818	0.836					
195	151	0.813	0.823	0.840					
195	152	0.818	0.827	0.845					
195	153	0.823	0.832	0.849					
195	154	0.827	0.837	0.854					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
200	0	0.0114	0.0149	0.0228	200	60	0.3454	0.3578	0.3814
200	1	0.0193	0.0235	0.0327	200	61	0.3506	0.3630	0.3866
200	2	0.0264	0.0311	0.0414	200	62	0.3557	0.3682	0.3919
200	3	0.0331	0.0383	0.0493	200	63	0.3609	0.3733	0.3971
200	4	0.0396	0.0452	0.0569	200	64	0.3660	0.3785	0.4023
200	5	0.0459	0.0518	0.0642	200	65	0.3711	0.3837	0.4075
200	6	0.0521	0.0583	0.0713	200	66	0.3763	0.3888	0.4127
200	7	0.0582	0.0647	0.0782	200	67	0.3814	0.3940	0.4179
200	8	0.0642	0.0710	0.0850	200	68	0.3865	0.3991	0.4230
200	9	0.0701	0.0772	0.0916	200	69	0.3916	0.4043	0.4282
200	10	0.0760	0.0833	0.0982	200	70	0.3967	0.4094	0.4334
200	11	0.0818	0.0894	0.1046	200	71	0.4018	0.4145	0.4385
200	12	0.0876	0.0954	0.1110	200	72	0.4069	0.4196	0.4437
200	13	0.0934	0.1014	0.1173	200	73	0.4120	0.4247	0.4488
200	14	0.0991	0.1073	0.1236	200	74	0.4171	0.4298	0.4539
200	15	0.1048	0.1131	0.1298	200	75	0.4222	0.4349	0.4590
200	16	0.1104	0.1190	0.1359	200	76	0.4272	0.4400	0.4641
200	17	0.1161	0.1248	0.1420	200	77	0.4323	0.4451	0.4692
200	18	0.1217	0.1305	0.1481	200	78	0.4374	0.4502	0.4743
200	19	0.1273	0.1363	0.1541	200	79	0.4424	0.4553	0.4794
200	20	0.1328	0.1420	0.1601	200	80	0.4475	0.4603	0.4844
200	21	0.1384	0.1477	0.1660	200	81	0.4525	0.4654	0.4895
200	22	0.1439	0.1533	0.1719	200	82	0.4576	0.4704	0.4945
200	23	0.1494	0.1590	0.1778	200	83	0.4626	0.4755	0.4996
200	24	0.1549	0.1646	0.1836	200	84	0.4677	0.4805	0.5046
200	25	0.1603	0.1702	0.1895	200	85	0.4727	0.4855	0.5097
200	26	0.1658	0.1758	0.1952	200	86	0.4777	0.4906	0.5147
200	27	0.1713	0.1813	0.2010	200	87	0.4827	0.4956	0.5197
200	28	0.1767	0.1869	0.2067	200	88	0.4878	0.5006	0.5247
200	29	0.1821	0.1924	0.2125	200	89	0.4928	0.5056	0.5297
200	30	0.1875	0.1979	0.2182	200	90	0.4978	0.5106	0.5347
200	31	0.1929	0.2034	0.2238	200	91	0.5028	0.5156	0.5396
200	32	0.1983	0.2089	0.2295	200	92	0.5078	0.5206	0.5446
200	33	0.2037	0.2143	0.2351	200	93	0.5128	0.5256	0.5496
200	34	0.2090	0.2198	0.2407	200	94	0.5178	0.5306	0.5545
200	35	0.2143	0.2252	0.2463	200	95	0.5228	0.5356	0.5595
200	36	0.2197	0.2307	0.2519	200	96	0.5278	0.5405	0.5644
200	37	0.2250	0.2361	0.2575	200	97	0.5327	0.5455	0.5693
200	38	0.2303	0.2415	0.2630	200	98	0.5377	0.5505	0.5742
200	39	0.2356	0.2469	0.2685	200	99	0.5427	0.5554	0.5791
200	40	0.2410	0.2523	0.2740	200	100	0.5476	0.5604	0.5841
200	41	0.2462	0.2576	0.2795	200	101	0.5526	0.5653	0.5889
200	42	0.2515	0.2630	0.2850	200	102	0.5576	0.5702	0.5938
200	43	0.2568	0.2683	0.2905	200	103	0.5625	0.5752	0.5987
200	44	0.2621	0.2737	0.2959	200	104	0.5675	0.5801	0.6036
200	45	0.2673	0.2790	0.3013	200	105	0.5724	0.5850	0.6084
200	46	0.2726	0.2843	0.3068	200	106	0.5773	0.5899	0.6133
200	47	0.2778	0.2896	0.3122	200	107	0.5823	0.5948	0.6181
200	48	0.2831	0.2949	0.3176	200	108	0.5872	0.5997	0.6230
200	49	0.2883	0.3002	0.3229	200	109	0.5921	0.6046	0.6278
200	50	0.2935	0.3055	0.3283	200	110	0.5970	0.6095	0.6326
200	51	0.2987	0.3107	0.3337	200	111	0.6020	0.6144	0.6374
200	52	0.3039	0.3160	0.3390	200	112	0.6069	0.6193	0.6422
200	53	0.3092	0.3213	0.3444	200	113	0.6118	0.6241	0.6470
200	54	0.3144	0.3265	0.3497	200	114	0.6167	0.6290	0.6518
200	55	0.3195	0.3317	0.3550	200	115	0.6216	0.6339	0.6566
200	56	0.3247	0.3370	0.3603	200	116	0.6265	0.6387	0.6614
200	57	0.3299	0.3422	0.3656	200	117	0.6313	0.6436	0.6661
200	58	0.3351	0.3474	0.3708	200	118	0.6362	0.6484	0.6709
200	59	0.3402	0.3526	0.3761	200	119	0.6411	0.6533	0.6757

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
200	120	0.6460	0.6581	0.6804	200	175	0.9045	0.9116	0.9239
200	121	0.6508	0.6629	0.6851	200	176	0.9089	0.9159	0.9279
200	122	0.6557	0.6677	0.6898	200	177	0.9134	0.9201	0.9318
200	123	0.6606	0.6725	0.6945	200	178	0.9178	0.9244	0.9358
200	124	0.6654	0.6773	0.6992	200	179	0.9222	0.9286	0.9396
200	125	0.6703	0.6821	0.7039	200	180	0.9265	0.9327	0.9434
200	126	0.6751	0.6869	0.7086	200	181	0.9309	0.9369	0.9472
200	127	0.6800	0.6917	0.7133	200	182	0.9352	0.9410	0.9510
200	128	0.6848	0.6965	0.7180	200	183	0.9395	0.9451	0.9547
200	129	0.6896	0.7013	0.7226	200	184	0.9438	0.9492	0.9584
200	130	0.6944	0.7060	0.7273	200	185	0.9480	0.9532	0.9620
200	131	0.6993	0.7108	0.7319	200	186	0.9522	0.9572	0.9655
200	132	0.7041	0.7155	0.7365	200	187	0.9564	0.9611	0.9690
200	133	0.7089	0.7203	0.7411	200	188	0.9605	0.9650	0.9725
200	134	0.7137	0.7250	0.7458	200	189	0.9646	0.9689	0.9758
200	135	0.7185	0.7297	0.7504	200	190	0.9687	0.9726	0.9791
200	136	0.7233	0.7345	0.7550	200	191	0.9727	0.9763	0.9823
200	137	0.7281	0.7392	0.7595	200	192	0.9766	0.9799	0.9853
200	138	0.7328	0.7439	0.7641	200	193	0.9804	0.9835	0.9882
200	139	0.7376	0.7486	0.7687	200	194	0.9842	0.9869	0.9910
200	140	0.7424	0.7533	0.7732	200	195	0.9878	0.9901	0.9936
200	141	0.7471	0.7580	0.7778	200	196	0.9912	0.9931	0.9959
200	142	0.7519	0.7627	0.7823	200	197	0.9945	0.9959	0.9978
200	143	0.7566	0.7673	0.7868	200	198	0.9973	0.9982	0.9993
200	144	0.7614	0.7720	0.7913	200	199	0.9995	0.9997	0.9999
200	145	0.7661	0.7767	0.7958	200	200	1.0000	1.0000	1.0000
200	146	0.7709	0.7813	0.8003					
200	147	0.7756	0.7860	0.8048					
200	148	0.7803	0.7906	0.8092					
200	149	0.7850	0.7952	0.8137					
200	150	0.7897	0.7998	0.8181					
200	151	0.7944	0.8044	0.8225					
200	152	0.7991	0.8090	0.8269					
200	153	0.8038	0.8136	0.8313					
200	154	0.8085	0.8182	0.8357					
200	155	0.8131	0.8228	0.8401					
200	156	0.8178	0.8273	0.8444					
200	157	0.8224	0.8319	0.8488					
200	158	0.8271	0.8364	0.8531					
200	159	0.8317	0.8409	0.8574					
200	160	0.8363	0.8455	0.8617					
200	161	0.8410	0.8500	0.8660					
200	162	0.8456	0.8544	0.8703					
200	163	0.8502	0.8589	0.8745					
200	164	0.8548	0.8634	0.8788					
200	165	0.8594	0.8679	0.8830					
200	166	0.8639	0.8723	0.8872					
200	167	0.8685	0.8767	0.8913					
200	168	0.8730	0.8811	0.8955					
200	169	0.8776	0.8855	0.8996					
200	170	0.8821	0.8899	0.9037					
200	171	0.8866	0.8943	0.9078					
200	172	0.8911	0.8986	0.9119					
200	173	0.8956	0.9030	0.9159					
200	174	0.9000	0.9073	0.9200					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	0	0.0046	0.0060	0.0092	500	54	0.1280	0.1336	0.1445
500	1	0.0078	0.0095	0.0132	500	55	0.1301	0.1358	0.1467
500	2	0.0106	0.0125	0.0167	500	56	0.1322	0.1379	0.1489
500	3	0.0133	0.0154	0.0199	500	57	0.1344	0.1401	0.1512
500	4	0.0159	0.0182	0.0230	500	58	0.1365	0.1423	0.1534
500	5	0.0185	0.0209	0.0260	500	59	0.1386	0.1444	0.1556
500	6	0.0210	0.0235	0.0289	500	60	0.1408	0.1466	0.1579
500	7	0.0234	0.0261	0.0317	500	61	0.1429	0.1488	0.1601
500	8	0.0259	0.0287	0.0345	500	62	0.1450	0.1509	0.1623
500	9	0.0283	0.0312	0.0372	500	63	0.1471	0.1531	0.1645
500	10	0.0306	0.0337	0.0399	500	64	0.1493	0.1552	0.1667
500	11	0.0330	0.0362	0.0425	500	65	0.1514	0.1574	0.1690
500	12	0.0354	0.0386	0.0451	500	66	0.1535	0.1595	0.1712
500	13	0.0377	0.0410	0.0477	500	67	0.1556	0.1617	0.1734
500	14	0.0400	0.0434	0.0503	500	68	0.1577	0.1638	0.1756
500	15	0.0423	0.0458	0.0529	500	69	0.1598	0.1660	0.1778
500	16	0.0446	0.0482	0.0554	500	70	0.1620	0.1681	0.1800
500	17	0.0469	0.0506	0.0579	500	71	0.1641	0.1702	0.1822
500	18	0.0492	0.0529	0.0604	500	72	0.1662	0.1724	0.1844
500	19	0.0514	0.0553	0.0629	500	73	0.1683	0.1745	0.1866
500	20	0.0537	0.0576	0.0653	500	74	0.1704	0.1767	0.1887
500	21	0.0560	0.0599	0.0678	500	75	0.1725	0.1788	0.1909
500	22	0.0582	0.0622	0.0702	500	76	0.1746	0.1809	0.1931
500	23	0.0604	0.0645	0.0727	500	77	0.1767	0.1831	0.1953
500	24	0.0627	0.0668	0.0751	500	78	0.1788	0.1852	0.1975
500	25	0.0649	0.0691	0.0775	500	79	0.1809	0.1873	0.1997
500	26	0.0671	0.0714	0.0799	500	80	0.1830	0.1895	0.2018
500	27	0.0694	0.0737	0.0823	500	81	0.1851	0.1916	0.2040
500	28	0.0716	0.0760	0.0847	500	82	0.1872	0.1937	0.2062
500	29	0.0738	0.0782	0.0870	500	83	0.1893	0.1958	0.2083
500	30	0.0760	0.0805	0.0894	500	84	0.1914	0.1979	0.2105
500	31	0.0782	0.0828	0.0918	500	85	0.1935	0.2001	0.2127
500	32	0.0804	0.0850	0.0941	500	86	0.1956	0.2022	0.2148
500	33	0.0826	0.0873	0.0964	500	87	0.1977	0.2043	0.2170
500	34	0.0848	0.0895	0.0988	500	88	0.1998	0.2064	0.2192
500	35	0.0870	0.0917	0.1011	500	89	0.2019	0.2085	0.2213
500	36	0.0891	0.0940	0.1034	500	90	0.2040	0.2107	0.2235
500	37	0.0913	0.0962	0.1058	500	91	0.2060	0.2128	0.2256
500	38	0.0935	0.0984	0.1081	500	92	0.2081	0.2149	0.2278
500	39	0.0957	0.1006	0.1104	500	93	0.2102	0.2170	0.2299
500	40	0.0978	0.1029	0.1127	500	94	0.2123	0.2191	0.2321
500	41	0.1000	0.1051	0.1150	500	95	0.2144	0.2212	0.2342
500	42	0.1022	0.1073	0.1173	500	96	0.2165	0.2233	0.2364
500	43	0.1043	0.1095	0.1196	500	97	0.2186	0.2254	0.2385
500	44	0.1065	0.1117	0.1219	500	98	0.2206	0.2275	0.2407
500	45	0.1087	0.1139	0.1241	500	99	0.2227	0.2296	0.2428
500	46	0.1108	0.1161	0.1264	500	100	0.2248	0.2317	0.2449
500	47	0.1130	0.1183	0.1287	500	101	0.2269	0.2338	0.2471
500	48	0.1151	0.1205	0.1310	500	102	0.2290	0.2359	0.2492
500	49	0.1173	0.1227	0.1332	500	103	0.2310	0.2380	0.2514
500	50	0.1194	0.1249	0.1355	500	104	0.2331	0.2401	0.2535
500	51	0.1216	0.1271	0.1377	500	105	0.2352	0.2422	0.2556
500	52	0.1237	0.1292	0.1400	500	106	0.2373	0.2443	0.2577
500	53	0.1258	0.1314	0.1422					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	107	0.2393	0.2464	0.2599	500	161	0.3503	0.3581	0.3729
500	108	0.2414	0.2485	0.2620	500	162	0.3523	0.3601	0.3750
500	109	0.2435	0.2506	0.2641	500	163	0.3543	0.3622	0.3770
					500	164	0.3564	0.3642	0.3791
500	110	0.2456	0.2527	0.2663					
500	111	0.2476	0.2548	0.2684	500	165	0.3584	0.3663	0.3811
500	112	0.2497	0.2568	0.2705	500	166	0.3605	0.3683	0.3832
500	113	0.2518	0.2589	0.2726	500	167	0.3625	0.3704	0.3852
500	114	0.2538	0.2610	0.2747	500	168	0.3645	0.3724	0.3873
					500	169	0.3666	0.3744	0.3894
500	115	0.2559	0.2631	0.2768					
500	116	0.2580	0.2652	0.2790	500	170	0.3686	0.3765	0.3914
500	117	0.2600	0.2673	0.2811	500	171	0.3706	0.3785	0.3935
500	118	0.2621	0.2694	0.2832	500	172	0.3727	0.3806	0.3955
500	119	0.2642	0.2714	0.2853	500	173	0.3747	0.3826	0.3976
					500	174	0.3767	0.3847	0.3996
500	120	0.2662	0.2735	0.2874					
500	121	0.2683	0.2756	0.2895	500	175	0.3787	0.3867	0.4017
500	122	0.2703	0.2777	0.2916	500	176	0.3808	0.3887	0.4037
500	123	0.2724	0.2798	0.2937	500	177	0.3828	0.3908	0.4058
500	124	0.2745	0.2818	0.2958	500	178	0.3848	0.3928	0.4078
					500	179	0.3869	0.3948	0.4099
500	125	0.2765	0.2839	0.2980					
500	126	0.2786	0.2860	0.3000	500	180	0.3889	0.3969	0.4119
500	127	0.2806	0.2881	0.3021	500	181	0.3909	0.3989	0.4139
500	128	0.2827	0.2901	0.3043	500	182	0.3929	0.4009	0.4160
500	129	0.2848	0.2922	0.3063	500	183	0.3950	0.4030	0.4180
					500	184	0.3970	0.4050	0.4201
500	130	0.2868	0.2943	0.3084					
500	131	0.2889	0.2963	0.3105	500	185	0.3990	0.4070	0.4221
500	132	0.2909	0.2984	0.3126	500	186	0.4010	0.4090	0.4242
500	133	0.2930	0.3005	0.3147	500	187	0.4031	0.4111	0.4262
500	134	0.2951	0.3026	0.3168	500	188	0.4051	0.4131	0.4282
					500	189	0.4071	0.4151	0.4303
500	135	0.2971	0.3046	0.3189					
500	136	0.2992	0.3067	0.3210	500	190	0.4091	0.4172	0.4323
500	137	0.3012	0.3088	0.3231	500	191	0.4112	0.4192	0.4343
500	138	0.3033	0.3108	0.3252	500	192	0.4132	0.4212	0.4364
500	139	0.3053	0.3129	0.3273	500	193	0.4152	0.4232	0.4384
					500	194	0.4172	0.4253	0.4404
500	140	0.3074	0.3149	0.3294					
500	141	0.3094	0.3170	0.3314	500	195	0.4192	0.4273	0.4425
500	142	0.3115	0.3191	0.3335	500	196	0.4213	0.4293	0.4445
500	143	0.3135	0.3211	0.3356	500	197	0.4233	0.4313	0.4465
500	144	0.3155	0.3232	0.3377	500	198	0.4253	0.4334	0.4486
					500	199	0.4273	0.4354	0.4506
500	145	0.3176	0.3252	0.3398					
500	146	0.3196	0.3273	0.3418	500	200	0.4293	0.4374	0.4526
500	147	0.3217	0.3294	0.3439	500	201	0.4314	0.4394	0.4546
500	148	0.3237	0.3314	0.3460	500	202	0.4334	0.4414	0.4567
500	149	0.3258	0.3335	0.3481	500	203	0.4354	0.4435	0.4587
					500	204	0.4374	0.4455	0.4607
500	150	0.3278	0.3355	0.3502					
500	151	0.3299	0.3376	0.3522	500	205	0.4394	0.4475	0.4627
500	152	0.3319	0.3396	0.3543	500	206	0.4414	0.4495	0.4647
500	153	0.3340	0.3417	0.3564	500	207	0.4434	0.4515	0.4668
500	154	0.3360	0.3437	0.3584	500	208	0.4455	0.4536	0.4688
					500	209	0.4475	0.4556	0.4708
500	155	0.3380	0.3458	0.3605					
500	156	0.3401	0.3478	0.3626	500	210	0.4495	0.4576	0.4728
500	157	0.3421	0.3499	0.3646	500	211	0.4515	0.4596	0.4748
500	158	0.3442	0.3520	0.3667	500	212	0.4535	0.4616	0.4769
500	159	0.3462	0.3540	0.3688	500	213	0.4555	0.4636	0.4789
					500	214	0.4575	0.4656	0.4809
500	160	0.3482	0.3560	0.3708					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	215	0.4595	0.4677	0.4829	500	269	0.5674	0.5754	0.5904
500	216	0.4616	0.4697	0.4849	500	270	0.5694	0.5774	0.5924
500	217	0.4636	0.4717	0.4869	500	271	0.5714	0.5794	0.5943
500	218	0.4656	0.4737	0.4889	500	272	0.5734	0.5814	0.5963
500	219	0.4676	0.4757	0.4909	500	273	0.5754	0.5834	0.5983
500	220	0.4696	0.4777	0.4930	500	274	0.5773	0.5853	0.6002
500	221	0.4716	0.4797	0.4950	500	275	0.5793	0.5873	0.6021
500	222	0.4736	0.4817	0.4970	500	276	0.5813	0.5893	0.6041
500	223	0.4756	0.4837	0.4990	500	277	0.5833	0.5913	0.6061
500	224	0.4776	0.4857	0.5010	500	278	0.5853	0.5932	0.6081
500	225	0.4796	0.4877	0.5030	500	279	0.5873	0.5952	0.6100
500	226	0.4816	0.4898	0.5050	500	280	0.5892	0.5972	0.6120
500	227	0.4836	0.4918	0.5070	500	281	0.5912	0.5991	0.6139
500	228	0.4856	0.4938	0.5090	500	282	0.5932	0.6011	0.6159
500	229	0.4876	0.4958	0.5110	500	283	0.5952	0.6031	0.6179
500	230	0.4896	0.4978	0.5130	500	284	0.5971	0.6051	0.6198
500	231	0.4916	0.4998	0.5150	500	285	0.5991	0.6070	0.6218
500	232	0.4936	0.5018	0.5170	500	286	0.6011	0.6090	0.6237
500	233	0.4956	0.5038	0.5190	500	287	0.6031	0.6110	0.6257
500	234	0.4977	0.5058	0.5210	500	288	0.6051	0.6130	0.6276
500	235	0.4997	0.5078	0.5230	500	289	0.6070	0.6149	0.6296
500	236	0.5017	0.5098	0.5250	500	290	0.6090	0.6169	0.6316
500	237	0.5037	0.5118	0.5270	500	291	0.6110	0.6189	0.6335
500	238	0.5057	0.5138	0.5290	500	292	0.6130	0.6208	0.6355
500	239	0.5077	0.5158	0.5310	500	293	0.6149	0.6228	0.6374
500	240	0.5097	0.5178	0.5330	500	294	0.6169	0.6247	0.6393
500	241	0.5117	0.5198	0.5350	500	295	0.6189	0.6267	0.6413
500	242	0.5136	0.5218	0.5369	500	296	0.6209	0.6287	0.6432
500	243	0.5156	0.5238	0.5389	500	297	0.6228	0.6306	0.6452
500	244	0.5176	0.5257	0.5409	500	298	0.6248	0.6326	0.6471
500	245	0.5196	0.5277	0.5429	500	299	0.6268	0.6346	0.6491
500	246	0.5216	0.5297	0.5449	500	300	0.6287	0.6365	0.6510
500	247	0.5236	0.5317	0.5469	500	301	0.6307	0.6385	0.6529
500	248	0.5256	0.5337	0.5489	500	302	0.6327	0.6404	0.6549
500	249	0.5276	0.5357	0.5509	500	303	0.6347	0.6424	0.6568
500	250	0.5296	0.5377	0.5529	500	304	0.6366	0.6444	0.6588
500	251	0.5316	0.5397	0.5548	500	305	0.6386	0.6463	0.6607
500	252	0.5336	0.5417	0.5568	500	306	0.6406	0.6483	0.6626
500	253	0.5356	0.5437	0.5588	500	307	0.6425	0.6502	0.6646
500	254	0.5376	0.5457	0.5608	500	308	0.6445	0.6522	0.6665
500	255	0.5396	0.5477	0.5628	500	309	0.6465	0.6542	0.6684
500	256	0.5416	0.5496	0.5648	500	310	0.6484	0.6561	0.6704
500	257	0.5436	0.5516	0.5667	500	311	0.6504	0.6581	0.6723
500	258	0.5456	0.5536	0.5687	500	312	0.6524	0.6600	0.6742
500	259	0.5475	0.5556	0.5707	500	313	0.6543	0.6620	0.6762
500	260	0.5495	0.5576	0.5727	500	314	0.6563	0.6639	0.6781
500	261	0.5515	0.5596	0.5746	500	315	0.6582	0.6659	0.6800
500	262	0.5535	0.5616	0.5766	500	316	0.6602	0.6678	0.6819
500	263	0.5555	0.5635	0.5786	500	317	0.6622	0.6698	0.6839
500	264	0.5575	0.5655	0.5805	500	318	0.6641	0.6717	0.6858
500	265	0.5595	0.5675	0.5825	500	319	0.6661	0.6737	0.6877
500	266	0.5615	0.5695	0.5845	500	320	0.6681	0.6756	0.6896
500	267	0.5635	0.5715	0.5865	500	321	0.6700	0.6776	0.6916
500	268	0.5654	0.5734	0.5884					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	322	0.6720	0.6795	0.6935	500	376	0.7770	0.7836	0.7958
500	323	0.6739	0.6815	0.6954	500	377	0.7789	0.7855	0.7976
500	324	0.6759	0.6834	0.6973	500	378	0.7808	0.7874	0.7995
500	325	0.6778	0.6854	0.6993	500	379	0.7828	0.7893	0.8014
500	326	0.6798	0.6873	0.7012	500	380	0.7847	0.7912	0.8032
500	327	0.6818	0.6892	0.7031	500	381	0.7866	0.7931	0.8051
500	328	0.6837	0.6912	0.7050	500	382	0.7885	0.7950	0.8069
500	329	0.6857	0.6931	0.7069	500	383	0.7904	0.7969	0.8088
500	330	0.6876	0.6951	0.7088	500	384	0.7924	0.7988	0.8106
500	331	0.6896	0.6970	0.7107	500	385	0.7943	0.8007	0.8125
500	332	0.6916	0.6990	0.7127	500	386	0.7962	0.8026	0.8143
500	333	0.6935	0.7009	0.7146	500	387	0.7981	0.8045	0.8162
500	334	0.6955	0.7028	0.7165	500	388	0.8000	0.8064	0.8180
500	335	0.6974	0.7048	0.7184	500	389	0.8020	0.8083	0.8199
500	336	0.6994	0.7067	0.7203	500	390	0.8039	0.8102	0.8217
500	337	0.7013	0.7086	0.7222	500	391	0.8058	0.8121	0.8236
500	338	0.7033	0.7106	0.7241	500	392	0.8077	0.8140	0.8254
500	339	0.7052	0.7125	0.7260	500	393	0.8096	0.8158	0.8272
500	340	0.7072	0.7145	0.7279	500	394	0.8115	0.8177	0.8291
500	341	0.7091	0.7164	0.7298	500	395	0.8135	0.8196	0.8309
500	342	0.7111	0.7183	0.7317	500	396	0.8154	0.8215	0.8328
500	343	0.7130	0.7203	0.7336	500	397	0.8173	0.8234	0.8346
500	344	0.7150	0.7222	0.7355	500	398	0.8192	0.8253	0.8364
500	345	0.7169	0.7241	0.7374	500	399	0.8211	0.8272	0.8382
500	346	0.7188	0.7261	0.7393	500	400	0.8230	0.8290	0.8401
500	347	0.7208	0.7280	0.7412	500	401	0.8249	0.8309	0.8419
500	348	0.7227	0.7299	0.7431	500	402	0.8268	0.8328	0.8437
500	349	0.7247	0.7318	0.7450	500	403	0.8287	0.8347	0.8456
500	350	0.7266	0.7338	0.7469	500	404	0.8306	0.8366	0.8474
500	351	0.7286	0.7357	0.7488	500	405	0.8325	0.8384	0.8492
500	352	0.7305	0.7376	0.7507	500	406	0.8344	0.8403	0.8510
500	353	0.7325	0.7395	0.7526	500	407	0.8363	0.8422	0.8528
500	354	0.7344	0.7415	0.7545	500	408	0.8382	0.8441	0.8547
500	355	0.7364	0.7434	0.7564	500	409	0.8401	0.8459	0.8565
500	356	0.7383	0.7453	0.7582	500	410	0.8420	0.8478	0.8583
500	357	0.7402	0.7472	0.7602	500	411	0.8439	0.8497	0.8601
500	358	0.7422	0.7492	0.7620	500	412	0.8458	0.8515	0.8619
500	359	0.7441	0.7511	0.7639	500	413	0.8477	0.8534	0.8637
500	360	0.7460	0.7530	0.7658	500	414	0.8496	0.8553	0.8655
500	361	0.7480	0.7549	0.7677	500	415	0.8515	0.8571	0.8673
500	362	0.7499	0.7568	0.7696	500	416	0.8534	0.8590	0.8691
500	363	0.7519	0.7588	0.7714	500	417	0.8553	0.8608	0.8709
500	364	0.7538	0.7607	0.7733	500	418	0.8572	0.8627	0.8727
500	365	0.7557	0.7626	0.7752	500	419	0.8591	0.8646	0.8745
500	366	0.7577	0.7645	0.7771	500	420	0.8610	0.8664	0.8763
500	367	0.7596	0.7664	0.7790	500	421	0.8629	0.8683	0.8781
500	368	0.7615	0.7683	0.7808	500	422	0.8647	0.8701	0.8799
500	369	0.7635	0.7702	0.7827	500	423	0.8666	0.8720	0.8817
500	370	0.7654	0.7721	0.7846	500	424	0.8685	0.8738	0.8834
500	371	0.7673	0.7741	0.7864	500	425	0.8704	0.8757	0.8852
500	372	0.7693	0.7760	0.7883	500	426	0.8723	0.8775	0.8870
500	373	0.7712	0.7779	0.7902	500	427	0.8742	0.8794	0.8888
500	374	0.7731	0.7798	0.7920	500	428	0.8760	0.8812	0.8906
500	375	0.7750	0.7817	0.7939	500	429	0.8779	0.8830	0.8923

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
500	430	0.8798	0.8849	0.8941	500	484	0.9776	0.9798	0.9835
500	431	0.8817	0.8867	0.8959	500	485	0.9793	0.9814	0.9849
500	432	0.8835	0.8886	0.8976	500	486	0.9810	0.9830	0.9863
500	433	0.8854	0.8904	0.8994	500	487	0.9826	0.9846	0.9877
500	434	0.8873	0.8922	0.9012	500	488	0.9843	0.9861	0.9891
500	435	0.8892	0.8941	0.9029	500	489	0.9859	0.9876	0.9904
500	436	0.8910	0.8959	0.9047	500	490	0.9875	0.9891	0.9917
500	437	0.8929	0.8977	0.9064	500	491	0.9891	0.9906	0.9930
500	438	0.8947	0.8995	0.9082	500	492	0.9907	0.9920	0.9942
500	439	0.8966	0.9014	0.9099	500	493	0.9922	0.9934	0.9953
500	440	0.8985	0.9032	0.9117	500	494	0.9937	0.9948	0.9964
500	441	0.9003	0.9050	0.9134	500	495	0.9951	0.9961	0.9974
500	442	0.9022	0.9068	0.9151	500	496	0.9965	0.9973	0.9983
500	443	0.9040	0.9086	0.9169	500	497	0.9978	0.9984	0.9991
500	444	0.9059	0.9104	0.9186	500	498	0.9989	0.9993	0.9997
500	445	0.9077	0.9123	0.9203	500	499	0.9998	0.9999	1.0000
500	446	0.9096	0.9141	0.9221	500	500	1.0000	1.0000	1.0000
500	447	0.9114	0.9159	0.9238					
500	448	0.9133	0.9177	0.9255					
500	449	0.9151	0.9195	0.9272					
500	450	0.9170	0.9213	0.9289					
500	451	0.9188	0.9231	0.9306					
500	452	0.9207	0.9248	0.9323					
500	453	0.9225	0.9266	0.9340					
500	454	0.9243	0.9284	0.9357					
500	455	0.9262	0.9302	0.9374					
500	456	0.9280	0.9320	0.9391					
500	457	0.9298	0.9338	0.9408					
500	458	0.9316	0.9355	0.9424					
500	459	0.9335	0.9373	0.9441					
500	460	0.9353	0.9391	0.9458					
500	461	0.9371	0.9408	0.9474					
500	462	0.9389	0.9426	0.9491					
500	463	0.9407	0.9443	0.9508					
500	464	0.9425	0.9461	0.9524					
500	465	0.9443	0.9478	0.9540					
500	466	0.9461	0.9496	0.9557					
500	467	0.9479	0.9513	0.9573					
500	468	0.9497	0.9530	0.9589					
500	469	0.9515	0.9548	0.9605					
500	470	0.9533	0.9565	0.9621					
500	471	0.9550	0.9582	0.9637					
500	472	0.9568	0.9599	0.9653					
500	473	0.9586	0.9616	0.9669					
500	474	0.9604	0.9633	0.9685					
500	475	0.9621	0.9650	0.9700					
500	476	0.9639	0.9667	0.9716					
500	477	0.9656	0.9684	0.9731					
500	478	0.9674	0.9700	0.9746					
500	479	0.9691	0.9717	0.9762					
500	480	0.9708	0.9733	0.9777					
500	481	0.9725	0.9750	0.9791					
500	482	0.9742	0.9766	0.9806					
500	483	0.9759	0.9782	0.9821					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	0	0.0023	0.0030	0.0046	1000	54	0.0643	0.0673	0.0730
1000	1	0.0039	0.0047	0.0066	1000	55	0.0654	0.0684	0.0741
1000	2	0.0053	0.0063	0.0084	1000	56	0.0665	0.0695	0.0753
1000	3	0.0067	0.0077	0.0100	1000	57	0.0676	0.0706	0.0764
1000	4	0.0080	0.0091	0.0116	1000	58	0.0686	0.0717	0.0775
1000	5	0.0093	0.0105	0.0131	1000	59	0.0697	0.0728	0.0787
1000	6	0.0105	0.0118	0.0145	1000	60	0.0708	0.0738	0.0798
1000	7	0.0117	0.0131	0.0159	1000	61	0.0719	0.0749	0.0809
1000	8	0.0130	0.0144	0.0173	1000	62	0.0729	0.0760	0.0820
1000	9	0.0142	0.0157	0.0187	1000	63	0.0740	0.0771	0.0832
1000	10	0.0154	0.0169	0.0200	1000	64	0.0751	0.0782	0.0843
1000	11	0.0166	0.0181	0.0214	1000	65	0.0762	0.0793	0.0854
1000	12	0.0177	0.0194	0.0227	1000	66	0.0772	0.0804	0.0865
1000	13	0.0189	0.0206	0.0240	1000	67	0.0783	0.0815	0.0877
1000	14	0.0201	0.0218	0.0253	1000	68	0.0794	0.0826	0.0888
1000	15	0.0212	0.0230	0.0266	1000	69	0.0804	0.0837	0.0899
1000	16	0.0224	0.0242	0.0279	1000	70	0.0815	0.0847	0.0910
1000	17	0.0235	0.0254	0.0291	1000	71	0.0826	0.0858	0.0922
1000	18	0.0247	0.0266	0.0304	1000	72	0.0836	0.0869	0.0933
1000	19	0.0256	0.0278	0.0316	1000	73	0.0847	0.0880	0.0944
1000	20	0.0269	0.0289	0.0329	1000	74	0.0858	0.0891	0.0955
1000	21	0.0281	0.0301	0.0341	1000	75	0.0868	0.0902	0.0966
1000	22	0.0292	0.0313	0.0354	1000	76	0.0879	0.0912	0.0977
1000	23	0.0303	0.0324	0.0366	1000	77	0.0889	0.0923	0.0988
1000	24	0.0315	0.0336	0.0378	1000	78	0.0900	0.0934	0.0999
1000	25	0.0326	0.0347	0.0390	1000	79	0.0911	0.0945	0.1011
1000	26	0.0337	0.0359	0.0402	1000	80	0.0921	0.0955	0.1022
1000	27	0.0348	0.0370	0.0414	1000	81	0.0932	0.0966	0.1033
1000	28	0.0359	0.0382	0.0427	1000	82	0.0942	0.0977	0.1044
1000	29	0.0370	0.0393	0.0439	1000	83	0.0953	0.0988	0.1055
1000	30	0.0382	0.0405	0.0451	1000	84	0.0964	0.0999	0.1066
1000	31	0.0393	0.0416	0.0462	1000	85	0.0974	0.1009	0.1077
1000	32	0.0404	0.0427	0.0474	1000	86	0.0985	0.1020	0.1088
1000	33	0.0415	0.0439	0.0486	1000	87	0.0995	0.1031	0.1099
1000	34	0.0426	0.0450	0.0498	1000	88	0.1006	0.1042	0.1110
1000	35	0.0437	0.0461	0.0510	1000	89	0.1017	0.1052	0.1121
1000	36	0.0448	0.0473	0.0522	1000	90	0.1027	0.1063	0.1132
1000	37	0.0459	0.0484	0.0533	1000	91	0.1038	0.1074	0.1143
1000	38	0.0470	0.0495	0.0545	1000	92	0.1048	0.1084	0.1154
1000	39	0.0481	0.0506	0.0557	1000	93	0.1059	0.1095	0.1165
1000	40	0.0492	0.0518	0.0568	1000	94	0.1069	0.1106	0.1176
1000	41	0.0502	0.0529	0.0580	1000	95	0.1080	0.1117	0.1187
1000	42	0.0513	0.0540	0.0592	1000	96	0.1090	0.1127	0.1198
1000	43	0.0524	0.0551	0.0603	1000	97	0.1101	0.1138	0.1209
1000	44	0.0535	0.0562	0.0615	1000	98	0.1112	0.1149	0.1220
1000	45	0.0546	0.0573	0.0627	1000	99	0.1122	0.1159	0.1231
1000	46	0.0557	0.0584	0.0638	1000	100	0.1133	0.1170	0.1242
1000	47	0.0568	0.0595	0.0650	1000	101	0.1143	0.1180	0.1253
1000	48	0.0579	0.0607	0.0661	1000	102	0.1154	0.1191	0.1264
1000	49	0.0589	0.0618	0.0673	1000	103	0.1164	0.1202	0.1275
1000	50	0.0600	0.0629	0.0684	1000	104	0.1175	0.1213	0.1285
1000	51	0.0611	0.0640	0.0695	1000	105	0.1185	0.1223	0.1297
1000	52	0.0622	0.0651	0.0707	1000	106	0.1196	0.1234	0.1307
1000	53	0.0633	0.0662	0.0718					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	107	0.1206	0.1244	0.1318	1000	161	0.1769	0.1814	0.1899
1000	108	0.1217	0.1255	0.1329	1000	162	0.1779	0.1824	0.1910
1000	109	0.1227	0.1266	0.1340	1000	163	0.1790	0.1834	0.1920
1000	110	0.1238	0.1276	0.1351	1000	164	0.1800	0.1845	0.1931
1000	111	0.1248	0.1287	0.1362	1000	165	0.1810	0.1855	0.1941
1000	112	0.1259	0.1298	0.1373	1000	166	0.1821	0.1866	0.1952
1000	113	0.1269	0.1308	0.1384	1000	167	0.1831	0.1876	0.1963
1000	114	0.1280	0.1319	0.1394	1000	168	0.1841	0.1887	0.1973
1000	115	0.1290	0.1329	0.1405	1000	169	0.1852	0.1897	0.1984
1000	116	0.1300	0.1340	0.1416	1000	170	0.1862	0.1908	0.1994
1000	117	0.1311	0.1351	0.1427	1000	171	0.1872	0.1918	0.2005
1000	118	0.1321	0.1361	0.1438	1000	172	0.1883	0.1928	0.2016
1000	119	0.1332	0.1372	0.1448	1000	173	0.1893	0.1939	0.2026
1000	120	0.1342	0.1382	0.1459	1000	174	0.1903	0.1949	0.2037
1000	121	0.1353	0.1393	0.1470	1000	175	0.1914	0.1960	0.2047
1000	122	0.1363	0.1404	0.1481	1000	176	0.1924	0.1970	0.2058
1000	123	0.1374	0.1414	0.1492	1000	177	0.1934	0.1981	0.2069
1000	124	0.1384	0.1425	0.1502	1000	178	0.1945	0.1991	0.2079
1000	125	0.1395	0.1435	0.1513	1000	179	0.1955	0.2001	0.2090
1000	126	0.1405	0.1446	0.1524	1000	180	0.1965	0.2012	0.2100
1000	127	0.1415	0.1456	0.1535	1000	181	0.1976	0.2022	0.2111
1000	128	0.1426	0.1467	0.1546	1000	182	0.1986	0.2033	0.2121
1000	129	0.1436	0.1477	0.1556	1000	183	0.1996	0.2043	0.2132
1000	130	0.1447	0.1488	0.1567	1000	184	0.2007	0.2053	0.2142
1000	131	0.1457	0.1499	0.1578	1000	185	0.2017	0.2064	0.2153
1000	132	0.1468	0.1509	0.1589	1000	186	0.2027	0.2074	0.2164
1000	133	0.1478	0.1520	0.1600	1000	187	0.2038	0.2085	0.2174
1000	134	0.1488	0.1530	0.1610	1000	188	0.2048	0.2095	0.2185
1000	135	0.1499	0.1541	0.1621	1000	189	0.2058	0.2105	0.2195
1000	136	0.1509	0.1551	0.1632	1000	190	0.2069	0.2116	0.2206
1000	137	0.1520	0.1562	0.1643	1000	191	0.2079	0.2126	0.2216
1000	138	0.1530	0.1572	0.1653	1000	192	0.2089	0.2136	0.2227
1000	139	0.1540	0.1583	0.1664	1000	193	0.2099	0.2147	0.2237
1000	140	0.1551	0.1593	0.1675	1000	194	0.2110	0.2157	0.2248
1000	141	0.1561	0.1604	0.1685	1000	195	0.2120	0.2168	0.2258
1000	142	0.1572	0.1614	0.1696	1000	196	0.2130	0.2178	0.2269
1000	143	0.1582	0.1625	0.1707	1000	197	0.2141	0.2188	0.2279
1000	144	0.1592	0.1635	0.1717	1000	198	0.2151	0.2199	0.2290
1000	145	0.1603	0.1646	0.1728	1000	199	0.2161	0.2209	0.2300
1000	146	0.1613	0.1656	0.1739	1000	200	0.2171	0.2219	0.2311
1000	147	0.1624	0.1667	0.1750	1000	201	0.2182	0.2230	0.2322
1000	148	0.1634	0.1677	0.1760	1000	202	0.2192	0.2240	0.2332
1000	149	0.1644	0.1688	0.1771	1000	203	0.2202	0.2251	0.2342
1000	150	0.1655	0.1698	0.1781	1000	204	0.2213	0.2261	0.2353
1000	151	0.1665	0.1709	0.1793	1000	205	0.2223	0.2271	0.2364
1000	152	0.1676	0.1719	0.1803	1000	206	0.2233	0.2282	0.2374
1000	153	0.1686	0.1730	0.1814	1000	207	0.2243	0.2292	0.2384
1000	154	0.1696	0.1740	0.1824	1000	208	0.2254	0.2302	0.2395
1000	155	0.1707	0.1751	0.1835	1000	209	0.2264	0.2313	0.2405
1000	156	0.1717	0.1761	0.1845	1000	210	0.2274	0.2323	0.2416
1000	157	0.1728	0.1772	0.1856	1000	211	0.2284	0.2333	0.2426
1000	158	0.1738	0.1782	0.1867	1000	212	0.2295	0.2344	0.2437
1000	159	0.1748	0.1793	0.1878	1000	213	0.2305	0.2354	0.2447
1000	160	0.1758	0.1803	0.1888	1000	214	0.2315	0.2364	0.2458

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	215	0.2326	0.2375	0.2468	1000	269	0.2876	0.2931	0.3030
1000	216	0.2336	0.2385	0.2479	1000	270	0.2888	0.2941	0.3040
1000	217	0.2346	0.2395	0.2489	1000	271	0.2898	0.2951	0.3051
1000	218	0.2356	0.2406	0.2500	1000	272	0.2909	0.2961	0.3061
1000	219	0.2367	0.2416	0.2510	1000	273	0.2919	0.2972	0.3071
1000	220	0.2377	0.2427	0.2521	1000	274	0.2929	0.2982	0.3082
1000	221	0.2387	0.2437	0.2531	1000	275	0.2933	0.2992	0.3092
1000	222	0.2397	0.2447	0.2542	1000	276	0.2949	0.3002	0.3102
1000	223	0.2408	0.2458	0.2552	1000	277	0.2960	0.3012	0.3113
1000	224	0.2418	0.2468	0.2562	1000	278	0.2970	0.3023	0.3123
1000	225	0.2428	0.2478	0.2573	1000	279	0.2980	0.3033	0.3133
1000	226	0.2438	0.2488	0.2583	1000	280	0.2990	0.3043	0.3144
1000	227	0.2449	0.2499	0.2594	1000	281	0.3000	0.3053	0.3154
1000	228	0.2459	0.2509	0.2604	1000	282	0.3010	0.3064	0.3164
1000	229	0.2469	0.2519	0.2615	1000	283	0.3021	0.3074	0.3175
1000	230	0.2479	0.2530	0.2625	1000	284	0.3031	0.3084	0.3185
1000	231	0.2490	0.2540	0.2635	1000	285	0.3041	0.3094	0.3195
1000	232	0.2500	0.2550	0.2646	1000	286	0.3051	0.3104	0.3205
1000	233	0.2510	0.2561	0.2656	1000	287	0.3061	0.3115	0.3216
1000	234	0.2520	0.2571	0.2667	1000	288	0.3072	0.3125	0.3226
1000	235	0.2531	0.2581	0.2677	1000	289	0.3082	0.3135	0.3236
1000	236	0.2541	0.2591	0.2688	1000	290	0.3092	0.3145	0.3247
1000	237	0.2551	0.2602	0.2698	1000	291	0.3102	0.3156	0.3257
1000	238	0.2561	0.2612	0.2708	1000	292	0.3112	0.3166	0.3267
1000	239	0.2572	0.2622	0.2719	1000	293	0.3122	0.3176	0.3278
1000	240	0.2582	0.2633	0.2729	1000	294	0.3133	0.3186	0.3288
1000	241	0.2592	0.2643	0.2740	1000	295	0.3143	0.3196	0.3298
1000	242	0.2602	0.2653	0.2750	1000	296	0.3153	0.3207	0.3308
1000	243	0.2613	0.2663	0.2760	1000	297	0.3163	0.3217	0.3319
1000	244	0.2623	0.2674	0.2771	1000	298	0.3173	0.3227	0.3329
1000	245	0.2633	0.2684	0.2781	1000	299	0.3183	0.3237	0.3339
1000	246	0.2643	0.2694	0.2792	1000	300	0.3194	0.3248	0.3350
1000	247	0.2653	0.2705	0.2802	1000	301	0.3204	0.3258	0.3360
1000	248	0.2664	0.2715	0.2812	1000	302	0.3214	0.3268	0.3370
1000	249	0.2674	0.2725	0.2823	1000	303	0.3224	0.3278	0.3381
1000	250	0.2684	0.2736	0.2833	1000	304	0.3234	0.3288	0.3391
1000	251	0.2694	0.2746	0.2844	1000	305	0.3244	0.3299	0.3401
1000	252	0.2705	0.2756	0.2854	1000	306	0.3254	0.3309	0.3411
1000	253	0.2715	0.2766	0.2864	1000	307	0.3265	0.3319	0.3422
1000	254	0.2725	0.2777	0.2875	1000	308	0.3275	0.3329	0.3432
1000	255	0.2735	0.2787	0.2885	1000	309	0.3285	0.3339	0.3442
1000	256	0.2745	0.2797	0.2895	1000	310	0.3295	0.3350	0.3452
1000	257	0.2756	0.2807	0.2906	1000	311	0.3305	0.3360	0.3463
1000	258	0.2766	0.2818	0.2916	1000	312	0.3315	0.3370	0.3473
1000	259	0.2776	0.2828	0.2927	1000	313	0.3326	0.3380	0.3483
1000	260	0.2786	0.2838	0.2937	1000	314	0.3336	0.3390	0.3493
1000	261	0.2796	0.2848	0.2947	1000	315	0.3346	0.3400	0.3504
1000	262	0.2807	0.2859	0.2958	1000	316	0.3356	0.3411	0.3514
1000	263	0.2817	0.2869	0.2968	1000	317	0.3366	0.3421	0.3524
1000	264	0.2827	0.2879	0.2978	1000	318	0.3376	0.3431	0.3534
1000	265	0.2837	0.2889	0.2989	1000	319	0.3386	0.3441	0.3545
1000	266	0.2847	0.2900	0.2999	1000	320	0.3397	0.3451	0.3555
1000	267	0.2858	0.2910	0.3009	1000	321	0.3407	0.3462	0.3565
1000	268	0.2868	0.2920	0.3020					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	322	0.3417	0.3472	0.3575	1000	376	0.3963	0.4019	0.4126
1000	323	0.3427	0.3482	0.3586	1000	377	0.3973	0.4029	0.4136
1000	324	0.3437	0.3492	0.3596	1000	378	0.3983	0.4040	0.4146
					1000	379	0.3993	0.4050	0.4156
1000	325	0.3447	0.3502	0.3606	1000	380	0.4003	0.4060	0.4166
1000	326	0.3457	0.3512	0.3616	1000	381	0.4013	0.4070	0.4176
1000	327	0.3467	0.3523	0.3626	1000	382	0.4024	0.4080	0.4187
1000	328	0.3478	0.3533	0.3637	1000	383	0.4034	0.4090	0.4197
1000	329	0.3488	0.3543	0.3647	1000	384	0.4044	0.4100	0.4207
1000	330	0.3498	0.3553	0.3657	1000	385	0.4054	0.4110	0.4217
1000	331	0.3508	0.3563	0.3667	1000	386	0.4064	0.4120	0.4227
1000	332	0.3518	0.3573	0.3678	1000	387	0.4074	0.4131	0.4237
1000	333	0.3528	0.3584	0.3688	1000	388	0.4084	0.4141	0.4247
1000	334	0.3538	0.3594	0.3698	1000	389	0.4094	0.4151	0.4258
1000	335	0.3549	0.3604	0.3708	1000	390	0.4104	0.4161	0.4268
1000	336	0.3559	0.3614	0.3718	1000	391	0.4114	0.4171	0.4278
1000	337	0.3569	0.3624	0.3729	1000	392	0.4124	0.4181	0.4288
1000	338	0.3579	0.3634	0.3739	1000	393	0.4134	0.4191	0.4298
1000	339	0.3589	0.3644	0.3749	1000	394	0.4145	0.4201	0.4308
1000	340	0.3599	0.3655	0.3759	1000	395	0.4155	0.4211	0.4318
1000	341	0.3609	0.3665	0.3770	1000	396	0.4165	0.4221	0.4328
1000	342	0.3619	0.3675	0.3780	1000	397	0.4175	0.4231	0.4338
1000	343	0.3630	0.3685	0.3790	1000	398	0.4185	0.4242	0.4349
1000	344	0.3640	0.3695	0.3800	1000	399	0.4195	0.4252	0.4359
1000	345	0.3650	0.3705	0.3810	1000	400	0.4205	0.4262	0.4369
1000	346	0.3660	0.3716	0.3821	1000	401	0.4215	0.4272	0.4379
1000	347	0.3670	0.3726	0.3831	1000	402	0.4225	0.4282	0.4389
1000	348	0.3680	0.3736	0.3841	1000	403	0.4235	0.4292	0.4399
1000	349	0.3690	0.3746	0.3851	1000	404	0.4245	0.4302	0.4409
1000	350	0.3700	0.3756	0.3861	1000	405	0.4255	0.4312	0.4419
1000	351	0.3711	0.3766	0.3872	1000	406	0.4265	0.4322	0.4429
1000	352	0.3721	0.3776	0.3882	1000	407	0.4275	0.4332	0.4440
1000	353	0.3731	0.3787	0.3892	1000	408	0.4285	0.4342	0.4450
1000	354	0.3741	0.3797	0.3902	1000	409	0.4295	0.4352	0.4460
1000	355	0.3751	0.3807	0.3912	1000	410	0.4305	0.4363	0.4470
1000	356	0.3761	0.3817	0.3923	1000	411	0.4316	0.4373	0.4480
1000	357	0.3771	0.3827	0.3933	1000	412	0.4326	0.4383	0.4490
1000	358	0.3781	0.3837	0.3943	1000	413	0.4336	0.4393	0.4500
1000	359	0.3791	0.3847	0.3953	1000	414	0.4346	0.4403	0.4510
1000	360	0.3801	0.3857	0.3963	1000	415	0.4356	0.4413	0.4520
1000	361	0.3812	0.3868	0.3973	1000	416	0.4366	0.4423	0.4530
1000	362	0.3822	0.3878	0.3984	1000	417	0.4376	0.4433	0.4540
1000	363	0.3832	0.3888	0.3994	1000	418	0.4386	0.4443	0.4551
1000	364	0.3842	0.3898	0.4004	1000	419	0.4396	0.4453	0.4561
1000	365	0.3852	0.3908	0.4014	1000	420	0.4406	0.4463	0.4571
1000	366	0.3862	0.3918	0.4024	1000	421	0.4416	0.4473	0.4581
1000	367	0.3872	0.3928	0.4034	1000	422	0.4426	0.4483	0.4591
1000	368	0.3882	0.3939	0.4045	1000	423	0.4436	0.4493	0.4601
1000	369	0.3892	0.3949	0.4055	1000	424	0.4446	0.4503	0.4611
1000	370	0.3903	0.3959	0.4065	1000	425	0.4456	0.4513	0.4621
1000	371	0.3913	0.3969	0.4075	1000	426	0.4466	0.4524	0.4631
1000	372	0.3923	0.3979	0.4085	1000	427	0.4476	0.4534	0.4641
1000	373	0.3933	0.3989	0.4095	1000	428	0.4486	0.4544	0.4651
1000	374	0.3943	0.3999	0.4105	1000	429	0.4497	0.4554	0.4661
1000	375	0.3953	0.4009	0.4116					



# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	430	0.4506	0.4564	0.4671	1000	484	0.5048	0.5105	0.5213
1000	431	0.4517	0.4574	0.4681	1000	485	0.5058	0.5115	0.5223
1000	432	0.4527	0.4584	0.4692	1000	486	0.5068	0.5125	0.5233
1000	433	0.4537	0.4594	0.4702	1000	487	0.5078	0.5135	0.5243
1000	434	0.4547	0.4604	0.4712	1000	488	0.5088	0.5145	0.5253
1000	435	0.4557	0.4614	0.4722	1000	489	0.5098	0.5155	0.5263
1000	436	0.4567	0.4624	0.4732	1000	490	0.5108	0.5165	0.5273
1000	437	0.4577	0.4634	0.4742	1000	491	0.5118	0.5175	0.5283
1000	438	0.4587	0.4644	0.4752	1000	492	0.5128	0.5185	0.5292
1000	439	0.4597	0.4654	0.4762	1000	493	0.5138	0.5195	0.5303
1000	440	0.4607	0.4664	0.4772	1000	494	0.5148	0.5205	0.5312
1000	441	0.4617	0.4674	0.4782	1000	495	0.5158	0.5215	0.5322
1000	442	0.4627	0.4684	0.4792	1000	496	0.5167	0.5225	0.5332
1000	443	0.4637	0.4694	0.4802	1000	497	0.5178	0.5235	0.5342
1000	444	0.4647	0.4704	0.4812	1000	498	0.5187	0.5245	0.5352
1000	445	0.4657	0.4714	0.4822	1000	499	0.5198	0.5255	0.5362
1000	446	0.4667	0.4725	0.4832	1000	500	0.5207	0.5265	0.5372
1000	447	0.4677	0.4735	0.4842	1000	501	0.5218	0.5275	0.5382
1000	448	0.4687	0.4744	0.4852	1000	502	0.5227	0.5285	0.5393
1000	449	0.4697	0.4755	0.4862	1000	503	0.5238	0.5295	0.5402
1000	450	0.4707	0.4765	0.4872	1000	504	0.5247	0.5305	0.5412
1000	451	0.4717	0.4775	0.4882	1000	505	0.5257	0.5315	0.5422
1000	452	0.4727	0.4785	0.4893	1000	506	0.5267	0.5325	0.5432
1000	453	0.4737	0.4795	0.4902	1000	507	0.5277	0.5335	0.5442
1000	454	0.4747	0.4805	0.4912	1000	508	0.5287	0.5345	0.5452
1000	455	0.4757	0.4815	0.4923	1000	509	0.5297	0.5355	0.5462
1000	456	0.4767	0.4825	0.4933	1000	510	0.5307	0.5365	0.5472
1000	457	0.4777	0.4835	0.4943	1000	511	0.5317	0.5375	0.5481
1000	458	0.4787	0.4845	0.4953	1000	512	0.5327	0.5385	0.5492
1000	459	0.4797	0.4855	0.4963	1000	513	0.5337	0.5394	0.5501
1000	460	0.4807	0.4865	0.4973	1000	514	0.5347	0.5404	0.5512
1000	461	0.4817	0.4875	0.4983	1000	515	0.5357	0.5415	0.5522
1000	462	0.4827	0.4885	0.4993	1000	516	0.5367	0.5424	0.5532
1000	463	0.4837	0.4895	0.5003	1000	517	0.5377	0.5434	0.5541
1000	464	0.4847	0.4905	0.5013	1000	518	0.5387	0.5444	0.5552
1000	465	0.4858	0.4915	0.5023	1000	519	0.5397	0.5454	0.5561
1000	466	0.4867	0.4925	0.5033	1000	520	0.5407	0.5464	0.5571
1000	467	0.4878	0.4935	0.5043	1000	521	0.5417	0.5474	0.5581
1000	468	0.4887	0.4945	0.5053	1000	522	0.5427	0.5484	0.5591
1000	469	0.4898	0.4955	0.5063	1000	523	0.5437	0.5494	0.5601
1000	470	0.4908	0.4965	0.5073	1000	524	0.5447	0.5504	0.5611
1000	471	0.4918	0.4975	0.5083	1000	525	0.5457	0.5514	0.5621
1000	472	0.4928	0.4985	0.5093	1000	526	0.5467	0.5524	0.5631
1000	473	0.4938	0.4995	0.5103	1000	527	0.5477	0.5534	0.5641
1000	474	0.4948	0.5005	0.5113	1000	528	0.5487	0.5544	0.5651
1000	475	0.4958	0.5015	0.5123	1000	529	0.5497	0.5554	0.5660
1000	476	0.4968	0.5025	0.5133	1000	530	0.5507	0.5564	0.5670
1000	477	0.4978	0.5035	0.5143	1000	531	0.5517	0.5574	0.5680
1000	478	0.4988	0.5045	0.5153	1000	532	0.5527	0.5584	0.5690
1000	479	0.4998	0.5055	0.5163	1000	533	0.5537	0.5594	0.5700
1000	480	0.5008	0.5065	0.5173	1000	534	0.5547	0.5603	0.5710
1000	481	0.5018	0.5075	0.5183	1000	535	0.5556	0.5613	0.5720
1000	482	0.5028	0.5085	0.5193	1000	536	0.5566	0.5623	0.5730
1000	483	0.5038	0.5095	0.5203					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
1000	537	0.5576	0.5633	0.5740	1000	591	0.6113	0.6168	0.6273
1000	538	0.5586	0.5643	0.5749	1000	592	0.6123	0.6178	0.6282
1000	539	0.5596	0.5653	0.5760	1000	593	0.6133	0.6188	0.6292
					1000	594	0.6143	0.6198	0.6302
1000	540	0.5606	0.5663	0.5769					
1000	541	0.5616	0.5673	0.5779	1000	595	0.6152	0.6208	0.6312
1000	542	0.5626	0.5683	0.5789	1000	596	0.6162	0.6218	0.6321
1000	543	0.5636	0.5693	0.5799	1000	597	0.6172	0.6228	0.6332
1000	544	0.5646	0.5703	0.5809	1000	598	0.6182	0.6238	0.6341
					1000	599	0.6192	0.6247	0.6351
1000	545	0.5656	0.5713	0.5819					
1000	546	0.5666	0.5723	0.5829	1000	600	0.6202	0.6257	0.6361
1000	547	0.5676	0.5733	0.5839	1000	601	0.6212	0.6267	0.6371
1000	548	0.5686	0.5743	0.5849	1000	602	0.6222	0.6277	0.6381
1000	549	0.5696	0.5752	0.5858	1000	603	0.6232	0.6287	0.6390
					1000	604	0.6242	0.6297	0.6400
1000	550	0.5706	0.5762	0.5868					
1000	551	0.5716	0.5772	0.5879	1000	605	0.6251	0.6307	0.6410
1000	552	0.5726	0.5782	0.5888	1000	606	0.6261	0.6317	0.6420
1000	553	0.5736	0.5792	0.5898	1000	607	0.6271	0.6327	0.6430
1000	554	0.5745	0.5802	0.5908	1000	608	0.6281	0.6336	0.6439
					1000	609	0.6291	0.6346	0.6449
1000	555	0.5756	0.5812	0.5918					
1000	556	0.5765	0.5822	0.5928	1000	610	0.6301	0.6356	0.6459
1000	557	0.5775	0.5832	0.5937	1000	611	0.6311	0.6366	0.6468
1000	558	0.5785	0.5842	0.5947	1000	612	0.6321	0.6376	0.6479
1000	559	0.5795	0.5852	0.5957	1000	613	0.6330	0.6386	0.6488
					1000	614	0.6341	0.6395	0.6498
1000	560	0.5805	0.5862	0.5967					
1000	561	0.5815	0.5872	0.5977	1000	615	0.6350	0.6405	0.6508
1000	562	0.5825	0.5881	0.5987	1000	616	0.6360	0.6415	0.6518
1000	563	0.5835	0.5891	0.5997	1000	617	0.6370	0.6425	0.6527
1000	564	0.5845	0.5901	0.6007	1000	618	0.6380	0.6435	0.6537
					1000	619	0.6390	0.6445	0.6547
1000	565	0.5855	0.5911	0.6017					
1000	566	0.5865	0.5921	0.6027	1000	620	0.6400	0.6455	0.6557
1000	567	0.5875	0.5931	0.6036	1000	621	0.6410	0.6464	0.6566
1000	568	0.5885	0.5941	0.6046	1000	622	0.6420	0.6474	0.6576
1000	569	0.5895	0.5951	0.6056	1000	623	0.6430	0.6484	0.6586
					1000	624	0.6439	0.6494	0.6596
1000	570	0.5904	0.5961	0.6066					
1000	571	0.5914	0.5971	0.6076	1000	625	0.6449	0.6504	0.6605
1000	572	0.5924	0.5981	0.6085	1000	626	0.6459	0.6514	0.6615
1000	573	0.5934	0.5990	0.6096	1000	627	0.6469	0.6524	0.6625
1000	574	0.5944	0.6000	0.6105	1000	628	0.6479	0.6533	0.6635
					1000	629	0.6489	0.6543	0.6645
1000	575	0.5954	0.6010	0.6115					
1000	576	0.5964	0.6020	0.6125	1000	630	0.6499	0.6553	0.6654
1000	577	0.5974	0.6030	0.6135	1000	631	0.6509	0.6563	0.6664
1000	578	0.5984	0.6040	0.6145	1000	632	0.6518	0.6573	0.6674
1000	579	0.5994	0.6050	0.6154	1000	633	0.6528	0.6583	0.6684
					1000	634	0.6538	0.6592	0.6693
1000	580	0.6004	0.6060	0.6164					
1000	581	0.6014	0.6070	0.6174	1000	635	0.6548	0.6602	0.6703
1000	582	0.6024	0.6080	0.6184	1000	636	0.6558	0.6612	0.6713
1000	583	0.6033	0.6089	0.6194	1000	637	0.6568	0.6622	0.6723
1000	584	0.6043	0.6099	0.6204	1000	638	0.6578	0.6632	0.6732
					1000	639	0.6587	0.6641	0.6742
1000	585	0.6053	0.6109	0.6213					
1000	586	0.6063	0.6119	0.6223	1000	640	0.6597	0.6651	0.6752
1000	587	0.6073	0.6129	0.6233	1000	641	0.6607	0.6661	0.6762
1000	588	0.6083	0.6139	0.6243	1000	642	0.6617	0.6671	0.6771
1000	589	0.6093	0.6149	0.6253	1000	643	0.6627	0.6681	0.6781
					1000	644	0.6637	0.6691	0.6791
1000	590	0.6103	0.6159	0.6262					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	645	0.6647	0.6700	0.6800	1000	699	0.7178	0.7229	0.7324
1000	646	0.6657	0.6710	0.6811	1000	700	0.7188	0.7239	0.7334
1000	647	0.6666	0.6720	0.6820	1000	701	0.7197	0.7248	0.7343
1000	648	0.6676	0.6730	0.6830	1000	702	0.7207	0.7258	0.7353
1000	649	0.6686	0.6740	0.6840	1000	703	0.7217	0.7268	0.7363
1000	650	0.6696	0.6749	0.6849	1000	704	0.7227	0.7278	0.7372
1000	651	0.6706	0.6759	0.6859	1000	705	0.7237	0.7288	0.7382
1000	652	0.6716	0.6769	0.6869	1000	706	0.7246	0.7297	0.7391
1000	653	0.6726	0.6779	0.6878	1000	707	0.7256	0.7307	0.7401
1000	654	0.6735	0.6789	0.6888	1000	708	0.7266	0.7317	0.7411
1000	655	0.6745	0.6799	0.6898	1000	709	0.7276	0.7326	0.7420
1000	656	0.6755	0.6808	0.6908	1000	710	0.7286	0.7336	0.7430
1000	657	0.6765	0.6818	0.6917	1000	711	0.7295	0.7346	0.7439
1000	658	0.6775	0.6828	0.6927	1000	712	0.7305	0.7356	0.7449
1000	659	0.6785	0.6838	0.6937	1000	713	0.7315	0.7365	0.7459
1000	660	0.6795	0.6848	0.6946	1000	714	0.7325	0.7375	0.7469
1000	661	0.6804	0.6858	0.6956	1000	715	0.7335	0.7385	0.7478
1000	662	0.6814	0.6867	0.6966	1000	716	0.7344	0.7395	0.7488
1000	663	0.6824	0.6877	0.6975	1000	717	0.7354	0.7404	0.7497
1000	664	0.6834	0.6887	0.6985	1000	718	0.7364	0.7414	0.7507
1000	665	0.6844	0.6897	0.6995	1000	719	0.7374	0.7424	0.7516
1000	666	0.6854	0.6907	0.7005	1000	720	0.7384	0.7434	0.7526
1000	667	0.6863	0.6916	0.7015	1000	721	0.7393	0.7443	0.7535
1000	668	0.6873	0.6926	0.7024	1000	722	0.7403	0.7453	0.7545
1000	669	0.6883	0.6936	0.7034	1000	723	0.7413	0.7463	0.7555
1000	670	0.6893	0.6946	0.7044	1000	724	0.7423	0.7472	0.7565
1000	671	0.6903	0.6955	0.7053	1000	725	0.7432	0.7482	0.7574
1000	672	0.6913	0.6965	0.7063	1000	726	0.7442	0.7492	0.7584
1000	673	0.6923	0.6975	0.7073	1000	727	0.7452	0.7502	0.7593
1000	674	0.6932	0.6985	0.7082	1000	728	0.7462	0.7511	0.7603
1000	675	0.6942	0.6995	0.7092	1000	729	0.7472	0.7521	0.7612
1000	676	0.6952	0.7004	0.7102	1000	730	0.7481	0.7531	0.7622
1000	677	0.6962	0.7014	0.7112	1000	731	0.7491	0.7540	0.7631
1000	678	0.6972	0.7024	0.7121	1000	732	0.7501	0.7550	0.7641
1000	679	0.6981	0.7034	0.7131	1000	733	0.7511	0.7560	0.7651
1000	680	0.6991	0.7044	0.7140	1000	734	0.7521	0.7570	0.7660
1000	681	0.7001	0.7053	0.7150	1000	735	0.7530	0.7579	0.7670
1000	682	0.7011	0.7063	0.7160	1000	736	0.7540	0.7589	0.7679
1000	683	0.7021	0.7073	0.7169	1000	737	0.7550	0.7599	0.7689
1000	684	0.7031	0.7083	0.7179	1000	738	0.7560	0.7608	0.7698
1000	685	0.7040	0.7092	0.7189	1000	739	0.7569	0.7618	0.7708
1000	686	0.7050	0.7102	0.7198	1000	740	0.7579	0.7628	0.7718
1000	687	0.7060	0.7112	0.7208	1000	741	0.7589	0.7637	0.7727
1000	688	0.7070	0.7122	0.7218	1000	742	0.7599	0.7647	0.7737
1000	689	0.7080	0.7131	0.7227	1000	743	0.7608	0.7657	0.7746
1000	690	0.7089	0.7141	0.7237	1000	744	0.7618	0.7667	0.7756
1000	691	0.7099	0.7151	0.7246	1000	745	0.7628	0.7676	0.7765
1000	692	0.7109	0.7161	0.7257	1000	746	0.7638	0.7686	0.7775
1000	693	0.7119	0.7170	0.7266	1000	747	0.7647	0.7696	0.7785
1000	694	0.7129	0.7180	0.7276	1000	748	0.7657	0.7705	0.7794
1000	695	0.7139	0.7190	0.7285	1000	749	0.7667	0.7715	0.7803
1000	696	0.7148	0.7200	0.7295	1000	750	0.7677	0.7725	0.7813
1000	697	0.7158	0.7210	0.7305	1000	751	0.7686	0.7734	0.7822
1000	698	0.7168	0.7219	0.7314					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE		LEVEL	N	K	CONFIDENCE		LEVEL
		90%	95%				90%	95%	
1000	752	0.7696	0.7744	0.7832	1000	806	0.8221	0.8264	0.8343
1000	753	0.7706	0.7754	0.7842	1000	807	0.8230	0.8273	0.8353
1000	754	0.7716	0.7763	0.7851	1000	808	0.8240	0.8283	0.8362
					1000	809	0.8250	0.8292	0.8371
1000	755	0.7725	0.7773	0.7861					
1000	756	0.7735	0.7783	0.7870	1000	810	0.8259	0.8302	0.8381
1000	757	0.7745	0.7792	0.7880	1000	811	0.8269	0.8312	0.8390
1000	758	0.7755	0.7802	0.7889	1000	812	0.8279	0.8321	0.8400
1000	759	0.7764	0.7812	0.7899	1000	813	0.8288	0.8331	0.8409
					1000	814	0.8298	0.8340	0.8418
1000	760	0.7774	0.7821	0.7908					
1000	761	0.7784	0.7831	0.7918	1000	815	0.8308	0.8350	0.8428
1000	762	0.7794	0.7841	0.7927	1000	816	0.8317	0.8359	0.8437
1000	763	0.7803	0.7850	0.7937	1000	817	0.8327	0.8369	0.8446
1000	764	0.7813	0.7860	0.7946	1000	818	0.8337	0.8379	0.8456
					1000	819	0.8346	0.8388	0.8465
1000	765	0.7823	0.7869	0.7956					
1000	766	0.7833	0.7879	0.7966	1000	820	0.8356	0.8398	0.8475
1000	767	0.7842	0.7889	0.7975	1000	821	0.8366	0.8407	0.8484
1000	768	0.7852	0.7898	0.7984	1000	822	0.8375	0.8417	0.8493
1000	769	0.7862	0.7908	0.7994	1000	823	0.8385	0.8426	0.8502
					1000	824	0.8395	0.8436	0.8512
1000	770	0.7871	0.7918	0.8003					
1000	771	0.7881	0.7927	0.8013	1000	825	0.8404	0.8445	0.8521
1000	772	0.7891	0.7937	0.8022	1000	826	0.8414	0.8455	0.8531
1000	773	0.7901	0.7947	0.8032	1000	827	0.8423	0.8464	0.8540
1000	774	0.7910	0.7956	0.8041	1000	828	0.8433	0.8474	0.8549
					1000	829	0.8443	0.8484	0.8558
1000	775	0.7920	0.7966	0.8051					
1000	776	0.7930	0.7976	0.8060	1000	830	0.8452	0.8493	0.8568
1000	777	0.7940	0.7985	0.8070	1000	831	0.8462	0.8503	0.8577
1000	778	0.7949	0.7995	0.8079	1000	832	0.8472	0.8512	0.8586
1000	779	0.7959	0.8005	0.8089	1000	833	0.8481	0.8521	0.8596
					1000	834	0.8491	0.8531	0.8605
1000	780	0.7969	0.8014	0.8098					
1000	781	0.7978	0.8024	0.8108	1000	835	0.8500	0.8541	0.8614
1000	782	0.7988	0.8033	0.8117	1000	836	0.8510	0.8550	0.8624
1000	783	0.7998	0.8043	0.8126	1000	837	0.8520	0.8560	0.8633
1000	784	0.8007	0.8053	0.8136	1000	838	0.8529	0.8569	0.8642
					1000	839	0.8539	0.8579	0.8652
1000	785	0.8017	0.8062	0.8145					
1000	786	0.8027	0.8072	0.8155	1000	840	0.8549	0.8588	0.8661
1000	787	0.8037	0.8081	0.8164	1000	841	0.8558	0.8598	0.8670
1000	788	0.8046	0.8091	0.8174	1000	842	0.8568	0.8607	0.8679
1000	789	0.8056	0.8101	0.8183	1000	843	0.8577	0.8617	0.8689
					1000	844	0.8587	0.8626	0.8698
1000	790	0.8066	0.8110	0.8193					
1000	791	0.8075	0.8120	0.8202	1000	845	0.8597	0.8635	0.8707
1000	792	0.8085	0.8130	0.8211	1000	846	0.8606	0.8645	0.8716
1000	793	0.8095	0.8139	0.8221	1000	847	0.8616	0.8655	0.8726
1000	794	0.8104	0.8149	0.8230	1000	848	0.8625	0.8664	0.8735
					1000	849	0.8635	0.8673	0.8744
1000	795	0.8114	0.8158	0.8240					
1000	796	0.8124	0.8168	0.8249	1000	850	0.8644	0.8683	0.8753
1000	797	0.8134	0.8178	0.8259	1000	851	0.8654	0.8692	0.8763
1000	798	0.8143	0.8187	0.8268	1000	852	0.8664	0.8702	0.8772
1000	799	0.8153	0.8197	0.8277	1000	853	0.8673	0.8711	0.8781
					1000	854	0.8683	0.8721	0.8790
1000	800	0.8163	0.8206	0.8287					
1000	801	0.8172	0.8216	0.8296	1000	855	0.8692	0.8730	0.8800
1000	802	0.8182	0.8225	0.8306	1000	856	0.8702	0.8740	0.8809
1000	803	0.8192	0.8235	0.8315	1000	857	0.8711	0.8749	0.8818
1000	804	0.8201	0.8245	0.8325	1000	858	0.8721	0.8759	0.8827
					1000	859	0.8731	0.8768	0.8836
1000	805	0.8211	0.8254	0.8334					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL			N	K	CONFIDENCE LEVEL		
		90%	95%	99%			90%	95%	99%
1000	860	0.8740	0.8777	0.8846	1000	914	0.9252	0.9282	0.9334
1000	861	0.8750	0.8787	0.8855	1000	915	0.9262	0.9291	0.9343
1000	862	0.8759	0.8796	0.8864	1000	916	0.9271	0.9300	0.9352
1000	863	0.8769	0.8806	0.8873	1000	917	0.9281	0.9309	0.9361
1000	864	0.8778	0.8815	0.8882	1000	918	0.9290	0.9318	0.9370
1000	865	0.8788	0.8825	0.8892	1000	919	0.9299	0.9328	0.9379
1000	866	0.8798	0.8834	0.8901	1000	920	0.9309	0.9337	0.9388
1000	867	0.8807	0.8843	0.8910	1000	921	0.9318	0.9346	0.9396
1000	868	0.8817	0.8853	0.8919	1000	922	0.9327	0.9355	0.9405
1000	869	0.8826	0.8862	0.8928	1000	923	0.9337	0.9364	0.9414
1000	870	0.8836	0.8872	0.8937	1000	924	0.9346	0.9373	0.9423
1000	871	0.8845	0.8881	0.8946	1000	925	0.9355	0.9383	0.9432
1000	872	0.8855	0.8890	0.8956	1000	926	0.9365	0.9392	0.9440
1000	873	0.8864	0.8900	0.8965	1000	927	0.9374	0.9401	0.9449
1000	874	0.8874	0.8909	0.8974	1000	928	0.9383	0.9410	0.9458
1000	875	0.8883	0.8919	0.8983	1000	929	0.9393	0.9419	0.9467
1000	876	0.8893	0.8928	0.8992	1000	930	0.9402	0.9428	0.9475
1000	877	0.8903	0.8937	0.9001	1000	931	0.9411	0.9437	0.9484
1000	878	0.8912	0.8947	0.9010	1000	932	0.9421	0.9446	0.9493
1000	879	0.8921	0.8956	0.9019	1000	933	0.9430	0.9455	0.9501
1000	880	0.8931	0.8966	0.9029	1000	934	0.9439	0.9464	0.9510
1000	881	0.8941	0.8975	0.9038	1000	935	0.9448	0.9474	0.9519
1000	882	0.8950	0.8984	0.9047	1000	936	0.9458	0.9483	0.9527
1000	883	0.8960	0.8994	0.9056	1000	937	0.9467	0.9492	0.9536
1000	884	0.8969	0.9003	0.9065	1000	938	0.9476	0.9501	0.9545
1000	885	0.8979	0.9012	0.9074	1000	939	0.9485	0.9510	0.9553
1000	886	0.8988	0.9022	0.9083	1000	940	0.9495	0.9519	0.9562
1000	887	0.8998	0.9031	0.9092	1000	941	0.9504	0.9528	0.9571
1000	888	0.9007	0.9040	0.9101	1000	942	0.9513	0.9537	0.9579
1000	889	0.9016	0.9050	0.9110	1000	943	0.9522	0.9546	0.9588
1000	890	0.9026	0.9059	0.9119	1000	944	0.9532	0.9555	0.9596
1000	891	0.9035	0.9068	0.9128	1000	945	0.9541	0.9564	0.9605
1000	892	0.9045	0.9078	0.9137	1000	946	0.9550	0.9573	0.9613
1000	893	0.9054	0.9087	0.9146	1000	947	0.9559	0.9582	0.9622
1000	894	0.9064	0.9096	0.9156	1000	948	0.9568	0.9591	0.9630
1000	895	0.9073	0.9106	0.9165	1000	949	0.9577	0.9599	0.9639
1000	896	0.9083	0.9115	0.9174	1000	950	0.9587	0.9608	0.9647
1000	897	0.9092	0.9124	0.9183	1000	951	0.9596	0.9617	0.9656
1000	898	0.9102	0.9134	0.9192	1000	952	0.9605	0.9626	0.9664
1000	899	0.9111	0.9143	0.9201	1000	953	0.9614	0.9635	0.9672
1000	900	0.9121	0.9152	0.9209	1000	954	0.9623	0.9644	0.9681
1000	901	0.9130	0.9161	0.9218	1000	955	0.9632	0.9653	0.9689
1000	902	0.9139	0.9171	0.9227	1000	956	0.9641	0.9662	0.9698
1000	903	0.9149	0.9180	0.9236	1000	957	0.9650	0.9670	0.9706
1000	904	0.9158	0.9189	0.9245	1000	958	0.9659	0.9679	0.9714
1000	905	0.9168	0.9199	0.9254	1000	959	0.9668	0.9688	0.9722
1000	906	0.9177	0.9208	0.9263	1000	960	0.9677	0.9697	0.9731
1000	907	0.9187	0.9217	0.9272	1000	961	0.9687	0.9705	0.9739
1000	908	0.9196	0.9226	0.9281	1000	962	0.9696	0.9714	0.9747
1000	909	0.9205	0.9236	0.9290	1000	963	0.9705	0.9723	0.9755
1000	910	0.9215	0.9245	0.9299	1000	964	0.9713	0.9732	0.9763
1000	911	0.9224	0.9254	0.9308	1000	965	0.9722	0.9740	0.9771
1000	912	0.9234	0.9263	0.9317	1000	966	0.9731	0.9749	0.9780
1000	913	0.9243	0.9272	0.9326					

# UPPER CONFIDENCE LIMIT FOR PROPORTIONS

N	K	CONFIDENCE LEVEL		
		90%	95%	99%
1000	967	0.9740	0.9758	0.9788
1000	968	0.9749	0.9766	0.9796
1000	969	0.9758	0.9775	0.9804
1000	970	0.9767	0.9783	0.9812
1000	971	0.9776	0.9792	0.9820
1000	972	0.9785	0.9800	0.9827
1000	973	0.9794	0.9809	0.9835
1000	974	0.9802	0.9817	0.9843
1000	975	0.9811	0.9826	0.9851
1000	976	0.9820	0.9834	0.9858
1000	977	0.9829	0.9842	0.9866
1000	978	0.9837	0.9851	0.9874
1000	979	0.9846	0.9859	0.9881
1000	980	0.9854	0.9867	0.9889
1000	981	0.9863	0.9875	0.9896
1000	982	0.9872	0.9883	0.9903
1000	983	0.9880	0.9891	0.9911
1000	984	0.9888	0.9899	0.9918
1000	985	0.9897	0.9907	0.9925
1000	986	0.9905	0.9915	0.9932
1000	987	0.9913	0.9923	0.9939
1000	988	0.9922	0.9931	0.9946
1000	989	0.9930	0.9938	0.9952
1000	990	0.9938	0.9946	0.9959
1000	991	0.9946	0.9953	0.9965
1000	992	0.9953	0.9960	0.9971
1000	993	0.9961	0.9967	0.9977
1000	994	0.9968	0.9974	0.9982
1000	995	0.9976	0.9980	0.9987
1000	996	0.9983	0.9986	0.9992
1000	997	0.9989	0.9992	0.9996
1000	998	0.9995	0.9996	0.9999
1000	999	0.9999	0.9999	1.0000
1000	1000	1.0000	1.0000	1.0000

## REFERENCES

R. V. Hogg and A. T. Craig, Introduction to Mathematical Statistics, 3rd edition, The Macmillan Company, Collier-Macmillan Limited, London, 1970.

(This page intentionally blank)



## APPENDIX A

### Interpolation Correction Factors for Two-sided Confidence Limits

This appendix provides interpolation correction factors for use with the worksheets (Figures 2 and 3) when computing two-sided confidence limits for untabled sample sizes.

(This page intentionally blank)




Figure A-1. Interpolation correction factors for two-sided 90 percent lower confidence limits ( $200 < N < 500$ )




Figure A-2. Interpolation correction factors for two-sided 90 percent lower confidence limits ( $500 < N < 1000$ )




Figure A-3. Interpolation correction factors for two-sided 90 percent upper confidence limits ( $200 < N < 500$ )




Figure A-4. Interpolation correction factors for two-sided 90 percent upper confidence limits ( $500 < N < 1000$ )




Figure A-5. Interpolation correction factors for two-sided 95 percent lower confidence limits ( $200 < N < 500$ )




Figure A-6. Interpolation correction factors for two-sided 95 percent lower confidence limits ( $500 < N < 1000$ )






Figure A-7. Interpolation correction factors for two-sided 95 percent upper confidence limits ( $200 < N < 500$ )




Figure A-8. Interpolation correction factors for two-sided 95 percent upper confidence limits ( $500 < N < 1000$ )




Figure A-9. Interpolation correction factors for two-sided 99 percent lower confidence limits ( $200 < N < 500$ )




Figure A-10. Interpolation correction factors for two-sided 99 percent lower confidence limits ( $500 < N < 1000$ )




Figure A-11. Interpolation correction factors for two-sided 99 percent upper confidence limits ( $200 < N < 500$ )




Figure A-12. Interpolation correction factors for two-sided 99 percent upper confidence limits ( $500 < N < 1000$ )

## APPENDIX B

### Interpolation Correction Factors for One-sided Lower Confidence Limits

This appendix provides interpolation correction factors for use with the worksheets (Figures 2 and 3) when computing one-sided lower confidence limits for untabled sample sizes.

(This page intentionally blank)






Figure B-1. Interpolation correction factors for one-sided 90 percent lower confidence limits ( $200 < N < 500$ )




Figure B-2. Interpolation correction factors for one-sided 90 percent lower confidence limits ( $500 < N < 1000$ )




Figure B-3. Interpolation correction factors for one-sided 95 percent lower confidence limits ( $200 < N < 500$ )




Figure B-4. Interpolation correction factors for one-sided 95 percent lower confidence limits ( $500 < N < 1000$ )




Figure B-5. Interpolation correction factors for one-sided 99 percent lower confidence limits ( $200 < N < 500$ )




Figure B-6. Interpolation correction factors for one-sided 99 percent lower confidence limits ( $500 < N < 1000$ )

## APPENDIX C

### Interpolation Correction Factors for One-sided Upper Confidence Limits

This appendix provides interpolation correction factors for use with the worksheets (Figures 2 and 3) when computing one-sided upper confidence limits for untabled sample sizes.

(This page intentionally blank)






Figure C-1. Interpolation correction factors for one-sided 90 percent upper confidence limits ( $200 < N < 500$ )




Figure C-2. Interpolation correction factors for one-sided 90 percent upper confidence limits ( $500 < N < 1000$ )




Figure C-3. Interpolation correction factors for one-sided 95 percent upper confidence limits ( $200 < N < 500$ )




Figure C-4. Interpolation correction factors for one-sided 95 percent upper confidence limits ( $500 < N < 1000$ )




Figure C-5. Interpolation correction factors for one-sided 99 percent upper confidence limits ( $200 < N < 500$ )




Figure C-6. Interpolation correction factors for one-sided 99 percent upper confidence limits ( $500 < N < 1000$ )

# DISTRIBUTION LIST

HQ USAF/SAZ	1	HQ TAC/DRA	1
Washington DC 20330		Langley AFB VA 23665-5001	
HQ SAC		MICOM	2
Offutt AFB NE 68113-5001		Redstone Scientific Info Ctr	
XR	1	AMSMI-RD-CS-R/ILL Documents	
SCLX -6343	1	Redstone Arsenal AL 35898-5564	
AUL/LSE	1	DIA/DB-6E3	1
Maxwell AFB AL 36112-5564		Washington DC 20430-6763	
Wright-Patterson AFB OH 45433		HQ AFOTEC/TEF	1
FTD 45433-6508		Kirtland AFB NM 87117-7001	
SDA	1	3400 TCHTW/TTGXV	1
WRDC 45433		Lowry AFB CO 80230-5100	
TE -6533	1	453 FTS/DOI	1
AAWD -6523	1	Mather AFB CA 95655-5000	
FIVS/SURVIAC -6553	1	WR-ALC/MMR	1
ASD 45433-6503		Robins AFB GA 31098-5609	
RW	1	AFEWC/ESRI	1
ENAMA	1	San Antonio TX 78243-5000	
Nellis AFB NV 89191-5000		AFFTC Technical Library	1
USAFFWS/COA	1	6510 TESTW/TSTL	
57 FW/DT	2	Edwards AFB CA 93523-5000	
Commander	1	Defense Technical Info Ctr	2
ARDEC		DTIC-DDAC	
ATTN: SMCAR-IMI-I, B59		Cameron Station	
Picatinny Arsenal NJ 07806-5000		Alexandria VA 22304-6145	
3300 TCHTW/TT00	1	U.S. Army Belvoir Research, Dev.,	2
Keesler AFB MS 39534-5000		& Engineering Center (AFCPM-PSE)	
Commanding Officer	1	Fort Belvoir VA 22060-5606	
Naval Electronic Sys Engrg Ctr		USAF TAWC	
4925 Lacross Road, Code 33		Eglin AFB FL 32542-6008	
Corporate Square II		ECE	2
North Charleston SC 29418-6504		TXA	1
SMOTEC/CCN	1		
Attn: Capt Tom Smith			
Hurlburt Field FL 32544-5000			

# DISTRIBUTION LIST (Continued)

Eglin AFB FL 32542-5000		3246 TESTW/OL-AA	1
AFDTC		George AFB CA 92392	
XR	1		
EN	1	Marine Corps Research Development	1
AFATL/DOIL	2	& Acquisition Command	
3246 TESTW		(Code CS)	
TY	1	Quantico VA 22134-5080	
TZW	31		
Det 2 AFOTEC/TEM	1		
SACPO/SR	1		